

2. LITERATURE CITED

- Abbott, C.C.** 1860. Descriptions of new species of American fresh-water fishes. *P. Acad. Nat. Sci. Phila.*, 12: 325–328.
- Ackerman, J.** 1997. Parasites. *Natl. Geogr.*, 192(4): 74–91.
- Agassiz, L.** 1850. *Lake Superior: Its physical character, vegetation, and animals, compared with those of other regions.* Gould, Kendall, and Lincoln, Boston, Massachusetts. xii + 428 pp. + 8 pls.
- Álvarez del Villar, J.** 1966. Ictiología michoacana, IV. Contribución al conocimiento biológico y sistemático de las lampreas de Jacona, Mich., México. *An. Esc. Nac. Cienc. Biol. Mex.*, 13(1–4): 107–144.
- Anikin, V.P.** 1905. Opisanie novykh aziatskikh vidov ryb. *Izv. Tomsk. Univ.*, 1–18.
- Anonymous.** 2000. Parasites deal with a nasty shark meal. *Natl. Geogr.*, 198(1): unpaginated, *In Earth Almanac section*.
- Anonymous.** 2004. Native Fish Strategy for the Murray–Darling Basin 2003–2013. Murray–Darling Basin Commission, Canberra, Australia. viii + 50 pp.
- Askerov, F., Y. Zaytsev, R. Kasimov, & Guliyev, Z.** 2001. *Biodiversity: Amazing Caspian fishes*. Print Studio Publishing House, Baku, Azerbaijan. 162 pp.
- Ayres, W.O.** 1855a. Description of *Petromyzon plumbeus*. *The Pacific*, 4(10): 2.
- Ayres, W.O.** 1855b. Description of new fishes from California. *The Pacific*, 4(20): 2.
- Bahr, K.** 1933. Das Flussneunauge (*Lampreta fluviatilis*) als Urheber von Fischverletzungen. *Mitt. Deutsch. Seefisch. Ver.*, 49(1): 3–8.
- Bailey, R.M.** 1980. Comments on the classification and nomenclature of lampreys – an alternative view. *Can. J. Fish. Aquat. Sci.*, 37(11): 1626–1629.
- Baldwin, J., K. Mortimer, & Patak, A.** 1988. Evolutionary relationships among lamprey families: Amino acid composition analysis of lactate dehydrogenase. *Biochem. Syst. Ecol.*, 16(3): 351–353.
- Balon, E.K. & Holčík, J.** 1964. Kilka nowych dla Polski form kragloustych i ryb z dorzecza Dunaju (Czarna Orawa). *Fragm. Faun. (Wars.)*, 11: 189–206.
- Bănărescu, P.** 1969. Cyclostomata și Chondrichthyes (ciclostomi și selaciensi). *Fauna Republicii Socialista Romania*, 12(1): 5–54.
- Bardack, D. & Zangerl, R.** 1968. First fossil lamprey: A record from the Pennsylvanian of Illinois. *Science*, 162: 1265–1267.
- Barnhart, P.S.** 1936. *Marine fishes of southern California*. University of California Press, Berkeley, California, United States. iv + 209 pp.
- Beamish, F.W.H. & Potter, I.C.** 1975. The biology of the anadromous Sea Lamprey (*Petromyzon marinus*) in New Brunswick. *J. Zool.*, 177: 57–72.
- Beamish, F.W.H. & Lowartz, S.** 1996. Larval habitat of American Brook Lamprey. *Can. J. Fish. Aquat. Sci.*, 53(4): 693–700.
- Beamish, F.W.H., P.K. Ott, & Roe, S.L.** 1994. Interpopulational variation in fecundity and egg size in Southern Brook Lamprey, *Ichthyomyzon gagei*. *Copeia*, (3): 718–725.
- Beamish, R.J.** 1980. Adult biology of the River Lamprey (*Lampetra ayresi*) and the Pacific Lamprey (*Lampetra tridentata*) from the Pacific coast of Canada. *Can. J. Fish. Aquat. Sci.*, 37(11): 1906–1923.
- Beamish, R.J.** 1982. *Lampetra macrostoma*, a new species of freshwater parasitic lamprey from the west coast of Canada. *Can. J. Fish. Aquat. Sci.*, 39(5): 736–747.

- Beamish, R.J.** 1985. Freshwater parasitic lamprey on Vancouver Island and a theory of the evolution of the freshwater parasitic and nonparasitic life history types. pp. 123–140. In Foreman, R.E., A. Gorbman, J.M. Dodd, & R. Olsson, eds. *Evolutionary Biology of Primitive Fishes: Proceedings of a NATO Advanced Research Workshop*, Plenum Press, New York.
- Beamish, R.J.** 2001. Updated status of the Vancouver Island Lake Lamprey, *Lampetra macrostoma*, in Canada. *Can. Field Nat.*, 115(1): 127–130.
- Beamish, R.J. & Williams, N.E.** 1976. A preliminary report on the effects of River Lamprey (*Lampetra ayresii*) predation on salmon and herring stocks. *Tech. Rep. Fish. Mar. Serv.*, No. 611. 26 pp.
- Beamish, R.J. & Withler, R.E.** 1986. A polymorphic population of lampreys that may produce parasitic and a nonparasitic varieties. pp. 31–49. In Uyeno, T., R. Arai, T. Taniuchi, & K. Matsuura, eds. *Indo-Pacific Fish Biology: Proceedings of the Second International Conference on Indo-Pacific Fishes*, Ichthyological Society of Japan, Tokyo, Japan.
- Beamish, R.J. & Northcote, T.G.** 1989. Extinction of a population of anadromous parasitic lamprey, *Lampetra tridentata*, upstream of an impassable dam. *Can. J. Fish. Aquat. Sci.*, 46: 420–425.
- Beamish, R.J. & Neville, C-E.M.** 1992. The importance of size as an isolating mechanism in lampreys. *Copeia*, 1992(1): 191–196.
- Beamish, R.J., J.H. Youson, & Chapman, L.A.** 2001. Status of the Morrison Creek Western Brook Lamprey, *Lampetra richardsoni*, in Canada. *Can. Field Nat.*, 115(4): 573–578.
- Bean, T.H.** 1881. Descriptions of new fishes from Alaska and Siberia. *Proc. U. S. Nat. Mus.*, 4: 144–159.
- Bean, T.H.** 1887. Descriptions of five new species of fishes sent by Prof. A Dugès from the province of Guanajuato, Mexico. *Proc. U. S. Nat. Mus.*, 10(637): 370–375 + 1 pl.
- Belyi, N.D.** 1966. Morfologicheskie i nekotorye biologicheskie osobennosti ukrainskoj minogi – *Lampetra mariae* (Berg) reki Dnepra. *Zool. Zh.*, 45(4): 585–590.
- Berg, L.S.** 1906. Ubersicht der Marsipobranchii des Russischen Reiches. *Bull. Acad. Imp. Sci. Saint-Petersbourg*, 24(3): 169–183.
- Berg, L.S.** 1931. A review of the lampreys of the northern hemisphere. *Ann. Mus. Zool. Acad. Sci. de l'URSS*, 32(1): 87–116 + 8 pls.
- Berg, L.S.** 1948. Freshwater Fishes of the USSR and Adjacent Countries. *Guide to the Fauna of the USSR* No. 27. Vol. 1, 504 pp. Israel Program for Scientific Translations Ltd., Jerusalem.
- Bergstedt, R.A. & Seelye, J.G.** 1995. Evidence for lack of homing by sea lampreys. *T. Am. Fish. Soc.*, 124(2): 235–239.
- Bloch, M.E.** 1784. M. Marcus Elieser Bloch's ..., ausübenden Arztes zu Berlin, Oeconomische Naturgeschichte der Fische Deutschlands. Berlin. *Fische Deustchlands* vol. 3: viii + 234 pp. + pls. 73–108.
- Bloch, M.E.** 1795. *Naturgeschichte der ausländischen Fische*. Vol. 9. Berlin, Germany.
- Bonaparte, C.L.** 1832. *Iconografia delle fauna italica per le quattro classi degli animali vertebrati*. Tomo III. Pesci. Roma. 556 pp. + 78 pls.
- Bond, C.E. & Kan, T.T.** 1973. *Lampetra (Entosphenus) minima* n. sp., a dwarfed parasitic lamprey from Oregon. *Copeia*, 1973(3): 568–574.
- Bonnaterre, J.P.** 1788. Tableau encyclopédique et méthodique des trois règnes de la nature. *Ichthyologie*. Paris, France. Ivi (there is no p. iii), + 215 pp. + pls. A and B + 100 pls.
- Borri, C.** 1922. L'apparecchio labiale dei Petromyzonti. *Atti Soc. Tosc. Sci. Nat.*, 34 : 249–316 + 2 pls.
- Boutellier, P.** 1918. *La pêche maritime au Maroc*. G. Mercié & Co., Casablanca. 94 pp.
- Burr, B.M. & Warren, M.L. Jr.** 1986. A distributional atlas of Kentucky fishes. *Ky. Nat. Pres. Comm. Sci. Tech.*, no. 4.

- Bryan, M.B., D. Zalinski, K.B. Filcek, S. Libants, W. Li, & Scribner, K.T.** 2005. Patterns of invasion and colonization of the Sea Lamprey (*Petromyzon marinus*) in North America as revealed by microsatellite genotypes. *Mol. Ecol.*, 14: 3757–3773.
- Burmeister, H.C.C.** 1868. [*Petromyzon macrostomus*, descripción de una nueva especie de pez.] *An. Mus. Nac. B. Aires (Actas de la Sociedad Paleontológica de Buenos Aires)*, 1: xxxv–xxxvii.
- Carl, G.C.** 1953. Limnobiology of Cowichan Lake, British Columbia. *J. Fish. Res. Board Can.*, 9(9): 417–449.
- Case, B.** 1970. Spawning behaviour of the Chestnut Lamprey (*Ichthyomyzon castaneus*). *J. Fish. Res. Board Can.*, 27(10): 1872–1874.
- Chang, M.-m., J. Zhang, & Miao, D.** 2006. A lamprey from the Cretaceous Jehol biota of China. *Nature*, 441: 972–974.
- Chappuis, P.A.** 1939. Über die Lebensweise von *Eudontomyzon danfordi* Regan. *Arch. Hydrobiol.*, 34: 645–658 + 1 pl.
- Chase, S.D.** 2001. Contributions to the life history of adult Pacific Lamprey (*Lampetra tridentata*) in the Santa Clara River of southern California. *Bull. South. Calif. Acad. Sci.*, 100(2): 74–85.
- Cheng, Y., S. Hou & Hou, C.** 1993. *The freshwater fishes of China in coloured illustrations*. Vol. 3, K. Zhu, ed., Institute of Hydrobiology, Chinese Academy of Sciences.
- Choudhury, A. & Dick, T.A.** 1993. Parasites of Lake Sturgeon, *Acipenser fulvescens* (Chondrostei: Acipenseridae), from central Canada. *J. Fish Biol.*, 42: 571–584.
- Chute, W.H., R.M. Bailey, W.A. Clemens, J.R. Dymond, S.F. Hildebrand, G.S. Myers, & Schultz, L.P.** 1948. A list of common and scientific names of the better known fishes of the United States and Canada. *Spec. Publ. Am. Fish. Soc.*, no. 1: 1–45. Ann Arbor, Michigan.
- Close, D.A., M.S. Fitzpatrick, & Li, H.W.** 2002. The ecological and cultural importance of a species at risk of extinction, Pacific Lamprey. *Fisheries*, 27(7): 19–25.
- Cochran, P.A.** 1997. Giants & satellites: Alternative life histories and reproductive behaviors in the American Brook Lamprey (*Lampetra appendix*). Abstract, p. 99. 77th Annual Meeting of the American Society of Ichthyologists and Herpetologists, 26 June – 2 July 1997, University of Washington, Seattle, Washington.
- Cochran, P.A. & Marks, J.E.** 1995. Biology of the Silver Lamprey, *Ichthyomyzon unicuspis*, in Green Bay and the lower Fox River, with a comparison to the Sea Lamprey, *Petromyzon marinus*. *Copeia*, 1995(2): 409–421.
- Cochran, P.A., J. Lyons, & Merino-Nambo, E.** 1996. Notes on the biology of the Mexican lampreys *Lampetra spadicea* and *L. geminis* (Agnatha: Petromyzontidae). *Ichthyol. Explor. Freshwat.*, 7(2): 173–180.
- Cochran, P.A., J. Lyons, & Gehl, M.R.** 2003. Parasitic attachments by overwintering silver lampreys, *Ichthyomyzon unicuspis*, and chestnut lampreys, *Ichthyomyzon castaneus*. *Environ. Biol. Fish.*, 68(1): 65–71.
- Comtois, A., F. Chapleau, C.B. Renaud, H. Fournier, B. Campbell, & Pariseau, R.** 2004. Inventaire printanier d'une frayère multispécifique: l'ichtyofaune des rapides de la rivière Gatineau, Québec. *Can. Field Nat.*, 118(4): 521–529.
- Cook, F.A.** 1952. Occurrence of the lamprey *Lampetra aepyptera* in the Tombigbee and Pascagoula drainages, Mississippi. *Copeia*, 1952(4): 268.
- Cook, R.D., I.C. Potter, & Hilliard, R.W.** 1990. Morphology and innervation of the buccal glands of the Southern Hemisphere lamprey, *Geotria australis*. *J. Morphol.*, 206(1): 133–145.
- Couch, S.L.L. & Lance, M.M.** 2004. Diet composition and breeding success of Brandt's cormorants in the Columbia River estuary. *Northwestern Nat.*, 85(2): 62–66.
- Creaser, C.W. & Hubbs, C.L.** 1922. A revision of the Holarctic lampreys. *Occas. Pap. Mus. Zool.*, University of Michigan No. 120: 1–14 + 1 pl.

- Daniels, R.A., D.M. Carlson, R.S. Morse, & Weatherwax, B.R.** 2006. Fish, *Ichthyomyzon bdellium*, *Ichthyomyzon greeleyi*, *Noturus flavus*, *Moxostoma breviceps*, *Lythrurus umbratilis*, *Notropis buccatus*, *Misgurnus anguillicaudatus*, *Morone americana*, *Lepomis cyanellus*, *Ammocrypta pellucida*: Distribution extensions. *Check List*, 2(1): 10–13.
- de Buen, F.** 1961. Las lampreas (*Marsipobranchii* o *Cyclostomi*) en aguas de Chile. *Invest. Zool. Chil.*, 7: 101–124.
- de Castelnau, F.** 1872. Contribution to the ichthyology of Australia. No. 1. The Melbourne fish market. *Proc. Zool. & Accl. Soc. Vic.*, 1: 29–242.
- DeKay, J.E.** 1842. Zoology of New-York, or the New-York fauna; comprising detailed descriptions of all the animals hitherto observed within the state of New-York, with brief notices of those occasionally found near its borders, and accompanied by appropriate illustrations. Part IV. *Fishes*. W. A. White & J. Visscher, Albany, New York. xv + 415 pp. + 79 pls.
- Delarbre, C., C. Gallut, V. Barriel, P. Janvier, & Gachelin, G.** 2002. Complete mitochondrial DNA of the hagfish, *Eptatretus burgeri*: The comparative analysis of mitochondrial DNA sequences strongly supports the cyclostome monopholy. *Mol. Phylogenet. Evol.*, 22(2): 184–192.
- Dill, W.A.** 1990. *Inland fisheries in Europe*. EIFAC Technical Paper No. 52, FAO, Rome. 471 pp.
- Docker, M.F., J.H. Youson, R.J. Beamish, & Devlin, R.H.** 1999. Phylogeny of the lamprey genus *Lampetra* inferred from mitochondrial cytochrome b and ND3 gene sequences. *Can. J. Fish. Aquat. Sci.*, 56(12): 2340–2349.
- Dollfus, R.P.** 1955. Première contribution à l'établissement d'un fichier ichthyologique du Maroc atlantique de Tanger à l'embouchure de l'oued Dra. Travaux de l'institut scientifique chérifien, Sér. Zool., no. 6: 1–226 + 1 map.
- Donoghue, P.C.J., P.L. Forey, & Aldridge, R.J.** 2000. Conodont affinity and chordate phylogeny. *Biol. Rev.*, 75: 191–251.
- Dybowski, B.N.** 1869. Vorläufige Mittheilungen über die Fischfauna des Ononflusses und des Ingoda in Transbaikalien. *Verhandl. d. k. k. zool. bot. Ges.*, 19: 945–958 + 1 table + pls. 14–18.
- Eigenmann, C.H.** 1927. The fresh-water fishes of Chile. *Mem. Natl. Acad. Sci.*, 22: 1–63 + 7 figs. + 16 pls.
- Enequist, P.** 1937. Das Bachneunauge als Ökologische Modifikation des Flussneunauges – Über die Fluss – und Bachneunaugen Schwedens Vorläufige Mitteilung. *Ark. Zool.*, 29A(20): 1–22.
- Espanhol, R., P.R. Almeida, & Alves, M.J.** 2007. Evolutionary history of lamprey paired species *Lampetra fluviatilis* (L.) and *Lampetra planeri* (Bloch) as inferred from mitochondrial DNA variation. *Mol. Ecol.*, 16(9): 1–16.
- Etnier, D.A. & Starnes, W.C.** 1993. *The fishes of Tennessee*. The University of Tennessee Press, Knoxville, Tennessee. xiv + 681 pp.
- Farlinger, S.P. & Beamish, R.J.** 1984. Recent colonization of a major salmon-producing lake in British Columbia by Pacific Lamprey (*Lampetra tridentata*). *Can. J. Fish. Aquat. Sci.*, 41(2): 278–285.
- Fetterolf, C.M. Jr.** 1980. Why a Great Lakes Fishery Commission and why a Sea Lamprey International Symposium. *Can. J. Fish. Aquat. Sci.*, 37(11): 1588–1593.
- Fine, J.M., L.A. Vrieze, & Sorensen, P.W.** 2004. Evidence that petromyzontid lampreys employ a common migratory pheromone that is partially comprised of bile acids. *J. Chem. Ecol.*, 30(11): 2091–2110.
- Forey, P.L.** 1995. Agnathans recent and fossil, and the origin of jawed vertebrates. *Rev. Fish Biol. Fish.*, 5(3): 267–303.
- Fowler, H.W.** 1908. Notes on lancelets and lampreys. *P. Acad. Nat. Sci. Phila.*, 59: 461–466.
- Fowler, H.W.** 1940. Fishes obtained in Chile by Mr. B.S. Bullock. *P. Acad. Nat. Sci. Phila.*, 92: 171–190.
- Fukutomi, N., T. Nakamura, T. Doi, K. Takeda, & Oda, N.** 2002. Records of *Entosphenus tridentatus* from the Naka River system, central Japan; physical characteristics of possible spawning redds and spawning behavior in the aquarium. *Jpn. J. Ichthyol.*, 49(1): 53–58.

- Gage, S.H.** 1893. *The lake and brook lampreys of New York, especially those of Cayuga and Seneca lakes*. Wilder Quarter Century Book, Ithaca, New York. pp. 421–493 + 8 pls.
- Gage, S.H.** 1928. The lampreys of New York State – Life history and economics. pp. 158–191. In A Biological Survey of the Oswego River System. Supplement to Seventeenth Annual Report, 1927, State of New York Conservation Department, Albany, New York.
- Gaudron, S.M. & Lucas, M.C.** 2006. First evidence of attraction of adult river lamprey in the migratory phase to larval odour. *J. Fish Biol.*, 68: 640–644.
- Gess, R.W., M.I. Coates, & Rubidge, B.S.** 2006. A lamprey from the Devonian period of South Africa. *Nature*, 443: 981–984.
- Gilbertson, M.** 1992. PCB and dioxin research and implications for fisheries research and resource management. *Can. J. Fish. Aquat. Sci.*, 49(5): 1078–1079.
- Gill, H.S., C.B. Renaud, F. Chapleau, R.L. Mayden, & Potter, I.C.** 2003. Phylogeny of living parasitic lampreys (Petromyzontiformes) based on morphological data. *Copeia*, 2003(4): 687–703.
- Gill, T.N.** 1862. Notes on some genera of fishes of western North America. *P. Acad. Nat. Sci. Phila.*, 14: 329–332.
- Gill, T.N.** 1883a. Note of the petromyzontids. *Proc. U. S. Nat. Mus.*, 5(310): 521–525.
- Gill, T.N.** 1883b. Diagnosis of new genera and species of deep-sea fish-like vertebrates. *Proc. U. S. Nat. Mus.*, 6(380): 253–260.
- Gill, T.N.** 1893. Families and subfamilies of fishes. *Mem. Nat. Acad. Sci.*, 6: 127–138.
- Girard, C.F.** 1858. Fishes. pp. 1–400 + 21 pls. In General Report on the Zoology of the Several Pacific Railroad Routes. United States Pacific Railroad Route Explorations and Surveys volume 10, pt. 4, War Department, Washington, D.C.
- Goodwin, C.E., D. Griffiths, J.T.A. Dick, & Elwood, R.W.** 2006. A freshwater-feeding *Lampetra fluviatilis* L. population in Lough Neagh, Northern Ireland. *J. Fish Biol.*, 68: 628–633.
- Gratzianow, V.** 1907. Minogi Rossiiškoj Imperii. *Dnevnik Zool. otd. Imp. Obshch. lyub. estetstvozn. antropol. i etnografií*, 3: 18.
- Gray, J.E.** 1851. List of the specimens of fish in the collection of the British Museum. Part I. *Chondropterygii*. British Museum (Natural History), London. xi + 160 pp. + 2 pls.
- Greene, C.W.** 1935. *The distribution of Wisconsin fishes*. State of Wisconsin Conservation Commission, Madison, Wisconsin. 235 pp.
- Günther, A.** 1870. Catalogue of the fishes in the British Museum. Catalogue of the Physostomi, containing the families Gymnotidae, Symbranchidae, Muraenidae, Pegasidae, and of the Lophobranchii, Plectognathi, Dipnoi, Ganoidei, Chondropterygii, Cyclostomata, Leptocardii in the British Museum. Taylor & Francis, London. 8: i–xxv + 1–549.
- Günther, A.** 1872. Report on several collections of fishes recently obtained for the British Museum. *Proc. Zool. Soc. Lond.*, 1871, pt. 3: 652–675 + pls. 53–70.
- Haedrich, R.L.** 1977. A Sea Lamprey from the deep ocean. *Copeia*, 1977(4): 767–768.
- Hagelin, L-O. & Steffner, N.** 1958. Notes on the spawning habits of the River Lamprey (*Petromyzon fluviatilis*). *Oikos*, 9: 221–238.
- Hall, J.D.** 1963. *An ecological study of the Chestnut Lamprey, Ichthyomyzon castaneus Girard, in the Manistee River, Michigan*. University of Michigan, Ann Arbor, Michigan. vi + 101 pp. (unpublished Ph.D. thesis)
- Halliday, R.G.** 1991. Marine distribution of the Sea Lamprey (*Petromyzon marinus*) in the Northwest Atlantic. *Can. J. Fish. Aquat. Sci.*, 48(5): 832–842.

- Halstead, B.W.** 1967. *Poisonous and venomous marine animals of the world*. Vol. 2. Vertebrates. United States Government Printing Office, Washington, D.C. xxxi + 1070 pp.
- Hankó, B.** 1922. Ernö Csiki állattani kutatásai Albániaban. I. Halak. Magyar Tudom. Ákad. Balk. – *Kutat. Tudom. Ered.*, 1–6 + 1 pl.
- Hardisty, M.W.** 1961. Studies on an isolated spawning population of the brook lamprey (*Lampetra planeri*). *J. Anim. Ecol.*, 30(2): 339–355.
- Hardisty, M.W.** 1964. The fecundity of lampreys. *Arch. Hydrobiol.*, 60(3): 340–357.
- Hardisty, M.W.** 1986a. *Petromyzon marinus* Linnaeus, 1758. pp. 94–116. In Holčík, J., ed. *The Freshwater Fishes of Europe*, Vol. 1, Part I, Petromyzontiformes, AULA–Verlag, Wiesbaden.
- Hardisty, M.W.** 1986b. *Lampetra fluviatilis* (Linnaeus, 1758). pp. 249–278. In Holčík, J., ed. *The Freshwater Fishes of Europe*, Vol. 1, Part I, Petromyzontiformes, AULA–Verlag, Wiesbaden.
- Hardisty, M.W. & Potter, I.C.** 1971. Paired species. pp. 249–277. In Hardisty, M.W. & I.C. Potter, eds. *The Biology of Lampreys*, Vol. 1, Academic Press, London.
- Heard, W.R.** 1966. Observations on lampreys in the Naknek River system of southwest Alaska. *Copeia*, 1966(2): 332–339.
- Hedges, S.B.** 2001. Molecular evidence for the early history of living vertebrates. pp. 119–134. In Ahlberg, P.E., ed. *Major Events in Early Vertebrate Evolution – Palaeontology, Phylogeny, Genetics, and Development*, Taylor & Francis Inc., New York.
- Heldt, H.** 1958. Sur la présence de la lamproie (*Petromyzon marinus* L.) dans les eaux tunisiennes. *Rapp. p-v. reun. Comm. int. explor. sci. Mer Mediterr.*, 14: 369–370.
- Hensel, K.** 1963. A note on lampreys of the Mutantiang River, tributary of the Sungari River, in China. *Ichthyologica*, 11(1–2): 85–86.
- Holčík, J.** 1963. Notes on the Czechoslovakian lampreys with redescription of *Lampetra (Eudontomyzon) vladaykovi* (Oliva & Zanandrea), 1959. *Vest. Cs. Spol. Zool.*, 27(1): 51–61 + figs. 3, 6–8.
- Holčík, J.** 1986. *Caspiomyzon wagneri* (Kessler, 1870). pp. 119–142. In J. Holčík, ed. *The Freshwater Fishes of Europe*. vol. 1, part I, Petromyzontiformes, AULA–Verlag GmbH, Wiesbaden.
- Holčík, J.** 2003. The occurrence of the Ukrainian Brook Lamprey [*Eudontomyzon mariae* (Berg, 1931)] in the middle Danube. *Biologia*, 58(2): 241–244.
- Holčík, J. & Mrakovčić, M.** 1997. First record of *Lethenteron zanandreai* (Cyclostomata, Petromyzontidae) in the Adriatic Basin of the Balkan Peninsula and its zoogeographic consequences. *Folia Zool.*, 46(3): 263–271.
- Holčík, J. & Delić, A.** 2000. New discovery of the Ukrainian Brook Lamprey in Croatia. *J. Fish Biol.*, 56: 73–86.
- Holčík, J. & Šorić, V.** 2004. Redescription of *Eudontomyzon stankokaramani* (Petromyzontes, Petromyzontidae) – a little known lamprey from the Drin River drainage, Adriatic Sea Basin. *Folia Zool.*, 53(4): 399–410.
- Holčík, J., A. Delić, M. Kučinić, V. Bukvić, & Vater, M.** 2004. Distribution and morphology of the Sea Lamprey from the Balkan coast of the Adriatic Sea. *J. Fish Biol.*, 64: 514–527.
- Honma, Y.** 1960. Sado Awashima Kinkai ni okeru Kuromekura Unagi to Kawayatsume. *Saishu to Shiiku*, 22(2): 34–36.
- Hubbs, C.L.** 1924. The life-cycle and growth of lampreys. *Pap. Mich. Acad. Sci., Arts Lett.*, 4: 587–603.
- Hubbs, C.L.** 1967. Occurrence of the Pacific Lamprey, *Entosphenus tridentatus*, off Baja California and in streams of southern California; with remarks on its nomenclature. *Trans. San Diego Soc. Nat. Hist.*, 14(21): 301–312.
- Hubbs, C.L.** 1971. *Lampetra (Entosphenus) lethophaga*, new species, the nonparasitic derivative of the Pacific Lamprey. *Trans. San Diego Soc. Nat. Hist.*, 16(6): 125–164.

- Hubbs, C.L. & Trautman, M.B.** 1937. A revision of the lamprey genus *Ichthyomyzon*. Miscellaneous Publications of the Museum of Zoology, University of Michigan no. 35: 7–109 + 2 pls.
- Hubbs, C.L. & Potter, I.C.** 1971. Distribution, phylogeny and taxonomy. pp. 1–65. In Hardisty, M.W. & I.C. Potter, eds. *The Biology of Lampreys*, vol. 1, Academic Press, London.
- Huggins, R.J. & Thompson, A.** 1970. Communal spawning of brook and river lampreys, *Lampetra planeri* Bloch and *Lampetra fluviatilis* L. *J. Fish. Biol.*, 2: 53–54.
- Hughes, R.L. & Potter, I.C.** 1969. Studies on gametogenesis and fecundity in the lampreys *Mordacia praecox* and *M. mordax* (Petromyzonidae). *Aust. J. Zool.*, 17(3): 447–464.
- Hussakof, L.** 1912. The spawning habits of the Sea Lamprey, *Petromyzon marinus*. *Am. Nat.*, 46: 729–740.
- Ivanova-Berg, M.M.** 1968. Discovery of the southern lamprey (*Geotria australis* Gray) in the Scotia Sea near Georgia Island. *Probl. Ichthyol.*, 8: 138–141.
- Iwata, A., A. Goto, & Hamada, K.** 1985. A review of the Siberian Lamprey, *Lethenteron kessleri*, in Hokkaido, Japan. *Bull. Fac. Fish. Hokkaido Univ.*, 36(4): 182–190.
- Jamieson, B.G.M.** 1991. *Fish evolution and systematics: Evidence from spermatozoa*. Cambridge University Press, Cambridge, England. xiv + 319 pp.
- Janvier, P.** 1981. The phylogeny of the Craniata, with particular reference to the significance of fossil “agnathans”. *J. Vertebr. Paleontol.*, 1(2): 121–159.
- Janvier, P.** 1999. Catching the first fish. *Nature*, 402: 21–22.
- Janvier, P. & Lund, R.** 1983. *Hardistiella montanensis* n. gen. et sp. (Petromyzontida) from the lower Carboniferous of Montana, with remarks on the affinities of the lampreys. *J. Vertebr. Paleontol.*, 2(4): 407–413.
- Jenkins, J.T.** 1925. *The fishes of the British Isles both fresh water and salt*. Frederick Warne and Co. Ltd., London. vii + 376 pp.
- Jordan, D.S.** 1882. Report on the fishes of Ohio. Report of the Geological Survey of Ohio 4(Pt.1, sect. 4): 735–1002.
- Jordan, D.S.** 1885. A catalogue of the fishes known to inhabit the waters of North America, north of the tropic of Cancer, with notes on the species discovered in 1883 and 1884. Report of the Commissioner for 1885, United States Commission of Fish and Fisheries Part 13(24): 789–973.
- Jordan, D.S.** 1923. A classification of fishes including families and genera as far as known. Stanford University Publications, University Series, Biological Sciences 3(2): 77–243 + i–x.
- Jordan, D.S. & Gilbert, C.H.** 1883. Synopsis of the fishes of North America. *Bull. U. S. Natl. Mus.*, No. 16: i–lvi + 1–1018.
- Jordan, D.S. & Evermann, B.W.** 1896. The fishes of North and Middle America: A descriptive catalogue of the species of fish-like vertebrates found in the waters of North America, north of the isthmus of Panama. *Bull. U. S. Natl. Mus.*, no. 47, Part I, vol.1: ix + 954 pp.
- Jordan, D.S., B.W. Evermann, & Clark, H.W.** 1930. Check list of the fishes and fishlike vertebrates of North and Middle America north of the northern boundary of Venezuela and Colombia. Report of the United States Commissioner of Fisheries for the fiscal year 1928, Washington, District of Columbia, United States. Appendix X, 670 pp.
- Joyce, W.N., S.E. Campana, L.J. Natanson, N.E. Kohler, H.L. Pratt, Jr., & Jensen, C.F.** 2002. Analysis of stomach contents of the porbeagle shark (*Lamna nasus* Bonnaterre) in the northwest Atlantic. *ICES J. Mar. Sci.*, 59: 1263–1269.
- Jyrkkänen, J. & Wright, D.G.** 1979. First record of the Northern Brook Lamprey, *Ichthyomyzon fossor*, in the Nelson River drainage, Manitoba. *Can. Field-Nat.*, 93(2): 199–200.
- Kan, T.T.** 1975. *Systematics, variation, distribution, and biology of lampreys of the genus Lampetra in Oregon*. Oregon State University, Corvallis, Oregon. 194 pp. (unpublished Ph.D. thesis)

- Kan, T.T. & Bond, C.E.** 1981. Notes on the biology of the Miller Lake Lamprey *Lampetra (Entosphenus) minima*. *Northwest Sci.*, 55(1): 70–74.
- Karaman, M.S.** 1974. *Eudontomyzon vladylkovi stankokaramani* n. ssp., a new subspecies of lamprey from tributaries of the Ohrid–Drim–Skadar System in west Balkan Peninsula. *Folia Balc.*, 3(5): 1–10, 2 figs., 6 tables.
- Kentucky State Nature Preserves Commission.** 2004. *Endangered, threatened, special concern, and historical biota of Kentucky*. Frankfort, Kentucky. 18 pp.
- Kessler, K.** 1870. Volzhskaya minoga (*Petromyzon wagneri* n. sp.). *Trudy Sankt–Peterburgskogo obshchestva estetvoznanija* 1: 207–214.
- Khidir, K.T. & Renaud, C.B.** 2003. Oral fimbriae and papillae in parasitic lampreys (Petromyzontiformes). *Environ. Biol. Fish.*, 66(3): 271–278.
- Kille, R.A.** 1960. Fertilization of the lamprey egg. *Exp. Cell Res.*, 20:12–27.
- Kirtland, J.P.** 1838. Report on the zoology of Ohio. First Annual Report of the Geological Survey of the State of Ohio. *Rept. Zool. Ohio*: 157–197.
- Kirtland, J.P.** 1840. Descriptions of the fishes of the Ohio River and its tributaries. *Boston J. Nat. Hist.*, 3(3–4): 338–352, 469–482, pls. 4–6, 27–29.
- Kott, E.** 1971. Characteristics of pre-spawning American brook lampreys from Big Creek, Ontario. *Can. Field-Nat.*, 85(3): 235–240.
- Kott, E.** 1974. A morphometric and meristic study of a population of the American Brook Lamprey, *Lethenteron lamottei* (LeSueur), from Ontario. *Can. J. Zool.*, 52(8): 1047–1055.
- Kott, E., C.B. Renaud, & Vladylkov, V.D.** 1988. The urogenital papilla in the Holarctic lamprey (Petromyzontidae). *Environ. Biol. Fish.*, 23(1–2): 37–43.
- Kottelat, M.** 1997. European freshwater fishes. An heuristic checklist of the freshwater fishes of Europe (exclusive of former USSR), with an introduction for non-systematists and comments on nomenclature and conservation. *Biologia*, 52(Suppl. 5): 1–271.
- Kucheryavyi, A.V., K.A. Savvaitova, D.S. Pavlov, M.A. Gruzdeva, K.V. Kuzishchin, & Stanford, J.A.** 2007. Variations of life history strategy of the Arctic Lamprey *Lethenteron camtschaticum* from the Utkholok River (western Kamchatka). *J. Ichthyol.*, 47(1): 37–52.
- Kux, Z.** 1965. *Lampetra gracilis*, nový neparasitický druh mihule z východního Slovenska. *Acta Mus. Morav.*, 50: 293–302.
- Kux, Z. & Steiner, H.M.** 1972. *Lampetra lanceolata*, eine neue Neunaugenart aus dem Einzugsgebiet des Schwarzen Meeres in der nordöstlichen Türkei. *Acta Mus. Morav.*, 56–57: 375–384 + 10 figs.
- Lacepède, B.G.E.** 1802. *Histoire naturelle des poissons*. Vol. 4. Paris.
- Lahille, F.** 1915. Apuntes sobre las lampreas argentinas y los acraniotas. *An. Mus. Nac. Hist. Nat. Buenos Aires*, 26: 361–382 + pls. 12–13.
- Lanteigne, J.** 1981. The taxonomy and distribution of the North American lamprey genus *Ichthyomyzon*. University of Ottawa, Ottawa. xi + 150 pp. (unpublished M. Sc. thesis)
- Lanteigne, J.** 1988. Identification of lamprey larvae of the genus *Ichthyomyzon* (Petromyzontidae). *Environ. Biol. Fish.*, 23(1–2): 55–63.
- Leach, W.J.** 1939. The endostyle and thyroid gland of the brook lamprey, *Ichthyomyzon fossor*. *J. Morphol.*, 65(3): 549–593 + 6 pls.
- Leach, W.J.** 1940. Occurrence and life history of the Northern Brook Lamprey, *Ichthyomyzon fossor*, in Indiana. *Copeia*, 1940(1): 21–34.

- Legendre, V.** 1962. Author and type of *Lampetra*. *Copeia*, 1962(1): 221–222.
- Lesueur, C.A.** 1818. Descriptions of several species of chondropterigous fishes, of North America, with their varieties. *T. Am. Philos. Soc.*, 1(33): 383–387.
- Lesueur, C.A.** 1827. *American ichthyology, or, natural history of the fishes of North America: with coloured figures from drawings executed from nature*. New-Harmony, Indiana. 1–8 + 4 figs.
- Lethbridge, R.C. & Potter, I.C.** 1979. The oral fimbriae of the lamprey *Geotria australis*. *J. Zool.*, London 188: 267–277.
- Levin, B.A.** 2001. Finding of the Ukrainian lamprey *Eudontomyzon mariae* (Petromyzontidae) in the Volga Basin. *J. Ichthyol.*, 41(9): 810–811.
- Levin, B.A. & Holčík, J.** 2006. New data on the geographic distribution and ecology of the Ukrainian Brook Lamprey, *Eudontomyzon mariae* (Berg, 1931). *Folia Zool.*, 55(3): 282–286.
- Linnaeus, C.** 1758. *Systema Naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis*. Vol. 1, Laurentii Salvii, Holmiae (= Stockholm), Sweden.
- Lohniský, K.** 1966. The spawning behaviour of the brook lamprey, *Lampetra planeri* (Bloch, 1784). *Věst. Čs. Spol. Zool.*, 30(4) : 289–307.
- Lorion, C.M., D.F. Markle, S.B. Reid, & Docker, M.F.** 2000. Redescription of the presumed-extinct Miller Lake Lamprey, *Lampetra minima*. *Copeia*, 2000(4): 1019–1028.
- Ma, C.F. & Yu, C.L.** 1959. Preliminary observations on *L. morii*. *Chin. J. Zool.*, 3(3): 115–117 (in Chinese).
- Maisey, J.G.** 1986. Heads and tails: A chordate phylogeny. *Cladistics*, 2(3): 201–256.
- Mallatt, J., J.Sullivan, & Winchell, C.J.** 2001. The relationship of lampreys to hagfishes: A spectral analysis of ribosomal DNA sequences. pp. 106–118. In Ahlberg, P.E., ed. *Major Events in Early Vertebrate Evolution – Palaeontology, Phylogeny, Genetics, and Development*. Taylor and Francis Inc., New York.
- Manion, P.J.** 1967. Morphological abnormalities among lampreys. *Copeia*, 1967(3): 680–681.
- Manion, P.J.** 1972. Fecundity of the Sea Lamprey (*Petromyzon marinus*) in Lake Superior. *T. Am. Fish. Soc.*, 101(4): 718–720.
- Manion, P.J. & Purvis, H.A.** 1971. Giant American brook lampreys, *Lampetra lamottei*, in the upper Great Lakes. *J. Fish. Res. Board Can.*, 28: 616–620.
- Manion, P.J. & Smith, B.R.** 1978. Biology of larval and metamorphosing sea lampreys, *Petromyzon marinus*, of the 1960 year class in the Big Garlic River, Michigan, Part II, 1966–72. *Great Lakes Fish. Comm. Tech. Rep.*, No. 30. 35 pp.
- Manion, P.J. & Hanson, L.H.** 1980. Spawning behavior and fecundity of lampreys from the upper three Great Lakes. *Can. J. Fish. Aquat. Sci.*, 37(11): 1635–1640.
- Maskell, F.G.** 1929. On the New Zealand lamprey, *Geotria australis* Gray. Part 1. Biology and life history. *Trans. & Proc. New Zealand Inst.*, 60: 167–201.
- Mayden, R.L., B.M. Burr, L.M. Page, & Miller, R.R.** 1992. The native freshwater fishes of North America. Chap. 29: 827–863. In Mayden, R.L., ed. *Systematics, Historical Ecology, and North American Freshwater Fishes*, Stanford University Press, Stanford, California.
- Mayden, R.L., R.H. Matson, B.R. Kuhajda, J.M. Pierson, M.F. Mettee, & Frazer, K.S.** 1989. The Chestnut Lamprey, *Ichthyomyzon castaneus* Girard, in the Mobile Basin. *Proc. S.E. Fishes Council*, (20): 10–13.
- McDowall, R.M.** 1990. *New Zealand Freshwater Fishes – A Natural History and Guide*. Heinemann Reed, Auckland and MAF Publishing Group, Wellington, New Zealand. 553 pp. + 79 pls.
- McPhail, J.D. & Lindsey, C.C.** 1970. Freshwater Fishes of Northwestern Canada and Alaska. *Bull. Fish. Res. Board Can.*, 173, Ottawa. 381 pp.

- Mecklenburg, C.W., T.A. Mecklenburg, & Thorsteinson, L.K.** 2002. *Fishes of Alaska*. American Fisheries Society, Bethesda, Maryland. xxxvii + 1037 pp.
- Medland, T.E. & Beamish, F.W.H.** 1987. Age validation for the Mountain Brook Lamprey, *Ichthyomyzon greeleyi*. *Can. J. Fish. Aquat. Sci.*, 44(4): 901–904.
- Michael, J.H. Jr.** 1980. Repeat spawning of Pacific Lamprey. *Calif. Fish Game*, 66(3): 186–187.
- Michael, J.H. Jr.** 1984. Additional notes on the repeat spawning by Pacific Lamprey. *Calif. Fish Game*, 70(3): 186–188, 192.
- Miller, D.J. & Lea, R.N.** 1972. Guide to the coastal marine fishes of California. *Calif. Dept. Fish and Game Fish Bull.*, 157: 1–235.
- Miller, R.R., W.L. Minkley, & Norris, S.M.** 2005. *Freshwater Fishes of México*. The University of Chicago Press, Chicago, Illinois. xxv + 490 pp. + 99 pls.
- Monette, S.N. & Renaud, C.B.** 2005. The gular pouch in Northern Hemisphere parasitic lampreys (Petromyzontidae). *Can. J. Zool.*, 83(4): 527–535.
- Moore, G.A. & Kernodle, M.** 1965. A new size record for the Chestnut Lamprey, *Ichthyomyzon castaneus*, Girard in Oklahoma. *Proc. Okla. Acad. Sci.*, 45: 68–69.
- Morkert, S.B., W.D. Swink, & Seelye, J.G.** 1998. Evidence for early metamorphosis of sea lampreys in the Chippewa River, Michigan. *N. Am. J. Fish. Manage.*, 18: 966–971.
- Morman, R.H.** 1979. Distribution and ecology of lampreys in the lower peninsula of Michigan, 1957–75. *Great Lakes Fish. Comm. Tech. Rep.*, No. 33, 59 pp.
- Morris, S.** 1975. The lamprey at Kettle Falls. *The Beaver*, 55(2): 18–19.
- Moyle, P.B.** 1976. *Inland fishes of California*. University of California Press, Berkeley, California. viii + 405 pp.
- Müller, A.** 1856. On the development of the lampreys. *Ann. Mag. Nat. Hist.*, 18: 298–301.
- Müller, J.** 1841. Vergleichende Anatomie der Myxinoiden. Dritte Fortsetzung. Über das Gefässystem. Abh. Dtsch. Akad. Wiss. Berlin. 1839: 175–304 + 5 pls.
- Mundahl, N.D. & Sagan, R.A.** 2005. Spawning ecology of the American Brook Lamprey, *Lampetra appendix*. *Environ. Biol. Fish.*, 73(3): 283–292.
- Mundahl, N.D., C. Erickson, M.R. Johnston, G.A. Sayeed, & Taubel, S.** 2005. Diet, feeding rate, and assimilation efficiency of American Brook Lamprey larvae. *Environ. Biol. Fish.*, 72(1): 67–72.
- Naseka, A.M., S.B. Tuniyev, & Renaud, C.B.** 2009. *Lethenteron ninae*, a new nonparasitic lamprey species from the north-eastern Black Sea basin (Petromyzontiformes: Petromyzontidae). *Zootaxa*, 2198: 16–26.
- Neave, F.B.** 2004. *The utility of meristic, morphometric, pigmentation and gonad analysis in the identification of Ichthyomyzon lamprey larvae*. University of Guelph, Guelph, Ontario, Canada. iii + 119 pp. (unpublished M. Sc. thesis)
- Neira, F.J.** 1984. Biomorfología de las lampreas parásitas chilenas *Geotria australis* Gray, 1851 y *Mordacia laticauda* (Gray, 1851) (Petromyzoniformes). *Gayana, Zool.*, 48(1–2): 3–40.
- Neira, F.J., J.S. Bradley, I.C. Potter, & Hilliard, R.W.** 1988. Morphological variation among widely dispersed larval populations of anadromous southern hemisphere lampreys (Geotriidae and Mordaciidae). *Zool. J. Linn. Soc.*, 92: 383–408.
- Nelson, E.W.** 1887. Part III. Field notes on Alaskan fishes. The Miscellaneous Documents of the Senate of the United States for the first session of the 49th Congress, Washington. Vol. 8, Misc. Doc. No. 156: 299–322 + pls. XIII – XXI.

- Nelson, J.S., E.J. Crossman, H. Espinosa-Pérez, L.T. Findley, C.R. Gilbert, R.N. Lea, & Williams, J.D.** 2004. Common and scientific names of fishes from the United States, Canada, and Mexico. *Spec. Publ. Am. Fish. Soc.*, 29, Bethesda, Maryland. ix + 386 pp.
- Nursall, J.R. & Buchwald, D.** 1972. Life history and distribution of the Arctic Lamprey (*Lethenteron japonicum* (Martens)) of Great Slave Lake, N.W.T. *Fish. Res. Board Can. Tech. Rep.*, 304: iv + 28 pp.
- Ogilby, J.D.** 1896. A monograph of the Australian Marsipobranchii. *Proc. Linn. Soc. N.S.W.*, 21(part 3): 388–426.
- Okada, Y.** 1955. *Fishes of Japan*. Maruzen Co. Ltd., Tokyo, Japan. 462 pp.
- Oliva, O.** 1953. Příspěvek k přehledu našich mihulí (Petromyzones Berg 1940). *Věstník Královské české společnosti nauk* no. 9: 1–19 + 2 pls.
- Oliva, O. & Zanandrea, G.** 1959. Posizione sistematica di una lampreda di Cilstovo (Cecoslovacchia). *Doriana*, 2(98): 1–5.
- Oliva, O. & Hensel, K.** 1962. On the occurrence of the south Russian lamprey, *Lampetra (Eudontomyzon) mariae* Berg 1931, in the Vistula basin. *Acta Univ. Carol. Biol.*, 1962(1): 99–104.
- Page, L.M. & Burr, B.M.** 1991. *A field guide to freshwater fishes of North America north of Mexico*. The Peterson Field Guide Series, 42, Houghton Mifflin Co., Boston, Massachusetts. xii + 432 pp.
- Pallas, P.S.** 1814. *Zoographia Rossio-Asiatica, sistens omnium animalium in extenso Imperio Rossico et adjacentibus maribus observatorum recensionem, domicilia, mores et descriptiones, anatomam atque icones plurimorum*. St. Petersburg, Russia. vol. 3, 427 pp.
- Philippi, R.A.** 1857. Ueber einige Chilenische Vögel und Fische. *Arch. Naturgesch.*, 23(1): 262–272.
- Philippi, R.A.** 1858. Beschreibung neuer Wirbelthiere aus Chile. *Arch. Naturgesch.*, 24(1): 303–311.
- Philippi, R.A.** 1863. Kurze Nachricht über ein paar Chilenische Fische. *Arch. Naturgesch.*, 29(1): 207–212 + pl. 10.
- Philippi, R.A.** 1865. Ueber die chilenische Anguilla. *Arch. Naturgesch.*, 31(1): 107–109.
- Piavis, G.W.** 1971. Embryology. pp. 361–400. In Hardisty, M.W. and I.C. Potter, eds. *The Biology of Lampreys*, vol. 1, Academic Press, London.
- Piavis, G.W., J.H. Howell, & Smith, A.L.** 1970. Experimental hybridization among five species of lampreys from the Great Lakes. *Copeia*, 1970(1): 29–37.
- Plate, L.** 1897. Ein neuer Cyclostom mit grossen normal entwickelten Augen, *Macrophthalmia chilensis*, n.g. n. sp. *SitzBer. Gesell. Naturf. Freunde Berlin*, 137–141.
- Plate, L.** 1902. Studien über Cyclostomen. I. Systematische Revision der Petromyzonten der südlichen Halbkugel. *Zool. Jahrb.*, Suppl. 5: 651–674 + pl. 19.
- Platina, B.** (pseudonym of B. Sacchi) 1505. *Platine en francoys*. Translation by D. Christol in French of De honesta voluptate. F. Fradin, Lyon, France. 209 pp.
- Pletcher, F.T.** 1963. *The life history and distribution of lampreys in the Salmon and certain others rivers in British Columbia, Canada*. University of British Columbia, Vancouver, British Columbia. xii + 195 pp. (unpublished M. Sc. thesis)
- Poltorkhina, A.N.** 1971. Metamorphosis of the Arctic Brook Lamprey (*Lampetra japonica kessleri* (Anikin)) in the upper Irtysh. *J. Ichthyol.*, 11(2): 281–285.
- Poltorkhina, A.N.** 1974. Morphological characteristics and variability of the Siberian Lamprey (*Lampetra japonica kessleri*) in the upper Irtysh Basin. *J. Ichthyol.*, 14(2): 192–202.
- Potter, I.C.** 1968. *Mordacia praecox*, n. sp., a nonparasitic lamprey (Petromyzonidae), from New South Wales, Australia. *Proc. Linn. Soc. N. S. W.*, 92(Pt. 3): 254–261 + pl. XIV.

- Potter, I.C.** 1970. The life cycles and ecology of Australian lampreys of the genus *Mordacia*. *J. Zool.*, London 161: 487–511 + 1 pl.
- Potter, I.C. & Strahan, R.** 1968. The taxonomy of the lamprey *Geotria* and *Mordacia* and their distribution in Australia. *Proc. Linn. Soc. Lond.*, 179(2): 229–240.
- Potter, I.C. & Osborne, T.S.** 1975. The systematics of larval lampreys. *J. Zool.*, London 176: 311–329.
- Potter, I.C. & Hilliard, R.W.** 1986. Growth and average duration of larval life in the southern hemisphere lamprey, *Geotria australis* Gray. *Experientia*, 42: 1170–1173.
- Potter, I.C. & Hilliard, R.W.** 1987. A proposal for the functional and phylogenetic significance of differences in the dentition of lampreys (Agnatha: Petromyzontiformes). *J. Zool.*, Lond. 212: 713–737.
- Potter, I.C. & Welsch, U.** 1997. The structure of the gular pouch of mature males of the lamprey *Geotria australis*. *Acta Zool.* (Stockholm), 78: 97–106.
- Potter, I.C., W.J.R. Lanzing, & Strahan, R.** 1968. Morphometric and meristic studies on populations of Australian lampreys of the genus *Mordacia*. *Zool. J. Linn. Soc.*, 47(313): 533–546.
- Potter, I.C., P.A. Prince, & Croxall, J.P.** 1979. Data on the adult marine and migratory phases in the life cycle of the Southern Hemisphere lamprey, *Geotria australis* Gray. *Environ. Biol. Fish.*, 4: 65–69.
- Potter, I.C., R.W. Hilliard, & Bird, D.J.** 1980. Metamorphosis in the Southern Hemisphere lamprey, *Geotria australis*. *J. Zool.*, London 190: 405–430.
- Potter, I.C., R.W. Hilliard, D.J. Bird, & Macey, D.J.** 1983. Quantitative data on morphology and organ weights during the protracted spawning-run period of the Southern Hemisphere lamprey *Geotria australis*. *J. Zool.*, London 200: 1–20.
- Potter, I.C., G.J. Thomson, R.D. Cook, J.M. Cox, & Macey, D.J.** 1995. Buccal glands of adults of the lamprey *Mordacia mordax*, including comparisons with other species. *J. Morphol.*, 226(3): 339–349.
- Raney, E.C.** 1941. Records of the brook lamprey, *Lampetra aepyptera* (Abbott), from the Atlantic drainage of North Carolina and Virginia. *J. Elisha Mitchell Sci. Soc.*, 57(2): 318–320.
- Raney, E.C.** 1952. A new lamprey, *Ichthyomyzon hubbsi*, from the upper Tennessee river system. *Copeia*, 1952(2): 93–99 + 1 pl.
- Regan, C.T.** 1911. A synopsis of the marsipobranchs of the order Hyperoartii. *Ann. Mag. Nat. Hist.*, 7, Series 8: 193–204.
- Reighard, J. & Cummins, H.** 1916. Description of a new species of lamprey of the genus *Ichthyomyzon*. *Occ. Pap. Mus. Zool. U. Michigan*, No. 31: 1–12 + 2 pls.
- Rembiszewski, J.M.** 1968. Observations on hybrids of *Lampetra (Lampetra) planeri* (Bloch, 1784) X *Lampetra (Eudontomyzon) mariae* Berg, 1931. *Vest. Cs. Spol. Zool.*, 32(4): 390–393.
- Renaud, C.B.** 1982a. *Revision of the lamprey genus Eudontomyzon Regan, 1911*. University of Ottawa, Ottawa. xvi + 146 pp. (unpublished M.Sc. thesis)
- Renaud, C.B.** 1982b. Food and feeding habits of the Caspian Lamprey after metamorphosis. Abstract no. 252. Abstracts of the Fourth Congress of European Ichthyologists, Hamburg, Germany, 20–24 Sept. 1982.
- Renaud, C.B.** 1986. *Eudontomyzon hellenicus* Vladykov, Renaud, Kott, & Economidis, 1982. pp. 186–195. In Holčík, J., ed. *The Freshwater Fishes of Europe*, Vol. 1, Part I, Petromyzontiformes, AULA–Verlag, Wiesbaden.
- Renaud, C.B.** 1997. Conservation status of Northern Hemisphere lampreys (Petromyzontidae). *J. Appl. Ichthyol.*, 13(3): 143–148.
- Renaud, C.B.** 2002. The Muskellunge, *Esox masquinongy*, as a host for the Silver Lamprey, *Ichthyomyzon unicuspis*, in the Ottawa River, Ontario/Québec. *Can. Field-Nat.*, 116(3): 433–440.

- Renaud, C.B.** 2008. Petromyzontidae, *Entosphenus tridentatus*: Southern distribution record, Isla Clarión, Revillagigedo Archipelago, Mexico. *Check List*, 4(1): 82–85.
- Renaud, C.B. & Holčík, J.** 1986. *Eudontomyzon danfordi* Regan, 1911. pp. 146–164. In Holčík, J., ed. *The Freshwater Fishes of Europe*, Vol. 1, Part I, Petromyzontiformes, AULA–Verlag, Wiesbaden.
- Renaud, C.B. & Holčík, J.** 1988. *Lampetra (Eudontomyzon) gracilis*, a synonym of *Eudontomyzon danfordi*. *Environ. Biol. Fish.*, 23(1–2): 127–130.
- Renaud, C.B. & de Ville, N.** 2000. Three records of the Chestnut Lamprey, *Ichthyomyzon castaneus*, new to Québec. *Can. Field-Nat.*, 114(2): 333–335.
- Renaud, C.B., S.C. Ribey, & Chapleau, F.** 1996. Four records of the Chestnut Lamprey, *Ichthyomyzon castaneus*, new to Ontario. *Can. Field-Nat.*, 110(3): 450–453.
- Richards, J.E., R.J. Beamish, & Beamish, F.W.H.** 1982. Descriptions and keys for ammocoetes of lampreys from British Columbia, Canada. *Can. J. Fish. Aquat. Sci.*, 39: 1484–1495.
- Richardson, J.** 1823. *Notices of the fishes*. No. 6: 705–728 + pls. 25–26. In Franklin, J. *Narrative of a journey to the shores of the Polar Sea in 1819–1822 with an appendix on various subjects relating to science and natural history*. London.
- Richardson, J.** 1836. Fauna Boreali–Americana; or the zoology of the northern parts of British America: Containing descriptions of the objects of natural history collected on the late northern land expeditions under command of Captain Sir John Franklin, R.N. Part 3. *The fish*. J. Murray, London. xv + 327 pp. + pls 74–97.
- Richardson, J.** 1846. Ichthyology of the voyage of H.M.S. Erebus & Terror. pp. 53–74 + pls. 31–44. In Richardson, J. and J.E. Gray eds. *The zoology of the voyage of the H.M.S. Erebus & Terror, under the command of Captain Sir James Clark Ross, R.N., F.R.S., during the years 1839 to 1843*. vol. 2(2), London.
- Risso, A.** 1827. *Histoire naturelle des principales productions de l'Europe méridionale, et particulièrement de celles des environs de Nice et des Alpes maritimes*. F.G. Levrault, Paris & Strasbourg. Vol. 3: xvi + 480 pp. + 16 pls.
- Roffe, T.J. & Mate, B.R.** 1984. Abundances and feeding habits of pinnipeds in the Rogue River, Oregon. *J. Wildl. Manage.*, 48(4): 1262–1274.
- Rohde, F.C.** 1980. *Lampetra appendix* (DeKay), American Brook Lamprey. pp. 23. In Fishes, Lee, D.S., C.R. Gilbert, C.H. Hocutt, R.E. Jenkins, D.E. McAllister, and J.R. Stauffer, Jr., eds. *Atlas of North American Freshwater*, North Carolina State Museum of Natural History, Raleigh, North Carolina. x + 867 p.
- Rohde, F.C., R.G. Arndt, & Wang, J.C.S.** 1976. Life history of the freshwater fishes lampreys, *Okkelbergia aepyptera* and *Lampetra lamottenii* (Pisces: Petromyzonidae), on the Delmarva Peninsula (East Coast, United States). *Bull. South. Calif. Acad. Sci.*, 75(2): 99–111.
- Rondelet, G.** 1558. *L'histoire entière des poissons*. Part 1, 418 pp.; Part 2, 181 pp. M. Bonhome, Lyon, France.
- Roos, J.F., P. Gilhouse, S.R. Killick, & Zyblut, E.R.** 1973. Parasitism on juvenile Pacific salmon (*Oncorhynchus*) and Pacific Herring (*Clupea harengus pallasi*) in the Strait of Georgia by the River Lamprey (*Lampetra ayresi*). *J. Fish. Res. Board Can.*, 30(4): 565–568.
- Roy, J.–M.** 1973. Croissance, comportement et alimentation de la lamproie du nord (*Ichthyomyzon unicuspis*, Hubbs & Trautman) en captivité. *Trav. pech. Que.*, (41): 3–144.
- Ruiz–Campos G., & González–Guzmán, S.** 1996. First freshwater record of Pacific Lamprey, *Lampetra tridentata*, from Baja California, Mexico. *Calif. Fish Game*, 82: 144–146.
- Ruiz–Campos, G., S. Contreras–Balderas, M. de L. Lozano–Vilano, S. González–Guzmán, & Alaníz–García, J.** 2000. Ecological and distributional status of the continental fishes of northwestern Baja California, Mexico. *Bull. South. Calif. Acad. Sci.*, 99(2): 59–90.
- Saemundsson, B.** 1927. *Synopsis of the fishes of Iceland*. Rit Vísindafélags Íslendinga II. Prentsmiðjan Gutenberg, Reykjavík, Iceland. 68 pp. + 1 fig.

- Salewski, V., B. Kappus, & Renaud, C.B.** 1995. Velar tentacles as a taxonomic character in central European lampreys. *Acta Univ. Carol. Biol.*, 39(3–4): 215–229.
- Schuldt, R.J. & Goold, R.** 1980. Changes in the distribution of native lampreys in Lake Superior tributaries in response to Sea Lamprey (*Petromyzon marinus*) control, 1953–77. *Can. J. Fish. Aquat. Sci.*, 37(11): 1872–1885.
- Schultz, L.P.** 1930. The life history of *Lampetra planeri* Bloch, with a statistical analysis of the rate of growth of the larvae from western Washington. *Occ. Pap. Mus. Zool. U. Michigan*, no. 221: 1–35 + 2 pls.
- Seagle, H.H., Jr. & Nagel, J.W.** 1982. Life cycle and fecundity of the American Brook Lamprey, *Lampetra appendix*, in Tennessee. *Copeia*, 1982(2): 362–366.
- Seurat, L.G. & Dieuzeide, R.** 1931. Sur la capture d'une lamproie marine (*Petromyzon marinus* L.) sur les côtes algériennes. *Bull. Stn Aquic. Peche Castiglione*, Fasc. 2: 85–92.
- Seversmith, H.F.** 1953. Distribution, morphology and life history of *Lampetra aepyptera*, a brook lamprey, in Maryland. *Copeia*, 1953(4): 225–232.
- Shaw, G.** 1804. General zoology or systematic natural history. *Pisces*. 5(part 2): i–vi + 251–463 + pls. 132–182. G. Kearsley, London.
- Sidorov, L.K. & Pichugin, M.Yu.** 2005. Lampreys of the genus *Lethenteron* of Lake Sopochnoe (Iturup Island, the southern Kuril Islands). *J. Ichthyol.*, 45(5): 402–406.
- Silver, M.R., H. Kawauchi, M. Nozaki, & Sower, S.A.** 2004. Cloning and analysis of the lamprey GnRH-III cDNA from eight species of lamprey representing the three families of Petromyzoniformes. *Gen. Comp. Endocrinol.*, 139: 85–94.
- Sorensen, P.W. & Vrieze, L.A.** 2003. The chemical ecology and potential application of the Sea Lamprey migratory pheromone. *J. Great Lakes Res.*, 29(Suppl. 1): 66–84.
- Starrett, W.C., W.J. Harth, & Smith, P.W.** 1960. Parasitic lampreys of the genus *Ichthyomyzon* in the rivers of Illinois. *Copeia*, 1960(4): 337–346.
- Stock, D.W. & Whitt, G.S.** 1992. Evidence from 18S ribosomal RNA sequences that lampreys and hagfishes form a natural group. *Science*, 257: 787–789.
- Strahan, R.** 1959. The status of *Yarra singularis* and *Geotria australis* (Petromyzontidae). *J. R. Soc. West. Aust.*, 42: 49–52.
- Strahan, R.** 1960. A comparison of the ammocoete and macrophtalmia stages of *Mordacia mordax* and *Geotria australis* (Petromyzonidae). *Pac. Sci.*, 14(4): 416–420.
- Surface, H.A.** 1899. Removal of lampreys from the interior waters of New York. 4th Annual Report of the New York Commissioners of Fisheries, Game and Forests for 1898. Albany, New York. pp. 191–245.
- Takezaki, N., F. Figueroa, Z. Zaleska-Rutczynska, & Klein, J.** 2003. Molecular phylogeny of early vertebrates: Monophyly of the agnathans revealed by sequences of 35 genes. *Mol. Biol. Evol.*, 20(2): 287–292.
- Thomazi, A.** 1947. *Histoire de la pêche des âges de la Pierre à nos jours*. Payot, Paris. 645 pp.
- Tilesius von Tilenau, W.G.** 1811. *Piscium camtschaticorum descriptiones et icones*. *Acad. sci. St. Pétersb. Mém.*, 3: 225–285 + pls. 8–13.
- Turner, L.M.** 1886. Contributions to the natural history of Alaska. Part IV. Fishes. The Miscellaneous Documents of the Senate of the United States for the first session of the 49th Congress, Washington. Vol. 8, Misc. Doc. No. 155: 87–113 + pls. 1–15.
- Van Beneden, P.-J.** 1857. Un nouveau poisson du littoral de Belgique (*Petromyzon Omalii*). Bulletins de l'Académie Royale des Sciences, des Lettres et des Beaux-Arts de Belgique, 2e série, 2(7): 549–554 + 1 pl.
- Vladkov, V.D.** 1925. Über einige neue Fische aus der Tschechoslowakei (Karpathorußland). *Zool. Anz.*, 64(11/12): 250–252.

- Vladykov, V.D.** 1927. Zur Frage über das Absterben unserer Lampreten (Petromyzonidae) nach der Laichzeit. *Zool. Anz.*, 74(10): 237–239.
- Vladykov, V.D.** 1931. Poissons de la Russie sous–carpathique (Tchécoslovaquie). *Mem. Soc. Zool. France*, 29(4): 217–374.
- Vladykov, V.D.** 1949. Quebec lampreys (Petromyzonidae). I. List of species and their economical importance. Department of Fisheries, Province of Quebec, Contribution No. 26: 7–67.
- Vladykov, V.D.** 1950. Larvae of eastern American lampreys (Petromyzonidae). I. Species with two dorsal fins. *Nat. Can.*, 77(3–4): 73–95.
- Vladykov, V.D.** 1951. Fecundity of Quebec lampreys. *Can. Fish Cul.*, no. 10: 1–14.
- Vladykov, V.D.** 1955. *Lampetra zanandreai*, a new species of lamprey from northern Italy. *Copeia*, (3): 215–223 + 4 pls.
- Vladykov, V.D.** 1972. Sous–division en trois sous–familles des lamproies de l'hémisphère–nord de la famille Petromyzonidae. *Ass. Can.–Franc. Avance. Sci.*, 39: 148 (Abstract).
- Vladykov, V.D.** 1973a. *Lampetra pacifica*, a new nonparasitic species of lamprey (Petromyzontidae) from Oregon and California. *J. Fish. Res. Board Can.*, 30(2): 205–213 + 9 figs.
- Vladykov, V.D.** 1973b. A female sea lamprey (*Petromyzon marinus*) with a true anal fin, and the question of the presence of an anal fin in Petromyzonidae. *Can. J. Zool.*, 51(2): 221–224.
- Vladykov, V.D.** 1985a. Does neoteny occur in Holarctic lampreys (Petromyzontidae)? *Syllogeus*, 57: 1–13.
- Vladykov, V.D.** 1985b. Record of 61 parasitic lampreys (*Ichthyomyzon unicuspis*) on a single sturgeon (*Acipenser fulvescens*) netted in the St. Lawrence River (Québec). *Nat. Can.*, 112(3): 435–436.
- Vladykov, V.D. & Roy, J.–M.** 1948. Biologie de la lamproie d'eau douce (*Ichthyomyzon unicuspis*) après la métamorphose. *Rev. Canad. Biol.*, 7(3) : 483–485.
- Vladykov, V.D. & Follett, W.I.** 1958. Redescription of *Lampetra ayresii* (Günther) of western North America, a species of lamprey (Petromyzontidae) distinct from *Lampetra fluviatilis* (Linnaeus) of Europe. *J. Fish. Res. Board Can.*, 15(1): 47–77 + 15 figs.
- Vladykov, V.D. & Follett, W.I.** 1965. *Lampetra richardsoni*, a new nonparasitic species of lamprey (Petromyzonidae) from western North America. *J. Fish. Res. Board Can.*, 22(1): 139–158 + 9 figs.
- Vladykov, V.D. & Follett, W.I.** 1967. The teeth of lampreys (Petromyzonidae): their terminology and use in a key to Holarctic genera. *J. Fish. Res. Board Can.*, 24(5): 1067–1075.
- Vladykov, V.D. & Kott, E.** 1976a. Is *Okkelbergia* Creaser and Hubbs, 1922 (Petromyzonidae) a distinct taxon? *Can. J. Zool.*, 54(3): 421–425.
- Vladykov, V.D. & Kott, E.** 1976b. A new nonparasitic species of lamprey of the genus *Entosphenus* Gill, 1862, (Petromyzonidae) from south central California. *Bull. South. Calif. Acad. Sci.*, 75(2): 60–67.
- Vladykov, V.D. & Kott, E.** 1976c. A second nonparasitic species of *Entosphenus* Gill, 1862 (Petromyzonidae) from Klamath River system, California. *Can. J. Zool.*, 54(6): 974–989.
- Vladykov, V.D. & Kott, E.** 1976d. The taxonomic significance of velar tentacles in Holarctic lampreys (Petromyzonidae). *Rev. Trav. Off. Pech. Marit.*, 40(3–4): 787–789.
- Vladykov, V.D. & Kott, E.** 1978a. A new nonparasitic species of the Holarctic lamprey genus *Lethenteron* Creaser and Hubbs, 1922, (Petromyzonidae) from northwestern North America with notes on other species of the same genus. *Biol. Pap. Univ. Alaska*, no. 19: 1–74.
- Vladykov, V.D. & Kott, E.** 1978b. A new nonparasitic species of *Lethenteron* Creaser and Hubbs 1922 (Petromyzonidae) from Hokkaido, Japan. *Can. J. Zool.*, 56(8): 1792–1800.

- Vladykov, V.D. & Kott, E.** 1979a. A new parasitic species of the Holarctic lamprey genus *Entosphenus* Gill, 1862 (Petromyzonidae) from Klamath River, in California and Oregon. *Can. J. Zool.*, 57(4): 808–823.
- Vladykov, V.D. & Kott, E.** 1979b. Satellite species among the Holarctic lampreys (Petromyzonidae). *Can. J. Zool.*, 57(4): 860–867.
- Vladykov, V.D. & Kott, E.** 1979c. List of Northern Hemisphere lampreys (Petromyzonidae) and their distribution. Department of Fisheries and Oceans Miscellaneous Special Publication 42: 30 pp.
- Vladykov, V.D. & Kott, E.** 1980a. Description and key to metamorphosed specimens and ammocoetes of Petromyzonidae found in the Great Lakes region. *Can. J. Fish. Aquat. Sci.*, 37(11): 1616–1625.
- Vladykov, V.D. & Kott, E.** 1980b. First record of the Sea Lamprey, *Petromyzon marinus* L., in the Gulf of Mexico. *Northeast Gulf Sci.*, 4(1): 49–50.
- Vladykov, V.D. & Kott, E.** 1982a. Correct scientific names for the Least Brook Lamprey and the American Brook Lamprey (Petromyzonidae). *Can. J. Zool.*, 60(5): 856–864.
- Vladykov, V.D. & Kott, E.** 1982b. Comment on Reeve M. Bailey's view of lamprey systematics. *Can. J. Fish. Aquat. Sci.*, 39(8): 1215–1217.
- Vladykov, V.D. & Kott, E.** 1984. A second record for California and additional morphological information on *Entosphenus hubbsi* Vladykov and Kott 1976 (Petromyzontidae). *Calif. Fish Game*, 70(2): 121–127.
- Vladykov, V.D., E. Kott, & Pharand-Coad, S.** 1975. A new nonparasitic species of lamprey, genus *Lethenteron* (Petromyzonidae), from eastern tributaries of the Gulf of Mexico, U.S.A. *Publs. Zool. Natn. Mus. Nat. Sci. Can.*, 12: 1–36.
- Vladykov, V.D., E. Kott, & McAllister, D.E.** 1980. *Lampetra alaskanse* (Vladykov and Kott), Darktail Lamprey. p. 22. In Lee, D.S., C.R. Gilbert, C.H. Hocutt, R.E. Jenkins, D.E. McAllister, and J.R. Stauffer, Jr., eds. *Atlas of North American Freshwater Fishes*. North Carolina State Museum of Natural History, Raleigh, North Carolina.
- Vladykov, V.D., C.B. Renaud, E. Kott, & Economidis, P.S.** 1982. A new nonparasitic species of Holarctic lamprey, genus *Eudontomyzon* Regan 1911 (Petromyzontidae), from Greece. *Can. J. Zool.*, 60(11): 2897–2915.
- Vogt, K.D.** 1988. The occurrence of *Lampetra tridentatus* in the northern Bering Sea. *Japanese J. Ichthyol.*, 35(3): 403–404.
- Volk, E.C.** 1986. Use of calcareous otic elements (statoliths) to determine age of Sea Lamprey ammocoetes (*Petromyzon marinus*). *Can. J. Fish. Aquat. Sci.*, 43: 718–722.
- von Martens, E.** 1868. Ueber einige ostasiatische Süßwasserthiere. *Arch. Naturgesch.*, 34: 1–64 + 1 pl.
- Wajgel, L.** 1884. Die Zusammenziehung der Zwei Arten von *Petromyzon* (*P. Planeri* und *P. fluviatilis*) in Eine. *Verh. der k.k. zool.-bot. Ges. in Wien*, 33: 311–319 + pl. 17.
- Walsh, S.J. & Burr, B.M.** 1981. Distribution, morphology and life history of the Least Brook Lamprey, *Lampetra aepyptera* (Pisces: Petromyzontidae), in Kentucky. *Brimleyana*, No. 6: 83–100.
- Wills, J.H., Jr.** 1966. *Seafood toxins*. National Academy of Sciences, National Research Council, Washington, D.C., Publication no. 1354: 147–163.
- Wolf, B.O. & Jones, S.L.** 1989. Great Blue Heron deaths caused by predation on Pacific Lamprey. *The Condor*, 91(2): 482–484.
- Yalden, D.W.** 1985. Feeding mechanisms as evidence for cyclostome monophyly. *Zool. J. Linn. Soc.*, 84: 291–300.
- Yamazaki, Y. & Goto, A.** 1997. Morphometric and meristic characteristics of two groups of *Lethenteron reissneri*. *Ichthyol. Res.*, 44: 15–25.
- Yamazaki, Y. & Goto, A.** 1998. Genetic structure and differentiation of four *Lethenteron* taxa from the Far East, deduced from allozyme analysis. *Environ. Biol. Fish.*, 52: 149–161.

- Yamazaki, Y., S. Konno, & Goto, A.** 2001. Interspecific differences in egg size and fecundity among Japanese lampreys. *Fish. Sci.*, 67(2): 375–377.
- Yamazaki, Y., A. Goto, & Nishida, M.** 2003. Mitochondrial DNA sequence divergence between two cryptic species of *Lethenteron*, with reference to an improved identification technique. *J. Fish Biol.*, 62: 591–609.
- Yamazaki, Y., A. Goto, H-K. Byeon, & Jeon, S.-R.** 1999. Geographical distribution patterns of the two genetically divergent forms of *Lethenteron reissneri* (Pisces: Petromyzontidae). *Biogeography*, 1: 49–56.
- Yamazaki, Y., R. Yokoyama, M. Nishida, & Goto, A.** 2006. Taxonomy and molecular phylogeny of *Lethenteron* lampreys in eastern Eurasia. *J. Fish Biol.*, 68(Suppl. B): 251–269.
- Zanandrea, G.** 1959a. Lamprede parassite e non parassite nel bacino del Danubio e la nuova entità sistematica *Eudontomyzon danfordi vladycovi*. *Arch. Zool. Ital.*, 44: 215–250 + 2 pls.
- Zanandrea, G.** 1959b. *Lampetra fluviatilis* catturata in mare nel Golfo di Gaeta. *Pubbl. Stn. Zool. Napoli*, 31(2): 265–307 + 2 pls.
- Zanandrea, G.** 1959c. Recenti ricerche sulle forme “appaiate” di lamprede dell’Italia e del Danubio. *Boll. Zool.*, 26: 545–554.
- Zanandrea, G.** 1961. Studies on European lampreys. *Evolution*, 15(4): 523–534.
- Zhukov, P.I.** 1969. New data on the biology of freshwater lampreys in White Russia. *J. Ichthyol.*, 9(2): 181–186.

3. INDEX OF SCIENTIFIC AND VERNACULAR NAMES

EXPLANATION OF THE SYSTEM

- Italics*** : Valid scientific names (double entry by genera and species)
Italics : Synonyms and misidentifications (double entry by genera and species)
ROMAN : Family names
ROMAN : Names of orders, class, subclass, superfamilies
Roman : FAO names
Roman : Local names

A

<i>Acanthopagrus butcheri</i>	22
<i>acetosella, Rumex</i>	74
<i>Acipenser fulvescens</i>	54
<i>Acipenser oxyrinchus</i>	54, 79
<i>acutidens, Petromyzon</i>	19
<i>aepyptera, Ammocoetes</i>	2, 55
<i>aepyptera, Lampetra</i>	2, 3, 4, 6, 8, 13, 55–56
<i>Agnathomyzon</i>	24
<i>Agnathomyzon (Haploglossa) caspicus</i>	24
<i>Agnathomyzon wagneri</i>	24
<i>Alaskan Brook Lamprey</i>	66
<i>alaskense, Lethenteron</i>	6, 10, 13, 14, 66–67
<i>Aldrichetta forsteri</i>	22
<i>aleutianus, Sebastes</i>	37
<i>Alganssea popoche</i>	84
<i>Allegheny Brook Lamprey</i>	52
<i>allporti, Geotria</i>	16
<i>Alosa sapidissima</i>	79
<i>alta, Yuriria</i>	84
<i>alutus, Sebastes</i>	37
<i>Ambloplites rupestris</i>	50, 54
<i>Ameiurus nebulosus</i>	54
<i>American Brook Lamprey</i>	48, 54, 68, 69, 80
<i>Americanus, Petromyzon</i>	78
<i>Ammocoetes</i>	2, 15
<i>Ammocoetes aepyptera</i>	2, 55
<i>Ammocoetes aureus</i>	2, 69
<i>Ammocoetes bicolor</i>	78
<i>Ammocoetes borealis</i>	2
<i>Ammocoetes caeruleus</i>	2, 16
<i>Ammocoetes cibarius</i>	2, 35, 57
<i>Ammocoetes concolor</i>	2
<i>Ammocoetes unicolor</i>	2
<i>Amphora</i>	82, 83
<i>Anoplopoma fimbria</i>	37
<i>Anwandteri, Petromyzon</i>	19
<i>appendix, Lethenteron</i>	3, 4, 5, 12, 13, 66, 68–69
<i>appendix, Petromyzon</i>	66, 68
<i>Arctic Lamprey</i>	70
<i>argenteus, Petromyzon</i>	45, 58
<i>artedi, Coregonus</i>	72
<i>astori, Petromyzon</i>	36
<i>Asum</i>	36
<i>Atheresthes evermanni</i>	38
<i>Atheresthes stomias</i>	38
<i>atun, Thryssites</i>	23
<i>auratus, Carassius</i>	45
<i>aureus, Ammocoetes</i>	3, 70
<i>Australian Lamprey</i>	22
<i>australis, Geotria</i>	3, 4, 5, 12, 14, 17–19, 23
<i>austrinum, Moxostoma</i>	85
<i>autumnalis, Coregonus</i>	60
<i>ayresii, Lampetra</i>	3, 11, 13, 14, 16, 56, 58–59
<i>ayresii, Petromyzon</i>	58

B

<i>Bachneunaugae</i>	63
<i>Bairdii, Petromyzon (Bathymyzon)</i>	78
<i>Balaenoptera borealis</i>	37

<i>Balaenoptera physalus</i>	37
<i>barbatula, Barbatula</i>	39
<i>Barbatula barbatula</i>	39
<i>Barbatula toni</i>	44
<i>barbus, Barbus</i>	39
<i>Barbus barbus</i>	39
<i>Barbus petenyi</i>	39
<i>bdellium, Ichthyomyzon</i>	12, 13, 45–46, 53
<i>bdellium, Petromyzon</i>	45
<i>Bergi, Lampetra</i>	38
<i>bicolor, Ammocoetes</i>	78
<i>bicolor, Gila</i>	33
<i>bicolor, Petromyzon</i>	63
<i>borealis, Ammocoetes</i>	2
<i>borealis, Balaenoptera</i>	37
<i>butcheri, Acanthopagrus</i>	22

C

<i>caeruleus, Ammocoetes</i>	2, 16
<i>camtschaticum, Lethenteron</i>	2, 4, 5, 10, 12, 14, 15, 66, 69–71, 72, 73, 75
<i>Caragola</i>	15, 19
<i>Caragola lapticida</i>	19
<i>CARAGOLINAE</i>	15, 18
<i>Carassius auratus</i>	44
<i>carinatum, Moxostoma</i>	46
<i>Carpathian Lamprey</i>	38
<i>carpio, Cyprinus</i>	46, 48
<i>Caspian Lamprey</i>	24, 26
<i>caspicus, Agnathomyzon (Haploglossa)</i>	24
<i>Caspiomyzon</i>	24
<i>Caspiomyzon wagneri</i>	3, 5, 8, 11, 14, 15, 24–26
<i>castaneus, Ichthyomyzon</i>	3, 11, 13, 45, 47–48, 53
<i>Catostomus</i>	48
<i>catostomus, Catostomus</i>	54, 71
<i>Catostomus catostomus</i>	54, 71
<i>Catostomus commersonii</i>	48, 54
<i>Central California Brook Lamprey</i>	28
<i>cephalus, Squalius</i>	39
<i>Cetorhinus maximus</i>	79
<i>chalcoGRAMMA, Theragra</i>	37
<i>chapalae, Yuriria</i>	84
<i>Chapala Lamprey</i>	83
<i>Chestnut Lamprey</i>	47, 48, 69, 80
<i>Chilean Lamprey</i>	19
<i>chilensis, Macrophthalmia</i>	16
<i>chilensis, Velasia</i>	16
<i>Chilopterus</i>	16
<i>Chirostoma</i>	84
<i>Chişcar</i>	38, 42
<i>Chlorella</i>	73
<i>CHLOROPHYCEAE</i>	73, 82, 84
<i>chuss, Urophycis</i>	79
<i>cibarius, Ammocoetes</i>	2, 35, 57
<i>Cicar</i>	38, 42
<i>clarkii, Oncorhynchus</i>	32
<i>clupeaformis, Coregonus</i>	54, 71
<i>Clupea harengus</i>	59, 79
<i>Clupea pallasii</i>	58
<i>clupeoides, Coregonus</i>	59
<i>Cobitis taenia</i>	44

- Cocconema* 82, 83
commersonii, Catostomus 48, 54
concolor, Ammocoetes 2
Coregonus artedi 71
Coregonus autumnalis 59
Coregonus clupeaformis 54, 71
Coregonus clupeoides 59
Coregonus johannae 79, 80
Coregonus nigripinnis 79, 80
Coregonus zenithicus 79, 80
cornutus, Luxilus 48
Corynosoma 25
Cottus gobio 39
Cottus poecilopus 39
CYANOPHYCEAE 73
CYCLOSTOMATA 1
Cyprinus carpio 46, 48

D

- danfordi vladykovi, Eudontomyzon* 41
danfordi, Eudontomyzon 5, 12, 14, 38–40
Darktail Lamprey 66
DIATOMEAE 73
dolomieu, Micropterus 37

E

- elongatus, Ophiodon* 37, 58
Entosphenus 15, 24, 26, 66, 81
Entosphenus folletti 12, 14, 27–28, 28
Entosphenus hubbsi 4, 12, 13, 28–29
Entosphenus lethophagus 4, 12, 13, 30–31
Entosphenus macrostomus 10, 12, 13, 31–32
Entosphenus minimus 8, 12, 14, 33–34
Entosphenus similis 10, 11, 14, 26, 34–35
Entosphenus tridentatus 2, 3, 4, 5, 8, 10, 12, 13, 24, 26, 35–38, 57
erythrurum, Moxostoma 46
esocinus, Pseudogobio 44
Esox lucius 43, 48, 54, 71
Esox masquinongy 54
Eudontomyzon 15, 24, 38
Eudontomyzon danfordi 5, 12, 14, 38–40
Eudontomyzon danfordi vladykovi 41
Eudontomyzon graecus 10, 14, 23, 38, 40
Eudontomyzon hellenicus 4, 10, 13, 14, 38, 40–41
Eudontomyzon mariae 4, 12, 14, 38, 41–43, 60, 63
Eudontomyzon morii 10, 12, 14, 38, 43–44
Eudontomyzon stankokaramani 41
Eudontomyzon vladykovi stankokaramani 41
European Brook Lamprey 63
European River Lamprey 57, 58
evermanni, Atheresthes 37
Exomegas 15, 16

F

- Far Eastern Brook Lamprey** 75
fimbria, Anoplopoma 37
Flußneunauge 58
fluvialis, Petromyzon 69

- fluviatilis, Lampetra* 3, 4, 5, 12, 14, 15, 24, 45, 55, 57, 58–60, 64
fluviatilis, Petromyzon 58
folletti, Entosphenus 12, 14, 27–28, 28
Fonki, Petromyzon 16
fontinalis, Salvelinus 33, 48
forsteri, Aldrichetta 22
fossor, Ichthyomyzon 4, 10, 11, 13, 45, 49–50
Fragilaria 73
fulvescens, Acipenser 54

G

- Gadus macrocephalus* 37
Gadus morhua 59, 60, 79
gagei, Ichthyomyzon 3, 11, 13, 45, 50–51
geminis, Tetrapleurodon 10, 12, 13, 81–82, 83
Geotria 7, 15, 16
Geotria allporti 16
Geotria australis 2, 3, 4, 11, 13, 16–18, 22
Geotria saccifera 16
GEOTRIIDAE 1, 2, 15, 16
Gila bicolor 33
GNATHOSTOMATA 1
gobio, Cottus 39
gorbuscha, Oncorhynchus 37
gracilis, Lampetra (Eudontomyzon) 38
graecus, Eudontomyzon 10, 14, 23, 38, 40
Greek Brook Lamprey 40
greeleyi, Ichthyomyzon 4, 12, 13, 45, 52–53

H

- Hagfishes 1
Haploglossa 24
Hardistiella montanensis 2
harengus, Clupea 59, 79
hellenicus, Eudontomyzon 4, 10, 13, 14, 38, 40–41
hippoglossoides, Reinhardtius 37
Hippoglossus stenolepis 37
hirudo, Ichthyomyzon 47
howitti, Neomordacia 16
hubbsi, Entosphenus 4, 12, 13, 28–29
hubbsi, Ichthyomyzon 52
Hungarian Lamprey 38
Hyperoartia 1, 15

I

- Ichthyomyzon* 1, 2, 7, 10, 15, 24, 45
Ichthyomyzon bdellium 12, 13, 45–46, 53
Ichthyomyzon castaneus 3, 11, 13, 45, 47–48, 53
Ichthyomyzon fossor 4, 10, 11, 13, 45, 49–50
Ichthyomyzon gagei 3, 11, 13, 45, 50–51
Ichthyomyzon greeleyi 4, 12, 13, 45, 52–53
Ichthyomyzon hirudo 47
Ichthyomyzon hubbsi 52
Ichthyomyzon unicuspis 4, 8, 11, 13, 45, 47, 53–55
Ictalurus punctatus 37
Ictiobus 48
Ictiobus niger 54

J

- Jacona Lamprey** 81
japonica 70
japonica septentrionalis, Lampetra 69
japonica, Lampetra 15, 70
Japonicus, Petromyzon 69
johannae, Coregonus 79, 80
Juncus 74

K

- Kanakana** 17
Kawayatsume 70
Kern Brook Lamprey 28
kessleri 70
kessleri, Lethenteron 5, 12, 13, 66, 70, 72–73, 75
kessleri, Petromyzon 72
kisutch, Oncorhynchus 32, 37, 58
Klamath Lamprey 34
Klamath River Lamprey 34
Korean Lamprey 43
Ksuyas 36

L

- Lake Lamprey** 78
Lamna nasus 79
lamottei, Lampetra 5
Lamottenii, Petromyzon 68
Lampern 58
Lampetra 3, 15, 24, 26, 38, 55
Lampetra aepyptera 2, 3, 4, 6, 8, 13, 55–56
Lampetra ayresii 2, 10, 12, 13, 15, 55, 57–58
Lampetra Bergi 38
Lampetra (Entosphenus) minima 33
Lampetra (Eudontomyzon) gracilis 38
Lampetra fluviatilis 3, 4, 5, 12, 14, 15, 24, 45, 55, 57, 58–60, 64
Lampetra japonica 15, 70
Lampetra japonica septentrionalis 69
Lampetra lamottei 5
Lampetra lanceolata 12, 14, 55, 60–61
Lampetra lethophaga 30
Lampetra macrostoma 31
Lampetra mariae 41
Lampetra morii 43
Lampetra opisthodon 58
Lampetra pacifica 13, 55, 62–63
Lampetra planeri 3, 4, 12, 14, 41, 55, 59, 60, 63–64
Lampetra richardsoni 4, 6, 10, 13, 14, 55, 57, 62, 65–66
Lampetra richardsoni var. *marifuga* 57
Lampetra spadicea 81, 83
Lampetra wilderi 68
Lampetra zanandreai 77
LAMPETRINAE 24
Lamprea de Chapala 83
Lamprea de Jacona 81
Lamprea del Pacífico 36
Lamprey 1, 2, 5, 15, 18, 23, 25, 26, 41, 48, 50, 54, 56, 58, 60, 69, 71, 73, 80

- Lamproie** 3, 15, 80
Lamproie arctique 70
Lamproie australienne 21
Lamproie brune 47
Lamproie carpathique 38
Lamproie caspienne 24
Lamproie coréene 43
Lamproie de la rivière Klamath 34
Lamproie de l'est 68
Lamproie de l'île de Vancouver 31
Lamproie de l'Ohio 45
Lamproie de Planer 63
Lamproie de rivière de l'ouest 57
Lamproie de rivière européenne 58
Lamproie de ruisseau américaine 68
Lamproie de ruisseau d'Alaska 66
Lamproie de ruisseau d'Allegheny 52
Lamproie de ruisseau de Californie centrale 28
Lamproie de ruisseau de Californie septentrionale 27
Lamproie de ruisseau de la Transcaucasie occidentale 74
Lamproie de ruisseau de l'Extrême-Orient 75
Lamproie de ruisseau de Lombardie 77
Lamproie de ruisseau du bassin Pit-Klamath 30
Lamproie de ruisseau du Pacifique 62
Lamproie de ruisseau européenne 63
Lamproie de ruisseau grecque 40
Lamproie de ruisseau méridionale 50
Lamproie de ruisseau mexicaine 81
Lamproie de ruisseau occidentale 65
Lamproie de ruisseau septentrionale 49
Lamproie de ruisseau turque 60
Lamproie de ruisseau ukrainienne 42
Lamproie de Sibérie 72
Lamproie du Chili 19
Lamproie du lac Miller 33
Lamproie du nord 49
Lamproie du Pacifique 36
Lamproie fluviatile européenne 58
Lamproie marine 78
Lamproie mexicaine 83
Lamproie saccifère 17
lanceolata, Lampetra 12, 14, 55, 60–61
lapicida, Caragola 19
lapicida, Mordacia 4, 11, 13, 19–20
Least Brook Lamprey 55
Lethenteron 15, 24, 66, 75, 77
Lethenteron alaskense 6, 10, 13, 14, 66–67
Lethenteron appendix 3, 4, 5, 12, 13, 66, 68–69
Lethenteron camtschaticum 2, 4, 5, 10, 12, 14, 15, 66, 69–71, 72, 73, 75
Lethenteron kessleri 5, 12, 13, 66, 70, 72–73, 75
Lethenteron meridionale 6, 55
Lethenteron ninae 13, 23, 66, 74–75
Lethenteron reissneri 6, 10, 12, 14, 66, 72, 75–76
Lethenteron zanandreai 4, 13, 66, 77–78
lethophaga, Lampetra 30
lethophagus, Entosphenus 4, 12, 13, 30–31
leucichthys, Stenodus 71
lividus, Petromyzon 35
Lombardy Brook Lamprey 77
lota, Lota 71

<i>Lota lota</i>	71
<i>lucius, Esox</i>	43, 48, 54, 71
<i>lumbricalis, Petromyzon</i>	69
<i>Luxilus cornutus</i>	48
M	
<i>macrocephalus, Gadus</i>	37
<i>macrocephalus, Physeter</i>	37
<i>Macrophthalmia</i>	16
<i>Macrophthalmia chilensis</i>	16
<i>macrostoma, Lampetra</i>	31
<i>macrostomus, Entosphenus</i>	10, 12, 13, 31–32
<i>macrostomus, Petromyzon</i>	16
<i>maculosus, Necturus</i>	52
<i>Manchurian Lamprey</i>	43
<i>mariae, Eudontomyzon</i>	4, 12, 14, 38, 41–43, 60, 63
<i>mariae, Lampetra</i>	41
<i>marinus Camtschaticus, Petromyzon</i>	69
<i>marinus dorsatus, Petromyzon</i>	78
<i>marinus, Petromyzon</i>	1, 2, 3, 4, 5, 6, 11, 13, 24, 48, 50, 55, 69, 78–81
<i>MARSIOPRANCHII</i>	1, 15
<i>masquinongy, Esox</i>	54
<i>maxima, Psetta</i>	60
<i>maximus, Cetorhinus</i>	79
<i>Mayomyzon pieckoenensis</i>	2
<i>Megaptera novaeangliae</i>	37
<i>mengae, Mesomyzon</i>	2
<i>meridionale, Lethenteron</i>	6, 55
<i>Merluccius productus</i>	37
<i>Mesomyzon mengae</i>	2
<i>Mexican Brook Lamprey</i>	81
<i>Mexican Lamprey</i>	83
<i>Micropterus dolomieu</i>	37
<i>Miller Lake Lamprey</i>	33
<i>minima, Lampetra (Entosphenus)</i>	33
<i>minimus, Entosphenus</i>	8, 12, 14, 33–34
<i>Minoga</i>	15
<i>montanensis, Hardistiella</i>	2
<i>Mordacia</i>	6, 7, 8, 9, 10, 15, 19
<i>Mordacia lapicida</i>	4, 11, 13, 19–20
<i>Mordacia mordax</i>	3, 10, 12, 13, 18, 19, 21–22
<i>Mordacia praecox</i>	10, 12, 13, 19, 22–23
<i>MORDACIIDAE</i>	1, 2, 15, 18–19
<i>mordax, Mordacia</i>	3, 10, 12, 13, 18, 19, 21–22
<i>mordax, Petromyzon</i>	19, 21
<i>morhua, Gadus</i>	59, 60, 79
<i>morii, Eudontomyzon</i>	10, 12, 14, 38, 43–44
<i>morii, Lampetra</i>	43
<i>Morone saxatilis</i>	54
<i>Mountain Brook Lamprey</i>	52
<i>Moxostoma</i>	48
<i>Moxostoma austrinum</i>	84
<i>Moxostoma carinatum</i>	46
<i>Moxostoma erythrurum</i>	46
<i>mykiss, Oncorhynchus</i>	37, 79

N

<i>namaycush, Salvelinus</i>	54, 71, 79
<i>nasus, Lamna</i>	79

<i>nebulosus, Ameiurus</i>	54
<i>Necturus maculosus</i>	52
<i>Neomordacia</i>	16
<i>Neomordacia howittii</i>	16
<i>nerka, Oncorhynchus</i>	37, 58
<i>Neunauge</i>	15
<i>niger, Ictiobus</i>	54
<i>niger, Petromyzon</i>	63
<i>nigricans, Petromyzon</i>	78
<i>nigripinnis, Coregonus</i>	80
<i>ninae, Lethenteron</i>	13, 23, 66, 74–75
<i>Northern Brook Lamprey</i>	49, 50, 54, 80
<i>Northern California Brook Lamprey</i>	27
<i>novaehangliae, Megaptera</i>	37
<i>Nū-mug-ū-shūk</i>	70

O

<i>Oceanomyzon wilsoni</i>	78
<i>Ohio Lamprey</i>	45
<i>Okkelbergia</i>	55
<i>Omalii, Petromyzon</i>	58, 59
<i>Oncorhynchus</i>	58
<i>Oncorhynchus clarkii</i>	32
<i>Oncorhynchus gorbuscha</i>	37
<i>Oncorhynchus kisutch</i>	32, 37, 58
<i>Oncorhynchus mykiss</i>	37, 79
<i>Oncorhynchus nerka</i>	37, 58
<i>Oncorhynchus tshawytscha</i>	37, 58
<i>Ophiodon elongatus</i>	37, 58
<i>opisthoton, Lampetra</i>	58
<i>oregonensis, Ptychocheilus</i>	37
<i>Oscillatoria</i>	73
<i>osculus klamathensis, Rhinichthys</i>	33
<i>osculus, Rhinichthys</i>	37
<i>oxyrinchus, Acipenser</i>	54, 79

P

<i>pacifica, Lampetra</i>	13, 55, 62–63
<i>Pacific Brook Lamprey</i>	62
<i>Pacific Lamprey</i>	36
<i>pallasii, Clupea</i>	58
<i>percnurus, Rhynchocyparis</i>	44
<i>petenyi, Barbus</i>	39
<i>Petite lamproie de ruisseau</i>	55
<i>Pétromyzides</i>	23
<i>Petromyzon</i>	7, 15, 24, 38, 45, 78
<i>Petromyzon acutidens</i>	19
<i>Petromyzon Americanus</i>	78
<i>Petromyzon Anwandteri</i>	19
<i>Petromyzon appendix</i>	66, 68
<i>Petromyzon argenteus</i>	45, 58
<i>Petromyzon astori</i>	35
<i>Petromyzon ayresii</i>	57
<i>Petromyzon (Bathymyzon) Bairdii</i>	78
<i>Petromyzon bdellium</i>	45
<i>Petromyzon bicolor</i>	63
<i>Petromyzon (Casiomyzon) wagneri</i>	24
<i>Petromyzon fluviatilis</i>	69
<i>Petromyzon Fonki</i>	16

<i>Petromyzon Japonicus</i>	69
<i>Petromyzon kessleri</i>	72
<i>Petromyzon Lamottenii</i>	68
<i>Petromyzon lividus</i>	35
<i>Petromyzon lumbricalis</i>	69
<i>Petromyzon macrostomus</i>	16
<i>Petromyzon marinus</i>	1, 2, 3, 4, 5, 6, 11, 13, 24, 48, 50, 55, 69, 78–81
<i>Petromyzon marinus Camtschaticus</i>	69
<i>Petromyzon marinus dorsatus</i>	78
<i>Petromyzon mordax</i>	19, 21
<i>Petromyzon niger</i>	63
<i>Petromyzon nigricans</i>	78
<i>Petromyzon Omalii</i>	58, 59
<i>Petromyzon planeri</i>	63
<i>Petromyzon plumbeus</i>	57
<i>Petromyzon Reissneri</i>	75
<i>Petromyzon tridentatus</i>	26, 35
<i>Petromyzon Wagneri</i>	24
<i>Petromyzonidae</i>	23
PETROMYZONIFORMES	15
PETROMYZONINAE	24
<i>Petromyzontes</i>	15
PETROMYZONTIDAE	1, 2, 10, 15, 23–24, 40
PETROMYZONTIFORMES	1, 10, 15, 40
PETROMYZONTINAE	15
<i>physalus</i> , <i>Balaenoptera</i>	37
<i>Physeter macrocephalus</i>	37
<i>pieckoensis</i> , <i>Mayomyzon</i>	3
Piharau	17
<i>Pinnularia</i>	73
<i>Pinularia</i>	82, 83
<i>Pipiscius zangerli</i>	7
Pit-Klamath Brook Lamprey	30
<i>planeri</i> , <i>Lampetra</i>	3, 4, 12, 14, 41, 55, 59, 60, 63–64
<i>planeri</i> , <i>Petromyzon</i>	63
<i>Pleurosigma</i>	82, 83
<i>plumbeus</i> , <i>Petromyzon</i>	57
<i>poecilopus</i> , <i>Cottus</i>	39
<i>Polygonum</i>	74
<i>Polyodon spathula</i>	54
<i>popoche</i> , <i>Algansia</i>	84
Pouched Lamprey	17, 18
<i>praecox</i> , <i>Mordacia</i>	10, 12, 13, 19, 22–23
<i>Priscomyzon riniensis</i>	2
<i>productus</i> , <i>Merluccius</i>	37
<i>Psetta maxima</i>	60
<i>Pseudogobio esocinus</i>	44
<i>Ptychocheilus oregonensis</i>	37
<i>punctatus</i> , <i>Ictalurus</i>	37

R

<i>reedi</i> , <i>Sebastes</i>	37
<i>Reighardina</i>	45
<i>Reinhardtius hippoglossoides</i>	37
<i>reissneri</i> , <i>Lethenteron</i>	6, 10, 12, 14, 66, 72, 75–76
<i>Reissneri</i> , <i>Petromyzon</i>	75
<i>Rhinichthys osculus</i>	37
<i>Rhinichthys osculus klamathensis</i>	33
<i>Rhizosolenia</i>	82, 83
<i>Rhynchocypris percnurus</i>	44

<i>richardsoni</i> var <i>marifuga</i> , <i>Lampetra</i>	57
<i>richardsoni</i> , <i>Lampetra</i>	4, 6, 10, 13, 14, 55, 57, 62, 65–66
<i>riniensis</i> , <i>Priscomyzon</i>	2
River Lamprey	57
<i>Rumex acetosella</i>	74
<i>rupestris</i> , <i>Ambloplites</i>	50, 54

S

<i>saccifera</i> , <i>Geotria</i>	16
<i>salar</i> , <i>Salmo</i>	79
Salmonids	32
<i>Salmo salar</i>	79
<i>Salmo trutta</i>	22, 33
<i>Salmo trutta caspius</i>	25
<i>Salvelinus fontinalis</i>	33, 48
<i>Salvelinus namaycush</i>	54, 71, 79
<i>Sander vitreus</i>	46, 71
<i>sapidissima</i> , <i>Alosa</i>	79
<i>Sarcocheilichthys soldatovi</i>	44
<i>saxatilis</i> , <i>Morone</i>	54
<i>Scolecosoma</i>	45
<i>Scomber scombrus</i>	79
<i>scombrus</i> , <i>Scomber</i>	79
Sea Lamprey	1, 48, 50, 54, 69, 78, 80
<i>Sebastes aleutianus</i>	37
<i>Sebastes alutus</i>	37
<i>Sebastes reedi</i>	37
<i>septentrionalis</i>	70
Short-headed Lamprey	21
Siberian Lamprey	72
Silver Lamprey	50, 53, 54, 69, 80
<i>similis</i> , <i>Entosphenus</i>	10, 11, 14, 26, 34–35
<i>Singularis</i> , <i>Yarra</i>	16
<i>soldatovi</i> , <i>Sarcocheilichthys</i>	44
Southern Brook Lamprey	50
<i>spadicea</i> , <i>Lampetra</i>	81, 83
<i>spadiceus</i> , <i>Tetrapleurodon</i>	10, 12, 13, 81, 83–84
<i>spathula</i> , <i>Polyodon</i>	54
<i>Spirogyra</i>	73
<i>sprattus</i> , <i>Sprattus</i>	59
<i>Sprattus sprattus</i>	59
<i>Squalius cephalus</i>	39
<i>stankokaramani</i> , <i>Eudontomyzon</i>	41
<i>Stauroneis</i>	82, 83
<i>Stenodus leucichthys</i>	71
<i>stenolepis</i> , <i>Hippoglossus</i>	37
<i>stenostomus</i> , <i>Velasia</i>	16
<i>stomias</i> , <i>Atheresthes</i>	37
<i>Suctorii</i>	23
Sunayatsume	75

T

<i>taenia</i> , <i>Cobitis</i>	44
<i>Tetrapleurodon</i>	2, 24, 81, 82, 83
<i>Tetrapleurodon geminis</i>	10, 12, 13, 81–82, 83
<i>Tetrapleurodon spadiceus</i>	10, 12, 13, 81, 83–84
<i>Theragra chalcogramma</i>	37
Three-toothed Lamprey	36
<i>Thyrsites atun</i>	22

<i>Thysanochilus</i>	16
<i>Thysanochilus valdivianus</i>	16
<i>Tipari</i>	42
<i>toni, Barbatula</i>	44
<i>tridentatus, Entosphenus</i>	2, 3, 4, 5, 8, 10, 12, 13, 24, 26, 35–38, 57
<i>tridentatus, Petromyzon</i>	26, 35
<i>trutta caspius, Salmo</i>	25
<i>trutta, Salmo</i>	22, 33
<i>tshawytscha, Oncorhynchus</i>	37, 58
Turkish Brook Lamprey	60

U

Ukrainian Brook Lamprey	42
<i>unicolor, Ammocoetes</i>	2
<i>unicuspis, Ichthyomyzon</i>	4, 8, 11, 13, 45, 47, 53–55
<i>Urophycis chuss</i>	79

V

<i>valdivianus, Thysanochilus</i>	16
Vancouver Island Lamprey	31
Vancouver Lamprey	31
<i>Velasia</i>	16
<i>Velasia chilensis</i>	16
<i>Velasia stenostomus</i>	16
VERTEBRATA	1
<i>vitreus, Sander</i>	46, 71
<i>vladykovi stankokaramani, Eudontomyzon</i>	41
Volga Lamprey	24

W

<i>wagneri, Agnathomyzon</i>	24
wagneri, Caspiomyzon	3, 5, 8, 11, 14, 15, 24–26
<i>Wagneri, Petromyzon</i>	24
<i>wagneri, Petromyzon (Caspiomyzon)</i>	24
Western Brook Lamprey	65
Western Lamprey	47
Western River Lamprey	57
Western Transcaucasian Brook Lamprey	74
<i>wilderi, Lampetra</i>	68
<i>wilsoni, Oceanomyzon</i>	78

Y

<i>Yarra</i>	16
<i>Yarra Singularis</i>	16
<i>Yatsume</i>	15
<i>Yuriria alta</i>	84
<i>Yuriria chapalae</i>	84

Z

<i>zanandreai, Lampetra</i>	77
zanandreai, Lethenteron	4, 13, 66, 77–78
<i>zangerli, Pipiscius</i>	7
<i>zenithicus, Coregonus</i>	79, 80

Lampreys are aquatic, jawless vertebrates belonging to the Order Petromyzontiformes.

The order comprises 39 species widely distributed in the Northern and Southern hemispheres, but virtually absent in the intervening tropical zone. There is one family in the Northern Hemisphere (Petromyzontidae) comprising 35 species and two families in the Southern Hemisphere (Geotriidae and Mordaciidae) comprising, respectively, one and three species. Lampreys undergo a radical metamorphosis from the larval to the adult form. While lamprey larvae (ammocoetes) of all species are very similar in their habits (filter-feeding on microorganisms in a freshwater habitat), the adults vary considerably in their mode of life. Some are parasitic and anadromous, others parasitic but restricted to fresh water, while still others are nonparasitic (non-feeding) and restricted to fresh water. The taxonomic characters used to describe ammocoetes and adults are fully explained and illustrated. A key to adults and a partial key to larvae are presented. This catalogue provides an account for each of the 39 species. Each species account gives information on the taxonomy including synonyms, common names, diagnostic features of ammocoetes and adults (with drawings of the adult body and oral disc), habitat and biology, geographic distribution (with map), interest to fisheries and references.

ISBN 978-92-5-106928-8 ISSN 1020-8682



9 7 8 9 2 5 1 0 6 9 2 8 8
I2335E/1/07.11