

References

- ABARES.** 2011a. *Potential effects of climate change on forests and forestry in Australia*. Canberra, Australian Bureau of Agricultural and Resource Economics and Sciences (available at: www.abares.gov.au).
- ABARES.** 2011b. *Australia's forests at a glance 2011*. Canberra, Australian Bureau of Agricultural and Resource Economics and Sciences.
- Acuña, E., Espinosa, M., Cancino, J., Rubilar, R. & Muñoz, F.** 2010. Estimating the bioenergy potential of *Pinus radiata* plantations in Chile. *Ciencia Investigación Agraria*, 37(1): 93–102.
- Adams, A.J.S.** 1940. Observations on root fusions in Monterey pine. *Australian Forestry*, 5: 78–80.
- Adams, A.J.S.** 1946. Zinc in the south-eastern forests of South Australia. *Australian Timber Journal*, 12(8): 461, 463.
- Adams, T., Brack, C., Farrier, T., Pont, D. & Brownlie, R.** 2011. So you want to use LiDAR? – A guide on how to use LiDAR in forestry. *New Zealand Journal of Forestry*, 55(4): 19–23.
- Adams, T. & Turner, J.A.** 2012. An investigation into the effects of an emissions trading scheme on forest management and land use in New Zealand. *Forest Policy and Economics*, 15: 78–90.
- Afif-Khoury, E., Cámarra-Obregón, M.A., Oliveira-Prendes, J.A., Gorgoso-Varela, J.J. & Canga-Libano, E.** 2010. Relationship among soil parameters, tree nutrition and site index of *Pinus radiata* D. Don in Asturias, NW Spain. *Forest Systems*, 19(1): 77–88.
- Albaugh, T.J., Rubilar, R., Alvarez, J. & Allen, H.L.** 2004. Radiata pine response to tillage, fertilization, and weed control in Chile. *Bosque*, 25(2): 5–15.
- Alfaro, R.I., Battisti, A., Carroll, A., Fleming, R., Hantula, J., Francis, D., Hennon, P.E., Lanfranco, D., Lilja, A., Müller, M., Ramos, M. & Woods, A.** 2010. Forest health in a changing environment. In G. Mery, P. Katila, G. Galloway, R.I. Alfaro, M. Kanninen, M. Lobovikov & J.Varjo, eds. *Forests and society – responding to global drivers of change*, pp. 113–134. Vienna, IUFRO World Series Volume 25 (also available at: www.iufro.org/download/file/5894/4668/113-134.pdf/).
- Allen, J.D.** 1973. Pests and diseases of radiata pine. Some observations made during a visit to Australia, South Africa, Kenya, Spain and Chile. *New Zealand Journal of Forestry*, 18(2): 265–272.
- Alzamora, R.M. & Apiolaza, L.A.** 2010. A hedonic approach to value *Pinus radiata* log traits for appearance-grade lumber production. *Forest Science*, 56: 281–289.
- Alzamora, R.M., Hauer, P. & Peredo, H.** 2004. Evaluación de pérdidas en volumen comercial de *Pinus radiata* por efecto de *Dothistroma septospora* en distintos escenarios de manejo y control químico, en la provincia de Valdivia. *Bosque*, 25(1): 15–27.
- Ananias, R.A., Lastra, J., Salvo, L., Contreras, H., Barria, C. & Peredo, M.** 2010. Preliminary study of the resin canals in radiata pine. *Maderas: Ciencia Y Tecnología*, 12(2): 135–142.
- Anderson, G.W.** 1985. Green *Pinus radiata* needles as a feed for sheep. *Australian Journal of Experimental Agriculture*, 25: 524–528.
- Anderson, G.W., Moore, R.W. & Jenkins, P.J.** 1988. The integration of pasture, livestock and widely-spaced pine in South West Western Australia. *Agroforestry Systems*, 6: 195–211.
- Anon.** 1995. *Criteria and indicators for the conservation and sustainable management of temperate and boreal forests - the Montreal Process*. Hull, Canada, Canadian Forest Service, Natural Resources Canada.

- Anon.** 1997. Test-tube wood fibres: creating new opportunities for forestry. *New Zealand Journal of Forestry*, 42(2): 48.
- Anstey, C., Thompson, S. & Nichols, K.** 1982. *Creative forestry: a guideline for forest managers*. Wellington, New Zealand Forest Service.
- Apiolaza, L.A., Chauhan, S.S. & Walker, J.C.F.** 2011. Genetic control of very early compression and opposite wood in *Pinus radiata* and its implications for selection. *Tree Genetics and Genomes*, 7(3): 563–571.
- Aragonés, A., Barrena, I., Espinel, S., Herrán, A. & Ritter, E.** 1997. Origin of Basque populations of radiata pine inferred from RAPD data. *Annals of Forest Science*, 54 (8): 697–703.
- Armesto, J.J., Manuschevich, D., Mora, A., Smith-Ramirez, C., Rozzi, R., Abarzúa, A.M. & Marquet, P.A.** 2010. From the holocene to the anthropocene: A historical framework for land cover change in southwestern South America in the past 15,000 years. *Land Use Policy*, 27: 148–160.
- Askew, H.O.** 1937. The chemical composition of *Pinus radiata* needles. *New Zealand Journal of Science and Technology*, 18: 651–655.
- Augusto, L., Bakker, M.R. & Meridiue, C.** 2008. Wood ash applications to temperate forest ecosystems – potential benefits and drawbacks. *Plant and Soil*, 306: 181–198.
- Ausseil, A-G.E. & Dymond, J.R.** 2010. Evaluating ecosystem services of afforestation on erosion-prone land: a case study in the Manawatu Catchment, New Zealand. *Proceedings: International Environmental Modelling and Software Society (IEMSS) 2010 International Congress on Environmental Modelling and Software Modelling for Environment's Sake, Fifth Biennial Meeting, Ottawa, Canada, 5–8 July, 2010* (available at: [www.iemss.org/iemss2010/papers/S06/S.06.02.Evaluating ecosystem services of afforestation on erosionprone land a case study in the Manawatu catchment, New Zealand - ANNE-GAELLE AUSSEIL.pdf](http://www.iemss.org/iemss2010/papers/S06/S.06.02.Evaluating%20ecosystem%20services%20of%20afforestation%20on%20erosionprone%20land%20a%20case%20study%20in%20the%20Manawatu%20catchment,%20New%20Zealand%20-%20ANNE-GAELLE%20AUSSEIL.pdf)).
- Australian Government.** 2011. *Securing a clean energy future. The Australian Government's climate change plan*. Canberra, Commonwealth of Australia.
- Bain, J., Sopow, S.L. & Bulman, L.S.** 2012. The sirex woodwasp in New Zealand: history and current status. In B. Slippers, P. de Groot & M.J. Wingfield, eds. *The Sirex Woodwasp and its Fungal Symbiont: Research and Management of a Worldwide Invasive Pest*, pp. 167–173. Dordrecht, the Netherlands, Springer.
- Bakshi, B.K. & Singh, S.** 1968. *Dothistroma* blight – a potential threat to *Pinus radiata* plantations in India. *Indian Forester*, 94: 824–825.
- Ballard, R.** 1974. Use of soil testing for predicting phosphate fertilizer requirements of radiata pine at time of planting. *New Zealand Journal of Forestry Science*, 4(1): 27–34.
- Ballard, R.** 1978a. Use of Bray soil test in forestry. 1. Predicting phosphorus retention capacity. *New Zealand Journal of Forestry Science*, 8(2): 239–247.
- Ballard, R.** 1978b. Use of Bray soil test in forestry. 2. Determination of cation status. *New Zealand Journal of Forestry Science*, 8(3): 332–343.
- Balneaves, J.M. & Fredric, B.S.** 1983. Effects of precision sowing on grade output of 1/0 *Pinus radiata* seedlings – Edendale Nursery. *New Zealand Journal of Forestry*, 28(1): 100–112.
- Balneaves, J.M. & Henley, D.** 1992. Seven-year growth response of radiata pine to area of herbaceous weed control. *Proceedings 45th New Zealand Plant Protection Conference*, 45: 262–263.
- Bannister, M.H.** 1954. Variation in a sample of *Pinus radiata* cones from the Nelson District. *Transactions of the Royal Society of New Zealand*, 82: 25–40.
- Bannister, M.H.** 1962. Some variations in growth patterns of *Pinus radiata* in New Zealand. *New Zealand Journal of Science*, 5: 342–370.
- Bari, M.A. & Schofield, N.J.** 1991. Effects of agroforestry–pasture associations on groundwater level and salinity. *Agroforestry Systems*, 16: 13–31.

- Barker, T.G., Oliver, G.R. & Hodgkiss, P.D. 1986. Distribution and cycling of nutrients in *Pinus radiata* as affected by past lupin growth and fertilizer. *Forest Ecology and Management*, 17: 169–187.
- Barnard, I., Fitzgerald, G. & Langer, E.R. 2005. Working alongside communities. In M. Colley, ed. *NZIF forestry handbook*, pp. 16–18. Christchurch, New Zealand, New Zealand Institute of Forestry.
- Barnes, R.D. 1970. The prospects for re-establishing *Pinus radiata* as a commercially important species in Rhodesia. *South African Forestry Journal*, 72: 17–19.
- Bartle, J. 2009. Integrated production systems. In I. Nuberg, B. George & R. Reid, eds. *Agroforestry for natural resource management*, pp. 267–280. Collingwood, Victoria, Australia, CSIRO Publishing.
- Battaglia, M., Bruce, J., Brack, C. & Baker, T. 2009. *Climate change and Australia's plantation estate: analysis of vulnerability and preliminary investigation of adaptation options*. Melbourne, Australia, Forest and Wood Products Australia.
- Beekhuis, J. 1965. Crown depth of radiata pine in relation to stand density and height. *New Zealand Journal of Forestry*, 10: 43–61.
- Beekhuis, J. 1966. *Prediction of yield and increment in Pinus radiata stands in New Zealand*. Technical Paper No. 49, Rotorua, New Zealand, Forest Research Institute.
- Beets, P.N. & Oliver, G.R. 2007. Water use by managed stands of *Pinus radiata*, indigenous podocarp/hardwood forest, and improved pasture in the central North Island of New Zealand. *New Zealand Journal of Forestry Science*, 37(2): 306–323.
- Beets, P.N., Oliver, G.R., Kimberley, M.O., Pearce, S.H. & Rodgers, B. 2004. Genetic and soil factors associated with variation in visual magnesium deficiency symptoms in *Pinus radiata*. *Forest Ecology and Management*, 189: 263–279. (Corrigendum: *Forest Ecology and Management*, 217:126–127.)
- Beets, P.N. & Pollock, D.S. 1987. Accumulation and partitioning of dry matter in *Pinus radiata* as related to age and thinning. *New Zealand Journal of Forestry Science*, 18: 43–64.
- Beets P.N., Reutebuch, S., Kimberley M.O., Oliver, G.R., Pearce, S.H. & McGaughey, R.J. 2011. Leaf area index, biomass carbon and growth rate of radiata pine genetic types and relationships with LiDAR. *Forests*, 2: 637–659.
- Beets, P.N., Robertson K.A., Ford-Robertson J.B., Gordon J. & McLaren, J.P. 1999. Description and validation of C_Change: a model for simulating carbon content in managed *Pinus radiata* stands. *New Zealand Journal of Forestry Science*, 29: 409–427.
- Beets, P.N. & Whitehead, D. 1996. Carbon partitioning in *Pinus radiata* stands in relation to foliage nitrogen status. *Tree Physiology*, 16: 131–138.
- Bentley, W.R. 1997. Book review: A history of forest research in New Zealand. *New Zealand Journal of Forestry*, 42(2): 47–48.
- Berg, P. 1973. Silviculture of *Pinus radiata* stand edge trees at Woodhill Forest. *New Zealand Journal of Forestry*, 18(1): 115–121.
- Berthrong, S.T., Jobba, E.G. & Jackson, R.B. 2009. A global meta-analysis of soil exchangeable cations, pH, carbon and nitrogen with afforestation. *Ecological Applications*, 19(8): 2228–2241.
- Bi, H. 2001. The self-thinning surface. *Forest Science*, 47: 361–370.
- Bi, H., Long, Y., Turner, J., Lei, Y., Snowdon, P., Li, Y., Harper, R., Zerihun, A. & Ximenes, F. 2010. Additive prediction of aboveground biomass for *Pinus radiata* (D. Don) plantations. *Forest Ecology and Management*, 259: 2301–2314.
- Bi, H-Q. & Turvey, N.D. 1994. Effects of *Eucalyptus obliqua* (L'Herit) density on young stands of even-aged *Pinus radiata* (D. Don). *New Forests*, 8: 25–42.
- Bigalke, R.C. & van Hensbergen, H.J. 1990. Baboon damage in plantation forestry in South Africa. *South African Forestry Journal*, 152: 26–33.
- Bird, P.R., Kellas, J.D., Jackson, T.T. & Kearney, G.A. 2010. *Pinus radiata* and sheep production at Carngham, Victoria, Australia. *Agroforestry Systems*, 78: 203–216.

- Bollmann, M.P. & Sweet, G.B.** 1977. Bud morphogenesis of *Pinus radiata* in New Zealand. 1: Shoot initiation and extension of the leading shoot of one clone on two sites. *New Zealand Journal of Forestry Science*, 6(3): 379–392.
- Booth, T.H.** 1990. Mapping regions climatically suitable for particular tree species at the global scale. *Forest Ecology and Management*, 36: 47–60.
- Booth, T.H., Jovanovic, T. & New, M.** 2002. A new world climatic mapping program to assist species selection. *Forest Ecology and Management*, 163: 111–117.
- Bowen, G.D. & Nambiar, E.K.S.** 1984. *Nutrition of plantation forests*. London, Academic Press.
- Bradshaw, R.E.** 2004. *Dothistroma* (red-band) needle blight of pines and the dothistromin toxin: a review. *Forest Pathology*, 34: 163–185.
- Brandle, J.R., Hodges, L. & Zhou, X.H.** 2004. Windbreaks in North American agricultural systems. *Agroforestry Systems*, 61: 65–78.
- Bravo, F., Álvarez-González, J.G., Río, M., Barrio-Anta, M., Bonet, J.A., Bravo-Oviedo, A., Calama, R., Castedo-Dorado, F., Creciente-Campo, F., Condés, S., Diéguez-Aranda, U., González-Martínez, S.C., Lizarralde, I., Nanos, N., Madrigal, A., Martínez-Millán, F.J., Montero, G., Ordóñez, C., Palahí, M., Piqué, M., Rodríguez, F., Rodríguez-Soalleiro, R., Rojo, A., Ruiz-Peinado, R., Sánchez-González, M., Trasobares, A., & Vázquez-Piqué, J.** 2012. *Growth and yield models in Spain: historical overview, contemporary examples and perspectives*. Spain, Instituto Universitario de Investigación en Gestión Forestal Sostenible (Universidad de Valladolid-inia) and Unidad de Gestión Forestal Sostenible (Universidad de Santiago de Compostela) (available at: http://sostenible.palencia.uva.es/document/gfs/publicaciones/Libros/2011_GrowthYield_Spain.pdf).
- Bremer, L.L. & Farley, K.A.** 2010. Does plantation forestry restore biodiversity or create green deserts? A synthesis of the effects of land-use transitions on plant species richness. *Biodiversity Conservation*, 19: 3893–3915.
- Briones, R. & Jerez, V.** 2007. Effects of age in *Pinus radiata* plantation in the abundance of *Ceroglossus chilensis* (Coleoptera: Carabidae) in the Biobío Region, Chile. *Bosque*, 28(3): 207–214.
- Brokerhoff, E.G., Jactel, H., Goldarazena, A., Berndt, L. & Bain, J.** 2006. *Risk assessment of European pests of Pinus radiata*. Client Report No. 12216. Rotorua, New Zealand, ENSIS (available at: <http://www.fhrc.org.nz/documents/2004-04%20Risk%20assessment%20of%20european%20pests.pdf>).
- Brokerhoff, E.G., Jactel, H., Parrotta, J.A., Quine, C.P. & Sayer, J.** 2008. Plantation forests and biodiversity: oxymoron or opportunity? *Biodiversity Conservation*, 17: 925–951.
- Brokerhoff, E.G., Liebhold, A.M., Richardson, B. & Suckling, D.M.** 2010. Eradication of invasive forest insects: concepts, methods, costs and benefits. *New Zealand Journal of Forestry Science*, 40 suppl. S117–S135.
- Bulman, L.S. & Gadgil, P.D. eds.** 2001. *Cyclaneusma needle-cast in New Zealand*. FRI Bulletin No. 222. Rotorua, New Zealand, Forest Research Institute.
- Bulman, L.S., Gadgil, P.D., Kershaw, D.J. & Ray, J.W.** 2004. *Assessment and control of dothistroma needle blight*. FRI Bulletin No. 229. Rotorua, New Zealand, Forest Research Institute.
- Bulman, L., Ganley, R. & Dick, M.** 2008. *Needle diseases in New Zealand. A review*. Client Report 13010. Rotorua, New Zealand, Forest Research Institute (available at: www.fhrc.org.nz/documents/2008-FBRC-13010.pdf).
- Burdon, R.D.** 2001. *Pinus radiata*. In F.T. Last, ed. *Ecosystems of the world*, vol. 19. *Tree crop ecosystems*, pp. 99–161. Amsterdam, the Netherlands, Elsevier.
- Burdon, R.D.** 2008. Breeding radiata pine – future technical challenges. *New Zealand Journal of Forestry*, 53(1): 3–5.

- Burdon, R.D.** 2011. Shoot dieback epidemics in *Pinus radiata* in New Zealand: is there an endophyte story? *New Zealand Journal of Forestry Science*, 41: 131–139.
- Burdon, R.D. & Miller, J.T.** 1992. *Introduced forest trees in New Zealand: recognition, role and seed source. 12. Radiata pine (Pinus radiata D.Don)*. FRI Bulletin No. 124. Rotorua, New Zealand, Forest Research Institute.
- Burdon, R.D., Carson, M.J. & Shelbourne, C.J.A.** 2008. Achievements in forest tree genetic improvement in Australia and New Zealand 10: *Pinus radiata* in New Zealand. *Australian Forestry*, 71: 263–279.
- Burdon, R.D. & Wilcox, P.L.** 2011. Integration of molecular markers in breeding. In C. Plomion, J. Bousquet & C. Kole, eds. *Genetics, genomics and breeding of conifers*, pp. 276–322. Enfield, New Hampshire, USA, Science Publishers.
- Burger, J.A.** 2002. Soils and long-term site productivity values. In J. Richardson, R. Björkeden, P. Hakila, A.T. Lowe & C.T. Smith, eds. *Bioenergy from sustainable forestry: Guiding principles and practice*, pp. 165–189. Dordrecht, the Netherlands, Kluwer Academic Publishers.
- Calderon, S. & Maclaren, P.** 1988. Pruning – the key to producing good radiata pine poles. *New Zealand Tree Grower*, 9(1): 2–3.
- Callicott, J.B. & Mumford, K.** 1997. Ecological sustainability as a conservation concept. *Conservation Biology*, 11: 32–40.
- Carlyle, J.C., Lowther, J.R., Smethurst, P.J. & Nambiar, E.K.S.** 1990. Influence of chemical properties on nitrogen mineralization and nitrification in podzolised sands. Implications for management. *Australian Journal of Soil Research*, 28: 981–1000.
- Carson, M.J.** 1986. Control-pollinated seed orchards of best general combiners – a new strategy for radiata pine improvement. *Agronomy Society of New Zealand*, Special Publication No.5: 144–1480.
- Carson, M. & Carson, S.** 2011. New pine varieties help increase plantation profitability. *New Zealand Tree Grower*, 32: 28–31.
- Carson, S.D.** 1991. Genotype x environmental interaction and optimal number of progeny test sites for improving *Pinus radiata* in New Zealand. *New Zealand Journal of Forestry Science*, 21: 32–39.
- Carson, S.D.** 1996. Greater specialisation of improved seedlots in New Zealand: New developments for efficient selection of parents and evaluation of performance. *New Zealand Journal of Forestry*, 41(1): 12–17.
- Carson, S.D., Dick, A & West, G.G.** 1991. Benefits of the *Dothistroma*-resistant breed of radiata pine. In J.C. Allen & A.G.D. Whyte, eds. *New directions in forestry: costs and benefits of change*, pp. 251–262. Proceedings of Australia and New Zealand Institute of Forestry Conference 1991.
- Carson, S.D. & Inglis, C.S.** 1988. Genotype and location effects on internode length of *Pinus radiata* in New Zealand. *New Zealand Journal of Forestry Science*, 18: 267–279.
- Carter, C.E.** 1933. *Defective technique can cause loss in establishment of pine plantations*. Bulletin No. 14. Canberra, Australia, Forestry and Timber Bureau.
- Castedo-Dorado, F., Crecente-Campo, F., Álvarez-Álvarez, P. & Barrio-Anta, M.**, 2009. Development a stand density management diagram for radiata pines stands including assessment of stand stability. *Forestry*, 82: 1–16.
- Cawsey, E.M. & Freudenberg, D.** 2008. Assessing the biodiversity benefits of commercial environmental forestry: The plantation biodiversity benefits score. *Ecological Management and Restoration*, 9: 42–52.
- Censo Agropecuario.** 2007. *VII Censo Nacional Agropecuario y Forestal*. Departamento de Estadísticas Agropecuarias del INE (available at: <http://www.censoagropecuario.cl/index2.html>).
- Chapela, I.H., Osher, L.J., Horton, T.R. & Henn, M.R.** 2001. Ectomycorrhizal fungi introduced with exotic pine plantations induce soil carbon depletion. *Soil Biology and Biochemistry*, 33: 1733–1740.

- Chavasse, C.G.R., Balneaves, J.M. & Bowles, G.P. 1981. Blanking plantations of radiata pine. *New Zealand Journal of Forestry*, 26: 55–69.
- Chávez, D., Pereira, G. & Machuca, Á. 2009. Efecto de tipos de inóculos de tres especies fúngicas en la micorrización controlada de plántulas de *Pinus radiata*. *Bosque*, 30: 4–9.
- Chu-Chou, M. & Grace, L.J. 1988. Mycorrhizal fungi of radiata pine seedlings in different forests of the North and South Islands in New Zealand. *Soil Biology and Biochemistry*, 20(6): 883–886.
- Cleugh, H.A. & Hughes, D.E. 2002. Impacts of shelter on crop microclimates: a synthesis of results from wind tunnel and field experiments. *Australian Journal of Experimental Agriculture*, 42(6): 679–701.
- Clout, M.N. 1984. Improving exotic forests for native birds. *New Zealand Journal of Forestry*, 29(2): 193–200.
- Cockayne, A.H. 1914. *Pinus radiata* plantations. Effect on soil fertility. *New Zealand Journal of Agriculture*, 8: 409–410.
- Codesido, V. & Fernández-López, J. 2009. Implications of genotype x site interactions on *Pinus radiata* breeding in Galicia. *New Forests*, 37: 17–34.
- Coker, G.W.R. 2006. *Leaf area index in closed canopies: an indicator of site quality*. School of Forestry, University of Canterbury, New Zealand (M.Sc thesis) (available at: ir.canterbury.ac.nz/bitstream/10092/1128/1/thesis_fulltext.pdf).
- Collett, N.G. & Elms, S. 2009. The control of sirex wood wasp using biological control agents in Victoria, Australia. *Agricultural and Forest Entomology*, 11: 283–294.
- Contesse G.D. 1987. Apuntes y consideraciones para la historia del pino radiata en Chile. *Boletín de la Academia Chilena de la Historia*, 97: 351–373.
- Conway, M.J. 1962. Aerial applications of phosphate fertilizers to radiata pine forests in New Zealand. *Commonwealth Forestry Review*, 41: 234–245.
- Cordell, D., Drangert, J-O. & White, S. 2009. The story of phosphorus: Global food security and food for thought. *Global Environmental Change*, 19: 292–305.
- Cown, D.J. 1999. *New Zealand pine and Douglas fir: suitability for processing*. FRI Bulletin No. 216. Rotorua, New Zealand, Forest Research Institute Ltd.
- Cown, D.J., Donaldson, L.A & Downes, G.M. 2011. A review of resin features in radiata pine. *New Zealand Journal of Forestry Science*, 41: 41–60.
- Cown, D.J. & McConchie, D.L. 1983. *Radiata pine wood properties survey (1977–1982)*. FRI Bulletin No. 50. Rotorua, New Zealand, Forest Research Institute.
- Craig, I.J. 1939. *Thinning, pruning and management studies on the main exotic conifers grown in South Africa*. Bulletin No. 196. Pretoria, Union of South Africa, Department of Agriculture and Forestry, Science.
- Craig, I.J. 1947. *Silviculture of exotic conifers in South Africa*. Paper presented to the 5th British Empire Forestry Conference.
- Crawford, H. 2009. Forest certification schemes and the chain of custody leading to the marketplace. Special liftout No. 89. *Australian Forest Grower*, 32(3).
- Cremer, K.W. 1992. Relations between reproductive growth and vegetative growth of *Pinus radiata*. *Forest Ecology and Management*, 52: 178–199.
- Cremer, K.W., Borough, C.J., McKinnell, C.J. & Carter, P.R. 1982. Effects of stocking and thinning on wind damage in plantations. *New Zealand Journal of Forestry Science*, 12: 244–268.
- Cremer, K.W., Carter, P.R. & Minco, G. 1983. Snow damage in Australian pine plantations. *Australian Forestry*, 46: 53–66.
- Cruz, M.G., Alexander, M.E. & Fernandes, P. 2008. Development of a model system to predict wildfire behaviour in pine plantations. *Australian Forestry*, 71(2): 113–121.
- Cruz, M.G., de Mar, P. & Adshead, D. 2011. *Radiata pine plantation fuel and fire behavior guide*. Canberra, Commonwealth Scientific and Industrial Research Organization (available at: www.ghd.com/PDF/PinusRadiataFuelandFireGuide.pdf).

- Cubbage, F., Koesbandana, S., Donagh, P.M., Rubilar, R., Balmelli, G., Olmos, V.M., De La Torre, R., Murara, M., Hoeflich, V.A., Kotze, H., Gonzalez, R., Carrero, O., Frey, G., Adams, T., Turner, J., Lord, R., Huang, J., MacIntyre, C., McGinley, K., Abt, R. & Phillips, R. 2010. Global timber investments, wood costs, regulation, and risk. *Biomass and Bioenergy*, 34: 1667–1678.
- Curtis, R.O. 1982. A simple stand density for Douglas fir. *Forest Science*, 28(1): 92–94.
- Dare, M., Schirmer, J. & Vanclay, F. 2011. Does forest certification enhance community engagement in Australian plantation management? *Forest Policy and Economics*, 13: 328–337.
- Davies-Colley, P. & Turner, J. 2001. The effects of a crown lightening technique on growth and form, and topple in two-year-old *Pinus radiata*. *New Zealand Journal of Forestry*, 46(3): 23–29.
- Davis, M., Coker, G., Watt, M., Graham, D., Pearce, S. & Dando, J. 2012. Nitrogen leaching after fertilising young *Pinus radiata* plantations in New Zealand. *Forest Ecology and Management*, 280: 20–30.
- Dean, M. 2005. Pruning radiata pine. In M. Colley, ed. *NZIF forestry handbook*, pp. 122–124. Christchurch, New Zealand, New Zealand Institute of Forestry.
- Devey, M.E., Carson, S.D., Nolan, M.F., Matheson, A.C., Te Riini, C. & Hohepa, J. 2004. QTL associations for density and diameter in *Pinus radiata* and the potential for marker-aided selection. *Theoretical Applied Genetics*, 108: 516–524.
- Dlomo, M. & Pitcher, M. 2005. Juggling social and economic goals: South Africa. In M. Garforth & J. Mayers, eds. *Plantations, privatization, poverty and power. Changing ownership and management of state forests*, pp. 223–245. London, Earthscan.
- Dodd, M.B., Quin, J.M., Thorrold, B.S., Parminter, T.G. & Wedderburn, M.E. 2008c. Improving the economic and environmental performance of a New Zealand hill country farm catchment: 3. Short-term outcomes of a land-use change. *New Zealand Journal of Agricultural Research*, 51: 143–153.
- Dodd, M.B., Thorrold, B.S., Quin, J.M., Parminter, T.G. & Wedderburn, M.E. 2008b. Improving the economic and environmental performance of a New Zealand hill country farm catchment: 2. Forecasting and planning land-use change. *New Zealand Journal of Agricultural Research*, 51: 155–169.
- Dodd, M.B., Thorrold, B.S., Quin, J.M., Parminter, T.G. & Wedderburn, M.E. 2008a. Improving the economic and environmental performance of a New Zealand hill country farm catchment: 1. Goal development and assessment of current performance. *New Zealand Journal of Agricultural Research*, 51: 127–141.
- Don, D. 1836. Descriptions of five new species of the genus *Pinus*, discovered by Dr. Coulter in California. *Transactions of the Linnean Society of London*, 17: 442 (Read 2 June, 1835).
- Donald, D.G.M. 1993. Radiata pine in South Africa. In N.B. Lewis & I.S. Ferguson, in association with W.J. Sutton, D.G. M. Donald & H.B. Lisboa. *Management of radiata pine*, pp. 353–364. Melbourne, Australia, Inkata Press.
- Donald, D., Goodricke, T., Young, C., Liesegang, K., Herman, B., Nichol, N. & South, D. 1994. South African nursery practice. In H.A.N.B. Van der Sijde, ed. *South African forestry handbook 1994*, pp. 67–93. Pretoria, South African Institute of Forestry.
- Donoso, E., Lobos, G.A. & Rojas, N. 2008. Efecto de *Trichoderma harzianum* y compost sobre el crecimiento de plántulas de *Pinus radiata* en vivero. *Bosque*, 28: 52–57.
- Drew, T.J. & Flewelling, J.W. 1977. Some recent Japanese theories of yield-density relationships and their application to Monterey pine plantations. *Forest Science*, 23: 517–534.
- Du Monceau, M.I. 2008. *The political ecology of indigenous movements and tree plantations in Chile: the role of political strategies of Mapuche communities in shaping their social and natural livelihoods*. University of British Columbia (Ph.D thesis).

- Duñabeitia, M.K., Hormilla, S., Garcia-Plazaola, J.I., Txarterina, K., Arteche, U. & Becerril, J.M. 2004. Differential responses of three fungal species to environmental factors and their role in the mycorrhization of *Pinus radiata* D. Don. *Mycorrhiza*, 14:11–18.
- Dungey, H.S., Brawner, J.T., Burger, F., Carson, M., Henson, M., Jefferson, P. & Matheson, A.C. 2009. A new breeding strategy for *Pinus radiata* in New Zealand and New South Wales. *Silvae Genetica*, 58: 28–38.
- Dunstan, W.A., Dell, B. & Malajczuk, N. 1998. The diversity of ectomycorrhizal fungi associated with introduced *Pinus* spp. in the Southern Hemisphere, with particular reference to Western Australia. *Mycorrhiza*, 8: 71–79.
- Durán, A., Gryzenhout, M., Slippers, B., Ahumada, R., Rotella, A., Flores, F., Wingfield, B.D. & Wingfield, M.J. 2008. *Phytophthora pinifolia* sp. nov. associated with a serious needle disease of *Pinus radiata* in Chile. *Plant Pathology*, 57: 715–727.
- Dyck, B. 2006. Bio-control offers promise for combating tree diseases including armillaria. *New Zealand Tree Grower*, 27(2): 30–31.
- Dyck, W.J. & Beets, P.N. 1987. Managing long-term site productivity. *New Zealand Journal of Forestry*, 32(3): 23–26.
- Dyck, W.J., Hodgkiss, P.D., Oliver, G.R. & Mees, C.A. 1991. Harvesting sand-dune forests: impacts of second-rotation on productivity. In W.J. Dyck & C.A. Mees, eds. *Long-term field trials to assess environmental impacts of harvesting*, pp. 163–176. FRI Bulletin No. 161. Rotorua, New Zealand, Forest Research Institute.
- Dyck, W.J., Mees, C.A. & Commerford, N.B. 1989. Medium-term effects of mechanical site preparation on radiata pine productivity in New Zealand – A retrospective approach. In Dyck, W.J. & Mees, C.A., eds. *Research strategies for long-term site productivity*. Proceedings, IEA/BE A3 Workshop, Seattle, WA, August 1988, pp. 79–82. IEA/BE Report No. 8, FRI Bulletin No. 152. Rotorua, New Zealand, Forest Research Institute.
- Dymond, J.R., Ausseil, A-G.E., Ekanayake, J.C. & Kirschbaum, M.U.F. 2012. Tradeoffs between soil, water, and carbon. A national scale analysis from New Zealand. *Journal of Environmental Management*, 95: 124–131.
- Ekins, P., Simon, S., Deutsch, L., Folke, C. & De Groot, R. 2003. A framework for the practical application of the concepts of critical natural capital and strong sustainability. *Ecological Economics*, 44: 165–185.
- Escobar, R., Sanchez, M. & Pereira, G. 2002. Forest nursery management in Chile. In: *National proceedings: forest and conservation nursery associations – 1999, 2000, and 2001*, pp. 219–225, Proceedings RMRS-P-24. Ogden, Utah, USDA Forest Service, Rocky Mountain Research Station.
- Espinoza, J.A., Allen, H.L., McKeand, S.E. & Dougherty, P.M. 2012. Stem sinuosity in loblolly pine with nitrogen and calcium additions. *Forest Ecology and Management*, 265: 55–61.
- Estades, C.F. & Temple, S.A. 1999. Deciduous-forest bird communities in a fragmented landscape dominated by exotic pine plantations. *Ecological Applications*, 9(2): 573–585.
- Evans, J., ed. 2009(a). *Planted forests: uses, impacts and sustainability*. Wallingford, United Kingdom, CABI and Rome, FAO.
- Evans, J. 2009(b). Sustainable silviculture and management. In J. Evans, ed. *Planted forests: uses, impacts and sustainability*, pp. 113–140. Wallingford, United Kingdom, CABI and Rome, FAO.
- Everts, D. 1981. Twin- and single-rope gravity rollers – a site-preparation technique developed in New Zealand. *New Zealand Journal of Forestry*, 26(1): 70–80.
- Evison, D. 2008. A method for comparing investment returns from major rural land uses including forestry. *New Zealand Journal of Forestry*, 53(3): 27–32.
- Eyles, A., Robinson, A.P., Smith, D., Carnegie, A., Smith, I., Stone, C. & Mohammed, C. 2011. Quantifying stem growth loss at the tree-level in a *Pinus radiata* plantation to repeated attack by the aphid, *Essigella californica*. *Forest Ecology and Management*, 261: 120–127.

- FABI** (undated). *The deodar weevil Pissodes nemorensis. A pest of pines in South Africa.* Pamphlet; Pretoria, Tree Protection Co-operative Programme, Forestry and Agricultural Biotechnology Institute (FABI), University of Pretoria (also available at: <http://src.fabinet.up.ac.za/tppcp/pamphlets/pissodes.pdf>).
- Fairweather, J. & Swaffield, S.** 2003. Public perceptions of natural character and implications for the forest sector. *New Zealand Journal of Forestry*, 47(4): 24–30.
- Fairweather, J.R., Mayell, P.J. & Swaffield, S.R.** 2000. *A comparison of employment generated by forestry and agriculture in New Zealand.* Research report No. 246, Lincoln, New Zealand, Agribusiness and Economics Research Unit, Lincoln University.
- FAO.** 2001. *Protecting plantations from pests and diseases.* Report by W.M. Ciesla. Forest Plantation Thematic Papers, Working Paper No. 10, Forest Resources Division. Rome (also available at: www.fao.org/DOCREP/004/AC130E/ac130e01.htm#bm1).
- FAO.** 2004. *What does it take? The role of incentives in forest plantation development in Asia and the Pacific* by T. Enters & P.B. Durst, RAP Publication No. 2004/27. Bangkok, FAO Regional Office for Asia and the Pacific.
- FAO.** 2006. *Global planted forests thematic study: results and analysis*, by A.Del Lungo, J. Ball and J. Carle. Planted Forests and Trees Working Paper 38. FAO, Rome (also available at: www.fao.org/forestry/site/10368/en).
- FAO.** 2007. *Overview of forest pests. South Africa.* Forest Health and Biosecurity Working Paper No. 30E. Rome.
- FAO.** 2008. *Overview of forest pests. Chile.* Forest Health and Biosecurity Working Paper No. 12E. Rome.
- Fenton, R.** 1971. Silviculture and management of *Pinus radiata* for framing timber production. *New Zealand Journal of Forestry Science*, 1(1): 60–73.
- Fenton, R.** 1979. Comparisons of Chilean and New Zealand radiata pine plantations. *New Zealand Journal of Forestry*, 24(1): 13–24.
- Fenton, R.T. & Sutton, W.R.J.** 1968. Silvicultural proposals for radiata pine on high quality sites. *New Zealand Journal of Forestry*, 13(2): 220–228.
- Fenton, R. & Tennent, R.B.** 1976. Export log profitability 1973. *New Zealand Journal of Forestry Science*, 5(3): 323–346.
- Fernández, A. & Sarmiento, A.** 2004. *El pino radiata (Pinus radiata) manual de gestión forestal sostenible.* Spain, Junta de Castilla y León.
- Fernández, M.P., Norero, A., Jorge R. Vera, J.R. & Pérez, E.** 2011. A functional-structural model for radiata pine (*Pinus radiata*) focusing on tree architecture and wood quality. *Annals of Botany*, 108: 1155–1178.
- Field, J.F.** 1934. Experimental growing of insignis pine from slips. *New Zealand Journal of Forestry*, 3: 185–186.
- Fielding, J.M.** 1940. Leans in Monterey pine (*Pinus radiata*) plantations. *Australian Forestry*, 5: 21–25.
- Fielding, J.M.** 1945. *Cone holes in Monterey pine.* Leaflet No. 55. Canberra, Commonwealth Forestry Bureau.
- Fielding, J.M.** 1953. *Variations in Monterey pine.* Bulletin No. 31. Canberra, Forestry and Timber Bureau.
- Fielding, J.M.** 1960. *Branching and flowering characteristics of Monterey pine.* Bulletin No. 37. Canberra, Forestry and Timber Bureau.
- Fielding, J.M. & Millett, M.R.O.** 1941. *Some studies of the growth of Monterey pine (Pinus radiata). Part 1 – Diameter growth.* Bulletin No. 27. Canberra, Forestry Bureau.
- Fisher, M.W.** 2007. Shelter and welfare of pastoral animals in New Zealand. *New Zealand Journal of Agricultural Research*, 50: 347–359.
- Flores, F. J. & Allen, H.L.** 2004. Climatic and soil water storage capacity effects on radiata pine productivity in Chile: an analysis using the model 3-PG. *Bosque*, 25(3): 11–24.

- FOA.** 2011. *New Zealand plantation forest industry. Facts and figures*. Wellington, New Zealand Forest Owners Association (also available at: <http://www.nzfoa.org.nz/images/stories/pdfs/fandf2011web.pdf>).
- Forest Fire Management Group.** 2007. *Softwood plantation fire synopsis*. Canberra, Primary Industry Ministerial Council, Forestry and Forest Products Committee.
- Forestry Technical and Information Services.** 2009. *Report on commercial timber resources and primary roundwood processing in South Africa, 2007/2008*. Pretoria, Forestry Technical and Information Services.
- Fox, T.R.** 2000. Sustained productivity in intensively managed forest plantations. *Forest Ecology and Management*, 138: 187–202.
- FPA.** 2006. *Manual for forest landscape management* (available at: http://www.fpa.tas.gov.au/fpa_services/planning_assistance/heritage_and_landscape).
- Frankel, S.J. & Hansen, E.M.** 2011. Forest *Phytophthora* diseases in the Americas: 2007–2010. *New Zealand Journal of Forestry Science*, 41: S159–S167.
- Fröhlich, J., Zabkiewicz, J.A., Gianotti, A.F., Ray, J.W., Vanner, A.L., Liu, Z.Q. & Gous, S.** 2000. Field evaluation of *Fusarium tumidum* as a bioherbicide against gorse and broom. *New Zealand Plant Protection*, 53: 59–65.
- Gadgil, P.D. & Bain, J.** 1999. Vulnerability of planted forests to biotic and abiotic disturbances. *New Forests*, 17: 227–238.
- Gadgil, R.L. & Gadgil, P.D.** 1971. Mycorrhiza and litter decomposition. *Nature*, 233: 133.
- Ganley, R.J., Watt, M.S., Manning, L. & Iturritxa, E.** 2009. A global climatic risk assessment of pitch canker disease. *Canadian Journal of Forest Research*, 39: 2246–2257.
- Gapare, W.J., Baltunis, B.S., Ivković, M., Low, C.B., Jefferson, P. & Wu, H.X.** 2011. Performance differences among *ex situ* native-provenance collections of *Pinus radiata* D. Don. 1: Potential for infusion into breeding populations in Australia and New Zealand. *Tree Genetics and Genomes*, 7: 409–419.
- Gapare, W.J., Ivković, M., Wu, H.X., Dutkowski, G.W., Buxton, P.A., Stovold, T., Low, C.B., Jefferson, P. & McRae, T.A.** 2012. *Active genetic conservation and utilisation of native radiata pine germplasm*. Project No: PNC135-0809. Melbourne, Australia, Forest & Wood Products Australia Limited (also available at: http://www.fwpa.com.au/sites/default/files/PNC135-0809_Native_radiata_germplasm_conservation_Research_Report.pdf).
- García, E., Sotomayor, A., Silvia, S. & Valdebenito, G.** 2000. *Establecimiento de plantaciones forestales*. Documento de divulgación 17, Concepción, Chile, Instituto Forestal.
- Garcia, O.** 1987. Experience with an advanced growth modelling methodology. In A.R. Ek, S.R. Shifley & T.E. Burk, eds. *Forest growth modelling and predictions. Volume 2*, pp. 668–675. Proceedings of the IUFRO conference August 23–27, 1987. General Technical Report NC-120. St Paul, Minnesota, USA, Forest Service, USDA.
- Garcia, O.** 1993. Stand growth models: theory and practice. In *Advancement in forest inventory and forest management systems*, pp. 22–45. Proceedings of IUFRO Seoul Conference September 20–25, 1993. Seoul, Forestry Research Institute, Republic of Korea (also available at: web.unbc.ca/~garcia/publ/korea.pdf).
- Garmendia, E., Mariel, P., Tamayo, I., Aizpuru, I. & Zabaleta, A.** 2012. Assessing the effect of alternative land uses in the provision of water resources: Evidence and policy implications from southern Europe. *Land Use Policy*, 29: 761–770.
- Garrison, M. & Pita, M.** 1992. An evaluation of silvopastoral systems in pine plantations in the Central Highlands of Ecuador. *Agroforestry Systems*, 18: 1–16.
- Gautam, M.K., Mead, D.J., Chang, S.X. & Clinton, P.W.** 2002. Spatial variation and understorey competition effect of *Pinus radiata* fine roots in silvopastoral systems in New Zealand. *Agroforestry Systems*, 55: 89–98.
- Gautam, M.K., Mead, D.J., Clinton, P.W. & Scott, S.X.** 2003. *Pinus radiata* in a sub-humid temperate silvopastoral system: modelling of seasonal root growth. *Forest Ecology and Management*, 182: 303–313.

- Gautam, M.K., Mead, D.J., Frampton, C.M. & Chang, S.X.** 1999. Coarse root system characteristics and toppling of clonal and seedling trees of *Pinus radiata* on Canterbury plains. *New Zealand Journal of Forestry*, 44 (1): 15–18.
- Gavran, M. & Parsons, M.** 2011, *Australian plantation statistics 2011*. Canberra, Australian Bureau of Agricultural and Resource Economics and Sciences.
- Gayoso, J. & Iroumé, A.** 1991. Compaction and soil disturbances from logging in Southern Chile. *Annals of Forest Science*, 48: 63–71.
- Gerding, V. & Schlatter, J.E.** 1995. Variables y factores del sitio de importancia para la productividad de *Pinus radiata* D. Don en Chile. *Bosque*, 16(2): 39–56.
- Gerischer, G.F.R. & de Villers, A.M.** 1963. The effect of heavy pruning on timber properties. *Forestry in South Africa*, 3: 15–41.
- Gerrand, A., Keenan, R.J., Kanowski, P. & Stanton, R.** 2003. Australian forest plantations: an overview of industry, environmental and community issues and benefits. *Australian Forestry*, 66 (1): 1–8.
- Gleed, J.A.** 1993. Development of plantlings and stecklings of radiata pine. In: M.R. Ahuja & W.J. Libby, eds. *Clonal forestry II, conservation and application*, pp. 149–157. Dordrecht, the Netherlands, Springer-Verlag.
- Goh, K.M., Mansur, I., Mead, D.J. & Sweet, G.B.** 1996. Biological nitrogen fixing capacity and biomass production of different understorey pastures in a *Pinus radiata*-pasture agroforestry system in New Zealand. *Agroforestry Systems*, 34: 33–49.
- Goldazarena, A., Romón, P. & López, S.** 2012. Bark beetles control in forests of Northern Spain. In S. Soloneski, ed. *Integrated pest management and pest control – current and future tactics*, pp. 323–352. Rijeka, Croatia, InTech.
- Gould, N., Bulman, L.S. & Dick, M.A.** 2008. *Towards an understanding of the causes of physiological needle blight in Pinus radiata*. Plant & Food Research Report No. TBC. Auckland, New Zealand, New Zealand Institute for Plant and Food Research Ltd (also available at: <http://www.fhrc.org.nz/documents/2007-02.pdf>).
- Goulding, C.J.** 2005. Measurement of trees. In M. Colley, ed. *NZIF forestry handbook*, pp. 145–148. Christchurch, New Zealand, New Zealand Institute of Forestry.
- Gous, S.F.** 2005. Herbicides. In M. Colley, ed. *NZIF forestry handbook*, pp. 112–113. Christchurch, New Zealand, New Zealand Institute of Forestry.
- Gous, S. & Richardson, B.** 2007. *Managing aerial applications of pesticides*. Report for Envirolink-FRST (available at: <http://www.envirolink.govt.nz/PageFiles/152/93-GSDC2.pdf>).
- Grace, J.C., Jarvis, P.G. & Norman, J.M.** 1987. Modelling the interception of solar radiant energy in intensively managed stands. *New Zealand Journal of Forestry Science*, 17: 193–209.
- Grace, L.J., Charity, J.A., Gresham, B., Kay, N. & Walter, C.** 2005. Insect-resistant transgenic *Pinus radiata*. *Plant Cell Reports*, 24: 103–111.
- Gray, H.R.** 1931. *A yield table for Pinus radiata in South Australia*. Bulletin No. 1. Canberra, Commonwealth Forestry Bureau.
- Gray, H.R.** 1943. Volume measurements of forest crops. Measurement of single trees. *Australian Forestry*, 7: 48–74
- Gray, H.R.** 1944. Volume measurement of single trees. *Australian Forestry*, 8: 44–61.
- Greacen, E.L. & Sands, R.** 1980. Compaction of forest soils: a review. *Australian Journal of Soil Research*, 18: 163–189.
- Grey, D.C. & de Ronde, C.** 1988. History, distribution and treatment of manganese deficient *Pinus radiata*. *South African Forestry Journal*, 146: 67–72.
- Haack, R.A.** 2004. *Orthotomicus erosus*: A new pine-infesting bark beetle in the United States. *Newsletter of the Michigan Entomological Society*, 49 (3,4): 3 (also available at: nrs.fs.fed.us/pubs/jrnl/2004/nc_2004_Haack_001.pdf).
- Hall, J.** 1898. Planting for shelter. Paper presented to Agricultural Conference, 1898. *New Zealand Country Journal*, 13.

- Hall, M.J. 1968. A survey of siricid attack on radiata pine in Europe. *Australian Forestry*, 32: 155–162.
- Hall, N. 1937. Pruning. Observations upon various aspects of pruning in relation to forest management in Australia and New Zealand, with special reference to *Pinus radiata* D.Don. *Australian Forestry*, 2(2): 28–36.
- Hall, P. 1995. Mechanical site preparation using excavators. *New Zealand Journal of Forestry*, 40(2): 31–35.
- Hall, P. 2005. Cutover site preparation. In M. Colley, ed. *NZIF forestry handbook*, pp. 104–109. Christchurch, New Zealand, New Zealand Institute of Forestry.
- Hall, P. 2009. Bioenergy from forestry. *New Zealand Journal of Forestry*, 53(4): 20–24.
- Hargreaves, C., & Menzies, M. 2007. Organogenesis and cryopreservation of juvenile radiata pine. In S. Mohan Jain & H. Häggman, eds. *Protocols for the micropropagation of woody trees and fruits*, pp. 51–65. Dordrecht, the Netherlands, Springer.
- Hawke, M. 2011. Agroforestry – the Tikitere experience. *New Zealand Tree Grower*, 32(2): 23–26.
- Hawke, M. & Gillingham, A. 1996. Nutrient transfer by livestock adjacent to managed and unmanaged shelterbelts. *New Zealand Tree Grower*, 17(1): 35–37.
- Hawke, M.F. 1991. Pasture production and animal performance under pine agroforestry in New Zealand. *Forest Ecology and Management*, 45: 109–118.
- Hawke, M.F. 1997. The changing focus of pastoral agroforestry in temperate zones. In J.G. Buchanan-Smith, L.D. Bailey & P. McCaughey, eds. *Proceedings of the XVIII international grassland congress. Winnipeg and Saskatoon, Canada. Volume 1, Session*, pp. 121–128.
- Hawke, M.F. & Gillingham, A.G. 1997. Changes in understorey pasture composition in agroforestry regimes in New Zealand. In J.G. Buchanan-Smith, L.D. Bailey & P. McCaughey, eds. *Proceedings of the XVIII international grasslands conference, June 8–17, 1997, Winnipeg and Saskatoon, Canada. Volume 1, Session 6*, pp. 39–42.
- Hawke, M.F. & Knowles, R.L. 1997. Temperate agroforestry systems in New Zealand. In A.M. Gordon, & S.M. Newman, eds. *Temperate agroforestry systems*, pp. 85–118. Wallingford, United Kingdom, CAB International.
- Hayhoe, K., Cayan, D., Field, C.B., Frumhoff, P.C., Maurer, E.P., Miller, N.L., Moser, S.C., Schneider, S.H., Cahill, K.N., Cleland, E.E., Dale, L., Drapek, R., Hanemann, R.M., Kalkstein, L.S., Lenihan, J., Lunch, C.K., Neilson, R.P., Sheridan, S.C. & Verville J.H. 2004. Emissions pathways, climate change, and impacts on California. *Proceedings National Academy Sciences U.S.A.*, 101(34): 12422–12427 (also available at: www.ncbi.nlm.nih.gov/pmc/articles/PMC514653/).
- Henry, B.P. 2005. *Monterey pine (Pinus radiata) in California: Variation among native forests and health as a predictor of tree removal in an urban forest*. Michigan Technological University, Houghton, Michigan, USA. (M.Sc Forestry thesis) (also available at: <http://www.ashmodel.org/ecologylab/documents/montereypine.pdf>).
- Hepburn, C.J. & Koundouri, P. 2007. Recent advances in discounting: Implications for forest economics. *Journal of Forest Economics*, 13: 169–189.
- Herbert, M.A. & Schönau, A.P.G. 1989. Fertilising commercial forest species in Southern Africa: Research progress and problems (Part 1). *South African Forestry Journal*, 151: 58–70.
- Hicks, B.J., Glova, G.J. & Duncan, M.J. 2004. Forestry interactions – New Zealand. In T.G. Northcote & G.F. Hartman, eds. *Fishes and forestry – worldwide watershed interactions and management*, pp. 654–677. Oxford, UK, Blackwell Science.
- Hill, R.A., Gourlay, A.H. & Fowler, S.V. 2000. The biological control program against gorse in New Zealand. In N.R. Spenser, ed. *Proceedings of the X International Symposium on Biological Control of Weeds 4–14 July 1999, Montana State University*, pp. 909–917. Bozeman, Montana, USA, Montana State University.

- Hill, R.A., Paderes, D.E., Wigley, P.J. & Broadwell, A.H. 2007: Growth of *Pinus radiata* seedlings in the nursery with novel microbial formulations. *New Zealand Plant Protection*, 60: 305.
- Hinze, W.H.F. & van Larr, A. 1986. Pruning studies in *Pinus radiata*. *South African Forestry Journal*, 137: 1–8.
- Hirst, P., Richardson, T.E., Carson, S.D. & Bradshaw, R.E. 1999. *Dothistroma pini* genetic diversity is low in New Zealand. *New Zealand Journal of Forestry Science*, 29: 459–472.
- Hock, B. 2005. Visual impacts of forestry. In M. Colley, ed. *NZIF forestry handbook*, pp. 55–56. Christchurch, New Zealand, New Zealand Institute of Forestry.
- Hock, B. & Hay, E. 2003. Forest certification in New Zealand: how are we going? *New Zealand Journal of Forestry*, 47 (4): 17–23.
- Hock, B., Payn, T., Clinton, P. & Turner, J. 2009. Towards green markets for New Zealand plantations. *New Zealand Journal of Forestry*, 54(1): 9–19.
- Höck, B.K., Langer, E.R., Ledgard, N. & Manley, B. 2001. *Economic and social impacts of land-use change in the unimproved pastoral lands of the New Zealand high country: a methodological study*. FRI Bulletin No. 210. Rotorua, New Zealand, Forest Research.
- Hood, I.A. & Kimberley, M.O. 2009. Impact of armillaria root disease and the effect of thinning in a late-rotation *Pinus radiata* plantation. *Forest Pathology*, 39: 415–427.
- Hopkins, A.J.M. & Dick, M.A. 2009. *Nectria flute* canker. Forest Pathology in New Zealand No. 23. Rotorua, New Zealand, Scion.
- Hopmans, P. & Flinn, D.W. 1983. Nutrient requirements in three Victorian radiata pine nurseries with contrasting soils. *Australian Forestry*, 46: 111–117.
- Hopmans, P., Matt, K. & George, C. 1995. Stem deformity in *Pinus radiata* plantations in south-eastern Australia. *Plant and Soil*, 175: 31–44.
- Horgan, G.P. 2005. Discounted cash flow analysis. In M. Colley, ed. *NZIF forestry handbook*, pp. 256–259. Christchurch, New Zealand, New Zealand Institute of Forestry.
- Horgan, G.P. 2009. Recent trends in energy prices – forestry, energy and a climate of change. *New Zealand Journal of Forestry*, 54(2): 17–24.
- Horne, R. & Robinson, G.L. 1988. *Development of basal area thinning prescription and predictive yield models for Pinus radiata plantations in New South Wales, 1962–1968*. Research Paper No. 6. Sydney, Forestry Commission of New South Wales.
- Huber, A. & Peredo, H.L. 1988. Stem sunscald after thinning and pruning young *Pinus radiata* in the sandy soil region of Chile. *New Zealand Journal of Forestry Science*, 18(1): 9–14.
- Hui-quan, B., Simpson, J., Rong-wei, L., Hong, Y., Zong-xing, W., Shi-min, C. & Eldridge, R. 2003. Introduction of *Pinus radiata* for afforestation: a review with reference to Aba, China. *Journal of Forestry Research*, 14(4): 311–322.
- Humphreys, N. 1971. Value resulting from cultural techniques of thinning and pruning. In *Proceedings, Pinus radiata symposium, Canberra 1970*. Canberra, Australian National University.
- Hunter, I.R., Graham, J.D., Prince, J.M. & Nicholson, G.M. 1986. What site factors determine the 4-year basal area response of *Pinus radiata* to nitrogen fertilizer? *New Zealand Journal of Forestry Science*, 16(1): 30–40.
- Hunter, I.R. & Skinner, M.F. 1986. Establishing radiata pine on the North Auckland podzols. *New Zealand Journal of Forestry*, 31(3): 17–23.
- Hurley, B.P., Slippers, B. & Wingfield, M.J. 2007. A comparison of control results for the alien invasive woodwasp, *Sirex noctilio*, in the southern hemisphere. *Agriculture and Forest Entomology*, 9: 159–171.
- INFOR. 2008. *Modelos agroforestales. Sistema productivo integrado para una agricultura sustentable*. Concepción, Chile, Instituto Forestal (also available at: www.agroforesteria.cl).
- INFOR. 2010. *Anuario forestal 2010*. Boletín Estadístico 128, Concepcion, Chile, Instituto Forestal.

- Inglis, C.S. & Cleland, M.R. 1982. *Predicting final branch size in thinned radiata pine stands*. FRI Bulletin No. 3. Rotorua, New Zealand, Forest Research Institute.
- Ivković, M., Baltunis, B., Gapare, W., Wharton, T., Elms, S., Sasse, J., Dutkowski, G., Powell, M., McRae, T. & Wu, H. 2009. *Breeding radiata pine to maximise profits by incorporating risk traits*. Melbourne, Australia, Forest & Wood Products Australia Limited.
- Jackson, D.S. & Gifford, H.H. 1974. Environmental variables influencing the increment of *Pinus radiata*: (1) Periodic volume increment. *New Zealand Journal of Forestry Science*, 4(1): 3–26.
- Jacobs, M.R. 1937. *The detection of annual stages of growth in the crowns of Pinus radiata*. Bulletin No. 19. Canberra, Commonwealth Forestry Bureau.
- Jacobs, M.R. 1938. *Notes on pruning Pinus radiata. Part 1. Observations on features which influence pruning*. Bulletin No. 23. Canberra, Commonwealth Forestry Bureau.
- Jacobs, M.R. 1939. *The vegetative reproduction of forest trees. I. Experiments with cuttings of Pinus radiata D. Don*. Bulletin No. 25. Canberra, Forestry and Timber Bureau.
- Jactel, H. & Brockerhoff, E.G. 2007. Tree diversity reduces herbivory by forest insects. *Ecology Letters*, 10: 835–848.
- Johnson, I.G., Cotterill, I.M., Raymond, C.A. & Henson, M. 2008. Half a century of *Pinus radiata* tree improvement in New South Wales. *New Zealand Journal of Forestry*, 52(4):7–13.
- Johnstone, J.A. & Dawson, T.E. 2010. Climatic context and ecological implications of summer fog decline in the coast redwood region. *Proceedings of the National Academy of Sciences of the United States of America*, 107(10): 4533–4538 (also available at: www.pnas.org/cgi/doi/10.1073/pnas.0915062107).
- Jolly, N.W. 1950. *The thinning of Pinus radiata plantations in the South East of South Australia*. Bulletin No. 4. Adelaide, Australia, Woods and Forests Department.
- Jones, H.S., Beets, P.N., Kimberley, M.O. & Garrett, L.G. 2011. Harvest residue management and fertilisation effects soil carbon and nitrogen in a 15-year-old *Pinus radiata* plantation forest. *Forest Ecology and Management*, 262: 339–347.
- Jovanovic, T. & Booth, T.H. 2002. *Improved species climatic profiles*. RIRDC Publication No. 02/95. Canberra, Rural Industries Research and Development Corporation.
- Kay, M.K. 2008. Are island forests vulnerable to invasive defoliators? Strength in simplicity. In T.D. Paine, ed. *Invasive forest insects, introduced forest trees, and altered ecosystems*, pp. 1–13. Dordrecht, the Netherlands, Springer.
- Kellas, J.D., Bird, P.R., Cumming, K.N., Kearney, G.A. & Ashton, A.K. 1995. Pasture production under a series of *Pinus radiata* pasture agroforestry systems in South-West Victoria, Australia. *Australian Journal of Agricultural Research*, 46: 1285–1297.
- Kennedy, D. 1957. *The establishment, development and regeneration of exotic species*. Technical Paper No. 17, Rotorua, New Zealand, Forest Research Institute.
- Kessell, S.L. 1927. Soil organisms. The dependence of certain pine species on a biological soil factor. *Empire Forestry Journal*, 6: 70–74.
- Kessell, S.L. & Stoate, T.N. 1936. Plant nutrients and pine growth. *Australian Forestry*, 1(1): 4–13.
- Kessell, S.L. & Stoate, T.N. 1938. *Pine nutrition. An account of investigations and experiments in connection with the growth of exotic conifers in Western Australian plantations*. Bulletin No. 50. Perth, Australia, Forest Department.
- Khan, R.U., Anderson, C.W.N., Loganathan, P., Xue, J. & Clinton, P.W. 2012. Response of *Pinus radiata* D. Don to boron fertilization in a glasshouse study. *Communications in Soil Science and Plant Analysis*, 43(10): 1412–1426.
- Kimberley, M.O., West, G.G., Dean, M.G. & Knowles, L.R. 2005. The 300 index – a volume productivity index for radiata pine. *New Zealand Journal of Forestry*, 50(2): 13–18.
- Kininmonth, J.A. 1997. *A history of forestry research in New Zealand*. Rotorua, New Zealand, Forest Research Institute.

- Kirschbaum, M.U.F. & Watt, M.S.** 2011. Use of a process-based model to describe spatial variation in *Pinus radiata* productivity in New Zealand. *Forest Ecology and Management*, 262: 1008–1019.
- Klimaszewska, K., Trontin, J-F., Becwar, M.R., Devillard, C., Park, J-S. & Leu-Walter, M-A.** 2007. Recent progress in somatic embryogenesis of four *Pinus* spp. *Tree and Forestry Science and Biotechnology*, 1(1): 11–25.
- Knight, P.J.** 1978a. Fertiliser practice in New Zealand forest nurseries. *New Zealand Journal of Forestry Science*, 8(1): 27–53.
- Knight, P.J.** 1978b. The nutrient content of *Pinus radiata* seedlings: a survey of planting stock from 17 New Zealand forest nurseries. *New Zealand Journal of Forestry Science*, 8(1): 54–69.
- Knight, P.J., Jacks, H. & Fitzgerald, R.E.** 1983. Longevity of response in *Pinus radiata* foliar concentrations to nitrogen, phosphorus and boron fertilizers. *New Zealand Journal of Forestry Science*, 13(3): 305–324.
- Knight, P.J. & Will, G.M.** 1977. A field lysimeter to study water movement and nutrient content in a pumice soil under *Pinus radiata* forest. II: Deep seepage and nutrient leaching in the first 12 years of tree growth. *New Zealand Journal of Forestry Science*, 7(3): 274–296.
- Knowles, L.** 2006. Understanding the ways trees reduce soil erosion. *New Zealand Tree Grower*, 27(1): 15–16.
- Knowles, R.L.** 1994. New Zealand experience with silvopastoral models at the stand and estate levels. In R.C. Shultz & J.P. Colletti, eds. *Opportunities for agroforestry in temperate zone worldwide. Proceedings of the third North American agroforestry conference. August 15–18 1993*, pp. 367–372. Ames, Iowa, USA, Iowa State University.
- Knowles, R.L., Horvath, G.C., Carter, M.A. & Hawke, M.F.** 1999. Developing a canopy closure model to predict overstorey/understorey relationships in *Pinus radiata* silvopastoral systems. *Agroforestry Systems*, 43: 109–119.
- Kumar, S., Burdon, R.D. & Stovold, G.T.** 2008. Wood properties and stem diameter of *Pinus radiata* in New Zealand: genetic parameter estimates of clonal and seedling material. *New Zealand Journal of Forestry Science*, 38(1): 88–101.
- Landsberg, J.J., Waring, R.H. & Coops, N.C.** 2003. Performance of the model 3-PG applied to a wide range of forest types. *Forest Ecology and Management*, 172: 199–214.
- Lane Poole, C.E.** 1943. *Thinning Monterey pine in the Australian Capital Territory*. Leaflet No. 52. Canberra, Commonwealth Forestry Bureau.
- Lane Poole, C.E.** 1944. Monterey pine. Spacing and increment. *Australian Forestry*, 8(1): 20–29.
- Langer, E.R., Steward, G.A. & Kimberley, M.O.** 2008. Vegetation structure, composition and effect of pine plantation harvesting on riparian buffers in New Zealand. *Forest Ecology and Management*, 256: 949–957.
- Langlands, I.** 1938. *The mechanical properties of South Australian plantation-grown Pinus radiata D. Don*. Melbourne, Australia, Council for Scientific and Industrial Research.
- Lara, A., Little, C., Urrutia, R., McPhee, J., Álvarez-Garretó, C., Oyarzú, C., Soto, D., Donoso, P., Nahuelhual, L., Pino, M. & I. Arismendi, I.** 2009. Assessment of ecosystem services as an opportunity for the conservation and management of native forests in Chile. *Forest Ecology and Management*, 258: 415–424.
- Lasserre, J.-P., Mason, E.G. & Watt, M.S.** 2004. The effects of genotype and spacing on *Pinus radiata* (D. Don) corewood stiffness in an 11 year old experiment. *Forest Ecology and Management*, 205: 375–383.
- Lasserre, J.-P., Mason, E.G., Watt, M.S. & Moore, J.R.** 2009. Influence of initial planting spacing and genotype on microfibril angle, wood density, fibre properties and modulus of elasticity in *Pinus radiata* D. Don corewood. *Forest Ecology and Management*, 258: 1924–1931.

- Laughton, F.S.** 1937. The effects of soils and climate on the growth and vigour of *Pinus radiata* D. Don in South Africa. *South African Journal of Science*, 33: 589–604.
- Lavery, P.B.** 1986. *Plantation forestry with Pinus radiata: review papers*. Paper No. 12. Christchurch, New Zealand, School of Forestry, University of Canterbury.
- Lavery, P.B. & Mead, D.J.** 1998. *Pinus radiata*: a narrow endemic from North America takes on the World. In D.M. Richardson, ed. *Ecology and biogeography of Pinus*, pp. 432–449. Cambridge, UK, Cambridge University Press
- Ledgard, N.J.** 1988. The spread of introduced trees in New Zealand's rangelands: South Island high country experience. *Tussocks Grasslands and Mountain Lands Institute Review*, 40: 1–8.
- Leech, J.W.** 1984. Estimating crown width from diameter at breast height for opengrown radiata pine trees in South Australia. *Australian Forest Research*, 14: 333–337.
- Leech, J.W.** 2007. Relative efficiency of projecting basal area and height versus projecting volume in a plantation planning system. *Australian Forestry*, 70(4): 253–261.
- Lehto, T., Ruuhola, T. & Dell, B.** 2010. Boron in forest trees and forest ecosystems. *Forest Ecology and Management*, 260: 2053–2069.
- Levack, H.H.** 1973. The Kaingaroa air sowing era, 1960–1971. *New Zealand Journal of Forestry*, 18(1): 104–108.
- Lewis, N.B. & Ferguson, I.S.** 1993. *Management of radiata pine*. Melbourne, Australia, Inkata Press.
- Libby, W.J.** 1973. Domestication strategies for forest trees. *Canadian Journal of Forest Research*, 3: 265–276.
- Libby, W.J.** 1997. Native origins of domesticated radiata pine. In R.D. Burdon & J.M. Moore, eds. "IUFRO '97 genetics of radiata pine". *Proceedings of NZ FRI–IUFRO Conference 1–4 December, and Workshop 5 December, Rotorua, New Zealand*, pp. 9–24. FRI Bulletin No. 203. Rotorua, New Zealand, Forest Research Institute.
- Lill, B.S. & Sweet, G.B.** 1977. Pollination in *Pinus radiata*. *New Zealand Journal of Forestry Science*, 7: 21–34.
- Lindenmayer, D.B., Cunningham, R.B., MacGregor, C., Crane, M., Michael, D., Fischer, J., Montague-Drake, R., Felton, A. & Manning, A.** 2008. Temporal changes in vertebrates during landscape transformations: a large-scale "natural experiment". *Ecological Monographs*, 78(4): 567–590.
- Lindenmayer, D.B., Hobbs, R.J. & Salt, D.** 2003. Plantation forests and biodiversity conservation. *Australian Forestry*, 66: 62–66.
- Lindsay, A.D.** 1932. *Report on Monterey pine (Pinus radiata D.Don) in its native habitat*. Bulletin No. 10. Canberra, Commonwealth Forestry and Timber Bureau.
- Little, K.M., Willoughby, I., Wagner, R.G., Adams, P., Frochot, H., Gava, J., Gous, S., Lautenschlager, R.A., Örlander, G., Sankaran, K.V. & Wei, R.P.** 2006. Towards reduced herbicide use in forest vegetation management. *Southern African Forestry Journal*, 207: 63–79.
- Lombardero, M.J., Vázquez-Mejuto, P. & Ayres, M.P.** 2008. Role of plant enemies in the forestry of indigenous versus nonindigenous pines. *Ecological Applications*, 18: 1171–1181.
- Long, J.N., Dean, T.J. & Roberts, S.D.** 2004. Linkages between silviculture and ecology: examination of several important conceptual models. *Forest Ecology and Management*, 200: 249–261.
- Ludbrook, W.V.** 1937. *Needle fusion of species of Pinus in southern New South Wales: progress report 1933–1936*. Pamphlet No. 72. Melbourne, Australia, Council of Science and Industrial Research of Australia.
- Ludbrook, W.V.** 1942a. The effects of various concentrations of boron on the growth of pine seedlings in water culture. *Journal of the Australian Institute of Agricultural Science*, 8: 112–114.

- Ludbrook, W.V. 1942b. Fertilizer trials in southern New South Wales pine plantations. *Journal of the Council for Science and Industry, Australia*, 15: 307–314.
- Lundquist, J.E. 1987. A history of five forest diseases in South Africa. *South Africa Forestry Journal*, 140: 51–59.
- MacDougal, D.T. 1938. *Tree growth*. Leiden, Holland, Chronica Book Co.
- Maclaren, J.P. 1993. *Radiata pine growers' manual*. FRI Bulletin No. 184. Rotorua, New Zealand, New Zealand Forest Research Institute.
- Maclaren, J.P. 1996. *Environmental effects of planted forests in New Zealand*. FRI Bulletin No. 198. Rotorua, New Zealand, New Zealand Forest Research Institute.
- Maclaren, J.P., Grace, M.O., Kimberley, M.O., Knowles, R.L. & West, G.G. 1995. Height growth of *Pinus radiata* as affected by stocking. *New Zealand Journal of Forestry Science*, 25: 165–174.
- Maclaren, J.P. & Kimberley, M.O. 1991. Varying the selection ratios (initial versus final crop stocking) in *Pinus radiata* evaluated with the use of MARVL. *New Zealand Journal of Forestry Science*, 21: 62–67.
- Maclaren, J.P. & Knowles, R.L. 1999. Economics of final crop stocking at the Tikitere agroforestry trial. Part 1: Volume and quality comparisons. *New Zealand Journal of Forestry Science*, 29(1): 165–174.
- Maclaren, J.P. & Knowles, R.L. 2005(a). Silviculture of radiata pine. In M. Colley, ed. *NZIF forestry handbook*, pp. 119–122. Christchurch, New Zealand, New Zealand Institute of Forestry.
- Maclaren, P. & Knowles, L. 2005(b). Version 2 Calculators. Upgrading the businesss of farm forestry. *New Zealand Tree Grower*, 26(2): 24.
- Maclaren, P., Baker, G., Dean, M. & Straker, A. 1999. Chemical thinning of radiata pine. *New Zealand Journal of Forestry*, 44(1): 19–22.
- Maclaren, P., Manley, B. & final year School of Forestry students. 2008. Impact of the New Zealand Emissions Trading Scheme on forest management. *New Zealand Journal of Forestry*, 53(3): 33–39.
- MacLeod, C.J. & Moller, H. 2006. Intensification and diversification of New Zealand agriculture since 1960: An evaluation of current indicators of land use change. *Agriculture, Ecosystems and Environment*, 115: 201–218.
- Madgwick, H.A.I. 1994. *Pinus radiata: biomass, form and growth*. Rotorua, New Zealand, H.A.I. Madgwick.
- MAF. 2009. *A forestry sector study*. Wellington, Ministry of Agriculture and Forestry.
- MAF. 2011. *National exotic forest description as at 1 April 2011*. Wellington, Ministry of Agriculture and Forestry (available at: <http://www.mpi.govt.nz/news-resources/publications.aspx?title=National%20Exotic%20Forest%20Description>).
- Manley, B. 2012a. Impact of the New Zealand emissions trading scheme on forest valuation. *Forest Policy and Economics*, 14(1): 83–89.
- Manley, B. 2012b. Discount rates used for forest valuation: results of 2011 survey. *New Zealand Journal of Forestry*, 56(4): 21–28.
- Manley, B. & Calderon, S.S. 1982. Growing radiata pine for poles. *New Zealand Journal of Forestry*, 27(2): 242–253.
- Manley, B. & Maclaren, P. 2009. Modelling the impact of carbon trading legislation on New Zealand's plantation estate. *New Zealand Journal of Forestry*, 54(1): 39–44.
- Manley, B. & Maclaren, P. 2010. Harvested wood products in the ETS. What would be the impact? *New Zealand Journal of Forestry*, 55(3): 20–26.
- Manley, B. & Maclaren, P. 2012. Potential impact of carbon trading on forest management in New Zealand. *Forest Policy and Economics*, 24: 35–40.
- Marden, M. & Rowan, D. 1993. Protective value of vegetation on tertiary terrain before and during cyclone Bola, East Coast, North Island, New Zealand. *New Zealand Journal of Forestry Science*, 23(3): 255–236.

- Martinez-Amores, E., Valdes, M. & Quintosz, M.** 1991. Seedling growth and ectomycorrhizal colonization of *Pinus patula* and *P. radiata* inoculated with spores of *Helvella lacunosa*, *Russula brevipes* or *Lycoperdon perlatum*. *New Forests*, 4: 237–245.
- Mason, E.** 2012. Designing silvicultural regimes with a structural log index. *New Zealand Journal of Forestry*, 57(2): 13–18.
- Mason, E.G.** 1985. Causes of juvenile instability of *Pinus radiata* in New Zealand. *New Zealand Journal of Forestry Science*, 15(3): 263–280.
- Mason, E.G.** 1992. *Decision-support systems for establishing radiata pine plantations in the Central North Island of New Zealand*. University of Canterbury, Christchurch, New Zealand (Ph.D thesis).
- Mason, E.G.** 2004. Effects of soil cultivation, fertilisation, initial seedling diameter and plant handling on the development of maturing *Pinus radiata* D. Don on Kaingaroa gravelly sand in the Central North Island of New Zealand. *Bosque*, 25(2): 43–55.
- Mason, E.G.** 2005. Growth and yield modelling. In M. Colley, ed. *NZIF forestry handbook*, pp. 154–157. Christchurch, New Zealand, New Zealand Institute of Forestry.
- Mason, E.G.** 2006. Interactions between influences of genotypes and grass competition on growth and wood stiffness on juvenile radiata pine in a summer-dry environment. *Canadian Journal of Forest Research*, 36(10): 2454–2463.
- Mason, E.G.** 2008. Influences of silviculture, genetics and environment on radiata pine corewood properties: results from recent studies and a future direction. *New Zealand Journal of Forestry*, 53(2): 26–31.
- Mason, E.G.** 2009. Growth and yield modelling in a climate of change: how can we make good use of data from past epochs? *New Zealand Journal of Forestry*, 54(3): 19–25.
- Mason, E.G., Cullen, A.W.J. & Rijkse, W.C.** 1988. Growth of two *Pinus radiata* stock types on ripped and ripped/bedded plots at Karioi forest. *New Zealand Journal of Forest Science*, 18(3): 287–96.
- Mason, E.G., Methol, R. & Cochrane, H.** 2011. Hybrid mensurational and physiological modelling of growth and yield of *Pinus radiata* D. Don. using potentially useable radiation sums. *Forestry*, 84(2): 99–108.
- Mason, E.G., Skinner, M.F., Barrow, N.J., Lowe, A. & Bown, H.E.** 2011. Predicting phosphorus requirements of young *Pinus radiata* using sequential Bray soil extraction. *Plant and Soil*, 339: 425–434.
- Matthews, H.J.** 1905. *Tree culture in New Zealand*. Wellington, Government Printer.
- Maunder, C., Shaw, W. & Pierce, R.** 2005. Indigenous biodiversity and land use: what do exotic plantation forests contribute? *New Zealand Journal of Forestry*, 49(4): 20–26.
- May, B., Carlyle, C., Lowther, R., Keeley P., Bernie, C. & Michael, M.** 2009b. *A decision support system for maximising profit from nutrient management of mid-rotation radiata pine*. Project PNO: 03.3907. Melbourne, Australia, Forest and Wood Products Australia Limited.
- May, B., Smethurst, P., Carlyle, C., Mendham, D., Bruce, J. & Baillie, C.** 2009a. *Review of fertiliser use in Australian forestry*. Melbourne, Australia, Forest and Wood Products Australia Limited (also available at: www.fwpa.com.au/sites/default/files/PRC072-0708_Fertiliser_Review_Report.pdf).
- McClintock, W. & Taylor, N.** 1999. Forestry communities in transition. *New Zealand Journal of Forestry Science*, 44(1): 29–34.
- McDonald P.M. & Laacke R.J.** 1990. *Pinus radiata* D. Don Monterey Pine. In R.M. Burns & B.H. Honkala, eds. *The silvics of North America. Volume 1 Conifers*, pp. 433–441. Washington, DC, US Forest Service, Agricultural Handbook No. 654.
- McFarlane, P., Pearce, G. & Moore, J.** 2002. Introduction: forestry and risk management – New Zealand in a global context. In M. Arbez, Y. Birot & M-J. Carnus, eds. *Risk management and sustainable forestry*, pp. 5–19. EFI Proceedings 45. Joensuu, Finland, European Forest Institute (also available at: http://www.efi.int/files/attachments/publications/proc45_net.pdf).

- McNally, J. 1955. Damage to Victorian exotic pine plantations by native animals. *Australian Forestry*, 19: 87–99.
- McWilliam, R. 2004. *An investigation of a power assisted tool (Electrocoup/Maxicoup) for low pruning of Australian plantations. Part B: summary report*. Melbourne, Australia, Forest and Wood Products Research and Development Corporation.
- MEA (Millennium Ecosystem Assessment). 2003. *Ecosystems and human well-being. A framework for assessment*. Washington, DC, Island Press.
- Mead, D.J. 1984. Diagnosis of nutrient deficiencies in plantations. In G.D. Bowen & E.K.S. Nambiar, eds. *Nutrition of plantation forests*. pp. 259–291. London, Academic Press.
- Mead, D.J. 2005b. Fertilising. In M. Colley, ed. *NZIF forestry handbook*, pp 110–111. Christchurch, New Zealand, New Zealand Institute of Forestry.
- Mead, D.J. 2005a. Opportunities for increasing plantation productivity. How much? How quickly? How realistic? *Biomass and Bioenergy*, 28 (2): 249–266.
- Mead, D.J. 2009. Biophysical interactions in silvopastoral systems: a New Zealand perspective. In P.L. Peri, ed. *1er congress nacional de sistemas silvopastoriles: actas.*, pp. 3–9. Buenos Aires, INTA.
- Mead, D.J. 2010a. Radiata pine silviculture in Chile. *New Zealand Tree Grower*, 31(2): 15–17.
- Mead, D.J. 2010b. Results of 16 years of study in a temperate silvopastoral experiment with *Pinus radiata* in New Zealand. In L.R. Kellimore, ed. *Handbook on agroforestry: management practices and environmental impact.*, pp. 225–249. New York, USA, Nova Science Publishers.
- Mead, D.J., Chang, S.X. & Preston, C.M. 2008. Recovery of ^{15}N -urea 10 years after application to a Douglas-fir pole stand in coastal British Columbia. *Forest Ecology and Management*, 256: 694–701.
- Mead, D.J., Draper, D. & Madgwick, H.A.I. 1984. Dry matter production of a young stand of *Pinus radiata*: some effects of nitrogen fertilizer and thinning. *New Zealand Journal of Forestry Science*, 14: 97–108.
- Mead, D.J. & Gadgil, R.L. 1978. Fertiliser use in established stands in New Zealand. *New Zealand Journal of Forestry Science*, 8: 105–134.
- Mead, D.J., Mew, G. & Fitzgerald, R.E. 1980. The role of fertilizers in the future of West Coast exotic forests. *New Zealand Journal of Forestry*, 25: 217–218.
- Mead, D.J., Millner, J. & Smail, P.W. 1999. Farm forestry and shelter. In J. White & J. Hodgson, eds. *New Zealand pasture and crop science*, pp. 269–291. Auckland, New Zealand, Oxford University Press.
- Mead, D.J. & Pimentel, D. 2006. Use of energy analyses in silvicultural decision making. *Biomass and Bioenergy*, 30: 357–362.
- Mead, D.J., Scott, J.T. & Chang, S.X. 2010. Using vector analysis to understand temporal changes in understorey-tree competition in agroforestry systems. *Forest Ecology and Management*, 259: 1200–1211.
- Mead, D. & Smith, C. 2012. Principles of nutrient management for sustainable forest bioenergy production. *WIREs Energy and Environment*, 1: 152–164.
- Mead, D.J., Whyte, A.G.D., Woollons, R.C. & Beets, P.N. 1991. Designing long-term experiments to study harvesting impacts. In W.J. Dyck & C.A. Mees, eds. *Long-term field trials to assess environmental impacts of harvesting*, pp. 107–124. FRI Bulletin No. 161. Rotorua, New Zealand, New Zealand Forest Research Institute.
- Meneses, M. & Guzman, S. 2000. Análisis de la eficiencia de la silvicultura destinada a la obtención de madera libre de nudos en plantaciones de pino radiata en Chile. *Bosque*, 21(2): 85–93.
- Meneses, M. & Guzman, S. 2003. Caracterización de rodales según su potencialidad (lib) para producir productos shop y finger. In *Proyecto FONDEF maderas clear: Marco teórico y documentos de discusion*, pp. 252–296. Valdivia, Chile, Universidad Austral de Chile.

- Menne, W. & Carrere, R.** 2007. *Swaziland: the myth of sustainable timber plantations*. Montevideo, Uruguay, World Rainforest Movement.
- Menzies, M.I. & Chavasse, C.G.R.** 1982. Establishment trials on frost-prone sites. *New Zealand Journal of Forestry*, 27(1): 33–49.
- Menzies, M.I., Dibley, M.J., Brown, W.D. & Faulds, T.** 2005. Nursery procedures for radiata pine. In M. Colley, ed. *NZIF forestry handbook*, pp. 101–103. Christchurch, New Zealand, New Zealand Institute of Forestry.
- Menzies, M.I., Holden, D.G. & Klomp, B.K.** 2001. Recent trends in nursery practice in New Zealand. *New Forests*, 22: 3–17.
- Menzies, M.I., Klomp, B.K., Holden, D.G. & Hong, S.O.** 1989. The effect of initial spacing and growth and crop selection of radiata pine seedlings and cuttings. In M.I. Menzies, G.E. Parrot & L.J. Whitehouse, eds. *Proceedings of the IUFRO symposium on "Efficiency of stand establishment options" September 1989*, pp. 152–164. FRI Bulletin No. 156. Rotorua, New Zealand, Forest Research Institute.
- Menzies, M.I., van Dorsser, J.C. & Balneaves, J.M.** 1985. Seedling quality: radiata pine as a case study. In D.B. South, ed. *Proceedings of the international symposium on nursery management practices for the southern pines, Montgomery, Alabama, USA, August 4–9, 1985*, pp 384–415.
- Michel, M.** 2000. Certification on the sustainable management of Basque forests. *Naturzale*, 15: 31–44.
- Michel, M.** 2006. *El pino radiata en la historia forestal Vasca. Análisis de un proceso de forestalismo intensivo*. Munibe, suplemento, vol. 23. Sociedad de Ciencias Aranzadi, Donostia.
- Miller, A.D.** 1974. *Pinus radiata* in Ecuador, its ecology and growth. *Unasylva*, 26(105): 30–34.
- Miller, D. & Clark, A.F.** 1935. *Sirex noctilio* (Hym.) and its parasite in New Zealand. *Bulletin of Entomological Research*, 26: 149–154.
- Millett, M.R.O.** 1944a. *Rainfall and increment in radiata pine in the Australian Capital Territory*. Leaflet No. 56. Canberra, Commonwealth Forestry Bureau.
- Millett, M.R.O.** 1944b. *Lean and ellipticity of stems of Monterey pine in the Australian Capital Territory*. Leaflet No. 60. Canberra, Commonwealth Forestry Bureau.
- Minko, G.** 1985. Cost of thinning regeneration in second-rotation radiata pine plantations with a motorized brushcutter and a hand slasher. *Australian Forest Research*, 15: 515–520.
- MMAMRM.** 2006. *Anuario de estadística forestal 2006*. Madrid, Ministerio de Medio Ambiente y Medio Rural y Marino.
- Moore, J.R.** 2012. Growing fit-for-purpose structural timber: what's the target and how do we get there? *New Zealand Journal of Forestry*, 57(3): 17–24.
- Moore, J.R., Tombleson, J.D., Turner, J.A. & Van der Colff, M.** 2008. Wind effects on juvenile trees: a review with special reference to toppling of radiata pine growing in New Zealand. *Forestry*, 81: 377–387.
- Moorhouse, R.B.** 1935. Northerly and southerly aspects and their relation to site, ground cover and growth of *Pinus radiata* at Golden Downs State Forest. *New Zealand Journal of Forestry*, 3(5): 203–207.
- Morales, E.** 2005. Early experience with total divestment: Chile. In M. Garforth & J. Mayers, eds. *Plantations, privatization, poverty and power: changing ownership and management of state forests*, pp. 126–153. London, Earthscan.
- Morales, R.** 2009. Detección de *Neonectria fuckeliana* en Chile, asociado a cancros y malformaciones fustales en plantaciones de *Pinus radiata*. *Bosque*, 30(2): 106–110.
- Morgan, F.D.** 1989. Forty years of *Sirex noctilio* and *Ips grandicollis* in Australia. *New Zealand Journal of Forestry Science*, 19: 198–209.
- Muñoz-Pedreros, A., Gantz, A. & Saavedra, M.** 1996. Nidos artificiales en plantaciones del *Pinus radiata* en el sur de Chile: ¿una herramienta para mitigar impactos ambientales negativos? *Revista Chilena de Historia Natural*, 63: 393–400.

- Muñoz-Pedreros, A. & Larraín, A.** 2002. Impacto de la actividad silvoagropecuaria sobre la calidad del paisaje en un transecto del sur de Chile. *Revista Chilena de Historia Natural*, 75: 673–689.
- Murphy, M., Brownlie, R., Kimberley, M. & Beets, P.** 2009. Impacts of forest harvesting related soil disturbance on end-of-rotation wood quality and quantity in a New Zealand radiata pine forest. *Silva Fennica*, 43(1): 147–160.
- Myers, B.J., Theiveyanathan, S., O'Brien, N.D. & Bond, W.J.** 1996. Growth and water use of *Eucalyptus grandis* and *Pinus radiata* plantations irrigated with effluent. *Tree Physiology*, 16, 211–219.
- Nambiar, E.K.S.** 1990. Interplay between nutrients, water, root growth and productivity in young plantations. *Forest Ecology and Management*, 30: 213–232.
- Nambiar, E.K.S., Bowen, G.D. & Sands, R.** 1979. Root regeneration and plant water status of *Pinus radiata* D. Don seedlings transplanted into different soil temperatures. *Journal of Experimental Botany*, 30: 1119–31.
- Neary, D.G. & Leonard, J.H.** 1978. Effects of forest fertilization on nutrient losses in streamflow in New Zealand. *New Zealand Journal of Forestry Science*, 8: 189–205.
- Neilson, W.A. & Pinkard, E.A.** 2003. Effect of green pruning on growth of *Pinus radiata*. *Canadian Journal of Forest Research*, 33: 2067–2073.
- Nsoloma, V.R. & Venn, K.** 1994. Forest fungal diseases of Tanzania; background and current status. *Norwegian Journal of Agricultural Science*, 8: 189–201.
- Nuberg, I. & Bennell, M.** 2009. Trees protecting dryland crops and soil. In I. Nuberg, B. George & R. Reid, eds. *Agroforestry for natural resource management*, pp. 69–85. Melbourne, Australia, CSIRO Publishing.
- Nuberg, I., Reid, R. & George, B.** 2009 Agroforestry as integrated natural resource management. In I. Nuberg, B. George & R. Reid, eds. *Agroforestry for natural resource management*, pp. 1–20. Melbourne, Australia, CSIRO Publishing.
- O'Connor, A.J.** 1935. *Forest research with special reference to planting distances and thinning*. 4th British Empire Forestry Conference, South Africa.
- O'Hara, K.L., Knowles, R.L., Dean, M., West, G.G. & McInnes, I.** 1998. Growth efficiency of *Pinus radiata* stand elements: implications for stand growth modeling strategies. *New Zealand Journal of Forestry Science*, 28(3): 373–388.
- O'Hehir, J.F. & Nambiar, E.K.S.** 2010. Productivity of three successive rotations of *P. radiata* plantations in South Australia over a century. *Forest Ecology and Management*, 259: 1857–1869.
- O'Loughlin, C.L.** 2005. Forestry and hydrology. In M. Colley, ed. *NZIF forestry handbook*, pp. 56–60. Christchurch, New Zealand, New Zealand Institute of Forestry.
- Ogden, J., Braggins, J., Stretton, K. & Anderson, S.** 1997. Plant species richness under *Pinus radiata* stands on the central North Island volcanic plateau, New Zealand. *New Zealand Journal of Ecology*, 21(1): 17–29.
- Oliver, C.D. & Larson, B.C.** 1990. *Forest stand dynamics*. New York, USA, McGrawHill.
- Olsen, P.F., Smith, T., Schnell, J. & Vos, T.** 1997. Breeding trait gains and economic worth. Addendum. In R.D. Burdon & J.M. Moore, eds. *IUFRO '97 Genetics of Radiata Pine. Proc. of NZ FRI-IUFRO Conf. 1–4 December and Workshop 5 December, Rotorua, New Zealand*, pp. 148–158. FRI Bulletin No. 203. Rotorua, New Zealand, Forest Research Institute.
- Onaindia, M. & Mitxelena, A.** 2009. Potential use of pine plantations to restore native forests in a highly fragmented river basin. *Annals of Forest Science*, 66(3).
- Ortega, U., Majada, J., Mena-Petite, A., Sanchez-Zabala, J., Rodriguez-Iturrizar, N., Txarterina, K., Azpitarte, J. & Duñabeitia, M.** 2006. Field performance of *Pinus radiata* D. Don produced in nursery with different types of containers. *New Forests*, 31: 97–112.
- Ouro, G., Pérez-Batallón, P. & Merino, A.** 2001. Effects of silvicultural practices on nutrient status in a *Pinus radiata* plantation: Nutrient export by tree removal and nutrient dynamics in decomposing logging residues. *Annals of Forest Science*, 58: 411–422.

- Page, A.I.** 1977: FRI looks at mechanization No. 39: improving the efficiency of ripping. *Forest Industries Review*, 8(8): 28–32.
- Palmer, D.J., Watt, M.S., Kimberley, M.O., Höck, B.K., Payn, T.W. & Lowe, D.J.** 2010. Mapping and explaining the productivity of *Pinus radiata* in New Zealand. *New Zealand Journal of Forestry*, 55(1): 15–19.
- Paredes, G.** 2005. Certification of industrial forest plantations: a view of production forestry in Chile. *New Zealand Journal of Forestry Science*, 35(2/3): 290–302.
- Parfitt, R.L., Baisden, W.T. & Elliott, A.H.** 2011. Phosphorus inputs and outputs for New Zealand in 2001 at national and regional scales. *Journal of the Royal Society of New Zealand*, 38(1): 37–50.
- Park, J.C.** 1980. A grade index for pruned butt logs. *New Zealand Journal of Forestry Science*, 10(2): 419–438.
- Park, J.C.** 1989. Pruned log index. *New Zealand Journal of Forestry Science*, 19: 41–53.
- Park, J.** 2005. Pruned log quality. In M. Colley, ed. *NZIF forestry handbook*, pp. 152–154. Christchurch, New Zealand, New Zealand Institute of Forestry.
- Pasalodos-Tato, M., Pukkala, T., Rigueiro-Rodríguez, A., Fernández-Núñez, E. & Mosquera-Losada, M.R.** 2009. Optimal management of *Pinus radiata* silvopastoral systems established on abandoned agricultural land in Galicia (north-western Spain). *Silva Fennica*, 43(5): 831–845.
- Paul, K.I., Reeson, A., Polglase, P.J. & Ritson, P.** 2013. Economic and employment implications of a carbon market for industrial plantation forestry. *Land Use Policy*, 30, 528–540.
- Payn, T.W. & Clinton, P.** 2005. The environmental footprint of New Zealand's plantation forests: nutrient fluxes and balances. *New Zealand Journal of Forestry*, 50(1): 17–22.
- Payn, T.W., de Ronde, C. & Grey, D.C.** 1988. Phosphate fertilization of mature *Pinus radiata* stands. *South African Forestry Journal*, 147: 26–31.
- Payn, T.W., Grey, D.C. & Donald, D.G.M.** 1989. ENID: An expert system for fertiliser prescription in the Cape Province of South Africa. *South African Forestry Journal*, 151: 71–77.
- Payn, T.W., Hill, R.B., Höck, B.K., Skinner, M.F., Thorn, A.J. & Rijkse, W.C.** 1999. Potential for the use of GIS and spatial analysis techniques as tools for monitoring change of forest productivity and nutrition, a New Zealand example. *Forest Ecology and Management*, 122: 187–196.
- Payn, T.W., Skinner, M.F. & Clinton, P.W.** 1998. Future nutrient requirements of New Zealand plantation forests. In L. Currie & P. Loganathan, eds. *Long-term nutrient needs for New Zealand's primary industries: global supply, production requirements and environmental constraints*, pp. 97–106. Occasional Report No. 11. Palmerston North, New Zealand, Fertiliser and Lime Research Institute.
- Payn, T.W., Skinner, M.F., Hill, R.B., Thorn, A.J., Scott, J., Downs, S. & Chapman, H.** 2000. Scaling up or scaling down: the use of foliage and soil information for optimising the phosphate nutrition of radiata pine. *Forest Ecology and Management*, 138: 79–89.
- PCP.** 2004. *Growing for good: intensive farming, sustainability and New Zealand's environment*. Wellington, Parliamentary Commissioner for the Environment (also available at: www.pce.parliament.nz/assets/Uploads/Growing-for-Good.pdf).
- Pearce, G.H., Cameron, G., Anderson, A.J. & Dudfield, M.** 2008. An overview of fire management in New Zealand forestry. *New Zealand Journal of Forestry*, 53(3): 7–11.
- Pearce, G.H. & Clifford, V.** 2008. Fire weather and climate in New Zealand. *New Zealand Journal of Forestry*, 53(3): 13–18.
- Peri, P.L., Lucas, R.J. & Moot, D.J.** 2007. Dry matter production, morphology and nutritive value of *Dactylis glomerata* growing under different light regimes. *Agroforestry Systems*, 70: 63–79.

- Peri, P.L., Varella, A.C., Lucas, R.J. & Moot, D.J. 2001. Cocksfoot and lucerne productivity in a *Pinus radiata* silvopastoral system: a grazed comparison. *Proceedings of the New Zealand Grassland Association*, 63: 139–147.
- Perley, C. 1997. The impact of human values on forest management. *New Zealand Journal of Forestry*, 42(3): 19–21.
- Perrott, K.W., Ghani, M.B., O'Connor, M.B. & Waller, J.E. 1999. Tree stocking effects on soil chemical and microbial properties at the Tikiteri agroforestry research area. *New Zealand Journal of Forestry Science*, 29: 116–130.
- Pharo, E.J. & Lindenmayer, D.B. 2009. Biological legacies soften pine plantation effects for bryophytes. *Biodiversity and Conservation*, 18: 1751–1764.
- Pollard, J.C. 2006. Shelter for lambing sheep in New Zealand: a review. *New Zealand Journal of Agricultural Research*, 49: 395–404.
- Pollock, K.M. & Mead, D.J. 2008. Influence of pasture understoreys and tree management on soil moisture under a young New Zealand stand of *Pinus radiata*. *Plant and Soil*, 310: 188–199.
- Poole, A.L. 1933. Study of wind damage to 5-year-old stand of insignis pine at Hanmer plantation. *Te Kura Ngahere*, 3(3): 149–153.
- Powers, R.F. 1999. On the sustainability of planted forests. *New Forests*, 17: 263–306.
- Powers, R.F., Scott, D.A., Sanchez, F.G., Voldseth, R.A., Page-Dumroese, D., Elioff, J.D. & Stone, D.M. 2005. The North American long-term soil productivity experiment: findings from the first decade of research. *Forest Ecology and Management*, 220: 31–50.
- Powers, R.F., Busse, M.D., McFarlane, K.J., Jianwei Zhang, J. & Young, D.H. 2013. Long-term effects of silviculture on soil carbon storage: does vegetation control make a difference? *Forestry*, 86: 47–58.
- Private Forests Tasmania. 2004. *Radiata pine. 3. Pruning for clearwood*. Farm Forestry Series, Hobart, Tasmania (available at: www.privateforests.tas.gov.au).
- Quinn, J. 2005. Pine plantations and water quality in Central North Island lakes. *New Zealand Tree Grower*, 26(4): 31–32.
- Raga, F. 2009. The Chilean forestry sector and associated risks. *Trebol*, 51: 10–19 (also available at: www.mapfre.com/mapfrere/docs/html/revistas/trebol/n51/articulo2En.html).
- Raison, R.J. & Myers, B.J. 1992. The biology of forest growth experiment: linking water and nitrogen availability to growth of *Pinus radiata*. *Forest Ecology and Management*, 52: 279–308.
- Raison, R.J., Myers, B.J. & Benson, M.L. 1992. Dynamics of *Pinus radiata* foliage in relation to water and nitrogen stress: I. Needle production and properties. *Forest Ecology and Management*, 52: 139–158.
- Ramírez, C., Figueroa, H., Carrillo, R. & Contreras, D. 1984. Estudio fitosociológico de los estratos inferiores en un bosque de pino (Valdivia, Chile). *Bosque*, 5 (2): 65 – 81.
- Ramos, M. & Lanfranco, D. 2010. El complejo de parasitoídes de la polilla del brote del pino en Chile: pasado, presente y posible escenario future. *Bosque*, 31(2): 100–108.
- Ramsfield, T., Kriticos, D. & Alcaraz, S. 2007. Western gall rust. How similar is New Zealand's climate to its home range. *New Zealand Tree Grower*, 28(2): 18.
- Reay, S.D., Walsh, P.J., Ram, A. & Farrell, R.L. 2002. The invasion of *Pinus radiata* seedlings by supstain fungi, following attack by the black pine beetle, *Hylastes ater* (Coleoptera: Scotytidae). *Forest Ecology and Management*, 165: 47–56.
- Regliński, T., Rodenburg, N., Taylor, J.T., Northcott, G.L., Ah Chee, A., Spiers, T.M. & Hill, R.A. 2012. *Trichoderma atroviride* promotes growth and enhances systemic resistance to *Diplodia pinea* in radiata pine (*Pinus radiata*) seedlings. *Forest Pathology*, 42: 75–78.
- Reglinski, T., Spiers, M., Taylor, J. & Dick, M. 2010. Root rot in radiata pine seedlings can be controlled. *New Zealand Journal of Forestry*, 54(4): 16–18.

- Reid, R.** 2006. Diameter-basal area ratio as a practical stand density measure for pruned plantations. *Forest Ecology and Management*, 233: 375–382.
- Reid, R.** 2009. Trees in grazing systems. In I. Nuberg, B. George & R. Reid, eds. *Agroforestry for natural resource management*, pp. 219–238. Melbourne, Australia, CSIRO Publishing.
- Reineke, L.H.** 1933. Perfecting a stand density index for even-aged forests. *Journal of Agriculture Research*, 46: 627–638.
- Richardson, D.M. & Higgins, S.I.** 1988. Pines as invaders in the southern hemisphere. In D.M. Richardson, ed. *Ecology and biogeography of Pinus*, pp. 450–473. Cambridge, UK, Cambridge University Press.
- Richardson, B., Schou, W., Teske, M., Ray, J. & Eav, B.** 1997. Spraysafe manager: a decision support system for application of herbicides in forestry. Proceedings: Fiftieth New Zealand Plant Protection Conference, 50: 539.
- Richardson, B., Watt, M.S., Mason, E.G. & Kriticos, D.J.** 2006. Advances in modelling and decision support systems for vegetation management in young forest plantations. *Forestry*, 79(1): 29–42.
- Ridley, G., Bain, J. & Dick, M.** 2001. Exotic nematode found in pine trees in Melbourne, Victoria. *New Zealand Journal of Forestry*, 46(1): 41–42.
- Ridley, G.S. & Dick, M.A.** 2001. *An introduction to the diseases of forestry and amenity trees in New Zealand*. Forest Research Bulletin No. 220. Rotorua, New Zealand, Forest Research Institute.
- Rigueiro-Rodríguez A., Mosquera-Losada, M.R. & Fernández-Núñez, E.** 2011. Afforestation of agricultural land with *Pinus radiata* D.Don and *Betula alba* L. in NW Spain: effects on soil pH, understorey production and floristic diversity eleven years after establishment. *Land Degradation & Development*, 23(3): 227–241.
- Rimbawanto, A., Coolbear, P. & Firth, A.** 1988. Artificial ripening of prematurely harvested cones of New Zealand *Pinus radiata* and its effect on seed quality. *New Zealand Journal of Forestry Science*, 18: 149–60.
- Rivas Palma, R.** 2005. Social and environmental valuation as a tool for forest management. *New Zealand Journal of Forestry*, 50(1): 23–26.
- Roche, H. & Hocking, G.H.** 1937. Artificial pruning of exotic conifers. *New Zealand Journal of Forestry*, 4(2): 86–91.
- Roche, M.** 1990. *History of New Zealand Forestry*. Wellington, New Zealand, GP Print.
- Rodenberg, J. & Manley, B.** 2011. Small forests in New Zealand. A survey of landowner objectives and management. *New Zealand Journal of Forestry*, 56(2): 15–19.
- Rodríguez, R., Espinosa, M., Real, P. & Inzunza, J.** 2002b. Analysis of productivity of radiata pine plantations under different silvicultural regimes using the 3-PG process-based model. *Australian Forestry*, 65(3): 165–172.
- Rodríguez, R., Sánchez, F., Gorgoso, J., Castedo, F., López, C. & Gadow, K.v.** 2002a. Evaluating standard treatment options for *Pinus radiata* plantations in Galicia (north-western Spain). *Forestry*, 75: 273–284.
- Rogers, D.L.** 2002. *In situ genetic conservation of Monterey pine (*Pinus radiata* D.Don): information and recommendations*. Report 26. Davis, California, USA, University of California, Division of Agriculture and Natural Resources, Genetic Resources Conservation Program.
- Rogers, D.L.** 2004. In situ genetic conservation of a naturally restricted and commercially widespread species, *Pinus radiata*. *Forest Ecology and Management*, 197: 311–322.
- Romanyà, J. & Vallejo, V.R.** 2004. Productivity of *Pinus radiata* plantations in Spain in response to climate and soil. *Forest Ecology and Management*, 195: 177–189.
- Ronaldo, C.A., Watt, M.S. & Zabkiewicz, J.** 2011. The potential cost of environmental certification to vegetation management in plantation forests: a New Zealand case study. *Canadian Journal of Forest Research*, 41(5): 986–993.
- Rook, D.A. & Whitehead, D.** 1979. Temperature and growth of *Pinus radiata*. *Proceedings of the Agronomy Society of New Zealand*, 9: 109–112.

- Ross, C.W., Watt, M.S., Parfitt, R.L., Simcock, R., Dando, J., Coker, G., Clinton, P.C. & Davis, M.R. 2009. Soil quality relationships with tree growth in exotic forests in New Zealand. *Forest Ecology and Management*, 258: 2326–2334.
- Ross, D.J., Tate, K.R., Scott, N.A., Wilde, R.H., Rodda, N.J. & Townsend, J.A. 2002. Afforestation of pastures with *Pinus radiata* influences carbon pools and mineralisation and microbial properties. *Australian Journal of Soil Research*, 40: 1303–1318.
- Rotarangi, S. & Thorp, G. 2009. Can profitable forest management incorporate community values? *New Zealand Journal of Forestry*, 54(2): 13–16.
- Rowe, D. 2000. Can pine plantations restore whitebait fisheries? *New Zealand Tree Grower*, 21(2): 34–35.
- Rozados-Lorenzo, M.J., González-Hernández, M.P. & Silva-Pando, F.J. 2007. Pasture production under different tree species and densities in an Atlantic silvopastoral system. *Agroforestry Systems*, 70: 53–62.
- Rubilar, R., Blevins, L., Toro, J., Vita, A. & Muñoz, F. 2008. Early response of *Pinus radiata* plantations to weed control and fertilization on metamorphic soils of the Coastal Range, Maule Region, Chile. *Bosque*, 29: 74–78.
- Ruiz, G. & Schlatter, J.E. 1985. Relación entre el índice de sitio, la elevación y la exposición en la Cordillera de Nahuelbuta. In B. Olivares & E. Morales, eds. *Pinus radiata investigación en Chili, Volume 2*: pp. 51–65. Valdivia, Chile, Universidad Austral de Chile.
- Sands, R., Greacen, E.L. & Gerard, C.J. 1979. Compaction of sandy soils in radiata pine forests. I. A penetrometer study. *Australian Journal of Soil Research*, 17: 101–113.
- Sands, R., Haramburu, E., Wood, M. & Douglas, R.A. 2007. Harvesting traffic and ripping affect growth of *Pinus radiata*. *New Zealand Journal of Forestry Science*, 37(1): 112–123.
- Sasse, J., Elms, S. & Kube, P. 2009. Genetic resistance in *Pinus radiata* to defoliation by the pine aphid *Essigella californica*. *Australian Forestry*, 72: 25–31.
- Schirmer, J., Parsons, M., Charalambou, C. & Gavran, M. 2005. *Socio-economic impacts of plantation forestry in the Great Southern region of WA, 1991–2004*. Report PN04, 4007. Melbourne, Australia, Forest and Wood Products Research and Development Corporation (available at: www.fwpa.com.au/sites/default/files/PN04.4007%20Great%20Southern%20Region.pdf).
- Schlatter J.E., Gerding V. & Oñate, M.I. 1998. Características y variabilidad de sitios con plantaciones adultas de *Pinus radiata* D. Don en suelos graníticos de las Regiones VIII y IX. *Bosque*, 19: 37–59.
- Schlatter, J.E. & Gerding, V. 1985. Deficiencia de boro en plantaciones de *Pinus radiata* D. Don en Chile II. Principales causas y corrección. *Bosque*, 6(1): 32–43.
- Scott, C.W. 1960. Radiata pine as an exotic. *Unasylva*, 14(1): 6–16.
- Scott, D.F. 2005. On the hydrology of industrial timber plantations. *Hydrological Processes*, 19: 4203–4206.
- Scott, D.F. & Prinsloo, F.W. 2008. Longer-term effects of pine and eucalypt plantations on streamflow. *Water Resources Research*, 44: 1–8.
- Seaton, R., Minot, E.O. & Holland, J.D. 2010. Variation in bird species abundance in a commercial pine plantation in New Zealand. *New Zealand Journal of Forestry*, 54(4): 3–11.
- Self, M. & MacKenzie, M. 1995. Intensive site-preparation to control armillaria root disease in second-rotation *Pinus radiata*. *New Zealand Journal of Forestry Science* 25: 111–116.
- Shelbourne, C.J.A., Burdon, R.D., Carson, S.D., Firth, A. & Vincent, T.G. 1986. *Development plan for radiata pine breeding*. Rotorua, New Zealand, Forest Research Institute.
- Shepherd, K.R. 1986. *Plantation silviculture*. Dordrecht, the Netherlands, Martin Nijhoff.
- Shepherd, K.R. 1995. *Growth patterns and growth substances in radiata pine*. University of Melbourne, Melbourne. (PhD thesis).

- Shepherd, R.W.** 1990. Early importations of *Pinus radiata* to New Zealand and distribution to Canterbury to 1889: implications for the genetic making of *Pinus radiata* stocks. Part 1. *Journal of the Royal New Zealand Institute of Horticulture*, 1(1) (January): 33–38. Part 2. *Ibid.* (August): 28–35.
- Sheriff, D.W., Nambiar, E.K.S. & Fife, D.N.** 1986. Relationships between nutrient status, carbon assimilation and water use efficiency in *Pinus radiata* (D. Don) needles. *Tree Physiology*, 2: 73–88.
- Sherry, S.P.** 1947. The potentialities of genetic research in South African forestry. *Journal of the South African Forestry Association*, 15: 69–79.
- Shula, R.G.** 1989. The upper limits of radiata pine stem-volume production in N.Z. *New Zealand Forestry*, 34(2): 19–22.
- Siemon, G.R., Wood, G.B. & Forrest, W.G.** 1976. Effects of thinning on crown structure in radiata pine. *New Zealand Journal of Forestry Science* 6: 57–66.
- Simberloff, D., Nuñez, M.A., Ledgard, N.J., Pauchard, A., Richardson, D.M., Sarasola, M., Van Wilgen, B.W., Zalba, S.M., Zenni, R.D., Bustamante, R., Peña, E. & Ziller, S.R.** 2010. Spread and impact of introduced conifers in South America: Lessons from other southern hemisphere regions. *Austral Ecology*, 35(5): 489–504.
- Singh, S., Davey, S. & Cole, M.** 2010. Implications of climate change for forests, vegetation and carbon in Australia. *New Zealand Journal of Forestry Science*, 40: 141–152.
- Smailes, P. J. & Smith, D.L.** 2001. The growing recreational use of state forest lands in the Adelaide hills. *Land Use Policy*, 18(2): 137–152.
- Smaill, S.J., Clinton, P.W. & Greenfield, L.G.** 2008. Postharvest organic matter removal effects on FH layer and mineral soil characteristics in four New Zealand *Pinus radiata* plantations. *Forest Ecology and Management*, 256: 558–563.
- Smaill, S.J., Clinton, P.W. & Hock, B.K.** 2011. A nutrient balance model (NuBalM) to predict biomass and nitrogen pools in *Pinus radiata* forests. *Forest Ecology and Management*, 262: 270–277.
- Smith, C.T., Lowe, A., Skinner, M.F., Beets, P.N., Schöenholtz, S.H. & Fang, S.** 2000. Response of radiata pine forests to residue management and fertilisation across a fertility gradient in New Zealand. *Forest Ecology and Management*, 138: 203–223.
- Smith, D.R.** 1999. Successful rejuvenation of radiata pine. In *Proceedings of the 25th Biennial Southern Forest Tree Improvement Conference: 1999 July 11–14; New Orleans, LA*, pp. 158–167. New Orleans, Southern Forest Tree Improvement Committee (also available at: www.rngr.net/publications/tree-improvement-proceedings/sftic/1999/successful-rejuvenation-of-radiata-pine).
- Smith, D.R., Sing, A.P. & Wilton, L.** 1985. Zygotic embryos of *Pinus radiata* in vivo and in vitro. In D.R. Smith, ed. *Proceedings international conifer tissue culture working group*, pp. 25. Rotorua, New Zealand, Forest Research Institute.
- Smith, M.E.** 1943. Micronutrients essential for the growth of *Pinus radiata*. *Australian Forestry*, 7: 22–27.
- Smith, M.E. & Bayliss, N.S.** 1942. The necessity of zinc for *Pinus radiata*. *Plant Physiology*, 17: 303–310.
- Snook, J.** 2010. Using Forecaster to maximise your forest investment. *New Zealand Tree Grower*, 32(2): 20–21.
- Snowdon, P. & Benson, M.L.** 1992. Effects of combinations of irrigation and fertilisation on the growth and above-ground biomass production of *Pinus radiata*. *Forest Ecology and Management*, 52: 87–116.
- Snowdon, P. & Khanna, P.K.** 1989. Nature of growth responses in long-term field experiments with special reference to *Pinus radiata*. In W.J. Dyck & C.A. Mees, eds. *Research strategies for long-term site productivities. Proceedings IEA/BE A3 workshop, Seattle, WA, August 1988*, pp. 173–186, IEA/BE A3 report 8, FRI Bulletin No. 152. Rotorua, New Zealand, Forest Research Institute.

- Solla-Gullión, F., Santalla, M., Pérez-Cruzado, C., Merino, A. & Rodríguez-Soalleiro, R. 2008. Response of *Pinus radiata* seedlings to application of mixed wood-bark ash at planting in a temperate region: Nutrition and growth. *Forest Ecology and Management*, 255: 3873–3884.
- Somerville, A.R. 1989. Tree wind stability and forest management practices. In A.R. Somerville, ed. *Workshop on wind damage in New Zealand exotic forests*, pp. 39–58. FRI Bulletin No. 146. Rotorua, New Zealand, Forest Research Institute.
- Sonogan, B. 2006. *Christmas trees – shearing techniques*. Agriculture Notes AG0805, Melbourne, State of Victoria, Department of Primary Industries.
- Sorrenson, C.T. 2007. Improving the relevancy of breeding for wood quality in softwoods. *Australian Forest Genetics Conference, Hobart, Tasmania, 11–14 April 2007* (available at: proceedings.com.au/afgc/papers%20(pdf)/weds%20sorrenson.pdf).
- Sotomayor, A. & Cabrera, C. 2008. Análisis de un sistema silvopastoral con *Pinus radiata* D. Don. asociado con ganado ovino en la zona mediterránea costera de Chile. *Ciencia y Investigación Forestal*, 14(2): 269–286.
- Sotomayor, A., Helmke, E. & Garcíá, E. 2002. *Manejo y mantención de plantaciones forestales*. *Pinus radiata y Eucalyptus sp.* Documento de divulgación 23. Concepción, Chile, Instituto Forestal.
- Sotomayor, A., Lucero, A., Grosse, H., Bello, A. & Soto, H. 2009. Analisis agroforestal de la pequeña propiedad agricola en las regions del Bío Bío y la Araucana, Chile. *Ciencia y Investigación Forestal*, 15(3): 355–382.
- Sotomayor, A. & Teuber, O. 2011. Evaluación del efecto de los arboles manejados bajo ordenamiento silvopastoral en los parámetro climáticos del sitio, en relación a un manejo ganadero sin árboles. *Ciencia y Investigación Forestal*, 17(1): 23–40.
- South, D.B. 1995. Contrasting weed management systems in bare-root conifer nurseries. *The Forestry Chronicle*, 71: 331–342.
- South, D.B. 2005. A review of the “pull-up” and “leave-down” methods of planting loblolly pine. *Tree Planters’ Notes*, 51: 53–67.
- South, D.B., Mitchell, R.J., Zutter, B.R., Balneaves, J.M., Barber, B.L., Nelson, D.J. & Zwolinski, J.B. 1993. Integration between vegetation management: economic and biological potential for improving regeneration. *Canadian Journal of Forest Research*, 23: 2083–2092.
- Spurr, S.H. 1962. Growth and mortality of 1925 planting of *Pinus radiata* on pumice. *New Zealand Journal of Forestry*, 8(4): 560–569.
- Stephens, C.G. 1933. Tasmanian soils in relation to growth in plantations of *Pinus radiata* (*insignis*) and other exotics. *Journal of the Council of Science and Industry*, 6(1): 54–60.
- Stephens, S.L. & Libby, W.J. 2006. Anthropogenic fire and bark thickness in coastal and island pine populations from Alta and Baja California. *Journal of Biogeography*, 33: 648–652.
- Stoate, T.N. 1945. The use of a volume equation in a pine stand. *Australian Forestry*, 9(1): 48–52.
- Stoate, T.N. 1950. *Nutrition of the pine*. Bulletin No. 30. Canberra, Forestry and Timber Bureau.
- Strandgard, M., Wild, I. & Chong, D. 2002. PLYRS plantation management system. *New Zealand Journal of Forestry*, 46(4): 12–15.
- Sutton, W.R.J. 1970. The effect of initial spacing on branch spacing – a summary of results to date. In W.R.J. Sutton, ed. *Pruning and thinning practice, vol 2*, pp. 106–107. FRI Symposium 12. Rotorua, New Zealand, Forest Research Institute.
- Sutton, W.R.J. 1973. Changes in tree dominance and form in a young radiata pine stand, New Zealand. *New Zealand Journal of Forest Science*, 3: 323–330.
- Sutton, W.R.J. 1984. *New Zealand experience with radiata pine*. H.R. MacMillan Lectureship in Forestry. Vancouver, Canada, University of British Columbia.

- Sutton, W.R.J. & Crowe, J.B.** 1975. Selective pruning of radiata pine. *New Zealand Journal of Forestry Science*, 5(2): 171–195.
- Swart, W.J., Knox-Davies, P.S. & Wingfield, M.J.** 1985. *Sphaeropsis sapinea*, with special reference to its occurrence in *Pinus* spp. in South Africa. *South African Forestry Journal*, 35: 1–8.
- Sweet, G.B.** 1989. Keynote address. Maintaining health in plantation forests. *New Zealand Journal of Forestry Science*, 19: 143–154.
- Sweet, G.B., Bolton, P. & Litchwark, H.** 1990. A meadow orchard in radiata pine: research and reality. In *Proceedings, Meeting of Reproductive Resources Working Party, XIX IUFRO World Congress, Montreal*, pp. s2.01–5. Montreal, IUFRO.
- Sweet, G.B., Dickson, R.L., Donaldson, B.D. & Litchwark, H.** 1992. Controlled pollination without isolation: a new approach to the management of radiata pine seed orchards. *Silvae Genetica*, 41: 95–99.
- Sweet, G.B. & Hong, S.O.** 1978. The role of nitrogen in relation to cone production in *Pinus radiata*. *New Zealand Journal of Forestry Science*, 8: 225–238.
- Syme, J.W.** 1933. A yield table for insignis pine in mid Canterbury. *Te Kura Ngahere*, 3(3) 131–134.
- Tapia, P.A. & Cepeda, M.** 2005. Sistema de apoyo a la toma de decisiones de establecimiento de plantaciones forestales. *Bosque*, 26(3): 19–31.
- Thomas, R.C. & Mead, D.J.** 1992. Uptake of nitrogen by *Pinus radiata* and retention within the soil after applying ^{15}N labelled urea at different frequencies. 2. Seasonal trends and processes. *Forest Ecology and Management*, 53: 153–174.
- Thorn, A.J., Smith, C.T., Tomer, M.D. & Pearce, S.** 2000. Productivity, nutrition, and health of *Pinus radiata* during five years of effluent irrigation at Rotorua, New Zealand. In C.L. Henry, R.B. Harrison & R.K. Bastian, eds. *The forest alternative: Principles and practice of residuals use*, pp. 170–177. Seattle, USA, College of Forest Resources, University of Washington (also available at: www.forest.washington.edu/clh/FASProceedings/Ch27Thorn.pdf).
- Tombleson, J.D., Grace, J.C. & Inglis, C.S.** 1990. Response of radiata pine branch characteristics to site and stocking. In R.N. James & G.L. Tarlton, eds. *New approaches to spacing and thinning in plantation forestry, Proceedings of a IUFRO Symposium held at the Forest Research Institute, Rotorua, New Zealand, 10–14 April 1989*. pp. 229–231. FRI Bulletin No. 151. Rotorua, New Zealand, Forest Research Institute.
- Toro, J.** 2004. Alternativas silvícolas para aumentar la rentabilidad de las plantaciones forestales. *Bosque*, 25(2): 101–113.
- Townsend, P.V., Harper, R.J., Brennan, P.D., Dean, C., Wu, S., Smettem, K.R.J. & Cook, S.E.** 2012. Multiple environmental services as an opportunity for watershed restoration. *Forest Policy and Economics*, 17: 45–58.
- Trewin, A.R.D.** 2005. Establishment. In M. Colley, ed. *NZIF forestry handbook*, pp. 114–118. Christchurch, New Zealand, New Zealand Institute of Forestry.
- Trewin, A.R.D. & Cullen, A.W.J.** 1985. A fully integrated system for planting barerooted seedlings of radiata pine in New Zealand. In D.B. South, ed. *Proceedings of the International Symposium on Nursery Management Practices for the Southern Pines, Montgomery, Alabama, USA, August 4–9, 1985*, pp. 524–548. Alabama, USA, School of Forestry, Auburn University.
- Trewin, A.R.D. & Kirk, P.M.** 1992. Planting bare-rooted seedlings of radiata pine on difficult terrain. In *Proceedings of harvesting and re-establishment of difficult terrain*. Logging Industries Research Organisation, Rotorua, New Zealand.
- Tsehay, A., Buchanan, A.H. & Walker, J.C.F.** 2000. Selecting trees for structural timber. *Holz als Roh- und Werkstoff*, 58: 162–167.
- Turner, J.A., Bhubaneswor, D., Yao, R., Barnard, T. & Maunder, C.** 2011. Non-timber values from planted forests: Recreation in Whakarewarewa forest. *New Zealand Journal of Forestry*, 55(4): 24–31.

- Turner, J. & Lambert, M.J. 1986. Nutrition and nutritional requirements of *Pinus radiata*. *Annual Review of Ecology and Systematics*, 17: 325–350.
- Turner, J. & Lambert, M.J. 2011. Analysis of nutrient depletion in a radiata pine plantation. *Forest Ecology and Management*, 262: 1327–1336.
- Turner, J., Lambert, M.J., Hopmans, P. & McGrath, J. 2001. Site variation in *Pinus radiata* plantations and implications for site specific management. *New Forests*, 21, 249–282.
- Turner, J., Lambert, M.J. & Humphreys, F.R. 2002. Continuing growth response to phosphate fertilizers by a *Pinus radiata* plantation over fifty years. *Forest Science*, 48: 556–568.
- UNDP. 2011. *Human development report 2011. Sustainability and equity: a better future for all*. New York, United Nations Development Programme.
- Ure, J. 1949. The natural regeneration of *Pinus radiata* on Kaingaroa Forest. *New Zealand Journal of Forestry*, 6 (1): 30–38.
- Valbuena-Carabaña, M., López de Heredia, U., Fuentes-Utrilla, P., González-Doncel, I. & Gil, L. 2010. Historical and recent changes in the Spanish forests: A socio-economic process. *Review of Palaeobotany and Palynology*, 162: 492–506.
- Van der Pas, J.B., Bulman L. & Horgan, G.P. 1984: Estimation and cost benefits of spraying *Dothistroma pini* in tended stands of *Pinus radiata* in New Zealand. *New Zealand Journal of Forestry Science*, 14: 23–40.
- Van Laar, A. 1982. The response of *Pinus radiata* to initial spacing. *South African Forestry Journal*, 121: 52–63.
- Vanclay, J.K. 2009. Tree diameter, height and stocking in even-aged forests. *Annals of Forest Science*, 66: 702–9.
- VanderSchaaf, C.L. & South, D.B. 2003. Effect of planting depth on growth of open-rooted *Pinus elliottii* and *Pinus taeda* seedlings in the United States. *Southern African Forestry Journal*, 198: 63–73.
- Vertessy, R.A., Zhang, L. & Dawes, W.R. 2003. Plantations, river flows and river salinity. *Australian Forestry*, 66(1): 55–61.
- Waghorn, M.J., Mason, E.G. & Watt, M.S. 2007a, Influence of initial stand density and genotype on longitudinal variation in modulus of elasticity for 17-year-old *Pinus radiata*. *Forest Ecology and Management*, 252: 67–72.
- Waghorn, M.J., Mason, E.G. & Watt, M.S. 2007b. Assessing interactions between initial stand stocking and genotype on growth and form of 17-year old *Pinus radiata* in Canterbury, New Zealand. *New Zealand Journal of Forestry*, 52: 24–30.
- Wagner, R.G., Little, K.M., Richardson, B. & McNabb, K. 2006. The role of vegetation management for enhancing productivity of the world's forest. *Forestry*, 79: 57–79.
- Wainhouse, D. 2005. *Ecological methods of forest pest management*. Oxford, UK, Oxford University Press.
- Walbert, K., Ramsfield, T.D., Ridgway, H.J. & Jones, E.E. 2010. Ectomycorrhizal species associated with *Pinus radiata* in New Zealand including novel associations determined by molecular analysis. *Mycorrhiza*, 20: 209–215.
- Walker, E.E. 1931. Observations on the mycorrhiza of *Pinus radiata*. *New Zealand Journal of Forestry*, 3(1): 43–44.
- Walker, J.F.C. & Butterfield, B.G. 1995. The importance of microfibril angle for the processing industries. *New Zealand Journal of Forestry*, 40(3): 34–40.
- Walter, C., Carson, S.D., Menzies, M.I., Richardson, T.E. & Carson, M. 1997. Review: application of biotechnology to forestry – molecular biology of conifers. *World Journal of Microbiology and Biotechnology*, 14: 321–330.
- Walter, C., Grace, L.J., Wagner, A., White, D.W.R., Walden, A.R., Donaldson, S.S., Hinton, H., Gardner, R.C. & Smith, D.R. 1998. Stable transformation and regeneration of transgenic plants of *Pinus radiata* D. Don. *Plant Cell Reports*, 17: 460–468.
- Waring, R.H., Schroeder, P.E. & Oren, R. 1982. Application of pipe model theory to predict canopy leaf area. *Canadian Journal of Forest Research*, 12: 556–560.

- Watson, M.C., Kriticos, D.J., Drayton, G.M., Teulon, D.A. & Brockerhoff, E.G.** 2008. Assessing the effect of *Essigella californica* on *Pinus radiata* at two sites in New Zealand. *New Zealand Plant Protection*, 61: 179–184.
- Watson, M.C., Watt, M.S., Withers, T.M., Kimberley, M.O. & Rolando, C.A.** 2011. Potential for *Cleopus japonicus* to control the weed *Buddleja davidii* in plantation forests in New Zealand. *Forest Ecology and Management*, 261: 78–83.
- Watson, W.J. & Tombleson, J.D.** 2004. Toppling in young pines: temporal changes in root system characteristics of bare-root seedlings and cuttings. *New Zealand Journal of Forestry Science*, 34(1): 39–48.
- Watt, M., Bulman, L. & Palmer, D.** 2011. The economic cost of dothistroma needle blight to the New Zealand forest industry. *New Zealand Journal of Forestry*, 56: 20–22.
- Watt, M.S., Clinton, P.C., Parfitt, R.L., Ross, C. & Coker, G.** 2009a. Modelling the influence of site and weed competition on juvenile modulus of elasticity in *Pinus radiata* across broad environmental gradients. *Forest Ecology and Management*, 258: 1479–1488.
- Watt, M.S., D'Ath, D., Lecke, A.C., Clinton, P.C., Coker, G., Davis, M.R., Simcock, R., Parfitt, R.L., Dando, J. & Mason, E.G.** 2008c. Modelling the influence of stand structural, edaphic and climatic influences on juvenile *Pinus radiata* fibre length. *Forest Ecology and Management*, 254: 166–177.
- Watt, M.S., Davis, M.R., Clinton, P.W., Coker, G., Ross, C., Dando, J., Parfitt, R.L. & Simcock, R.** 2008a. Identification of key soil indicators influencing plantation productivity and sustainability across a national trial series in New Zealand. *Forest Ecology and Management*, 256: 180–190.
- Watt, M.S., Downes, G.M., Jones, T., Ottenschlaeger, M., Leckie, A.C., Smaill, S.J., Kimberley, M.O. & Brownlie, R.** 2009b. Effect of stem guying on the incidence of resin pockets. *Forest Ecology and Management*, 258: 1913–1917.
- Watt, M.S., Ganley, R.J., Kriticos, D.J. & Manning, L.K.** 2011. Dothistroma needle blight and pitch canker: the current and future potential distribution of two important diseases of *Pinus* species. *Canadian Journal of Forest Research* 41(2): 412–424.
- Watt, M.S., Kirschbaum, M.U.F., Paul, T.S.H., Tait, A., Pearce, H.G., Brockerhoff, E.G., Moore, J.R., Bulman, L.S. & Kriticos, D.J.** 2008b. *The effects of climate change on New Zealand's planted forests: impacts, risks and opportunities*. Wellington, Ministry of Agriculture and Forestry.
- Watt, M.S., Palmer, D.J., Kimberley, M.O., Hock, B.K., Payn, T.W. & Lowe, D.J.** 2010. Development of models to predict *Pinus radiata* productivity throughout New Zealand. *Canadian Journal of Forest Research*, 40: 488–499.
- Watt, M.S., Turner, J.A. & Mason, E.G.** 2000. Genetic influence on second-log branching in *Pinus radiata*. *New Zealand Journal of Forestry Science*, 30: 315–333.
- Webster, C.C. & Baulkwill, W.J.** eds. 1989. *Rubber*. Harlow, England, Longman Group.
- West, G.** 2005. Modelling at the stand level. In M. Colley, ed. *NZIF forestry handbook*, pp. 161. Christchurch, New Zealand, New Zealand Institute of Forestry.
- West G.G. & Dean, M.G.** 1990. The use of livestock to control weeds in New Zealand forests. In C. Bassett, L.J. Whitehouse & J.A. Zabkiewicz, eds. *Alternatives to chemical control of weeds. Proceedings of an International Conference, Rotorua, New Zealand, July 1989*, pp. 128–132, FRI Bulletin No. 155. Rotorua, New Zealand, Forest Research Institute, Ministry of Forestry.
- West, G.G., Eggleston, N.T. & McLanachan, J.R.** 1987. *Further development and validation of the early growth model*. FRI Bulletin No. 129. Rotorua, New Zealand, Forest Research Institute.
- West, G.G., Knowles, R.L. & Koehler, A.R.** 1982. *Model to predict the effects of pruning and early thinning on the growth of radiata pine*. FRI Bulletin No. 5. Rotorua, New Zealand, Forest Research Institute.
- West, P.W.** 2006. *Growing plantation forests*. Berlin, Germany, Springer.

- West, P.W. & Borough, C.J. 1983. Tree Suppression and the self-thinning rule in a monoculture of *Pinus radiata* D. Don. *Annals of Botany*, 52: 149–158.
- West, P.W., Jackett, D.R. & Borough, C.J. 1989. Competitive processes in a monoculture of *Pinus radiata* D. Don. *Oecologia*, 81: 57–61.
- Whitehead, D. 2011. Forests as carbon sinks—benefits and consequences. *Tree Physiology*, 31(9): 893–902.
- Whiteside, I.D. & Manley, B.R. 1987. Radiata pine resource description by log-grade specification. In Kininmonth, J.A., ed. *Proceedings of the conversion planning conference*, pp. 27–38. FRI Bulletin No. 128, Rotorua, New Zealand, Forest Research Institute.
- Whiteside, I.D. & Sutton, W.R.J. 1986. A silvicultural stand model: implications for radiata pine management. *New Zealand Journal of Forestry*, 28(3): 300–313.
- Whiteside, I.D., West, G.G. & Knowles, R.L. 1989. *Use of STANDPAK for evaluating radiata pine management at the stand level*. FRI Bulletin No. 154, Rotorua, New Zealand, Forest Research Institute.
- Whyte, A.G.D. 1973. Productivity of first and second crops of *Pinus radiata* on the Moutere gravel soils of Nelson. *New Zealand Journal of Forestry*, 18(1): 87–103.
- Whyte, A.G.D. 1976. Spraying pine plantations with fungicides: the manager's dilemma. *Forest Ecology and Management*, 1(1): 7–19.
- Wilkes, J. 1987. Review of the significance of variations in wood structure in the utilization of *Pinus radiata*. *Australian Forest Research*, 17: 215–232.
- Will, G.M. 1968. The uptake, cycling and removal of mineral nutrients by crops or *Pinus radiata*. *Proceedings of the New Zealand Ecological Society*, 15: 20–24.
- Will, G.M. 1985. *Nutrient deficiencies and fertilizer use in New Zealand exotic forests*. FRI Bulletin No. 97, Rotorua, New Zealand, Forest Research Institute.
- Will, G.M. & Ballard, R. 1976. Radiata pine – soil degrader or improver? *New Zealand Journal of Forestry*, 21(2): 248–252.
- Will, G.M. & Knight, P.J. 1968. Pumice soils as a medium for tree growth. *New Zealand Journal of Forestry*, 13: 50–65.
- Wingfield, M. 2004. Disease affecting exotic plantation species. In J. Burley, J. Evans & J. Youngquist, eds. *Encyclopedia of forest science* Vol. 2, pp 816–821. Oxford, UK, Elsiver.
- Wingfield, M.J., Hammerbacher, A., Ganley, R.J., Steenkamp, E.T., Gordon, T.R. & Wingfield, T.A. 2008. Pitch canker caused by *Fusarium circinatum* – a growing threat to pine plantations and forests worldwide. *Australasian Plant Pathology*, 37(4): 319–334.
- Woollons, R.C., Haywood, A. & McNickle, D.C. 2002. Modeling internode length and branch characteristics for *Pinus radiata* in New Zealand. *Forest Ecology and Management*, 160: 243–261.
- Woollons, R.C. & Manley, B.R. 2012. Examining growth dynamics of *Pinus radiata* plantations at old ages in New Zealand. *Forestry*, 85(1): 79–85.
- Woollons, R.C., Whyte, A.G.D. & Mead, D.J. 1988. Long-term growth responses in *Pinus radiata* fertiliser experiments. *New Zealand Journal of Forestry Science*, 18(2): 199–209.
- Wu, H.X., Eldridge, K.G., Matheson, A.C., Powell, M.B. & McRae, T.A. 2007. Successful introduction and breeding of radiata pine to Australia. In *Proceedings of 11th Institute of Foresters Australasian Conference, Coffs Harbour, June 2007*, pp. 18–37.
- Wu, H.X., Ivković, M., Gapare, W.J., Matheson, A.C., Baltunis, B.S., Powell, M.B. & McRae, T.A. 2008. Breeding for wood quality and profit in *Pinus radiata*: a review of genetic parameter estimates and implications for breeding and deployment. *New Zealand Journal of Forestry Science*, 38(1): 56–87.
- Yan, H., Bi, H., Li, R., Eldridge, R., Wu, Z., Li, Y. & Simpson, J. 2006. Assessing climatic suitability of *Pinus radiata* (D. Don) for summer rainfall environment of southwest China. *Forest Ecology and Management*, 234: 199–208.
- Zabowski, D., Skinner, M.F. & Payn, T.W. 2007. Nutrient release by weathering: implications for sustainable harvesting of *Pinus radiata* in New Zealand soils. *New Zealand Journal of Forestry Science*, 37(3): 336–354.

- Zander Associates.** 2002. *Monterey pine and monterey forest habitat*. Report for Pebble Beach Company California. Novato, California, USA, Zander Associates (available at: www.co.monterey.ca.us/planning/major/Pebble%20Beach%20Company/Pebble_Beach_DEIR_Nov_2011/Pebble_Beach_DEIR_Admin_Records_Nov_2011/Zander/Zander_2002_mpfc_report.pdf).
- Zas, R. & Serrada, R.** 2003. Foliar nutrient status and nutritional relationships of young *Pinus radiata* D. Don plantations in northwest Spain. *Forest Ecology and Management*, 174: 167–176.
- Zeide, B.** 1993 Analysis of growth equations. *Forest Science*, 39: 594–616.
- Zobel, B. & Talbert, J.** 1984. *Applied forest tree improvement*. New York, USA, John Wiley and Sons.
- Zondag, R.** 2009. *Pine twig chermes or pine wooly aphid*, *Pineus pini*. Forest and Timber Insects in New Zealand No. 25 (revised). Rotorua, New Zealand, Forest Research Institute (available at: www.nzffa.org.nz/farm-forestry-model/the-essentials/forest-health-pests-and-diseases/Pests/Pineus-laevis/Pineus-laevis-ent25).
- Zwolinski, J., Johnson, M. & Kotze, H.** 2002. Soil treatments for improved timber production in *Pinus radiata* plantations in South Africa. *Forest Ecology and Management*, 171: 199–207.

Sustainable management of *Pinus radiata* plantations

Pinus radiata (radiata pine) is a versatile, fast-growing, medium-density softwood, suitable for a wide range of end-uses. Its silviculture is highly developed, and is built on a firm foundation of over a century of research, observation and practice. Radiata pine is often considered a model for growers of other plantation species. This book explores current knowledge of, and experience with radiata pine forest plantation management and examines its long-term sustainability.

Radiata pine management needs to integrate the biological aspects of tree-growing, with socio-economics, management objectives, practical considerations and other constraints and opportunities. Although stands of radiata pine may appear to be simple, they are actually quite complex ecosystems because they contain large, long-lived trees that change dramatically over time and interact in changing ways with the environment and with other organisms.

The focus of this book is on the principles and practices of growing radiata pine sustainably. It also looks ahead to emerging challenges facing radiata pine plantation management, such as the effects of climate change, new diseases and other threats, and meeting changing product needs and societal demands.

