



BIBLIOGRAFÍA

- Alcock, D.J. & Hegarty, R.S. 2011. Potential effects of animal management and genetic improvement on enteric methane emissions, emissions intensity and productivity of sheep enterprises at Cowra, Australia. *Animal Feed Science and Technology*, 166: 749–760.
- Banco Mundial. 2011. Climate-Smart Agriculture: Increased Productivity and Food Security, Enhanced Resilience and Reduced Carbon Emissions for Sustainable Development. Banco Mundial, Washington D.C.
- Banco Mundial. 2012. Turn Down the Heat. Why a 4°C warmer world must be avoided. A Report for the World Bank by the Potsdam Institute for Climate Impact Research and Climate Analytics. Banco Mundial, Washington.
- Banco Mundial. 2013. Energy use data, accessed on 29 April 2013. Available at <http://data.worldbank.org/indicator/EG.USE> <http://data.worldbank.org/indicator/EG.USE.COMM.KT.OE.COMM.KT.OE>
- Bastos, E. 2013. *Multi-stakeholder action for sustainable livestock*, side event at the 38th FAO Conference. Brazilian Roundtable on Sustainable Livestock. Rome, FAO, 17 June. (available at http://www.livestockdialogue.org/fileadmin/templates/res_livestock/docs/2013_june17_Rome/GTPS_FAO_Jun13_Institutional-eng.pdf).
- Beach, R.H., DeAngelo, B.J., Rose, S., Li, C., Salas, W. & DelGrosso, S.J. 2008. Mitigation potential and costs for global agricultural greenhouse gas emissions. *Agricultural Economics*, 38(2), 109–115.
- Beauchemin, K.A., Janzen, H.H., Little, S.M., McAllister, T.A. & McGinn, S.M. 2011. Mitigation of greenhouse gas emissions from beef production in western Canada – Evaluation using farm-based life cycle assessment. *Anim. Feed Sci. Technol.* 166–167: 663–677.
- Beauchemin, K.A., Kreuzer, M., O'Mara, F. & McAllister, T.A. 2008. Nutritional management for enteric methane abatement: a review. *Australian Journal of Experimental Agriculture*, 48: 21–27.
- Bell, M.J., Wall, E., Russell, G., Simm, G. & Stott, A.W. 2011. The effect of improving cow productivity, fertility, and longevity on the global warming potential of dairy systems. *J. Dairy Sci.*, 94: 3662–3678.
- Bertelsen, B. S., Faulkner, D. B., Buskirk, D. D., & Castree, J. W. 1993. Beef cattle performance and forage characteristics of continuous, 6-paddock, and 11-paddock grazing systems. *Journal of animal science*, 71(6): 1381–1389.
- Berman, A. 2011. Invited review: Are adaptations present to support dairy cattle productivity in warm climates? *J. Dairy Sci.* 94: 2147–2158.
- Borchersen, S. & Peacock, M. 2009. Danish A.I. field data with sexed semen. *Theriogenology*, 71(1): 59–63
- Britz, W., & Witzke, P. 2008. CAPRI model documentation 2008: Version 2. Institute for Food and Resource Economics, Universidad de Bonn, Bonn.
- Chilliard, Y. & Ferlay, A. 2004. Dietary lipids and forages interactions on cow and goat milk fatty acid composition and sensory properties. *Reprod. Nutr. Dev.*, 44: 467–492.

- Cederberg, C. & Stadig, M.** 2003. System expansion and allocation in life cycle assessment of milk and beef production, *Int. J. Life Cycle Assess.* 8(6):350–356
- Ciais, P., Reichstein, M., Viovy, N., Granier, A., Ogée, J., Allard, V., Aubinet, M., Buchmann, N., Bernhofer, C., Carrara, A., Chevallier, F., De Noblet, N., Friend, A.D., Friedlingstein, P., Grünwald, T., Heinesch, B., Keronen, P., Knohl, A., Krinner, G., Loustau, D., Manca, G., Matteucci, G., Miglietta, F., Ourcival, J.M., Papale, D., Pilegaard, K., Rambal, S., Seufert, G., Soussana, J.F., Sanz, M.J., Schulze, E.D., Vesala, T. & Valentini, R.** 2005. Europe-wide reduction in primary productivity caused by the heat and drought in 2003. *Nature*, 437: 529–533.
- Clemens, J., Trimborn, M., Weiland, P. & Amon, B.** 2006. Mitigation of greenhouse gas emissions by anaerobic digestion of cattle slurry. *Agric. Ecosyst. Environ.*, 112: 171–177.
- CMNUCCU.** 2009a. Annex I Party GHG Inventory Submissions. from http://unfccc.int/national_reports/annex_i_ghg_inventories/national_inventories_submissions/items/4771.php
- CMNUCC.** 2009b. Non-Annex I National Communications. from http://unfccc.int/national_reports/non-annex_i_natcom/items/2979.php
- Conant, R. T., Paustian, K., & Elliott, E. T.** 2001. Grassland management and conversion into grassland: effects on soil carbon. *Ecological Applications*, 11(2): 343–355.
- Conant, R.T. & Paustian, K.** 2002. Potential soil carbon sequestration in overgrazed grassland ecosystems. *Global Biogeochemical Cycles*, 16(4): 1143.
- Cramer, W., Kicklighter, D.W., Bondeau, A., Moore Lii, B., Churkina, G., Nemry, B., Ruim, A., Schloss, AL.** 1999. Comparing global models of terrestrial net primary productivity (NPP): overview and key results. *Global Change Biology*, 5(1): 1-15.
- Crosson, P., Shalloo, L., O'Brien, D., Lanigan, G.J., Foley, P.A., Boland, T.M. & Kenny, D.A.** 2011. A review of whole farm systems models of greenhouse gas emissions from beef and dairy cattle production systems. *Anim. Feed Sci. Technol.*, 166–167: 29–45.
- Dairy UK Supply Chain Forum.** 2008. The Milk Roadmap (available at <http://www.dairyuk.org/environmental/milk-roadmap>).
- De Jarnette, J.M., Nebel, R.L., & Marshall, C.E.** 2009. Evaluating the success of sex-sorted semen in US dairy herds from on farm records. *Theriogenology*, 71: 49–58
- Diaz.** 2013. Personal communication.
- Dobson, J.E., Bright, E.A., Coleman, P.R., Durfee, R.C. & Worley, B.A.** 2000. Land Scan: a global population database for estimating populations at risk. *Photogrammetric engineering and remote sensing*, 66(7): 849–857.
- Dorrough, J., Moll, J. & Crosthwaite, J.** 2007. Can intensification of temperate Australian livestock production systems save land for native biodiversity? *Agric Ecosys Environ.* 121: 222–32.
- EPA.** 2006. Global Mitigation of Non-CO₂ Greenhouse Gases. EPA 430-R-06-005. Agencia de protección animal de los Estados Unidos, Washington DC.
- Falloon, P., & Smith, P.** 2002. Simulating SOC changes in long-term experiments with RothC and CENTURY: model evaluation for a regional scale application. *Soil Use and Management*, 18(2): 101–111.
- FAO.** 1996. *World livestock production systems: current status, issues and trends*, por C. Seré y H. Steinfeld. Estudios FAO: Producción y Sanidad Animal N° 127. FAO, Roma.
- FAO.** 2005. *The importance of soil organic matter: key to drought-resistant soil and sustained food and production*, por Bot, A. y Benites, J. Vol. 80. FAO, Roma.
- FAO.** 2006. *La larga sombra del ganado: problemas ambientales y opiniones*, por H. Steinfeld, P. J. Gerber, T. Wassenaar, V. Castel, M. Rosales, & C. de Haan. FAO, Roma.

- FAO.** 2007. *Gridded livestock of the world 2007* por Wint, W. y Robinson, T. FAO, Roma.
- FAO.** 2010a. *Agriculture, food security and climate change in the post-Copenhagen process, an FAO information note.* FAO, Roma.
- FAO.** 2010b. *Greenhouse Gas Emissions from the Dairy Sector: A Life Cycle Assessment.* FAO, Roma.
- FAO.** 2011a. *Climate Change Mitigation Finance for Smallholder Agriculture. A guide book to harvesting soil carbon sequestration benefits,* por L. Lipper, B. Neves, A. Wilkes, T. Tennigkeit, P. Gerber, B. Henderson, G. Branca y W. Mann. FAO, Roma.
- FAO.** 2011b. *Global livestock production systems,* por T.P. Robinson, P.K. Thornton, G. Franceschini, R.L. Kruska, F. Chiozza, A. Notenbaert, G. Cecchi, M. Herrero, M. Epprecht, S. Fritz, L. You, G. Conchedda y L. See. FAO, Roma.
- FAO.** 2011c. *World Livestock 2011 – Livestock in food security.* FAO, Roma.
- FAO.** 2013a. *Greenhouse gas emisiones from ruminant supply chains – A global life cycle assessment.* Opio C., Gerber P., Mottet A., Falucci A., Tempio G., MacLeod M., Vellinga T., Henderson B. y Steinfeld, H. FAO, Roma.
- FAO.** 2013b. *Greenhouse gas emisiones from pig and chicken supply chains – A global life cycle assessment.* MacLeod, M., Gerber, P., Mottet, A., Tempio, G., Falucci, A., Opio, C., Vellinga, T., Henderson, B. y Steinfeld, H. FAO, Roma.
- FAO.** 2013c. *Mitigation of greenhouse gas emisiones in livestock production – A review of technical options for non-CO₂ emisiones.* Editado por P. J. Gerber, B. Henderson y H. Makkar. Estudio FAO: Producción y Sanidad Animal N° 177. FAO, Roma.
- FAO.** 2013d. *Optimization of feed use efficiency in ruminant production systems – Proceedings of the FAO Symposium, 27 November 2012, Bangkok, Thailand,* by Harinder P.S. Makkar and David Beeve, eds. FAO Animal Production and Health Proceedings, No. 16. Rome, FAO and Asian-Australasian Association of Animal Production Societies.
- FAOSTAT** 2009. FAO, Roma.
- FAOSTAT** 2013. FAO, Roma.
- FIL.** 2010. The International Dairy Federation Common Carbon Footprint Approach for Dairy. The IDF guide to standard lifecycle assessment methodology for the dairy sector. Boletín de la Federación Internacional de Lechería 445/2010. FIL, Bruselas.
- Fischer, G., Nachtergael, F., Prieler, S., van Velthuizen, H. T., Verelst, L., & Wiberg, D.** 2008. Global agro-ecological zones assessment for agriculture (GAEZ 2008). IIASA, Laxenburg, Austria and FAO, Roma.
- Flysjö, A., Cederberg, C & Strid, I.** 2008. LCA-databas för konventionella fodermedel - miljöpåverkan i samband med produktion. SIK rapport No. 772, Version 1.1.
- Follett, R. F., & Reed, D. A.** 2010. Soil carbon sequestration in grazing lands: societal benefits and policy implications. *Rangeland Ecology & Management*, 63(1): 4-15.
- Garnsworthy, P.** 2004. The environmental impact of fertility in dairy cows: a modelling approach to predict methane and ammonia emisiones. *Anim. Feed Sci. Technol.*, 112: 211–223.
- Gerber, P.J., Vellinga, T., Opio, C. & Steinfeld, H.** 2011. Productivity gains and greenhouse gas intensity in dairy systems. *Livestock Science*, 139: 100–108
- Gerber, P.J. & Menzi, H.** 2006. Nitrogen losses from intensive livestock farming systems in Southeast Asia: A review of current trends and mitigation options. *International Congress Series*, 1293: 253–261
- Gerber, P.J., Hristov, A. N., Henderson, B., Makkar H., Oh, J., Lee, C., Meinen, R., Montes, F., Ott, T., Firkins, J., Rotz, A., Dell, C., Adesogan, A. T., Yang, W. Z., Tricarico, J. M., Kebreab, E., Waghorn, G., Dijkstra, J. & Oosting, S.** 2013. Technical options for the mitigation of direct methane and nitrous oxide emisiones from livestock: a review. *Animal*, 7 (2): 220–234.

- Golub, A. A., Henderson, B. B., Hertel, T. W., Gerber, P. J., Rose, S. K., & Sohngen, B.** 2012. Global climate policy impacts on livestock, land use, livelihoods, and food security. *Proceedings of the National Academy of Sciences*.
- Grainger C., & Beauchemin K.A.** 2011. Can enteric methane emissions from ruminants be lowered without lowering their production? *Anim Feed Sci Tech*, 166–167: 308–320
- Havlík, P., Schneider, U. A., Schmid, E., Böttcher, H., Fritz, S., Skalský, R., Aoki, K., Cara, S. D., Kindermann, G., Kraxner, F., Leduc, S., McCallum, I., Mosnier, A., Sauer, T. & Obersteiner, M.** 2011. Global land-use implications of first and second generation biofuel targets. *Energy Policy* 39 (10), 5690 – 5702.
- Hertel, T. W. (Ed.).** 1999. Global trade analysis: modeling and applications. Cambridge university press.
- Hertel, T.** 2012. Implications of Agricultural Productivity for Global Cropland Use and GHG Emissions. Global Trade Analysis Project Working Paper No. 69, Center for Global Trade Analysis, Department of Agricultural Economics, Purdue University.
- Holland, E. A., Parton, W. J., Detling, J. K., & Coppock, D. L.** 1992. Physiological responses of plant populations to herbivory and their consequences for ecosystem nutrient flow. *American Naturalist*, 685–706.
- IEA,** 2008. Energy Technology Perspectives 2008: Scenarios and Strategies to 2050, p. 307. Agencia Internacional de Energía, París.
- IFPRI,** 2009. *Millions fed: Proven successes in agricultural development.* (Eds) Spielman, D. J., & Pandya-Lorch, R. Instituto Internacional de Investigación sobre Políticas Alimentarias Innovation Center for U.S. Dairy 2008. U.S. Dairy Sustainability Initiative : A Roadmap to Reduce Greenhouse Gas Emissions and Increase Business Value (available at <http://www.usdairy.com/Public%20Communication%20Tools/RoadmapToReduceGHGEmissions.pdf>).
- IPCC.** 2006. Directrices del IPCC para los inventarios nacionales de gases de efecto invernadero, Volumen 4: Agricultura, silvicultura y otros usos de la tierra. IGES, Japón.
- IPCC.** 2007. Mitigación del Cambio Climático: Contribución del Grupo de trabajo III al cuarto informe de evaluación del IPCC (Vol. 4). Cambridge University Press.
- Jack, B. K.** 2011. Constraints on the adoption of agricultural technologies in developing countries. White paper, Agricultural Technology Adoption Initiative, J-PAL (MIT) and CEGA (UC Berkeley).
- Kamuanga, M.J., Somda, J., Sanon, Y., & Kagoné, H.** 2008. Livestock and regional market in the Sahel and West Africa. Potentials and challenges. SWAC-OECD/ECOWAS. Sahel and West Africa Club/OECD, Issy-les-Moulineaux.
- Keady T.W.J., Marley, C.M. and Scollan, N.D..** 2012. Grass and alternative forage silages for beef cattle and sheep: effects on animal performance. Proceedings of the XVI International Silage Conference, Hämeenlinna, Finlandia.
- Kimura S. (ed.).** 2012. Analysis on Energy Saving Potential in East Asia Region, ERIA Research Project Report 2011, No. 18.
- Kirschbaum, M. U., & Paul, K. I.** 2002. Modelling C and N dynamics in forest soils with a modified version of the CENTURY model. *Soil Biology and Biochemistry*, 34(3): 341–354.
- Lal, R.** 2004. Soil carbon sequestration impacts on global climate change and food security. *Science*, 304: 1623–1627.
- Lambin, E. & Meyfroidt, P.** 2011. Global land-use change, economic globalization and the looming land scarcity. *Proceedings of the National Academy of Sciences*, 108(9): 3465–3472.
- Manninen, M., Honkavaara, M., Jauhainen, L., Nykänen, A. and Heikkilä, A.-M.** 2011. Effects of grass-red clover silage digestibility and concentrate protein concentration on performance, carcass value, eating quality and economy of finishing Hereford bulls reared in cold conditions. *Agricultural and Food Science*, 20: 151–168.

- Martin, C., Rouel, J., Jouany, J.P., Doreau, M. & Chilliard, Y.** 2008. Methane output and diet digestibility in response to feeding dairy cows crude linseed, extruded linseed, or linseed oil. *J. Anim. Sci.*, 86: 2642–2650.
- Masse, D.I., Croteau, F., Patni, N.K. & Masse, L.** 2003a. Methane emissions from dairy cow and swine manure slurries stored at 10°C and 15°C. *Can. Biosyst. Eng.*, 45(6): 1–6.6.
- Masse, D.I., Masse, L. & Croteau, F.** 2003b. The effect of temperature fluctuations on psychrophilic anaerobic sequencing batch reactors treating swine manure. *Bioresource Technol.*, 89: 57–62.
- McMichael, A.J., Powles, J.W., Butler, C.D. & Uauy, R.** 2007. Food, livestock production, energy, climate change, and health. *The Lancet*, 370(9594): 1253–1263.
- Mekoya, A., Oosting, S. J., Fernandez-Rivera, S., & Van der Zijpp, A. J.** 2008. Multipurpose fodder trees in the Ethiopian highlands: Farmers' preference and relationship of indigenous knowledge of feed value with laboratory indicators. *Agricultural Systems*, 96(1): 184–194.
- Mohamed Saleem, M. A.** 1998. Nutrient balance patterns in African livestock systems. *Agric. Ecosyst. Environ.*, 71: 241–254.
- Monfreda, C., Ramankutty, N. & Foley, J.A.** 2008. Farming the planet: 2. Geographic distribution of crop areas, yields, physiological types, and net primary production in the year 2000. *Global Biogeochemical Cycles*, 22(1).
- Moran, D., Macleod, M., Wall, E., Eory, V., McVittie, A., Barnes, A., Rees, R., Topp, C.F.E. & Moxey, A.** 2011. Marginal abatement cost curves for UK agricultural greenhouse gas emissions. *Journal of Agricultural Economics*, 62(1): 93–118.
- Nazareno, A.G., Feres, J.M. de Carvalho, D., Sebbenn, A.M., Lovejoy, T.E. & Laurance, W.F.** 2012. Serious New Threat to Brazilian Forests. *Conservation Biology*, 26(1): 5–6.
- NDDB.** 2013. Animal Breeding. National Dairy Development Board (disponible en <http://www.nddb.org/English/Services/AB/Pages/Animal-Breeding.aspx>).
- Nguyen, H.** 2012. Life cycle assessment of cattle production: exploring practices and system changes to reduce environmental impact, Tesis de doctorado, Universidad Blaise Pascal, Clermont-Ferrand, Francia.
- Norman, H.D., Hutchison, J.L., & Miller, R.H..** 2010. Use of sexed semen and its effect on conception rate, calf sex, dystocia, and stillbirth of Holsteins in the United States. *J. Dairy Sci.*, 93: 3880–3890
- OCDE/FAO** (2011). OECD-FAO Agricultural Outlook 2011–2020, OECD Publishing and FAO (disponible también en http://dx.doi.org/10.1787/agr_outlook-2011-en).
- Oosting, S.J., Mekoya, A., Fernandez-Rivera, S. & van der Zijpp, A.J.** 2011. Sesbania sesban as a fodder tree in Ethiopian livestock farming systems: Feeding practices and farmers' perceptions of feeding effects on sheep performance. *Livest. Sci.* 139: 135–142.
- OPIC.** 2012. *Pigs and the environment: How the global pork business is reducing its impact*. Secretaría Internacional de la Carne. París.
- Parton, W. J., Schimel, D. S., Cole, C. V., & Ojima, D. S.** 1987. Analysis of factors controlling soil organic matter levels in Great Plains grasslands. *Soil Science Society of America Journal*, 51(5): 1173–1179.
- Parton W.J., Hartman M., Ojima D., Schimel D.** 1998. DAYCENT and its land surface submodel: description and testing. *Global and Planetary Change*, 19: 35–48.
- Perman, R., Ma, Y., McGilvray, J. & Common, M.** 2003. *Natural Resource and Environmental Economics; Third Edition*. Pearson Education Limited, Essex, Reino Unido.
- PNUMA.** 2012. The Emission Gap Report 2012. Programa de las Naciones Unidas para el Medio Ambiente (PNUMA), Nairobi.
- Rabiee, A.R., Breinhild, K., Scott, W., Golder, H.M., Block, E. & Lean, I.J.** 2012. Effect of fat additions to diets of dairy cattle on milk production and components: A meta-analysis and meta-regression. *J. Dairy Sci.* 95: 3225–3247.

- Rasmussen, J. & Harrison, A.** 2011. The Benefits of Supplementary Fat in Feed Rations for Ruminants with Particular Focus on Reducing Levels of Methane Production. ISRN Veterinary Science, 2011.
- Rath, D. & Johnson, L.A.** 2008. Application and commercialization of flow cytometrically sex-sorted semen. *Reprod Domest Anim*, 43: 338–346.
- Reardon, T.** 1997. ‘Using Evidence of Household Income Diversification to Inform Study of the Rural Nonfarm Labor Market in Africa’, *World Development*, 25(5):735–747.
- Roos, K.F., Martin, J.H. & Moser, M.A.** 2004. *AgSTAR Handbook: A manual for developing biogas systems at commercial farms in the United States, Segunda edición*. Agencia de Protección Ambiental de los Estados Unidos de América. EPA-430-B-97-015.
- Rosegrant, M. W., Meijer, S., & Cline, S. A.** 2008. International model for policy analysis of agricultural commodities and trade (IMPACT): Model description. Instituto Internacional de Investigación sobre Políticas Alimentarias. Washington, DC, Estados Unidos de América.
- Rotz, C.A. & Hafner, S.** 2011. Whole farm impact of anaerobic digestion and biogas use on a New York dairy farm. ASABE Annual International Meeting, Louisville, Kentucky.
- Safley, L.M. & Westerman, P.W.** 1994. Low-temperature digestion of dairy and swine manure. *Bioresource Technol*, 47: 165–171.
- Schulte, R. & Donnellan, T.** 2012. A marginal abatement cost curve for Irish agriculture. Teagasc submission to the National Climate Policy Development Consultation. Teagasc, 30.
- Scollan, N.D., Sargeant, A., McMullan, A.B. and Dhanoa, M.S.** 2001. Protein supplementation of grass silages of differing digestibility for growing steers. *The Journal of Agricultural Science*, 136:89–98.
- Smith, P., Haberl, H., Popp, A., Erb, K., Lauk, C., Harper, R., Tubiello, F.N., de Siqueira Pinto, A., Jafari, M., Sohi, S., Masera, O., Bötcher, H., Berndes, G., Bustamante, M., Ahammad, H., Clark, H., Dong, H., Elsdidig, E.A., Mbow, C., Ravindranath, N.H., Rice, C.W., Robledo Abad, c., Romanovskaya, A., Sperling, F., Herrero, M., House, J.I. & Rose, S.** 2013. How much land based greenhouse gas mitigation can be achieved without compromising food security and environmental goals? *Global Change Biology*, 19 (8): 2285–2302.
- Smith, P., D. Martino, Z. Cai, D. Gwary, H. Janzen, P. Kumar, B. McCarl, S. Ogle, F. O’Mara, C. Rice, B. Scholes, O. Sirotenko.** 2007: Agriculture. In *Climate Change 2007: Mitigation. Contribution of Working Group III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change* [B. Metz, O.R. Davidson, P.R. Bosch, R. Dave, L.A. Meyer (eds)], Cambridge University Press, Cambridge, Reino Unido y Nueva York, Nueva York, Estados Unidos de América.
- Smith, P., Martino, D., Cai, Z., Gwary, D., Janzen, H., Kumar, P., McCarl, B., Ogle, S., O’Mara, F., Rice, C., Scholes, B., Sirotenko, O., Howden, M., McAllister, T., Pan, G., Romanenkov, V., Schneider, U. & Towprayoon, S.** 2007. Policy and technological constraints to implementation of greenhouse gas mitigation options in agriculture. *Agriculture, Ecosystems and Environment*, 118:6–28.
- Smith, P., Martino, D., Cai, Z., Gwary, D., Janzen, H., Kumar, P., McCarl, B., Ogle, S., O’Mara, F., Rice, C., Scholes, B., Sirotenko, O., Howden, M., McAllister, T., Pan, G., Romanenkov, V., Schneider, U., Towprayoon, S., Wattenbach, M. & Smith, J.** 2008. Greenhouse gas mitigation in agriculture. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 363(1492): 789–813.

- Soussana, J.F., Tallec, T. & Blanfort, V.** 2010. Mitigating the greenhouse gas balance of ruminant production systems through carbon sequestration in grasslands. *Animal*, 4: 334–350.
- Steen, R.W.J.** 1987. Factor affecting the utilization of grass silage for beef production. In: Efficient beef production from grass, Occasional symposium of the British grassland society, Reading U.K. Ed J.F. Frame. 22:129-139.
- Stehfest, E., Bouwman, L., van Vuuren, D. P., den Elzen, M. G., Eickhout, B., & Kabat, P.** 2009. Climate benefits of changing diet. *Climatic change*, 95(1-2): 83-102.
- Stocker, T. F.** 2013. The Closing Door of Climate Targets. *Science*, 339(6117), 280-282.
- Tennigkeit, T. & Wilkes, A.** 2008. *An assessment of the potential for carbon finance in range-lands*. Working Paper No. 68. Centro Mundial de Agrosilvicultura.
- Thornton, P. K., & Herrero, M.** 2010. Potential for reduced methane and carbon dioxide emissions from livestock and pasture management in the tropics. *Proceedings of the National Academy of Sciences*, 107(46): 19667-19672.
- Udo, H.M.J., Aklilu, H.A., Phong, L.T., Bosma, R.H., Budisatria, I.G.S., Patil, B.R., Samdup, T. & Bebe, B.O.** 2011. Impact of intensification of different types of livestock production in smallholder crop-livestock systems. *Livestock Science*. 139: 22-30.
- US EPA.** 2006. Global Mitigation of Non-CO₂ Greenhouse Gases. EPA 430-R-06-005. Agencia de Protección Ambiental de los Estados Unidos de América, Washington DC.
- VCS (Verified Carbon Standard).** 2013 Verified Carbon Standard Requirements Document Version 3.2 (disponible en <http://v-c-s.org/program-documents>).
- Vellinga, T. V., & Hoving, I. E.** 2011. Maize silage for dairy cows: mitigation of methane emisiones can be offset by. Nutrient Cycling in Agroecosystems, 89(3), 413-426.
- Walli, T.K.** 2011. Biological treatment of straws. Pages 57-61 In Successes and failures with animal nutrition practices and technologies in developing countries. Actas de la conferencia electrónica de la FAO, 1-30 de septiembre de 2010, Roma, Italia.
- Whittle, L., Hug, B., White, S., Heyhoe, E., Harle, K., Mamun, E. & Ahammad, H.** 2013. Costs and potential of agricultural emisiones abatement in Australia.
- Wilkes, A., Solymosi, K. and Tennigkeit, T.** 2012. Options for Support to Grassland Restoration in the context of Climate Change Mitigation. UNIQUE forestry and land use, Freiburg.
- Wilson, J. R., & Minson, D. J.** 1980. Prospects for improving the digestibility and intake of tropical grasses. *Tropical Grasslands*, 14(3), 253-259.
- You, L., Crespo, S., Guo, Z. Koo, J., Ojo, W., Sebastian, K., Tenorio, T.N., Wood, S. & Wood-Sichra, U.** 2010. Spatial Production Allocation Model (SPAM) 2000, Version 3. Release 2 (available at <http://MapSPAM.info>).
- Zi, X. D.** 2003. Reproduction in female yak and opportunities for improvement. *Theriogenology*, 59(5), 1303-1312.



Como es preciso desplegar mayores esfuerzo para limitar las emisiones de gases de efecto invernadero, el sector pecuario puede aportar su contribución. Fuente importante de emisiones de gases de efecto invernadero, también puede reducirlas considerablemente. En el presente informe se presenta una evaluación global única de la magnitud, las fuentes y las trayectorias de las emisiones de diferentes sistemas de producción y cadenas de suministro pecuarios. Además, basándose en la evaluación del ciclo biológico, los análisis estadísticos y la construcción de escenarios, se facilitan estimaciones sobre las posibilidades de mitigación que brinda el sector y se señalan opciones concretas para reducir las emisiones. El informe, además de ser recurso útil para las partes interesadas, desde los productores pecuarios hasta los encargados de la toma de decisiones, los investigadores y los representantes de la sociedad civil, se propone contribuir al debate público sobre la importancia de las cadenas de suministro ganadero en el cambio climático y las posibles soluciones.