



FAO SPECIES IDENTIFICATION GUIDE FOR FISHERY PURPOSES

ISSN 1020-6868

## FIELD IDENTIFICATION GUIDE TO THE SHARKS AND RAYS OF THE MEDITERRANEAN AND BLACK SEA





FAO SPECIES IDENTIFICATION GUIDE FOR FISHERY PURPOSES

## **FIELD IDENTIFICATION GUIDE TO THE SHARKS AND RAYS OF THE MEDITERRANEAN AND BLACK SEA**

by

**Fabrizio Serena**  
Environmental Protection Agency – Tuscany Region  
Livorno, Italy

FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS  
Rome, 2005

The designations employed and the presentation of material in this information product do not imply the expression of any opinion whatsoever on the part of the Food and Agriculture Organization of the United Nations concerning the legal or development status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

ISBN 92-5-105291-3

All rights reserved. Reproduction and dissemination of material in this information product for educational or other non-commercial purposes are authorized without any prior written permission from the copyright holders provided the source is fully acknowledged. Reproduction of material in this information product for resale or other commercial purposes is prohibited without written permission of the copyright holders. Applications for such permission should be addressed to the Chief, Publishing Management Service, Information Division, FAO, Viale delle Terme di Caracalla, 00100 Rome, Italy or by e-mail to [copyright@fao.org](mailto:copyright@fao.org)

© FAO 2005

## PREPARATION OF THIS DOCUMENT

This document was prepared under the coordination of the Species Identification and Data Programme of the Marine Resources Service, Fishery Resources and Environment Division, Fisheries Department, Food and Agriculture Organization of the United Nations (FAO).

At a meeting of the Sub-Committee on Marine Environment and Ecosystems of the General Fishery commission for the Mediterranean (GFCM) in February 2001 in Palma de Majorca, some member countries concerned with the protection of sharks and other cartilaginous species suggested that a field guide for the identification of cartilaginous species be prepared. At its fourth session in June 2001 in Athens, the Scientific Advisory Committee (SAC) endorsed the suggestion and asked the COPEMED Project GCP/REM/O57/SPA to support the preparation of the field guide.

This increasing recognition of the significance of sharks and batoid fishes as ecosystem health indicators, as well as their particular importance in exploited ecosystems in the Mediterranean, have been key considerations to promote the preparation of this field guide.

**Project managers:** M. Lamboeuf, J. Lleonart (FAO, Rome).

**Scientific reviser:** N. De Angelis (FAO, Rome).

**Editorial assistance, page composition and indexing:** M. Kautenberger-Longo (FAO, Rome).

**Scientific illustrator** (for material presented here for the first time): E. D'Antoni (FAO, Rome).

**Cover:** E. D'Antoni (FAO, Rome).

**Serena, F.**

**Field identification guide to the sharks and rays of the Mediterranean and Black Sea.**

*FAO Species Identification Guide for Fishery Purposes.*

Rome, FAO. 2005. 97p. 11 colour plates + egg cases.

### **Abstract**

This volume presents a fully illustrated field guide for the identification of the sharks and rays most relevant to the fisheries of the Mediterranean and Black Sea. An extensive literature review was carried out for the preparation of this document. A total of 49 sharks, 34 batoids and 1 chimaera are fully treated. The presence of 5 sharks and 2 batoids included in this field guide, need, however, to be confirmed. The guide includes sections on technical terms and measurements for sharks and batoids, and fully illustrated keys to those orders and families that occur in the region. Each species account includes: at least one annotated illustration of the species highlighting its relevant identification characters; basic information on nomenclature, synonyms and possible misidentifications; FAO common names; basic information on size, habitat and biology, distribution, importance to fisheries, and conservation and exploitation status. Colour plates for a large number of the species are included as well as two plates showing the egg cases.

## ACKNOWLEDGEMENTS

I would especially like to thank Amor El Abed (Institut National des Sciences et Technologies de la Mer, Salammbô, Tunisie) for his support regarding my efforts to produce this guide and the COPEMED project which sponsored the publication. Very large thanks to Giulio Relini (University of Genoa, Italy) and my research colleague Marino Vacchi (ICRAM Rome, Italy) for their encouragement to produce this guide and for their precious suggestions, useful information and critical reading of the draft. I am grateful to Leonard J.V. Compagno (Shark Research Center, Iziko Museum of Cape Town, South Africa) for our discussion in Paris in 2002 and further in Tenerife in 2004 aimed at the definition of the systematic catalogue structure and to solve taxonomic problems as well as for his critical reading of the systematic arrangement of the species. Many thanks to Bernard Séret (Museum National d'Histoire Naturelle, Paris France) for his critical reading of the previous draft, continuous exchange of ideas and finally for his courtesy. My most sincere thanks go to Pere Oliver (IEO, Barcelona), who has believed in the usefulness of this field guide since the SAC-SCMEE meeting (Palma de Mallorca, 2001). I appreciate his advice and encouragement during the preparation of this publication.

Thanks also to: John D. McEachran (Texas A & M University, USA), Kent E. Carpenter (Old Dominion University - Department of Biological Sciences, Norfolk, Virginia, USA) and Peter Last (CSIRO, Division of Fisheries Research, Hobart, Tasmania, Australia) for suggestions provided during the Batoids-FAO meeting in Paris in March 2002; Gian Pietro Gasparini and Mario Astraldi (Istituto di Oceanografia Fisica-CNR, Lerici, Italy) for advice on the dynamics of the water masses in the Mediterranean Sea. A very special thanks goes to Claude Millot for his knowledgeable help in updating the information on the current pattern in the Mediterranean basin and also for letting me use his latest papers, still in press. To my colleagues Alvaro Juan Abella, Romano Baino, Monica Barone, Enrico Cecchi and Alessandro Voliani (ARPAT, Livorno, Italy) for their support and suggestions and also to Marco Costantini (WWF, Italy); to Adib Ali Saad (Marine Sciences Laboratory, Faculty of Agriculture, Tishreen University, Latakia, Syria) for his collaboration; Giulia Mò (ICRAM Rome, Italy) for helping me with aspects related to the Conventions for the protection of marine organisms and environment; to Cecilia Mancusi (ARPAT, Livorno, Italy) for help in the preparation of the single species sheet and in the chapter related to Conservation and Ian K. Ferguson (The Shark Trust, London, UK). This last chapter has been produced with the important help of Sarah Fowler, Rachel Cavanagh and Imène Meliane (IUCN Shark Specialist Group c/o Naturebureau International, UK and Centre de Cooperation pour la Méditerranée) and I also thank them very much. Sincere thanks to Francesco Ferretti and Ransom A. Myers of the Dalhousie University (Halifax, Nova Scotia, Canada) for their innovative suggestion on the conservation status analysis of cartilaginous fishes. Thanks also to Ramón Bonfil (International Conservation Programs-Wildlife Conservation Society, NY, USA), Giuseppe Notarbartolo di Sciara (Tethys Research Institute, Italy), Daniel Golani (Hebrew University of Jerusalem, Israel) for their important suggestions; Temel Oguz (Middle East Technical University, Institute of Marine Sciences Erdemli 33731, Icel, Turkey) for his collaboration; Franco Biagi (European Commission, Fisheries Directorate-General, Brussels, Belgium) for his support. I acknowledge the helpful comments on an earlier version of the manuscript of John Stevens (CSIRO Marine Research, Hobart, Tasmania, Australia) and Peter Last given during the Pre-Conference of Deep Sea Chondrichthyan Fishes in Dunedin, New Zealand in 2003. Many thanks to Piero Mannini and Caroline Bennett (ADRIAMED-FAO, Rome, Italy) respectively for their collaboration in particular for providing many useful bibliographical references and helping with manuscript editing.

Finally, thanks also to all colleagues who kindly allowed me to use their pictures: R. Bonfil (ICP-WCS NY, USA), P.H.F. Bor (Netherlands), M.N. Bradai (INSTM Sfax, Tunisia), G.H. Burgess (MNH, Gainesville, FL, USA), R. Carlucci (Univ. Bari, Italy), P. Consoli (IST-CNR, Messina, Italy), M. Costantini (WWF, Trieste, Italy), M. Dalu (ICRAM, Roma, Italy), M. Dicken (Port Elizabeth Museum, Port Elizabeth, South Africa), M. Ducrocq (IUCN, Mauritania), F. Cigala Fulgosi (Univ. Parma, Italy), F. Hemida (USTHB/ISN, Algiers, Algeria), S.P. Iglesias and E. Luchetti (MNHN, Concarneau, France), H. Ishihara (Tokyo University of Fisheries, Japan), R. McAuley (WA Marine Research Laboratory, Department of Fisheries, North Beach, WA, USA), P. Micarelli (Acquario Mediterraneo dell'Argentario, Porto Santo Stefano, Italy), V. Moore (University of Dorset, UK), G. Morey, (CSIC/UIB, Mallorca, Spain), P. Psomadakis (ICRAM, Rome, Italy), J. Rey (IEO, Malaga, Spain); RV DR. FRIDTJOF NANSEN (Research Vessel Staff), B. Séret (MNHN, Paris, France), R. Silvestri (ARPAT, Livorno, Italy), C. Simpfendorfer (Mote Marine Laboratory, Sarasota, FL, USA), L. Sion (Univ. Bari, Italy), J. Stafford-Deitsch (The Shark Trust, UK), V. Taylor (USA), N. Ungaro (LBM, Bari, Italy), M. van Tienhoven (CSIRO, Pretoria, Australia).

## TABLE OF CONTENTS

PREPARATION OF THIS DOCUMENT . . . . .	iii
ACKNOWLEDGEMENTS . . . . .	iv
<b>INTRODUCTION . . . . .</b>	<b>1</b>
Physical and Chemical Characteristics of the Region . . . . .	1
Geology and Physical Features . . . . .	1
Oceanographic Features . . . . .	3
Biodiversity and Biogeographical Characteristics of the Region. . . . .	3
The Fishery . . . . .	8
Fishery Management . . . . .	10
Conservation. . . . .	10
Codes for Conservation and Exploitation Status . . . . .	11
<b>CLASSIFICATION AND SYSTEMATIC ARRANGEMENT . . . . .</b>	<b>13</b>
<b>SHARKS . . . . .</b>	<b>16</b>
Picture key of shark-like fishes . . . . .	15
Technical Terms and Measurements . . . . .	16
List of Orders, Families and Species Occurring in the Area . . . . .	18
Guide to the Orders and Families of Sharks Occurring in the Area . . . . .	19
Order HEXANCHIFORMES – Cow and frilled sharks . . . . .	18
HEXANCHIDAE . . . . .	18
Order SQUALIFORMES – Dogfish sharks . . . . .	18
ECHINORHINIDAE . . . . .	18
SQUALIDAE . . . . .	18
CENTROPHORIDAE . . . . .	19
ETMOPTERIDAE . . . . .	19
SOMNIOSIDAE . . . . .	19
OXYNOTIDAE . . . . .	19
DALATIIDAE . . . . .	21
Order SQUATINIFORMES – Angel sharks. . . . .	21
SQUATINIDAE . . . . .	21
Order LAMNIFORMES – Mackerel sharks . . . . .	21
ODONTASPIDIDAE . . . . .	21
ALOPIIDAE. . . . .	22
CETORHINIDAE . . . . .	22
LAMNIDAE . . . . .	22

Order CARCHARHINIFORMES – Ground sharks . . . . .	22
SCYLIORHINIDAE . . . . .	23
TRIAKIDAE . . . . .	23
CARCHARHINIDAE . . . . .	23
SPHYRINIDAE . . . . .	23
Guide to Families and Species	
HEXANCHIDAE . . . . .	24
<i>Heptranchias perlo</i> (Bonnaterre, 1788) . . . . .	24
<i>Hexanchus griseus</i> (Bonnaterre, 1788) . . . . .	24
<i>Hexanchus nakamurai</i> Teng, 1962 . . . . .	25
ECHINORHINIDAE . . . . .	25
<i>Echinorhinus brucus</i> (Bonnaterre, 1788) . . . . .	25
SQUALIDAE . . . . .	26
<i>Squalus acanthias</i> Linnaeus, 1758 . . . . .	26
<i>Squalus blainvillei</i> (Risso, 1826) . . . . .	26
<i>Squalus cf. megalops</i> (Macleay, 1881) . . . . .	27
CENTROPHORIDAE . . . . .	27
<i>Centrophorus granulosus</i> (Bloch and Schneider, 1801) . . . . .	27
<i>Centrophorus uyato</i> (Rafinesque, 1810) . . . . .	28
ETMOPTERIDAE . . . . .	28
<i>Etomopterus spinax</i> (Linnaeus, 1758) . . . . .	28
SOMNIOSIDAE . . . . .	29
<i>Centroscymnus coelolepis</i> Bocage and Capello, 1864 . . . . .	29
<i>Somniosus (Rhinoscymnus) rostratus</i> (Risso, 1810) . . . . .	29
OXYNOTIDAE . . . . .	30
<i>Oxynotus centrina</i> (Linnaeus, 1758) . . . . .	30
DALATIIDAE . . . . .	30
<i>Dalatias licha</i> (Bonnaterre, 1788) . . . . .	30
SQUATINIDAE . . . . .	31
<i>Squatina aculeata</i> Dumeril, in Cuvier, 1817 . . . . .	31
<i>Squatina oculata</i> Bonaparte, 1840 . . . . .	31
<i>Squatina squatina</i> (Linnaeus, 1758) . . . . .	32
ODONTASPIDIDAE . . . . .	32
<i>Carcharias taurus</i> Rafinesque, 1810 . . . . .	32
<i>Odontaspis ferox</i> (Risso, 1810) . . . . .	33

ALOPIIIDAE . . . . .	33
<i>Alopias superciliosus</i> (Lowe, 1839) . . . . .	33
<i>Alopias vulpinus</i> (Bonnaterre, 1788). . . . .	34
CETORHINIDAE . . . . .	34
<i>Cetorhinus maximus</i> (Gunnerus, 1765) . . . . .	34
LAMNIDAE . . . . .	35
<i>Carcharodon carcharias</i> (Linnaeus, 1758) . . . . .	35
<i>Isurus oxyrinchus</i> Rafinesque, 1810 . . . . .	35
<i>Isurus paucus</i> Guitart Manday, 1966 . . . . .	36
<i>Lamna nasus</i> (Bonnaterre, 1788) . . . . .	36
SCYLIORHINIDAE. . . . .	37
<i>Galeus atlanticus</i> (Vaillant, 1888) . . . . .	37
<i>Galeus melastomus</i> Rafinesque, 1810 . . . . .	37
<i>Scyliorhinus canicula</i> (Linnaeus, 1758) . . . . .	38
<i>Scyliorhinus stellaris</i> (Linnaeus, 1758) . . . . .	38
TRIAKIDAE . . . . .	39
<i>Galeorhinus galeus</i> (Linnaeus, 1758) . . . . .	39
<i>Mustelus asterias</i> Cloquet, 1821 . . . . .	39
<i>Mustelus mustelus</i> (Linnaeus, 1758) . . . . .	40
<i>Mustelus punctulatus</i> Risso, 1826 . . . . .	40
CARCHARHINIDAE . . . . .	41
<i>Carcharhinus altimus</i> (Springer, 1950) . . . . .	41
<i>Carcharhinus brachyurus</i> (Günther, 1870) . . . . .	41
<i>Carcharhinus brevipinna</i> (Müller and Henle, 1839) . . . . .	42
<i>Carcharhinus falciformis</i> (Bibron, <i>in</i> Müller and Henle, 1839) . . . . .	42
<i>Carcharhinus limbatus</i> (Valenciennes, <i>in</i> Müller and Henle, 1839) . . . . .	43
<i>Carcharhinus melanopterus</i> (Quoy and Gaimard, 1824) . . . . .	43
<i>Carcharhinus obscurus</i> (Lesueur, 1818) . . . . .	44
<i>Carcharhinus plumbeus</i> (Nardo, 1827) . . . . .	44
<i>Galeocerdo cuvier</i> (Péron and Lesueur, <i>in</i> Lesueur, 1822) . . . . .	45
<i>Prionace glauca</i> (Linnaeus, 1758) . . . . .	45
<i>Rhizoprionodon acutus</i> (Rüppell, 1837) . . . . .	46
SPHYRNIDAE . . . . .	46
<i>Sphyrna (Mesozygaena) tudes</i> (Valenciennes, 1822) . . . . .	46
<i>Sphyrna (Sphyrna) lewini</i> (Griffith and Smith, <i>in</i> Cuvier, Griffith and Smith, 1834) . . . . .	47
<i>Sphyrna (Sphyrna) mokarran</i> (Rüppell, 1837) . . . . .	47
<i>Sphyrna (Sphyrna) zygaena</i> (Linnaeus, 1758) . . . . .	48

<b>BATOID FISHES</b>	49
Picture key of skates, rays and guitarfishes	49
Technical Terms and Measurements	50
List of Families and Species Occurring in the Area	51
Guide to the Order and Families of Batoid Fishes Occurring in the Area	52
Order RAJIFORMES - Batoids.	52
Suborder PRISTOIDEI	52
PRISTIDAE	52
Suborder RHINOBATOIDEI	52
RHINOBATIDAE	52
Suborder TORPEDINOIDEI	53
TORPEDINIDAE	53
Suborder RAJOIDEI	53
RAJIDAE	53
Suborder MYLIOBATOIDEI	54
DASYATIDAE	54
GYMNURIDAE	54
MYLIOBATIDAE	55
RHINOPTERIDAE	55
MOBULIDAE	55
Guide to Families and Species	
PRISTIDAE	56
<i>Pristis pectinata</i> Latham, 1794	56
<i>Pristis pristis</i> (Linnaeus, 1758)	56
RHINOBATIDAE	57
<i>Rhinobatos (Glaucostegus) cemiculus</i> Geoffroy St-Hilaire, 1817	57
<i>Rhinobatos (Rhinobatos) rhinobatos</i> (Linnaeus, 1758)	57
TORPEDINIDAE	58
<i>Torpedo (Tetronarce) nobiliana</i> Bonaparte, 1835	58
<i>Torpedo (Torpedo) marmorata</i> Risso, 1810	58
<i>Torpedo (Torpedo) sinuspersici</i> Olfers, 1831	59
<i>Torpedo (Torpedo) torpedo</i> (Linnaeus, 1758)	59
RAJIDAE	60
<i>Dipturus batis</i> (Linnaeus, 1758)	60
<i>Dipturus oxyrinchus</i> (Linnaeus, 1758)	60
<i>Leucoraja circularis</i> (Couch, 1838)	61
<i>Leucoraja fullonica</i> (Linnaeus, 1758)	61

<i>Leucoraja melitensis</i> (Clark, 1926) . . . . .	62
<i>Leucoraja naevus</i> (Müller and Henle, 1841) . . . . .	62
<i>Raja asterias</i> Delaroche, 1809 . . . . .	63
<i>Raja brachyura</i> Lafont, 1873 . . . . .	63
<i>Raja clavata</i> Linnaeus, 1758 . . . . .	64
<i>Raja miraletus</i> Linnaeus, 1758 . . . . .	64
<i>Raja montagui</i> Fowler, 1910 . . . . .	65
<i>Raja polystigma</i> Regan, 1923 . . . . .	65
<i>Raja radula</i> Delaroche, 1809 . . . . .	66
<i>Raja undulata</i> Lacépède, 1802 . . . . .	66
<i>Rostroraja alba</i> (Lacépède, 1803) . . . . .	67
<b>DASYATIDAE</b> . . . . .	67
<i>Dasyatis centroura</i> (Mitchill, 1815) . . . . .	67
<i>Dasyatis marmorata</i> Steindachner, 1892 . . . . .	68
<i>Dasyatis pastinaca</i> (Linnaeus, 1758) . . . . .	68
<i>Himantura uarnak</i> (Forsskål, 1775) . . . . .	69
<i>Pteroplatytrygon violacea</i> (Bonaparte, 1832) . . . . .	69
<i>Taeniura grabata</i> (Geoffroy St-Hilaire, 1817) . . . . .	70
<b>GYMNURIDAE</b> . . . . .	70
<i>Gymnura altavela</i> (Linnaeus, 1758) . . . . .	70
<b>MYLIOBATIDAE</b> . . . . .	71
<i>Myliobatis aquila</i> (Linnaeus, 1758) . . . . .	71
<i>Pteromylaeus bovinus</i> (Geoffroy St-Hilaire, 1817) . . . . .	71
<b>RHINOPTERIDAE</b> . . . . .	72
<i>Rhinoptera marginata</i> (Geoffroy St-Hilaire, 1817) . . . . .	72
<b>MOBULIDAE</b> . . . . .	72
<i>Mobula mobular</i> (Bonnaterre, 1788) . . . . .	72
<b>CHIMAERAS</b> . . . . .	73
Technical Terms and Measurements . . . . .	73
Order, Family and Species of Chimaera Occurring in the Area . . . . .	73
Order CHIMAERIFORMES . . . . .	73
<b>CHIMAERIDAE</b> . . . . .	73-74
<i>Chimaera monstrosa</i> Linnaeus, 1758 . . . . .	74
<b>BIBLIOGRAPHY</b> . . . . .	75
<b>INDEX TO SCIENTIFIC AND VERNACULAR NAMES</b> . . . . .	85
<b>LIST OF COLOUR PLATES</b> . . . . .	94