

REFERENCES

- Arason, S.** 1994. Production of fish silage. In Martin, A., *Fisheries Processing: Biotechnological applications*. Chapman & Hall, London, 244–272.
- Baron, R., Mastail, M., Vallet, J. & Lukowska, E.** 1996. Texturation par extrusion à froid de la pulpe de poisson. *Sciences des Aliments*, 16, 69–76.
- Cordova-Murueta, J. & Garcia Carreño, F.** 2002. Nutritive value of squid and hydrolyzed protein supplement in shrimp feed. *Aquaculture*, 210, 1, 371–384.
- Elvevoll, E.** 2004. Fish waste and functional food. In Waldron, K., Favids, K., Smith, A. *Total Food 2004*, Institute of Food Research, Norwich Research Park, Norwich, England. (available at www.totalfood2004.com/totalfood.pdf).
- Frost & Sullivan.** 2005a. European protein ingredients market report.
- Frost & Sullivan.** 2005b. The U.S. protein ingredients market report.
- Gestión de Calidad y Laboratorios S.A.** 2006. Analysis Reports #149.443–6.
- Guérard, F., Sellos, D. & Le Gal, Y.** 2005. Fish and shellfish upgrading, traceability. In *Marine Biotechnology*. I. Springer-Verlag, Berlin and Heidelberg.
- Hultin, H. & Kelleher, S.** 1999. U.S. Patent 6.005,073.
- Kontali Analyse, Monthly Salmon Report**, February 2006.
- Kristinsson, H.** 2006. Personal communication.
- Kristinsson, H. & Rasco, B.** 2000. Biochemical and functional properties of Atlantic salmon (*Salmo salar*) muscle proteins hydrolyzed with various alkaline proteases. *J. Agric. Food Chem.* 48, 657–666.
- Kristinsson, H. & Rasco, B.** 2002. Fish Protein Hydrolysates and their potential use in the food industry. In Fingerman, M. and Nagabhushanam, R. *Recent Advances in Marine Biotechnology 7*, Science Publishers, Inc. Enfield, NH, 157–181.
- National Academy of Sciences.** 1994. *Nutrient Requirements of Poultry*. Board of Agriculture and Natural Resources. 9th Ed, The National Academy of Sciences, USA.
- Nilsang, S., Lertsiri, S., Suphantharika, M. & Assaving, A.** 2005. Optimization of enzymatic hydrolysis of fish soluble concentrate by commercial proteases. *J. of Food Eng.* 70, 4, 571–578.
- Ono, S., Hosokawa, M., Miyashita, K. & Takahashi, K.** 2006. Inhibition properties of dipeptides from salmon muscle hydrolysate on angiotensin I-converting enzyme. *Int. J. Food Sci. Tech.* 41, 383–386.
- Poseidon, Aquatic Resource Management Ltd.** 2004. Evaluation of fish waste management techniques.
- Rubin.** 2006. Personal communication with Mr. Arnt Fredrik Kjønhau, Kontali Analyse AS.
- Sathivel, S., Smiley, S., Prinyawiwatkul, W. & Bechtel, P.** 2005. Functional and nutritional properties of red salmon (*Oncorhynchus nerka*) enzymatic hydrolysates. *J. Food Sci.* 70, 6, 401–406.
- Shahidi, F. & Synowiecki, J.** 1997. Protein hydrolysates from seal meat as phosphate alternatives in food processing applications. *Food Chem.* 60:29–32.
- Smidsrod, O. and Haug, I.** 2006. Personal communication. Norwegian University of Science and Technology, NTNU, Trondheim.
- Toppe, J., Aksnes, A., Hope, B. & Albrektsen, S.** 2005. Inclusion of fish bone and crab by-products in diets of Atlantic cod, *Gadus Morua*. *Aquaculture* 253, 636–645.
- Wan, J., Kimura, I., Satake, M. & Seki, N.** 1995. Causes of inferior gel-forming ability of salmon surimi paste. *Fisheries Science* 61, 4, 711–715.
- Wendel, A., Park, J. & Kristbergsson, K.** 2002. Recovered meat from Pacific whiting frames. *J. Aqua. Food Prod. Tech.* 11(1): 5–18.

- World Health Organization.** 1985. Energy and protein requirements. Technical report series No. 724.
- Wright, I.** 2004. Salmon by-products. *Aqua Feeds: Formulation & Beyond*. 1, 1, 10–12.

ISBN 978-92-5-105843-5 ISSN 0429-9329



9 789251 058435

TR/M/A1394E/1/10.07/1000