

CODEX ALIMENTARIUS COMMISSION



Food and Agriculture
Organization of the
United Nations



World Health
Organization

Viale delle Terme di Caracalla, 00153 Rome, Italy - Tel: (+39) 06 57051 - E-mail: codex@fao.org - www.codexalimentarius.org

Agenda Item 8c

CRD25

JOINT FAO/WHO FOOD STANDARDS PROGRAMME

CODEX COMMITTEE ON PESTICIDE RESIDUES

48th Session

Chongqing, P.R. China, 25-30 April 2016

Changes on Agenda Item 8(c) by Chair and Co-Chair of the EWG of the Codex Classification taking into account the reaction of several countries

Changes are shaded

Appendix I

FRUITING VEGETABLES, CUCURBITS

Class A

Type 2 Vegetables Group 011 Group Letter Code VC

Group 011 Fruiting vegetables, Cucurbits are derived from the immature or mature fruits of various plants, belonging to the botanical family Cucurbitaceae: usually these are annual vines or bushes.

The vegetables are fully exposed to pesticides during the period of fruit development. The edible portion of those fruits of which the inedible peel is discarded before consumption is protected from most pesticides, by the skin or peel, except from pesticides with a systemic action.

The entire fruiting vegetable or the edible portion after discarding the inedible peel may be consumed in the fresh form or after processing. The entire immature fruit of some of the fruiting vegetables species may be consumed, whereas only the edible portion of the mature fruit of the same species, after discarding the then inedible peel, is consumed. A number of varieties of winter squashes are eaten with peels, which needs to be considered in exposure assessment of these commodities to avoid underestimating the dietary intake of pesticide residues.

The group Fruiting vegetables, Cucurbits is divided in 2 subgroups:

11A Fruiting vegetables, Cucurbits – Cucumbers and Summer squashes

11B Fruiting vegetables, Cucurbits – Melons, Pumpkins and Winter squashes

Portion of the commodity to which the MRL applies (and which is analysed): Whole commodity after removal of stems.

Group 011 Fruiting vegetables, Cucurbits

Code No. Commodity

VC 0045 **Fruiting vegetables, Cucurbits**

Subgroup 011A Fruiting vegetables, Cucurbits – Cucumbers and Summer squashes

Code No. Commodity

VC 2039 Fruiting vegetables, Cucurbits - Cucumbers and Summer squashes
(includes all commodities in this subgroup)

- **Alcayota**, see Gourd Malabar, VC 2658

VC 0420 **Balsam apple**

Momordica balsamina L.

VC 0421	Bitter melon
	<i>Momordica charantia</i> L.
-	Bitter cucumber , see Bitter melon, VC 0421
-	Bitter gourd , see Bitter melon, VC 0421
-	Balsam pear , see Bitter melon, VC 0421
VC 0422	Bottle gourd
	<i>Lagenaria siceraria</i> (Molina) Standl.;
	syn: <i>L. vulgaris</i> Ser.; <i>L. leucantha</i> (Duch.) Rusby
VC 0423	Chayote
	<i>Sechium edule</i> (Jacq.) Schwartz;
	syn: <i>Chayota edulis</i> Jacq.
VC 2650	Chieh qua (young Chinese waxgourd, immature fruit)
	<i>Benincasa hispida</i> (Thunb.) Cogn. var. <i>chieh-quas</i> How
VC 2651	Chinese cucumber
	<i>Trichosanthes kirilowii</i> Maxim.
-	Christophine , see Chayote, VC 0423
-	Courgette , see Squash, Summer, VC 0431
VC 0424	Cucumber
	<i>Cucumis sativus</i> L.; English and forcing cucumber cultivars
-	Cucumber, brown-netted , see Cucumber, VC 0424
	<i>Cucumis sativus</i> L. var. <i>sikkimensis</i>
VC 2652	Cucumber, exploding
	<i>Cyclanthera brachystachya</i> (Ser.) Cogn.
VC 2653	Cucumber, stuffing
	<i>Cyclanthera pedata</i> (L.) Schrad.
-	Cucuzzi , see Bottle gourd, VC 0422
VC 2654	Gac
	<i>Momordica cochinchinensis</i> (Lour.) Spreng.
VC 0425	Gherkin
	<i>Cucumis sativus</i> L.; pickling cucumber cultivars
VC 0426	Gherkin, West Indian
	<i>Cucumis anguria</i> L.
VC 2655	Gourd, bitter snake
	<i>Trichosanthes tricuspidata</i> Lour.
VC 2656	Gourd, buffalo
	<i>Cucurbita foetidissima</i> Kunth
-	Gourd, club , see Snake gourd, VC 0430
VC 2657	Gourd, fluted
	<i>Telfairia occidentalis</i> Hook. f.
VC 2658	Gourd, Malabar
	<i>Cucurbita ficifolia</i> Bouché

VC 2659	Gourds, other , including
	<i>Trichosanthes edulis</i> Rugayah
	<i>Trichosanthes laeoica</i> C. Y. Cheng & Lu Q. Huang
VC 2660	Gourd, pointed
	<i>Trichosanthes dioica</i> Roxb.
VC 2661	Gourd, round
	<i>Benincasa fistulosa</i> (Stocks) H. schaeff. & S.S. Renner
-	Gourd, Xishuangbanna , see Cucumber, VC 0424
	<i>Cucumis sativus</i> L. var. <i>xishuangbannensis</i> ined.
	Indian curry cucumber , see Cucumber, VC 0424
-	Indian round gourd , see Gourd, round, VC 2661
	<i>Praecitrullus fistulosus</i> (Stocks) Pangalo
VC 2662	Indian spine gourd
	<i>Momordica dioica</i> Roxb. Ex Willd.
VC 2663	Ivy gourd
	<i>Coccinia grandis</i> (L.) Voigt
VC 2664	Japanese snake gourd
	<i>Trichosanthes pilosa</i> Lour.
VC 0427	Loofah, Angled
	<i>Luffa acutangula</i> (L.) Roxb.
VC 0428	Loofah, Smooth
	<i>Luffa aegyptiaca</i> Mill.
	syn: <i>Luffa cylindrica</i> (L.) M. J. Roem;
-	Marrow (immature fruit), see Squash, Summer, VC 0431
	<i>Cucurbita pepo</i> L., several cultivars
-	Patisson , see Squash, Summer, VC 0431
-	Sinkwa or Sinkwa towel gourd , see Loofah, Angled, VC 0427
VC 0430	Snake gourd
	<i>Trichosanthes cucumerina</i> L.;
	syn: <i>T. anguina</i> L.
-	Spiny bitter gourd , see Gac, VR 2654
-	Sponge gourd , see Loofah, Smooth, VC 0428
VC 0431	Squash, Summer
	<i>Cucurbita pepo</i> L.; <i>Cucurbita pepo</i> L. subsp. <i>pepo</i> ; <i>Cucurbita pepo</i> L. subsp. <i>Ovifera</i> (L.) Harz; several cultivars, immature
-	Squash, White Bush , see Squash, Summer, VC 0431
-	Sweet gourd , see Gac, VR 2654

VC 2665

Tacaco*Sechium tacaco* (Pittier) C. Jeffrey- **Vegetable sponge**, see Loofah, Smooth, VC 0428- **Wax gourd** (immature fruit), see Chieh qua, VC 2650- **West Indian gherkin**, see Gherkin, West Indian, VC 0426- **Zapallito italiano (zucchini)**, see Squash, Summer, VC 0431- **Zucchetti**, see Squash, Summer, VC 0431- **Zucchini**, see Squash, Summer, VC 0431

Subgroup 011B Fruiting vegetables, Cucurbits – Melons, Pumpkins and Winter Squashes

Code No.**Commodity**

VC 2040

Fruiting vegetables, Cucurbits – Melons, Pumpkins and Winter Squashes

(includes all commodities in this subgroup)

-

Acorn squash, see Winter squash, VC 0433 *Cucurbita pepo* var. *ovifera* (L.) Harz

VC 2680

African horned melon *Cucumis metuliferus* E. Meyer ex Naudin

-

Butternut squash, see Winter squash, VC 0433 or Pumpkins, VC 0429 *Cucurbita moschata* Duchesne

-

Calabaza, see Winter squash, VC 0433 or Pumpkins, VC 0429 *Cucurbita pepo* L.

-

Cantaloupe, see Melons, except Watermelon, VC 0046 *Cucumis melo* L., subsp. *melo* var. *cantaloupo* Ser.

VC 2681

Casabanana *Sicana odorifera* (Vell.) Naudin

-

Casaba or Casaba melon, see Melons, except Watermelon, VC 0046

-

Cheese pumpkin, see Winter squash, VC 0433 or Pumpkins, VC 0429 *Cucurbita moschata* Duchesne

-

Chinese wax gourd(mature fruit), see Wax gourd (mature fruit), VC 2684

-

Citron melon, see Watermelon, VC 0432 *Citrullus lanatus* (Thunb.) Mansf., var. *edulis*; syn: *Citrullus edulis* Pang.

-

Cucumber, Armenian, see Melon, Serpent

-

Cushaws, see Pumpkins, VC 0429 Mature cultivars of *Cucurbita argyrosperma* C. Huber

-

Giant pumpkin, see Winter squash, VC 0433 or Pumpkins, VC 0429 *Cucurbita moschata* Duchesne

-

Hubbard squash, see Winter squash, VC 0433

-

Kiwano, see African horned melon, VC 2680

-

Korean Melon, see Melons, except Watermelon, VC 0046 Hybrid cultivars of *Cucumis melo* L. subsp. *agrestis* (Naudin) Pangalo

-

Marrow (late variety),see Pumpkins, VC 0429

- VC 0046 **Melons, except Watermelon**
 Several var. and cultivars of *Cucumis melo* L.
 - **Melon, Crenshaw**, see Melons, except Watermelon, VC 0046
 Cultivar of *Cucumis melo* L. subsp. *melo* var. *inodorus* H. Jacq.
 - **Melon, Dudaim**, see Melons, except Watermelon, VC 0046
 Cucumis melo L., var. *dudaim* (L.) Naudin.
 - **Melon, Garden**, see Melons, except watermelons VC 0046
 - **Melon, Honey Ball**, see Melons, except Watermelon, VC 0046
 Cultivar of *Cucumis melo* L., subsp. *melo* var. *cantaloupo* Ser.
 - **Melon, Honeydew**, see Melons, except Watermelon, VC 0046
 Cultivar of *Cucumis melo* L., var. *inodorus* Naud.
 - **Melon, Mango**, see Vine peach
- VC 2683 **Melon, nara**
 Acanthosicyos horridus Welw. ex Benth. & Hook. f.
 - **Melon, Oriental Pickling**, see Korean Melon VC 2682
 Cucumis melo L. subsp. *agrestis* (Naudin) Pangalo var. *conomon* (Thunb.) Makino
 - **Melon, Persian**, see Melons, except Watermelon, VC 0046
 Cultivar of *Cucumis melo* L., subsp. *melo* var. *cantaloupo* Ser.
 - **Melon, Pomegranate**, see Melons, except watermelons VC 0046
 - **Melon, Serpent**, see Melons, except Watermelon, VC 0046
 Cucumis melo L., var. *flexuosus* (L.) Naudin.
 - **Melon, Snake**, see Melons, except Watermelon, VC 0046
 synonym of Melon, Serpent
 - **Melon, Snap**, see Melons, except Watermelon, VC 0046
 Acanthosicyos horridus Welw. Ex Benth. & Hook. f.
 - **Melon, White-skinned**, see Melons, except Watermelon, VC 0046
 Cultivars of *Cucumis melo* L. subsp. *melo* var. *inodorus* H. Jacq.
 - **Melon, Winter**, see Melons, except Watermelon, VC 0046
 synonym of Melons, White-skinned, see there
 - **Muskmelon**, see Melons, except Watermelon, VC 0046
 Cultivar of *Cucumis melo* L.; *C. melo* L. var. *melo*
 - **Oriental melon**, see Korean melon, VC 2682
 - **Pumpkin**, see Pumpkins, VC 0429 or Winter squash, VC 0433
 Cucurbita pepo L.; *C. pepo* L. subsp. *pepo*

- VC 0429 **Pumpkins**, see also winter squash, VC 0433
Mature cultivars of *Cucurbita maxima* Duchesne; *Cucurbita argyrosperma* C. Huber; *C. moschata* Duchesne; *C. pepo* L. subsp. *pepo* and *C. pepo* L., several cultivars
- **Silver Seed gourd**, see Pumpkins, VC 0429
Cucurbita argyrosperma C. Huber
- **Spaghetti squash**, see Winter squash, VC 0433 or Pumpkins, VC 0429
Cucurbita pepo subsp. *pepo*
- **Vine peach**, see Melons, except Watermelon, VC 0046
Cucumis melo L. subsp. *agrestis* (Naudin) Pangalo var. *chito* (C. Morren) Naudin
- VC 0432 **Watermelon**
Citrullus lanatus (Thunb.) Matsum. & Nakai var. *lanatus*
syn: *C. vulgaris* Schrad.; *Colocynthis citrullus* (L.) O. Ktze.
- VC2684 **Wax gourd (mature fruit)**
Benincasa hispida (Thunb.) Cogn.;
syn: *B. cerifera* Savi
- VC 0433 **Winter squash**, see also Pumpkins, VC 0429
Mature cultivars of *Cucurbita maxima* Duchesne; *C. maxima* subsp. *maxima*; *C. moschata* Duchesne; *C. pepo* (L.); *Cucurbita pepo* subsp. *pepo* and *Cucurbita pepo* var. *ovifera* (L.) Harz