

CODEX ALIMENTARIUS COMMISSION



Food and Agriculture
Organization of
the United Nations



World Health
Organization

E

Viale delle Terme di Caracalla, 00153 Rome, Italy - Tel: (+39) 06 57051 - Fax: (+39) 06 5705 4593 - E-mail: codex@fao.org - www.codexalimentarius.org

Agenda Item 6

CX/PR 22/53/5

June 2022

ORIGINAL LANGUAGE ONLY

JOINT FAO/WHO FOOD STANDARDS PROGRAMME

CODEX COMMITTEE ON PESTICIDE RESIDUES

53 Session

(Virtual)

4-8 July and 13 July 2022

MAXIMUM RESIDUE LIMITS FOR PESTICIDES IN FOODS AND FEEDS AT STEPS 7 AND 4

NOTES FOR CONSIDERATION FOR CCPR53:

For consideration under Agenda Items 5b, 6 and 7

Following the revision of the Class C (feed commodities) and D (processed food commodities) some commodity codes have changed or remain the same but with a different name which may address the same or similar products. These changes mainly affect "old" straw/fodder (dry) commodities vis-à-vis the "new" hay/staw commodities as follows:

Codes for oat straw/fodder (dry); sorghum straw/food (dry) and rye straw/fodder (dry) and maize fodder (dry) and sweet corn fodder (dry) have changed and the "old" and "new" codes will coexist until such a time JMPR revise these commodities.

Classification of Food and Feed	
Class C (1989)	Revised Class C (2021)
AS 0647 Oat straw and fodder (dry)	AS 3559 Oat, hay and/or straw
AS 0650 Rye straw and fodder (dry)	AS 3560 Rye, hay and/or straw
AS 0645 Maize fodder (dry)	AS 3557 Maize, hay and/or straw
AS 0651 Sorghum straw and fodder (dry)	AS 3562 Sorghum, hay and/or straw
AS 0447 Sweet corn fodder (dry)	AS 3563 Sweet corn, stover

Codes for barley straw/fodder (dry), triticale straw/fodder (dry) and wheat straw/fodder (dry) remain the same but they now refer to hay/staw. Consequently, all feed commodities adopted by CAC until 2021 which referred to straw/fodder (dry) have now changed to hay/staw when updating the database. It was not possible to keep these commodities separated when assigning the new name to the codes. The Codex Secretariat will discuss with the JMPR Secretariat how would be the best way to keep these commodities identifiable and advice from CCPR would also be welcome.

Classification of Food and Feed	
Class C (1989)	Revised Class C (2021)
AS 0081 Straw/fodder cereal grains	AS 0081 Straw/hay cereal grains
AS 0640 Barley straw and fodder (dry)	AS 0640 Barley hay and/or straw
AS 0649 Rice straw and fodder (dry)	AS 0649 Rice hay and/or straw
AS 0653 Triticale straw and fodder (dry)	AS 0653 Triticale hay and/or straw
AS 0654 Wheat straw and fodder (dry)	AS 0654 Wheat hay and/or straw

Some codes for hull commodities have changed or remained the same as indicated below. The same considerations given for straw/fodder (dry) vis-à-vis hay/straw will apply.

Classification of Food and Feed	
Class C (1989)	Revised Class C (2021)
AB 0541 Soya bean hulls	AL 3538 Soya bean hulls
CM 1207 Rice hulls	AS 3570 Rice hulls
AM 0660 Almond hulls	AM 0660 Almond hulls

The commodity code DV 0589 applied to potato, dried in the Classification (1989), the revised Class D now assigns DV 0589 to potato, flakes/granules dried and this is now reflected in all commodities in the Database.

Some citrus oil and dried pulp commodities for which MRLs have been proposed by JMPR 2021 have not corresponding codes in the revised Class D and have been added in consultation with the Chairs of the Electronic Working Group on the revision of the Classification of Food and Feed (United States of America and The Netherlands) as described below. The same applies to soya flour.

These codes will be added to the Classification and will be forwarded to the Commission as consequential amendment to the Classification, Class D.

Classification of Food and Feed Consequential Amendment to Class D – Processed Foods of Plant Origin Inclusion of code numbers for certain citrus edible oil and pulp dried commodities
AB 0002 Lemon and lime, dried pulp
AB 0004 Pummelo and grapefruit, dried pulp
OR 0003 Mandarin, oil
OR 0005 Pummelo and grapefruit, oil
DM 0541 Soya flour

COMPOUNDS FOR ARISING FROM THE JMPR EXTRA AND REGULAR MEETINGS HELD IN 2021 FOR CONSIDERATION BY CCPR53

The [List of JMPR evaluations](#) (Residues/Toxicology) can be found in Annex 2 of JMPR reports: Index of reports and evaluations of pesticides by JMPR. The report of the JMPR meetings held in 2021 are available here: [Extra Meeting](#) and [Regular Meeting](#).

Agenda Item 5b

Responses to specific concerns raised by CCPR (JMPR Regular Meeting, 2021, Section 3)

1. 017 Chlorpyrifos and 090 Chlorpyrifos-methyl (Section 3.4)
2. 069 Benomyl, 072 carbendazim, 077 thiophanate-methyl (Section 3.2)
3. 081 Chlorothalonil (Section 3.3)
4. 160 Propiconazole (Section 3.7)
5. 265 Fluensulfone (Section 3.5)
6. 312 Afidopyropen (Section 3.1)
7. 313 Metconazole (Section 3.6)

Agenda Item 6

MRLs at Step 4 and 7 of the Step Procedure

EXTRA MEETING

Additional/New/Other evaluations (other than periodic reviews and new compounds)

034 Ethion	215 Fenhexamid	246 Acetamiprid
110 Imazalil	222 Quinoxifen	252 Sulfoxaflor
147 Methoprene	224 Difenoconazole	262 Bixafen
156 Clofentezine	231 Mandipropamid	268 Isoxaflutole
189 Tebuconazole	232 Prothioconazole	271 Trinexpac-ethyl
197 Fenbuconazole	233 Spinetoram	299 Isoprothiolane
207 Cyprodinil	238 Clothianidin	304 Ethiprole
209 Methoxyfenozide	243 Fluopyram	305 Fenpicoxamid
213 Trifloxystrobin	245 Thiamethoxam	309 Pydiflumetofen

REGULAR MEETING

Additional/New/Other Evaluations

193 Fenpyroximate	299 Isoprothiolane
265 Fluensulfone	313 Metconazole
292 Pendimethalin	

Periodic review of compounds

138 Metalaxyl and 212 Metalaxyl-M	202 Fipronil
-----------------------------------	--------------

New compounds

319 Flutianil (319)	322 Pyraziflumid (322)
320 Mefentrifluconazole (320)	323 Spiropidion (323)
321 Pyrasulfotole (321)	324 Tetraniliprole (324)

MRLs RETAINED AT 4 FOR CONSIDERATION BY CCPR53

178 Bifenthrin (REP21/PR53, paras. 73-78)

The following information is also provided:

Explanatory Notes

Table 1 List of pesticides whose MRLs(CXLs) or GLs have been deleted by the Codex Alimentarius Commission and for which no MRLs have been proposed

Indices of Pesticides

- Part 1** List of maximum residue limits for pesticides in food and feed (at various Steps of the Codex Procedure)
- Part 2** List of extraneous maximum residue limits for pesticides in food and animal feeds (at various Steps of the Codex Procedure)
- Part 3** List of pesticides for which guideline levels have been set

EXPLANATORY NOTES

1. DATES OF ESTIMATION OF ACCEPTABLE DAILY INTAKES (ADIs), TEMPORARY ACCEPTABLE DAILY INTAKES (TADIs), PROVISIONAL TOLERABLE DAILY INTAKES (PTDIs) AND ACUTE REFERENCE DOSES (ACUTE RfD)

- | | |
|----------------------|---|
| ADIs/PTDIs/Acute RfD | The Year of estimation or confirmation is shown in parentheses. |
| TADIs | The period from the year of estimation or most recent extension to the year by which data needed for the estimation of a full ADI are required is shown in parentheses. |

2. QUALIFICATION OF MRLs

- | | |
|---|---|
| (*) (following MRLs) | : At or about the limit of quantification. |
| E (following MRLs) | : The MRL based on extraneous residues. |
| EMRL (as heading) | : Extraneous Maximum Residue Limit. |
| F (following MRLs for milk) | : The residue is fat soluble and MRLs for milk and milk products are derived as explained in the introductions to Volume 2 of the <i>Codex Alimentarius</i> .

The 2004 JMPR decided that, for fat-soluble pesticides, two maximum residue levels will be estimated, if data permit: one for whole milk and one for milk fat. For enforcement purposes, a comparison can be made either of the residue in milk fat with the MRL for milk (fat) or of the residue in whole milk with the MRL for milk (for details see: Report of the JMPR 2004, "2.7 Revisited: MRLs for fat-soluble pesticides in milk and milk products", pages 24-25). |
| (fat) (following MRLs for meat) | : The MRL applies to the fat of the meat. |
| GL (as heading) | : Guideline Level. GLs are elaborated by the CCPR up to Step 4 of the Procedure and held there pending "acceptable daily intakes" or "temporary acceptable intakes" being estimated for the pesticides in question by the JMPR. GLs do not represent Codex recommendations. |
| Po (following (T) MRLs) | : The MRL accommodates post-harvest treatment of the commodity. |
| PoP (following (T)MRLs for processed foods (Classes D and E in the Classification)) | : The MRL accommodates post-harvest treatment of the primary food commodity. |
| T (following MRL) | : The MRL is temporary, irrespective of the status of the ADI, until required information has been provided and evaluated. |
| TMRL (as heading) | : All MRLs are temporary because the ADI is temporary. |

3. STEP NUMBERS

- CXL-D** : Recommend to the Codex Alimentarius Commission to delete the CXL, pending decision by the Commission.
- MRL-W** : Recommend to the Codex Alimentarius Commission to delete the Draft and Proposed Draft Maximum Residue Limits, pending decision by the Commission.
- 1** : Recommendation of priority compounds by CCPR, involving the Ad Hoc Working group on Priorities.
- 2** : First evaluation of the compound by the Joint FAO/WHO Meeting on Pesticide Residues; estimation of an ADI and of MRLs (draft MRLs or proposed Codex MRLs).
- 3** : Submission of the proposed Codex MRLs to governments for a first round of comments.
- 4** : First discussion of the proposed MRLs by the CCPR in the light of the comments received.
- 5** : Submission of the proposed Codex MRLs to the Codex Alimentarius Commission in the light of the CCPR-discussion, for consideration.
- 6** : Submission of the proposed Codex MRLs to governments for a second round of comments.
- 7** : Final discussion of the proposed Codex MRLs by the CCPR in the light of comments received.
- 8** : Consideration by the CAC in view of adoption of the proposal as Codex MRL (CXL).
- 5/8** : The proposed codex MRL is submitted to the Commission at Step 5; as there seems to be no controversy and no need for further discussion at Steps 6 and 7, omission of these Steps is recommended to the Commission.
- (a) (following Step number) : The MRL is a proposed amendment to a CXL.

4. REFERENCES

References are normally given only for those MRLs which are due for further discussion within the CCPR. They are therefore given only exceptionally for MRLs which are CXLs or are at Step 8, 5A, or 5/8. References are indicated in the example shown below:

Commodity		(T)MRL	Step	References
No	Name	(mg/kg)	JMPR	CCPR
(1)	(1)		69, 70 (2) (3)	20.131: 21.172 (4) (5)

- (1) : Code Number and Name of Commodity - Reference to the Codex Classification of Foods and Animal Feeds (CAC/MISC 4-1993).
- (2) : Year in which limit was first estimated. Note that it is not necessarily the year when the (T) MRL was first recommended, because the limit may have been recorded originally as a Guideline Level and converted to a (T) MRL when a (T) ADI was estimated.
- (3) : Year(s) of subsequent review(s) (of new or original data or both) unless the review resulted in a revised estimate.
- (4) : No of Session of CCPR at which recommendation was discussed. The document numbers of the relevant reports are listed below.
- (5) : No of paragraph in CCPR report.

5. JMPR EVALUATIONS

- T : Toxicological Evaluation
 - R : Residue Evaluation
 - only year : Both toxicological and residue evaluations
 - after year : Periodic Review
- brackets : Tentative year for JMPR evaluation

6. Reports of CCPR Sessions

Session No.	Year	Document Reference No.	Session No.	Year	Document Reference No.
-------------	------	------------------------	-------------	------	------------------------

1	1966	ALINORM 66/24	27	1995	ALINORM 95/24A
2	1967	ALINORM 68/24	28	1996	ALINORM 97/24
3	1968	ALINORM 69/24	29	1997	ALINORM 97/24A
4	1969	ALINORM 70/24	30	1998	ALINORM 99/24
5	1970	ALINORM 71/24	31	1999	ALINORM 99/24A
6	1972	ALINORM 72/24A	32	2000	ALINORM 01/24
7	1974	ALINORM 74/24	33	2001	ALINORM 01/24A
8	1975	ALINORM 76/24	34	2002	ALINORM 03/24
9	1977	ALINORM 78/24	35	2003	ALINORM 03/26A
10	1978	ALINORM 79/24	36	2004	ALINORM 04/27/24
11	1979	ALINORM 79/24A	37	2005	ALINORM 05/28/24
12	1980	ALINORM 81/24	38	2006	ALINORM 06/29/24
13	1981	ALINORM 83/24	39	2007	ALINORM 07/30/24
14	1982	ALINORM 83/24A	40	2008	ALINORM 08/31/24
15	1983	ALINORM 85/24	41	2009	ALINORM 09/32/24
16	1984	ALINORM 85/24A	42	2010	ALINORM 10/33/24
17	1985	ALINORM 85/24B	43	2011	REP11/PR
18	1986	ALINORM 87/24	44	2012	REP12/PR
19	1987	ALINORM 87/24A	45	2013	REP13/PR
20	1988	ALINORM 89/24	46	2014	REP14/PR
21	1989	ALINORM 89/24A	47	2015	REP15/PR
22	1990	ALINORM 91/24	48	2016	REP16/PR
23	1991	ALINORM 91/24A	49	2017	REP17/PR
24	1992	ALINORM 93/24	50	2018	REP18/PR
25	1993	ALINORM 93/24A	51	2019	REP19/PR
26	1994	ALINORM 95/24	52	2021	REP21/PR

6. CLASSIFICATION OF USES

1	Acaricide	12	Molluscicide
2	Aphicide	13	Miticide
4	Fumigant	14	Nematicide
5	Fungicide	16	Plant Growth Regulator
7	Herbicide	17	Rodenticide
8	Insecticide	18	Repellant
9	Insect Growth Regulator	20	Synergist
10	Ixodicide (for tick control)	21	Storage Scald Preventer
11	Larvicide	22	Scald Control Agent

INDEX OF PESTICIDES IN ALPHABETICAL ORDER

ABAMECTIN (177)	CARBENDAZIM (72)	DIALIFOS (98)
ACEPHATE (95)	CARBOFURAN (96)	DIAZINON (22)
ACETAMIPRID (246)	CARBON DISULPHIDE (9)	1,2-DIBROMOETHANE (23)
ACETOCHLOR (280)	CARBON TETRACHLORIDE (10)	DICAMBA (240)
ACIBENZOLAR-S-METHYL (288)	CARBOPHENOTHION (11)	DICHLOFLUANID (82)
AFIDOPYROOPEN (312)	CARBOSULFAN (145)	1,2-DICHLOROETHANE (24)
ALDICARB (117)	CARTAP (97)	DICHLOBENIL (274)
ALDRIN AND DIELDRIN (1)	CHINOMETHIONAT (80)	DICHLORVOS (25)
AMETOCTRADIN (260)	CHLORANTRANILIPROLE (230)	DICLORAN (83)
AMINOCARB (134)	CHLORDANE (12)	DICOFOL (26)
AMINOCYCLOCYPRACHLOR (272)	CHLORDIMEFORM (13)	DIFENOCONAZOLE (224)
AMINOMETHYL PHOPHONIC ACID (AMPA) (198)	CHLORFENAPYR (254)	DIFLUBENZURON (130)
AMINOPYRALID (220)	CHLORFENVINPHOS (14)	DIMETHENAMID-P (214)
AMITRAZ (122)	CHLORMEQUAT (15)	DIMETHIPIN (151)
AMITROLE (79)	CHLOROBENZILATE (16)	DIMETHOATE (27)
ANILAZINE (163)	CHLOROTHALONIL (81)	DIMETHOMORPH (225)
AZINPHOS-ETHYL (68)	CHLORPROPHAM (201)	DINOCAP (87)
AZINPHOS-METHYL (2)	CHLORPYRIFOS (17)	DINOTEFURAN (255)
AZOCYCLOTIN (129)	CHLORPYRIFOS-METHYL (90)	DIOXATHION (28)
AZOXYSTROBIN (229)	CIPRODINIL (207)	DIPHENYL (29)
BENALAXYL (155)	CLETHODIM (187)	DIPHENYLAMINE (30)
BENDIOCARB (137)	CLOFENTEZINE (156)	DIQUAT (31)
BENOMYL (69)	CLOTHIANIDIN (238)	DISULFOTON (74)
BENTAZONE (172)	COUMAPHOS (18)	DITHIANON (180)
BENZOVIDIFLUOPYR (261)	CRUFOMATE (19)	DITHiocarbamates (105)
BETA CYFLUTHRIN (228)	CYANOGENPHOS (91)	DODINE (84)
BICYCLOPYRONE (295)	CYANTRANILIPROLE (263)	EDIFENPHOS (99)
BIFENAZATE (219)	CYAZOFAMID (281)	EMAMECTIN BENZOATE (247)
BIFENTHRIN (178)	CYCLANILIPROLE (296)	ENDOSULFAN (32)
BINAPACRYL (3)	CYCLOXYDIM (179)	ENDRIN (33)
BIORESMETHRIN (93)	CYFLUMETOFEN (273)	ESFENVALERATE (204)
BITERTANOL (144)	CYFLUTHRIN (157)	ETHEPHON (106)
BIXAFEN (262)	CYHALOTHRIN (146)	ETHIOFENCARB (107)
BOSCALID (221)	CYHEXATIN (67)	ETHION (34)
BROMIDE ION (47)	CYPERMETHRIN (118)	ETHIPROLE (304)
BROMOPHOS (4)	CYPROCONAZOLE (239)	ETHOPROPHOS (149)
BROMOPHOS-ETHYL (5)	CYPRODINIL (207)	ETHOXYQUIN (35)
BROMOPROPYLATE (70)	CYROMAZINE (169)	ETHYLENE THIOUREA (ETU) (108)
BUPROFEZIN (173)	DAMINOZIDE1 (4)	ETOGENPROX (184)
BUTOCARBOXIM (139)	2,4-D (20)	ETOXAazole (241)
CADUSAfos (174)	DDT (21)	ETRIMFOS (123)
CAMPHECHLOR (71)	DELTAMETHRIN1 (35)	FAMOXADONE (208)
CAPTAFOL (6)	DEMETON (92)	FENAMIPHOS (85)
CAPTAN (7)	DEMETON-S-METHYL (73)	FENAMIDONE (264)
CARBARYL (8)	DEMETON-S-METHYLSULPHON (164)	FENARIMOL (192)
		FENAZAQUIN (297)

FENBUCONAZOLE (197)	IMAZAPIC (266)	OXATHIAPIPROLIN (291)
FENBUTATIN OXIDE (109)	IMAZAPYR (267)	OXYDEMETON-METHYL (166)
FENCHLORPHOS (36*)	IMAZETHAPYR (289)	PACLOBUTRAZOL (161)
FENHEXAMID (215)	IMIDACLOPRIDE (206)	PARAQUAT (57)
FENITROTHION (37)	INDOXACARB (216)	PARATHION (58)
FENPICOXAMID (305)	IPRODIONE (111)	PARATHION-METHYL (59)
FENPROPATHRIN (185)	ISOFENPHOS (131)	PENCONAZOLE (182)
FENPROPIMORPH (188)	ISOFETAMID (290)	PENDIMETHALIN (292)
FENPYRAZAMINE (298)	ISOPROTHIOLANE (299)	PENTHIOPYRAD (253)
FENPYROXIMATE (193)	ISOPYRAZAM (249)	PERMETHRIN (120)
FENSULFOFOTHION (38)	ISOXAFLUTOLE (268)	PHENOTHRIN (127)
FENTHION (39)	KRESOXIM-METHYL (199)	PHENTHOATE (128)
FENTIN (40)	LEPTOPHOS (88)	2-PHENYLPHENOL (56)
FENVALERATE (119)	LINDANE (48)	PHORATE (112)
FIPRONIL (202)	LUFENURON (286)	PHOSALONE (60)
FLONICAMID (282)	MALATHION (49)	PHOSMET (103)
FLUAZIFOP-P-BUTYL (283)	MALEIC HYDRAZIDE (102)	PHOSPHAMIDON (61)
FLUAZINAM (306)	MANCOZEB (50)	PHOSPHONIC ACID (301)
FLUBENDIAMIDE (242)	MANDESTROBIN (307)	PHOXIM (141)
FLUCYTHRINATE (152)	MANDIPROPAMID (231)	PICOXYSTROBIN (258)
FLUDIOXONIL (211)	MCPA (257)	PINOXADEN (293)
FLUENSULFONE (265)	MECARBAM (124)	PIPERONYL BUTOXIDE (62)
FLUFENOXURON (275)	MEFENTRIFLUCONAZOLE (320)	PIRIMICARB (101)
FLUMETHRIN (195)	MEPTYLDINOCAP (244)	PIRIMIPHOS-METHYL (86)
FLUMIOXAZIN (284)	MESOTRIONE (277)	PROCHLORAZ (142)
FLUOPICOLIDE (235)	METAFLUMIZONE (236)	PROCYMIDONE (136)
FLUOPYRAM (243)	METALAXYL (138)	PROFENOFOSS (171)
FLUPYRADIFURONE (285)	METALAXYL-M (212)	PROPAMOCARB (148)
FLUSILAZOLE (165)	METCONAZOLE (313)	PROPARGITE (113)
FLUTIANIL (319)	METHACRIFOS (125)	PROPHAM (183)
FLUTOLANIL (205)	METHAMIDOPHOS (100)	PROPICONAZOLE (160)
FLUTRIAFOL (248)	METHIDATHION (51)	PROPOXUR (75)
FLUXAPYROXAD (256)	METHiocarb (132)	PROPYLENE OXIDE (250)
FOLPET (41)	METHOMYL (94)	PROPYLENE THIOUREA (PTU) (150)
FORMOTHION (42)	METHOPRENE (147)	PROTHIOCONAZOLE (232)
FOSETYL AL (302)	METHOXYFENOZIDE (209)	PYDIFLUMETOGEN (309)
GLUFOSINATE-AMMONIUM (175)	METHYL BROMIDE (52)	PYFLUBUMIDE (314)
GLYPHOSATE1 (58)	METIRAM (186)	PYMETROZINE (279)
GUAZATINE (114)	METRAFENONE (278)	PYRACLOSTROBIN (210)
HALOXYFOP (194)	MEVINPHOS (53)	PYRASULFOTOLE (321)
HEPTACHLOR (43)	MONOCROTOPHOS (54)	PYRAZOPHOS (153)
HEXACHLOROBENZENE (44)	MYCLOBUTANIL (181)	PYRAZIFLUMID (322)
HEXA CONAZOLE (170)	NATAMYCIN (300)	PYRETHRINS (63)
HEXYTHIAZOX (176)	NITROFEN (140)	PYRIDATE (315)
HYDROGEN CYANIDE (45)	NORFLURAZON (308)	PYRIFLUQUINAZON (316)
HYDROGEN PHOSPHIDE (46)	NOVALURON (217)	PYRIMETHANIL (226)
IMAZALIL (110)	OMETHOATE (55)	PYRIOFENONE (310)
IMAZAMOX (276)	OXAMYL (126)	PYRIPROXYFEN (200)

QUINCLORAC (287)
QUINOXYFEN (222)
QUINTOZENE (64)
SAFLUFENACIL (251)
SEC-BUTYLAMINE (89)
SEDAXANE (259)
SPINETORAM (233)
SPINOZAD (203)
SPIRODICLOFEN (237)
SPIROMESIFEN (294)
SPIROPIDION (323)
SPIROTETRAMATE (234)
SULFOXAFLOR (252)
SULFURYL FLUORIDE (218)
2,4,5-T (121)
TEBUCONAZOLE (189)
TEBUFENOZIDE (196)
TECNAZENE (115)
TEFLUBENZURON (190)
TERBUFOS (167)
TETRANILIPROLE (324)
THIABENDAZOLE (65)
THIACLOPRID (223)
THIAMETHOXAM (245)
THIODICARB (154)
THIOMETON (76)
THIOPHANATE-METHYL (77)
TIOXAZAFEN (311)
TOLCLOFOS-METHYL (191)
TOLFENPYRAD (269)
TOLYLFLUANID (162)
TRIADIMEFON (133)
TRIADIMENOL (168)
TRIAZOPHOS (143)
TRICHLORFON (66)
TRIFLOXYSTROBIN (213*)
TRIFLUMEZOPYRIM (303)
TRIFLUMIZOLE (270)
TRIFLUMURON (317)
TRIFORINE (116)
TRINEXAPAC-ETHYL (271)
VALIFENALATE (318)
VAMIDOTHION (78)
VINCLOZOLIN (159)
ZOXAMIDE (227)

INDEX OF PESTICIDES IN CODE ORDER

1	ALDRIN AND DIELDRIN	47	BROMIDE ION	93	BIORESMETHRIN
2	AZINPHOS-METHYL	48	LINDANE	94	METHOMYL
3	BINAPACRYL	49	MALATHION	95	ACEPHATE
4	BROMOPHOS	50	MANCOZEB	96	CARBOFURAN
5	BROMOPHOS-ETHYL	51	METHIDATHION	97	CARTAP
6	CAPTAFOL	52	METHYL BROMIDE	98	DIALIFOS
7	CAPTAN	53	MEVINPHOS	99	EDIFENPHOS
8	CARBARYL	54	MONOCROTOPHOS	100	METHAMIDOPHOS
9	CARBON DISULPHIDE	55	OMETHOATE	101	PIRIMICARB
10	CARBON TETRACHLORIDE	56	2-PHENYLPHENOL	102	MALEIC HYDRAZIDE
11	CARBOPHENOTHION	57	PARAQUAT	103	PHOSMET
12	CHLORDANE	58	PARATHION	104	DAMINOZIDE
13	CHLORDIMEFORM	59	PARATHION-METHYL	105	DITHIOCARBAMATES
14	CHLORFENVINPHOS	60	PHOSALONE	106	ETHEPHON
15	CHLORMEQUAT	61	PHOSPHAMIDON	107	ETHIOFENCARB
16	CHLOROBENZILATE	62	PIPERONYL BUTOXIDE	108	ETHYLENE THIOUREA (ETU)
17	CHLORPYRIFOS	63	PYRETHRINS	109	FENBUTATIN OXIDE
18	COUMAPHOS	64	QUINTOZENE	110	IMAZALIL
19	CRUFOMATE	65	THIABENDAZOLE	111	IPRODIONE
20	2,4-D	66	TRICHLORFON	112	PHORATE
21	DDT	67	CYHEXATIN	113	PROPARGITE
22	DIAZINON	68	AZINPHOS-ETHYL	114	GUAZATINE
23	1,2-DIBROMOETHANE	69	BENOMYL	115	TECNAZENE
24	1,2-DICHLOROETHANE	70	BROMOPROPYLATE	116	TRIFORINE
25	DICHLORVOS	71	CAMPHECHLOR	117	ALDICARB
26	DICOFOL	72	CARBENDAZIM	118	CYPERMETHRIN
27	DIMETHOATE	73	DEMETON-S-METHYL	119	FENVALERATE
28	DIOXATHION	74	DISULFOTON	120	PERMETHRIN
29	DIPHENYL	75	PROPOXUR	121	2,4,5-T
30	DIPHENYLAMINE	76	THIOMETON	122	AMITRAZ
31	DIQUAT	77	THIOPHANATE-METHYL	123	ETRIMFOS
32	ENDOSULFAN	78	VAMIDOTHION	124	MECARBAM
33	ENDRIN	79	AMITROLE	125	METHACRIFOS
34	ETHION	80	CHINOMETHIONAT	126	OXAMYL
35	ETHOXYQUIN	81	CHLOROTHALONIL	127	PHENOTHRIN
36	FENCHLORPHOS	82	DICHLORFLUANID	128	PHENTHOATE
37	FENITROTHION	83	DICLORAN	129	AZOCYCLOTIN
38	FENSULFOOTHION	84	DODINE	130	DIFLUBENZURON
39	FENTHION	85	FENAMIPHOS	131	ISOFENPHOS
40	FENTIN	86	PIRIMIPHOS-METHYL	132	METHiocarb
41	FOLPET	87	DINOCAP	133	TRIADIMEFON
42	FORMOTHION	88	LEPTOPHOS	134	AMINOCARB
43	HEPTACHLOR	89	SEC-BUTYLAMINE	135	DELTAMETHRIN
44	HEXACHLOROBENZENE	90	CHLORPYRIFOS-METHYL	136	PROCYRIDONE
45	HYDROGEN CYANIDE	91	CYANOGENPHOS	137	BENDIOCARB
46	HYDROGEN PHOSPHIDE	92	DEMETON	138	METALAXYL

139	BUTOCARBOXIM	186	METIRAM	233	SPINETORAM
140	NITROFEN	187	CLETHODIM	234	SPIROTETRAMATE
141	PHOXIM	188	FENPROPIMORPH	235	FLUOPICOLIDE
142	PROCHLORAZ	189	TEBUCONAZOLE	236	METAFLUMIZONE
143	TRIAZOPHOS	190	TEFLUBENZURON	237	SPIRODICLOFEN
144	BITERTANOL	191	TOLCLOFOS-METHYL	238	CLOTHIANIDIN
145	CARBOSULFAN	192	FENARIMOL	239	CYPROCONAZOLE
146	CYHALOTHRIN	193	FENPYROXIMATE	240	DICAMBA
147	METHOPRENE	194	HALOXYFOP	241	ETOXAZONE
148	PROPAMOCARB	195	FLUMETHRIN	242	FLUBENDIAMIDE
149	ETHOPROPHOS	196	TEBUFENOZIDE	243	FLUOPYRAM
150	PROPYLENE THIOUREA (PTU)	197	FENBUCONAZOLE	244	MEPTYLDINOCAP
151	DIMETHIPIN	198	AMINOMETHYL PHOPHONIC ACID (AMPA)	245	THIAMETHOXAM
152	FLUCYTHRINATE	199	KRESOXIM-METHYL	246	ACETAMIPRID
153	PYRAZOPHOS	200	PYRIPROXYFEN	247	EMAMECTIN BENZOATE
154	THIODICARB	201	CHLORPROPHAM	248	FLUTRIAFOL
155	BENALAXYL	202	FIPRONIL	249	ISOPYRAZAM
156	CLOFENTEZINE	203	SPINOZAD	250	PROPYLENE OXIDE
157	CYFLUTHRIN	204	ESFENVALERATE	251	SAFLUFENACIL
158	GLYPHOSATE	205	FLUTOLANIL	252	SULFOXAFLOR
159	VINCLOZOLIN	206	IMIDACLOPRID	253	PENTHIOPYRAD
160	PROPICONAZOLE	207	CYPRODINIL	254	CHLORFENAPYR
161	PACLOBUTRAZOL	208	FAMOXADONE	255	DINOTEFURAN
162	TOLYLFLUANID	209	METHOXYFENOZIDE	256	FLUXAPYROXAD
163	ANILAZINE	210	PYRACLOSTROBIN	257	MCPA
164	DEMETON-S- METHYLSULPHON	211	FLUDIOXONIL	258	PICOXYSTROBIN
165	FLUSILAZOLE	212	METALAXYL-M	259	SEDAXANE
166	OXYDEMETON-METHYL	213	TRIFLOXYSTROBIN	260	AMETOCTRADIN
167	TERBUFOS	214	DIMETHENAMID-P	261	BENZOVINDIFLUPYR
168	TRIADIMENOL	215	FENHEXAMID	262	BIXAFEN
169	CYROMAZINE	216	INDOXACARB	263	CYANTRANILIPROLE
170	HEXACONAZOLE	217	NOVALURON	264	FENAMIDONE
171	PROFENOFOSS	218	SULFURYL FLUORIDE	265	FLUENSULFONE
172	BENTAZONE	219	BIFENAZATE	266	IMAZAPIC
173	BUPROFEZIN	220	AMINOPYRALID	267	IMAZAPYR
174	CADUSAFOSS	221	BOSCALID	268	ISOXAFLUTOLE
175	GLUFOSINATE-AMMONIUM	222	QUINOXYFEN	269	TOLFENPYRAD
176	HEXYTHIAZOX	223	THIACLOPRID	270	TRIFLUMIZOLE
177	ABAMECTIN	224	DIFENOCONAZOLE	271	TRINEXAPAC-ETHYL
178	BIFENTHRIN	225	DIMETHOMORPH	272	AMINOCYCLOPYRACHLOR
179	CYCLOXYDIM	226	PYRIMETHANIL	273	CYFLUMETOGEN
180	DITHIANON	227	ZOXAMIDE	274	DICHLOBENIL
181	MYCLOBUTANIL	228	BETA CYFLUTHRIN	275	FLUFENOXURON
182	PENCONAZOLE	229	AZOXYSTROBIN	276	IMAZAMOX
183	PROPHAM	230	CHLORANTRANILIPROLE	277	MESOTRIONE
184	ETOGENPROX	231	MANDIPROPAMID	278	METRAFENONE
185	FENPROPATHRIN	232	PROTHIOCONAZOLE	279	PYMETROZINE
				280	ACETOCHLOR

281 CYAZOFAMID
282 FLONICAMID
283 FLUAZIFOP-P-BUTYL
284 FLUMIOXAZIN
285 FLUPYRADIFURONE
286 LUFENURON
287 QUINCLORAC
288 ACIBENZOLAR-S-METHYL
289 IMAZETHAPYR
290 ISOFETAMID
291 OXATHIAPIPROLIN
292 PENDIMETHALIN
293 PINOXADEN
294 SPIROMESIFEN
295 BICYCLOPYRONE
296 CYCLANILIPROLE
297 FENAZAQUIN
298 FENPYRAZAMINE
299 ISOPROTHIOLANE
300 NATAMYCIN
301 PHOSPHONIC ACID (301)
302 FOSETYL AL (302)*
303 TRIFLUMEZOPYRIM
304 ETHIPROLE
305 FENPICOXAMID
306 FLUAZINAM
307 MANDESTROBIN
308 NORFLURAZON
309 PYDIFLUMETOGEN
310 PYRIOFENONE
311 TIOXAZAFEN
312 AFIDOPYROOPEN
313 METCONAZOLE
314 PYFLUBUMIDE
315 PYRIDATE
316 PYRIFLUQUINAZON
317 TRIFLUMURON
318 VALIFENALATE
319 FLUTIANIL (319)
320 MEFENTRIFLUCONAZOLE
321 PYRASULFOTOLE
322 PYRAZIFLUMID
323 SPIROPIDION
324 TETRANILIPROLE

**Table 1. LIST OF PESTICIDES WHOSE MRLs(CXLS) OR GLs HAVE BEEN DELETED
BY THE CODEX ALIMENTARIUS COMMISSION
AND FOR WHICH NO MRLs HAVE BEEN PROPOSED**

Code	Name	Year of Withdrawn by Codex Alimentarius Commission	Notes
3	Binapacryl	1987	
4	Bromophos	1991	
5	Bromophos-Ethyl	1991	
6	Captafol	1987	
9	Carbon Disulphide	1991	
10	Carbon Tetrachloride	1991	
11	Carbophenothion	1993	
13	Chlordimeform	1988	
14	Chlorfenvinphos	1999	
16	Chlorobenzilate	1993	
18	Coumaphos	1993	
19	Crufomate	1991	
23	1,2-Dibromoethane	1991	
24	1,2-Dichloroethane	1991	
28	Dioxathion	1991	
29	Diphenyl	1993	
36	Fenchlorphos	1991	
38	Fensulfothion	1995	
40	Fentin	2007	
42	Formothion	1995	
44	Hexachlorobenzene	1986	
45	Hydrogen Cyanide	1995	
47	Bromide Ion	2021	
50	Mancozeb		See Dithiocarbamates
53	Mevinphos	2009	
54	Monocrotophos	1997	
58	Parathion	2003	
61	Phosphamidon	2003	
66	Trichlorfon	1997	
68	Azinphos-Ethyl	1987	
69	Benomyl	2003	See Carbendazim

Code	Name	Year of Withdrawn by Codex Alimentarius Commission	Notes
70	Bromopropylate	2021	
71	Camphechlor	1985	
73	Demeton-S-Methyl	1999	See Oxydemeton-Methyl
75	Propoxur	2001	
76	Thiometon	1999	
77	Thiophanate-Methyl	2003	See Carbendazim
78	Vamidothion	2001	
80	Chinomethionat	2001	
82	Dichlofuanid	2016	
83	Dichloran	2021	
88	Leptophos	1979	
89	Sec-Butylamine	1989	
91	Cyanofenphos	1985	
92	Demeton	1987	
93	Bioresmethrin	2016	
97	Cartap	1997	
98	Dialifos	1991	
99	Edifenphos	1997	
104	Daminozide	1993	
107	Ethiofencarb	1995	
108	Ethylene Thiourea	1995	
115	Tecnazene	2016	
121	2,4,5-T	1995	
123	Etrimfos	1997	
124	Mecarbam	2003	
125	Methacrifos	1997	
127	Phenothrin	1999	
128	Phenthroate	1999	
131	Isofenphos	1997	
134	Aminocarb	1985	
136	Procymidone	2011	
137	Bendiocarb	2004	
139	Butocarboxim	1991	

Code	Name	Year of Withdrawn by Codex Alimentarius Commission	Notes
140	Nitrofen	1987	
141	Phoxim	1999	
150	Propylene Thiourea (Ptu)	1997	
152	Flucythrinate	2001	
153	Pyrazophos	2001	
154	Thiodicarb		See Methomyl
159	Vinclozolin	2011	
161	Paclobutrazol	2004	
162	Tolylfluanid	2016	
163	Anilazine	2003	
164	Demeton-S-Methylsulphon	1999	See Oxydemeton-Methyl
170	Hexaconazole	2004	
183	Propham	1995	
186	Metiram		See Dithiocarbamates
192	Fenarimol	2021	
198	Aminomethyl Phosphonic Acid (Ampa)	2001	

PART 1

LIST OF CODEX MAXIMUM RESIDUE LIMITS (CXLs) AND MAXIMUM RESIDUE LIMITS IN THE STEP PROCEDURE FOR PESTICIDES IN FOOD AND ANIMAL FEEDS

2 Azinphos-Methyl

Main Uses: Insecticide
ADI: 0-0.03 mg/kg bw (2007)
ARfD: 0.1 mg/kg bw (2007)
Residue: Azinphos-methyl

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
HS 0093	Spices	0.5 (*)			CXL		37		2005	

7 Captan

Main Uses: Fungicide
 ADI: 0-0.03 mg/kg bw (2007)
 ADI: 0-0.1 mg/kg bw (1984); confirmed (1990, 1995)
 ARfD: 0.3 mg/kg bw (for women of child-bearing age) (2007)
 Residue: For compliance with MRLs and for estimation of dietary exposure for plant and animal commodities: Captan.
 The residue is not fat soluble.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
TN	0660	Almonds	0.3			CXL	00	34		2003	
FB	0020	Blueberries	20			CXL	94,00	37	28,31,32,34-39	2005	
FS	0013	Cherries (subgroup)	25			CXL	97,00	40	28,31,32,34-39	2008	
VC	0424	Cucumber	3			CXL	00	37	34-36	2005	
DF	0269	Grape, dried (= Currants, Raisins and Sultanas)	50			CXL	97,00	40	28,31,32,34-39	2008	
FB	0269	Grapes	25			CXL	97,00	40	28,31,32,34-39	2008	
VC	0046	Melons, except watermelon	10			CXL	00	40	34-39	2008	
FS	0245	Nectarine	3			CXL	94,00	37	28,31,32,34-36	2005	
FS	0247	Peach	20			CXL	00	40	34-39	2008	
FS	0014	Plums (including fresh prunes) (subgroup)	10			CXL	00	40	28,31,32,34-39	2008	
FP	0009	Pome fruits (group)	15	Po		CXL	00	40	34-39	2008	
VR	0589	Potato	0.05			CXL	00	34		2003	
FB	0272	Raspberries, red, black	20			CXL	00	37	34-36	2005	
HS	0193	Spices, roots and rhizomes	0.05			CXL		43		2011	
FB	0275	Strawberry	15			CXL	94	28		2008	
VO	0448	Tomato	5			CXL	00	40	28,31,32,34-39	2008	

8 Carbaryl

Main Uses:

Insecticide

ADI:

0-0.008 mg/kg bw (2001)

ARfD:

0.2 mg/kg bw (2001)

Residue:

For compliance with MRLs and for estimation of dietary intake: Carbaryl.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AM 0660	Almond hulls	50			CXL	02	36	35	2004	
VS 0621	Asparagus	15			CXL	02	36	35	2004	
VR 0574	Beetroot	0.1			CXL	02	36	35	2004	
VR 0577	Carrot	0.5			CXL	02	36	35	2004	
FC 0001	Citrus fruits (group)	15			CXL	02	45	35-41	2013	
FB 0265	Cranberry	5			CXL	07	40		2008	
VO 0440	Egg plant	1			CXL	02	36	35	2004	
MO 0098	Kidney of cattle, goats, pigs and sheep	3			CXL	02	36	35	2004	
MO 0099	Liver of cattle, goats, pigs & sheep	1			CXL	02	36	35	2004	
GC 0645	Maize	0.02	(*)		CXL	02	36	35	2004	
AS 0645	Maize fodder (dry)	250			CXL	02	36	35	2004	
OC 0645	Maize oil, crude	0.1			CXL	02	36	35	2004	
MM 0095	Meat (from mammals other than marine mammals)	0.05			CXL	02	36	35	2004	
ML 0106	Milks	0.05			CXL	02	36	35	2004	
OC 0305	Olive oil, virgin	25			CXL	02	36	35	2004	
VO 0444	Peppers chili	0.5			CXL	07	40		2008	
HS 0444	Peppers chili, dried	2			CXL	07	40		2008	
VO 0445	Peppers, sweet (including pimento or pimiento)	5			CXL	02	36	35	2004	
CM 1206	Rice bran, unprocessed	170			CXL	02	36	35	2004	
CM 1207	Rice hulls	50			CXL	02	36	35	2004	
AS 0649	Rice, hay and/or straw	120			CXL	02	36	35	2004	
CM 1205	Rice, polished	1			CXL	02	36	35	2004	
AF 1053	Sorghum forage (dry)	50			CXL	02	36	35	2004	
GC 0651	Sorghum grain	10	Po T		CXL		31		1999	
VD 0541	Soya bean (dry)	0.2			CXL	02	35		2003	
AL 0541	Soya bean fodder	15			CXL	02	36	35	2004	
AB 0541	Soya bean hulls	0.3			CXL	02	36	35	2004	
OC 0541	Soya bean oil, crude	0.2			CXL	02	36	35	2004	
HS 0191	Spices, fruits and berries	0.8			CXL		43		2011	
HS 0193	Spices, roots and rhizomes	0.1			CXL		43		2011	
SO 0702	Sunflower seed	0.2			CXL	02	36	35	2004	
OC 0702	Sunflower seed oil, crude	0.05			CXL	02	36	35	2004	
VO 0447	Sweet corn (corn-on-the-	0.1			CXL	02	36	35	2004	
AB 0447	Sweet corn cannery waste	7.4			CXL	02	36	35	2004	
VR 0508	Sweet potato	0.02	(*)		CXL	02	36	35	2004	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FT 0305	Table olives		30			CXL	02	36	35	2004	
VO 0448	Tomato		5			CXL	02	36	35	2004	
JF 0448	Tomato juice		3			CXL	02	36	35	2004	
VW 0448	Tomato paste		10			CXL	02	36	35	2004	
TN 0085	Tree nuts (group)		1			CXL	02	36	35	2004	
VR 0506	Turnip, Garden		1			CXL	02	36	35	2004	
GC 0654	Wheat		2			CXL	02	36	35	2004	
CM 0654	Wheat bran, unprocessed		2			CXL	02	36	35	2004	
CF 1211	Wheat flour		0.2			CXL	02	36	35	2004	
CF 1210	Wheat germ		1			CXL	02	36	35	2004	
AS 0654	Wheat, hay and/or straw		30			CXL	02	36	35	2004	

15 Chlormequat

Main Uses: Plant growth regulator
 ADI: 0-0.03 mg/kg bw (2007)
 ADI: 0-0.05 mg/kg bw (1997)
 ARfD: 0.05 mg/kg bw (1999)
 Residue: For compliance with MRLs and for estimation of dietary exposure for plant and animal commodities: Sum of chlormequat cation.
 The residue is not fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
GC 0640	Barley	2			CXL	2017	50		2018	
AS 0640	Barley, hay and/or straw	50	(dw)		CXL	2017	50		2018	
SO 0691	Cotton seed	0.5			CXL	2017	50		2018	Recommended for withdrawal by JMPR 2017.
MO 0105	Edible offal (mammalian)	1			CXL	2017	50		2018	
PE 0112	Eggs	0.1			CXL	2017	50		2018	
FB 0269	Grapes	0.04	(*)		CXL	2017	50		2018	
MF 0100	Mammalian fats (except milk fats)	0.1			CXL	2017	50		2018	
MM 0095	Meat (from mammals other than marine mammals)	0.2			CXL	2017	50		2018	
ML 0106	Milks	0.3			CXL	2017	50		2018	
AS 0647	Oat straw and fodder, dry	7	(dw)		CXL	2017	50		2018	
GC 0647	Oats	4			CXL	2017	50		2018	
PF 0111	Poultry fats	0.04	(*)		CXL	2017	50		2018	
PM 0110	Poultry meat	0.04	(*)		CXL	2017	50		2018	
PO 0111	Poultry, edible offal of	0.1			CXL	2017	50		2018	
GC 0650	Rye	6			CXL	2017	50		2018	
CM 0650	Rye bran, unprocessed	20			CXL	2017	50		2018	
AS 0650	Rye straw and fodder, dry	20	(dw)		CXL	2017	50		2018	
CF 1251	Rye wholemeal	8			CXL	2017	50		2018	
GC 0653	Triticale	5			CXL	2017	50		2018	
AS 0653	Triticale, hay and/or straw	80	(dw)		CXL	2017	50		2018	
GC 0654	Wheat	2			CXL	2017	50		2018	
CM 0654	Wheat bran, unprocessed	7			CXL	2017	50		2018	
AS 0654	Wheat, hay and/or straw	80	(dw)		CXL	2017	50		2018	

17 Chlorpyrifos

Main Uses: Insecticide
 ADI: 0-0.03 mg/kg bw (2007)
 ARfD: 0.1 mg/kg bw (2006)
 Residue: For compliance with MRLs and estimation of dietary intake in plant and animal commodities: Chlorpyrifos.
 The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AL 1020	Alfalfa fodder	5			CXL 00	35	34	2003		
TN 0660	Almonds	0.05			CXL 00	35	34	2003		
FI 0327	Banana	2			CXL 00	35	34	2003		
VB 0400	Broccoli	2			CXL 00	35	34	2003		
VB 0041	Cabbages, head	1			CXL 00	35	34	2003		
VR 0577	Carrot	0.1			CXL 00	35	34	2003		
MO 1280	Cattle kidney	0.01			CXL 00	35	34	2003		
MO 1281	Cattle liver	0.01			CXL 00	35	34	2003		
MM 0812	Cattle meat	1	(fat)		CXL 00	35	34	2003		
VB 0404	Cauliflower	0.05			CXL 00	35	34	2003		
VL 0467	Chinese cabbage (type pe-tsai)	1			CXL 00					
FC 0001	Citrus fruits (group)	1			CXL 00	45	30	2013		
SB 0716	Coffee beans	0.05			CXL 00	35	34	2003		
VP 0526	Common bean (pods and/or immature seeds)	0.01			CXL 00	35	34	2003		
SO 0691	Cotton seed	0.3			CXL 04	37		2005		
OR 0691	Cotton seed oil, edible	0.05	(*)		CXL 04	37		2005		
FB 0265	Cranberry	1			CXL 06	39		2007		
PE 0112	Eggs	0.01	(*)		CXL 00	35	34	2003		
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	0.1			CXL 00	35	34	2003		
FB 0269	Grapes	0.5			CXL 00	35	34	2003		
GC 0645	Maize	0.05			CXL 00	35	34	2003		
AS 0645	Maize fodder (dry)	10			CXL 00	35	34	2003		
OR 0645	Maize oil, edible	0.2			CXL 00	35	34	2003		
ML 0107	Milk of cattle, goats & sheep	0.02			CXL 00	35	34	2003		
VA 0385	Onion, bulb	0.2			CXL 00	35	34	2003		
FS 0247	Peach	0.5			CXL 00	35	34	2003		
VP 0063	Peas (pods and succulent=immature seeds)	0.01			CXL 00	35	34	2003		
TN 0672	Pecan	0.05	(*)		CXL 00	35	34	2003		
HS 0444	Peppers chili, dried	20			CXL 04	38	37	2006		
VO 0445	Peppers, sweet (including pimento or pimienta)	2			CXL 00	35	34	2003		
MM 0818	Pig meat	0.02	(fat)		CXL 00	35	34	2003		
MO 0818	Pig, edible offal of	0.01	(*)		CXL 00	35	34	2003		

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
	Code	Name									
FS	0014	Plums (including fresh prunes) (subgroup)	0.5			CXL	00	35	34	2003	
FP	0009	Pome fruits (group)	1			CXL	00	35	34	2003	
VR	0589	Potato	2			CXL	04	37		2005	
PM	0110	Poultry meat	0.01	(fat)		CXL	00	35	34	2003	
PO	0111	Poultry, edible offal of	0.01	(*)		CXL	00	35	34	2003	
GC	0649	Rice	0.5			CXL	04	37		2005	
MM	0822	Sheep meat	1	(fat)		CXL	00	35	34	2003	
MO	0822	Sheep, edible offal of	0.01			CXL	00	35	34	2003	
GC	0651	Sorghum grain	0.5			CXL	00	35	34	2003	
AS	0651	Sorghum straw and fodder, dry	2			CXL	00	35	34	2003	
VD	0541	Soya bean (dry)	0.1			CXL	04	37		2005	
OR	0541	Soya bean oil, refined	0.03			CXL	04	37		2005	
HS	0191	Spices, fruits and berries	1			CXL		37		2005	
HS	0193	Spices, roots and rhizomes	1			CXL		37		2005	
HS	0190	Spices, seeds	5			CXL		37		2005	
FB	0275	Strawberry	0.3			CXL	00	35	34	2003	
VR	0596	Sugar beet	0.05			CXL	00	35	34	2003	
VO	0447	Sweet corn (corn-on-the-	0.01			CXL	00	35	34	2003	
DT	1114	Tea, green, black (black, fermented and dried)	2			CXL	04	37		2005	
TN	0678	Walnuts	0.05	(*)		CXL	00	35	34	2003	
GC	0654	Wheat	0.5			CXL	00	35	34	2003	
CF	1211	Wheat flour	0.1			CXL	00	35	34	2003	
AS	0654	Wheat, hay and/or straw	5			CXL	00	35	34	2003	

20 2,4-D

Main Uses: Herbicide
 ADI: 0-0.01 mg/kg bw for sum of 2,4-D and its salts and esters expressed as 2,4-D (1996)
 ARfD: Unnecessary (2001)
 Residue: For compliance with MRLs and for estimation of dietary exposure for plant and animal commodities: Sum of 2,4-D.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FB	0018	Berries and other small fruits	0.1			CXL	1998	34	32	2003	
FC	0001	Citrus fruits (group)	1	Po		CXL	2001	36	34,35	2004	
MO	0105	Edible offal (mammalian)	5			CXL	1998	34	32	2003	
PE	0112	Eggs	0.01	(*)		CXL	1998	32		2001	
AS	0162	Hay or fodder (dry) of grasses	400			CXL	1998	34	32	2003	
GC	0645	Maize	0.05			CXL	1998	32		2001	
AS	0645	Maize fodder (dry)	40			CXL	1998	32		2001	
MM	0095	Meat (from mammals other than marine mammals)	0.2			CXL	1998	34	32	2003	
ML	0106	Milks	0.01			CXL	1998	34	32	2003	
FP	0009	Pome fruits (group)	0.01	(*)		CXL	1998	34	32	2003	
VR	0589	Potato	0.2			CXL	1998				
PM	0110	Poultry meat	0.05	(*)		CXL	1998	34	32	2003	
PO	0111	Poultry, edible offal of	0.05	(*)		CXL	1998	34	32	2003	
AS	0649	Rice, hay and/or straw	10			CXL	1998	32		2001	
CM	0649	Rice, husked	0.1			CXL	1998	32		2001	
GC	0650	Rye	2			CXL	1998	32		2001	
GC	0651	Sorghum grain	0.01	(*)		CXL	1998	34	32	2003	
VD	0541	Soya bean (dry)	0.01	(*)		CXL	1998	34	32	2003	
AL	0541	Soya bean fodder	0.01	(*)		CXL	1998	34	32	2003	
FS	0012	Stone fruits (group)	0.05	(*)		CXL	1998	32		2001	
GS	0659	Sugar cane	0.05			CXL	1998	32		2001	
VO	0447	Sweet corn (corn-on-the-	0.05	(*)		CXL	1998	32		2001	
TN	0085	Tree nuts (group)	0.2			CXL	1998	32		2001	
GC	0654	Wheat	2			CXL	1998	32		2001	
AS	0654	Wheat, hay and/or straw	100			CXL	1998	32		2001	

22 Diazinon

Main Uses: Insecticide
 ADI: 0-0.005 mg/kg bw (2006)
 ARfD: 0.03 mg/kg bw (2006)
 Residue: For compliance with MRLs and estimation of dietary intake: Diazinon.
 The residue is fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AM	0660	Almond hulls	5		CXL					1995	
TN	0660	Almonds	0.05		CXL					1995	
FB	0264	Blackberries	0.1		CXL		28			1997	
FB	4079	Boysenberry	0.1		CXL		28			1997	
VB	0400	Broccoli	0.5		CXL		28			1997	
VB	0041	Cabbages, head	0.5		CXL	99	37	33-36		2005	
VC	4199	Cantaloupe	0.2		CXL		28			1997	
VR	0577	Carrot	0.5		CXL		28			1997	
FS	0013	Cherries (subgroup)	1		CXL		28			1997	
PE	0840	Chicken eggs	0.02	(*)	CXL	96	30			1999	
PM	0840	Chicken meat	0.02	(*)	CXL	96	30			1999	
PO	0840	Chicken, edible offal of	0.02	(*)	CXL	96	30			1999	
VL	0467	Chinese cabbage (type pe-tsai)	0.05		CXL		28			1997	
VP	0526	Common bean (pods and/or immature seeds)	0.2		CXL		28			1997	
FB	0265	Cranberry	0.2		CXL	06	39			2007	
VC	0424	Cucumber	0.1		CXL		28			1997	
FB	0021	Currants, black, red, white	0.2		CXL		28			1997	
VP	0529	Garden pea, shelled (succulent seeds)	0.2		CXL		28			1997	
MM	0814	Goat meat	2	(fat) V	The MRL accommodates external animal treatment.	CXL	99	36	33-35	2004	
DH	1100	Hops, dry	0.5			CXL	94	28		1997	
VL	0480	Kale (including among others: Collards, curly kale, Scotch kale, thousand-headed kale; not including Marrow-stem kale)	0.05			CXL				1995	
MO	0098	Kidney of cattle, goats, pigs and sheep	0.03	V	The MRL accommodates external animal treatment.	CXL	96,99	36	30,33-35	2004	
FI	0341	Kiwifruit	0.2			CXL		28		1997	
VB	0405	Kohlrabi	0.2			CXL		28		1997	
VL	0482	Lettuce, head	0.5			CXL		28		1997	

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VL 0483	Lettuce, leaf	0.5			CXL	28			1997	
MO 0099	Liver of cattle, goats, pigs & sheep	0.03	V	The MRL accommodates external animal treatment.	CXL	96,99	36	30,33-35	2004	
GC 0645	Maize	0.02	(*)		CXL				1995	
MM 0097	Meat of cattle, pigs & sheep	2	(fat) V	The MRL accommodates external animal treatment.	CXL	96,99	36	30,33-35	2004	
ML 0106	Milks	0.02	F	The MRL accommodates external animal treatment.	CXL	96,99			1995	
VA 0385	Onion, bulb	0.05			CXL				1995	
FS 0247	Peach	0.2			CXL	28			1997	
HS 0444	Peppers chili, dried	0.5			CXL	04	38	37	2006	
VO 0445	Peppers, sweet (including pimento or pimiento)	0.05			CXL				1995	
FI 0353	Pineapple	0.1			CXL	28			1997	
FS 0014	Plums (including fresh prunes) (subgroup)	1			CXL	28			1997	
FP 0009	Pome fruits (group)	0.3			CXL	99	36	33-35	2004	
VR 0589	Potato	0.01	(*)		CXL				1995	
DF 0014	Prunes	2			CXL	28			1997	
VR 0494	Radish	0.1			CXL	28			1997	
FB 0272	Raspberries, red, black	0.2			CXL	28			1997	
HS 0191	Spices, fruits and berries	0.1	(*)		CXL	37			2005	
HS 0193	Spices, roots and rhizomes	0.5			CXL	37			2005	
HS 0190	Spices, seeds	5			CXL	37			2005	
VL 0502	Spinach	0.5			CXL	28			1997	
VA 0389	Spring onion	1			CXL	28			1997	
VC 0431	Squash, summer	0.05			CXL	28			1997	
FB 0275	Strawberry	0.1			CXL	28			1997	
VR 0596	Sugar beet	0.1			CXL				1995	
VO 0447	Sweet corn (corn-on-the-	0.02			CXL				1995	
VO 0448	Tomato	0.5			CXL	28			1997	
TN 0678	Walnuts	0.01	(*)		CXL				1995	

25 Dichlorvos

Main Uses: Insecticide
 ADI: 0-0.004 mg/kg bw (2011)
 ARfD: 0.1 mg/kg bw (2011)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Dichlorvos.
 The residue is not fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
MO 0105	Edible offal (mammalian)	0.01 (*)			CXL	12	45		2013	
PE 0112	Eggs	0.01 (*)			CXL	12	45		2013	
MF 0100	Mammalian fats (except milk fats)	0.01 (*)			CXL	12	45		2013	
MM 0095	Meat (from mammals other than marine mammals)	0.01 (*)			CXL	12	45		2013	
ML 0106	Milks	0.01 (*)			CXL	12	45		2013	
PF 0111	Poultry fats	0.01 (*)			CXL	12	45		2013	
PM 0110	Poultry meat	0.01 (*)			CXL	12	45		2013	
PO 0111	Poultry, edible offal of	0.01 (*)			CXL	12	45		2013	
GC 0649	Rice	7			CXL	12	45		2013	
CM 1206	Rice bran, unprocessed	15 PoP			CXL	12	45		2013	
CM 0649	Rice, husked	1.5 PoP			CXL	12	45		2013	
CM 1205	Rice, polished	0.15 PoP			CXL	12	45		2013	
HS 0093	Spices	0.1 (*)			CXL		37		2005	
GC 0654	Wheat	7 Po			CXL	12	45		2013	
CM 0654	Wheat bran, unprocessed	15 PoP			CXL	12	45		2013	
CF 1211	Wheat flour	0.7 PoP			CXL	12	45		2013	
CF 1212	Wheat wholemeal	3 PoP			CXL	12	45		2013	

26 Dicofol

Main Uses: Acaricide
 ADI: 0-0.002 mg/kg bw (2011)
 ARfD: 0. 2 mg/kg bw (2011)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant commodities: Dicofol (sum of o,p' and p,p' isomers).
 The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
HS	0191 Spices, fruits and berries	0.1			CXL		37		2005	
HS	0193 Spices, roots and rhizomes	0.1			CXL		37		2005	
HS	0190 Spices, seeds	0.05 (*)			CXL		37		2005	
DT	1114 Tea, green, black (black, fermented and dried)	40		DDT may be present in tea as a result of its presence as a contaminant in the technical grade dicofol.	CXL	12	45		2013	

27 Dimethoate

Main Uses: Insecticide
 ADI: 0-0.001 mg/kg bw (2019)
 ARfD: 0.02 mg/kg bw (2019)
 Residue: For compliance with the MRL in plant and animal commodities: Dimethoate and omethoate (measured and reported separately).
 For dietary risk assessment for plant and animal commodities: The Meeting was unable to recommend a definition for dietary risk assessment.
 Note: JMPR (2019) reaffirmed the ARfD established in 2003

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VS 0620	Artichoke, globe	0.05			CXL	03	37		2005	Recommended for withdrawal
VS 0621	Asparagus	0.05	(*)		CXL	98	34	32	2003	Recommended for withdrawal
GC 0640	Barley	2			CXL	98	38	32,34-37	2006	Recommended for withdrawal
VB 0402	Brussels sprouts	0.2			CXL	03	37	36	2005	Recommended for withdrawal
VB 0403	Cabbage, Savoy	0.05	(*)		CXL	98	34	32	2003	Recommended for withdrawal
MO 0812	Cattle, edible offal of	0.05	(*)		CXL	98	34	32	2003	Recommended for withdrawal
VB 0404	Cauliflower	0.2			CXL	03	37	36	2005	Recommended for withdrawal
VS 0624	Celery	0.5			CXL	03	37		2005	Recommended for withdrawal
FS 0013	Cherries (subgroup)	2			CXL	98				Recommended for withdrawal
FC 0001	Citrus fruits (group)	5		(excluding kumquats)	CXL	03	45	36-38	2013	Recommended for withdrawal
PE 0112	Eggs	0.05	(*)		CXL	98	34	32	2003	Recommended for withdrawal
VL 0482	Lettuce, head	0.3			CXL	08	41		2009	Recommended for withdrawal
MF 0100	Mammalian fats (except milk fats)	0.05	(*)		CXL	98	34	32	2003	Recommended for withdrawal
FI 0345	Mango	1	Po		CXL	03	37	36	2005	Recommended for withdrawal
MM 0096	Meat of cattle, goats, horses, pigs & sheep	0.05	(*)		CXL	98	34	32	2003	Recommended for withdrawal
ML 0107	Milk of cattle, goats & sheep	0.05	(*)		CXL	98	34	32	2003	Recommended for withdrawal
FP 0230	Pear	1			CXL				1991	Recommended for withdrawal
VP 0063	Peas (pods and succulent=immature seeds)	1			CXL	98	37	32,34-36	2005	Recommended for withdrawal

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
HS	0444	Peppers chili, dried	3			CXL	08	41		2009	Recommended for withdrawal
VO	0445	Peppers, sweet (including pimento or pimiento)	0.5			CXL	08	41		2009	Recommended for withdrawal
VR	0589	Potato	0.05			CXL					Recommended for withdrawal
PF	0111	Poultry fats	0.05	(*)		CXL	98	34	32	2003	Recommended for withdrawal
PM	0110	Poultry meat	0.05	(*)		CXL	98	34	32	2003	Recommended for withdrawal
PO	0111	Poultry, edible offal of	0.05	(*)		CXL	98	34	32	2003	Recommended for withdrawal
MO	0822	Sheep, edible offal of	0.05	(*)		CXL	98	34	32	2003	Recommended for withdrawal
HS	0191	Spices, fruits and berries	0.5			CXL		37		2005	Recommended for withdrawal
HS	0193	Spices, roots and rhizomes	0.1	(*)		CXL		37		2005	Recommended for withdrawal
HS	0190	Spices, seeds	5			CXL		37		2005	Recommended for withdrawal
VR	0596	Sugar beet	0.05			CXL	98				Recommended for withdrawal
FT	0305	Table olives	0.5			CXL	03	37	36	2005	Recommended for withdrawal
VL	0506	Turnip greens	1			CXL	98	37	32,35,36	2005	Recommended for withdrawal
VR	0506	Turnip, Garden	0.1			CXL	98	37	32,34-36	2005	Recommended for withdrawal
GC	0654	Wheat	0.05			CXL	03	37	36	2005	Recommended for withdrawal
AS	0654	Wheat, hay and/or straw	1			CXL	03	37	36	2005	Recommended for withdrawal

30 Diphenylamine

Main Uses: Storage scald preventer
 ADI: 0.08 mg/kg bw (1998)
 ARfD: Unnecessary (1998)
 Residue: Diphenylamine

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FP 0226	Apple		10	Po		CXL	01	35	34	2003	
JF 0226	Apple juice		0.5	PoP		CXL	01	35	34	2003	
MO 1280	Cattle kidney		0.01	(*)		CXL	01	35	34	2003	
MO 1281	Cattle liver		0.05			CXL	01	35	34	2003	
MM 0812	Cattle meat		0.01	(*) (fat)		CXL	01	35	34	2003	
FM 0183	Milk fats		0.01			CXL	08	41		2009	
ML 0106	Milks		0.01	(*)		CXL	08	41		2009	
FP 0230	Pear		5	Po		CXL	01	36	34,35	2004	

31 Diquat

Main Uses: Herbicide
 ADI: 0–0.006 mg/kg bw (2013)
 ARfD: 0.8 mg/kg bw (2013)
 Residue: For compliance with the MRL and dietary risk assessment for plant and animal commodities: Diquat ion.
 The residue is not fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FI	0327	Banana	0.02 (*)			CXL	2013	46		2014	
GC	0640	Barley	5			CXL	2018	51		2019	
AS	0640	Barley, hay and/or straw	40 (dw)			CXL	2018	51		2019	
FT	2352	Cajou (pseudofruit)	0.02 (*)			CXL	2013	46		2014	
FT	0292	Cashew apple	0.02 (*)			CXL	2013	46		2014	
TN	0295	Cashew nut	0.02 (*)			CXL	2013	46		2014	
VD	0524	Chick-pea (dry)	0.9			CXL	2018	51		2019	
FC	0001	Citrus fruits (group)	0.02 (*)			CXL	2013	46		2014	
SB	0716	Coffee beans	0.02 (*)			CXL	2013	46		2014	
VD	2065	Dry beans (subgroup)	0.4			CXL	2018	51		2019	
VD	2066	Dry peas			(subgroup) peas, dry)	0.9	(except chick-)	CXL		2018	51 2019
MO	0105	Edible offal (mammalian)	0.01 (*)			CXL	2013, 2018	51	46	2019	
PE	0112	Eggs	0.01 (*)			CXL	2013, 2018	51	46	2019	
VO	0050	Fruiting vegetables, other than cucurbits (group)	0.01 (*)		(except sweetcorn, fungi and mushrooms)	CXL	2013	46		2014	
MF	0100	Mammalian fats (except milk fats)	0.01 (*)			CXL	2018	51		2019	
MM	0095	Meat (from mammals other than marine mammals)	0.01 (*)			CXL	2013, 2018	51	46	2019	
ML	0106	Milks	0.001 (*)			CXL	2013, 2018	51	46	2019	
AL	0072	Pea hay or pea fodder (dry)	50			CXL	2013	46		2014	
FP	0009	Pome fruits (group)	0.02 (*)			CXL	2013	46		2014	
VR	0589	Potato	0.1			CXL	2013	46		2014	
PF	0111	Poultry fats	0.01 (*)			CXL	2018	51		2019	
PM	0110	Poultry meat	0.01 (*)			CXL	2013, 2018	51	46	2019	
PO	0111	Poultry, edible offal of	0.01 (*)			CXL	2013, 2018	51	46	2019	
SO	0495	Rape seed	1.5			CXL	2013	46		2014	
GC	0650	Rye	1.5			CXL	2018	51		2019	
AS	0650	Rye straw and fodder, dry	40 (dw)			CXL	2018	51		2019	
AB	0541	Soya bean hulls	1.5			CXL	2018	51		2019	
FS	0012	Stone fruits (group)	0.02 (*)			CXL	2013	46		2014	
FB	0275	Strawberry	0.05 (*)			CXL	2013	46		2014	
SO	0702	Sunflower seed	0.9			CXL	2013	46		2014	
GC	0653	Triticale	1.5			CXL	2018	51		2019	
AS	0653	Triticale, hay and/or straw	40 (dw)			CXL	2018	51		2019	

32 Endosulfan

Main Uses: Acaricide and Insecticide
 ADI: 0.006 mg/kg bw (1998)
 ARfD: 0.02 mg/kg bw (1998)
 Residue: For compliance with MRL and for estimation of dietary intake for animal and plant commodities: Sum of alpha endosulfan, beta endosulfan and endosulfan sulfate.
 The residue is fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FI	0326	Avocado	0.5			CXL	06	39		2007	
SB	0715	Cacao beans	0.2			CXL	06	39		2007	
SB	0716	Coffee beans	0.2			CXL	06	39		2007	
SO	0691	Cotton seed	0.3			CXL	06	39		2007	
VC	0424	Cucumber	1			CXL	06	39		2007	
FI	0322	Custard apple	0.5			CXL	06	39		2007	
VO	0440	Egg plant	0.1			CXL	06	39		2007	
PE	0112	Eggs	0.03 (*)			CXL	06	39		2007	
TN	0666	Hazelnuts	0.02 (*)			CXL	06	39		2007	
MO	0098	Kidney of cattle, goats, pigs and sheep	0.03 (*)			CXL	06	39		2007	
FI	0343	Litchi	2			CXL	06	39		2007	
MO	0099	Liver of cattle, goats, pigs & sheep	0.1			CXL	06	39		2007	
GC	0669	Macadamia nuts	0.02 (*)			CXL	06	39		2007	
FI	0345	Mango	0.5			CXL	06	39		2007	
MM	0095	Meat (from mammals other than marine mammals)	0.2 (fat)			CXL	06	39		2007	
VC	0046	Melons, except watermelon	2			CXL	06	39		2007	
FM	0183	Milk fats	0.1			CXL	06	39		2007	
ML	0106	Milks	0.01			CXL	06	39		2007	
FI	0350	Papaya	0.5			CXL	06	39		2007	
FI	0352	Persimmon, American	2			CXL	06	39		2007	
VR	0589	Potato	0.05 (*)			CXL	06	39		2007	
PM	0110	Poultry meat	0.03 (*)			CXL	06	39		2007	
PO	0111	Poultry, edible offal of	0.03 (*)			CXL	06	39		2007	
VD	0541	Soya bean (dry)	1			CXL	06	39		2007	
OC	0541	Soya bean oil, crude	2			CXL	06	39		2007	
HS	0191	Spices, fruits and berries	5			CXL		37		2005	
HS	0193	Spices, roots and rhizomes	0.5			CXL		37		2005	
HS	0190	Spices, seeds	1			CXL		37		2005	
VC	0431	Squash, summer	0.5			CXL	06	39		2007	
VR	0508	Sweet potato	0.05 (*)			CXL	06	39		2007	
DT	1114	Tea, green, black (black, fermented and dried)	10			CXL		43		2011	
VO	0448	Tomato	0.5			CXL		35	32,34	2003	

34 Ethion

Main Uses: Insecticide
 ADI: 0.002 mg/kg bw (1990)
 ARfD: 0.02 mg/kg bw (2021)
 Residue: Definition of the residue for compliance with the MRL and dietary risk assessment for plant and animal commodities: Ethion.
 The residue is fat-soluble.
 Note: The 2021 Extra Meeting noted that JECFA had reviewed ethion in 2017 for veterinary uses 20182) (JECFA, and established an ArfD of 0.02 mg/kg bw, based on the NOAEL of 0.15 mg/kg bw per day for erythrocyte acetylcholinesterase inhibition in a human volunteer study.
 The 2021 Extra Meeting noted that JECFA had identified a potential concern for exposures in pregnant women and had recommended that repeat exposures in high-percentile pregnant consumers or a suitable surrogate population should be addressed.
 In the absence of any information provided on ethion and noting that the evaluation procedures used by JECFA and JMPR to establish HBGVs are very similar, the Meeting proposed that the JECFA 2017 conclusions on dietary exposures are used pending a periodic review of ethion by JMPR.
 A toxicological addendum was not prepared.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
HS 0191	Spices, fruits and berries	5			CXL		37		2005	
HS 0193	Spices, roots and rhizomes	0.3			CXL		37		2005	
HS 0190	Spices, seeds	3			CXL		37		2005	

35 Ethoxyquin

Main Uses: Scald control agent
 ADI: 0-0.005 mg/kg bw (2005)
 ARfD: 0.5 mg/kg bw (2005)
 Residue: Ethoxyquin
 Note: The ADI and the ARfD are applicable to ethoxyquin and its metabolites/degradation products methylethoxyquin (MEQ), dihydroethoxyquin (DHEQ), dehydromethylethoxyquin (DHMEQ) (2005).

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FP 0230	Pear	3	Po		CXL	08	41		2009	

37 Fenitrothion

Main Uses: Insecticide
 ADI: 0-0.006 mg/kg bw (1988), confirmed (2000)
 ARfD: 0.04 mg/kg bw (2000)
 Residue: For compliance with MRLs and estimation of dietary intake: Fenitrothion.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FP 0226	Apple		0.5			CXL	04	40	37-39	2008	
GC 0080	Cereal grains		6	Po		CXL	07	40	37-39	2008	
MO 0105	Edible offal (mammalian)		0.05	(*)		CXL	04,07	40	37-39	2008	
PE 0112	Eggs		0.05	(*)		CXL	04,07	40	37-39	2008	
MM 0095	Meat (from mammals other than marine mammals)		0.05	(*)		CXL	04,07	40	37-39	2008	
ML 0106	Milks		0.01			CXL	04,07	40	37-39	2008	
PM 0110	Poultry meat		0.05	(*)	PoP	CXL	04,07	40	37-39	2008	
CM 1206	Rice bran, unprocessed		40			CXL	07	40	37-39	2008	
VD 0541	Soya bean (dry)		0.01			CXL	07	40		2008	
HS 0191	Spices, fruits and berries		1			CXL		37		2005	
HS 0193	Spices, roots and rhizomes		0.1	(*)		CXL		37		2005	
HS 0190	Spices, seeds		7			CXL		37		2005	
CM 0654	Wheat bran, unprocessed		25	PoP		CXL	07	40	36-39	2008	

39 Fenthion

Main Uses: Insecticide
 ADI: 0.007 mg/kg bw (1995)
 ARfD: 0.01 mg/kg bw (1997)
 Residue: Sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion (fat-soluble).

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FS 0013	Cherries (subgroup)	2			CXL	95	29		1997	see Citrus fruits.
FC 0001	Citrus fruits (group)	2			CXL					The Committee noted the CXL was based on European GAPs which no longer existed. The Committee agreed to retain the CXL, awaiting the outcome of the periodic review by JMPR scheduled in 2017. (42-
OC 0305	Olive oil, virgin	1			CXL					see Citrus fruits.
CM 0649	Rice, husked	0.05			CXL	95	29		1997	see Citrus fruits.
FT 0305	Table olives	1			CXL	95	29		1997	see Citrus fruits.

41 Folpet

Main Uses: Fungicide
 ADI: 0-0.1 mg/kg bw (1995)
 ARfD: 0.2 mg/kg bw (for women of child-bearing age) (2004)
 Residue: Folpet

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FP	0226	Apple	10			CXL	97,99	38	33-37	2006	
VC	0424	Cucumber	1			CXL	99	35	28,33,34	2003	
DF	0269	Grape, dried (= Currents, Raisins and Sultanas)	40			CXL	97,99	38	28,33-37	2006	
FB	0269	Grapes	10			CXL	97,99	38	33-37	2006	
VL	0482	Lettuce, head	50			CXL	99	38	33-37	2006	
VC	0046	Melons, except watermelon	3			CXL	97,99	35	33,34	2003	
VA	0385	Onion, bulb	1			CXL	99	35	33,34	2003	
VR	0589	Potato	0.1			CXL	99	35	33,34	2003	
FB	0275	Strawberry	5			CXL	99	38	28,33-37	2006	
VO	0448	Tomato	3			CXL	97,99	38	33-37	2006	

46 Hydrogen Phosphide

Main Uses: Fumigant
 ADI: Not necessary
 ARfD: N/A
 Residue: All phosphides, expressed as hydrogen phosphide. Good usage practices should ensure that residues are not present at time of consumption.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
SB 0715	Cacao beans	0.01	Po			CXL				
GC 0080	Cereal grains	0.1	Po			CXL				
DF 0167	Dried fruits	0.01	Po			CXL				
DV 0168	Dried vegetables	0.01	Po			CXL				
SO 0697	Peanut	0.01	Po			CXL				
HS 0093	Spices	0.01	Po			CXL				
TN 0085	Tree nuts (group)	0.01	Po			CXL				

49 Malathion

Main Uses: Insecticide
 ADI: 0-0.3 mg/kg bw (1997)
 ARfD: 2 mg/kg bw (2003)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Malathion.
 The residue is fat soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FP	0226	Apple	0.5			CXL	04	38	37	2006	
VS	0621	Asparagus	1			CXL	99	36	33-35	2004	
VD	0071	Beans (dry)	2			CXL	99	34	33	2003	
VP	0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	1			CXL	99	36	33-35	2004	
FB	0020	Blueberries	10			CXL	99	36	33-35	2004	
FS	0013	Cherries (subgroup)	3			CXL	2013	46		2014	
FC	0001	Citrus fruits (group)	7			CXL	04	45	37,38	2013	The Committee noted the CXL was based on European GAPs which no longer existed. The Committee agreed to retain the CXL, awaiting the outcome of the periodic review by JMPR to be considered in 2014 for scheduling. (42-31,32)
SO	0691	Cotton seed	20			CXL	99	38	33-37	2006	
OC	0691	Cotton seed oil, crude	13			CXL	99	38	33-37	2006	
OR	0691	Cotton seed oil, edible	13			CXL	99	38	33-37	2006	
VC	0424	Cucumber	0.2			CXL	99	36	33-35	2004	
FB	0269	Grapes	5			CXL	04	38	37	2006	The Committee noted the CXL was based on European GAPs which no longer existed. The Committee agreed to retain the CXL, awaiting the outcome of the periodic review by JMPR to be considered in 2014 for scheduling. (42-31,32)
GC	0645	Maize	0.05			CXL	99	38	33-37	2006	
VL	0485	Mustard greens	2			CXL	99	36	33-35	2004	
VA	0385	Onion, bulb	1			CXL	99	36	33-35	2004	
VO	0051	Peppers (subgroup)	0.1			CXL	99	34	33	2003	
HS	0444	Peppers chili, dried	1			CXL	04	38	37	2006	
GC	0651	Sorghum grain	3			CXL	99	38	33-37	2006	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
HS 0191	Spices, fruits and berries	1			CXL		37		2005		
HS 0193	Spices, roots and rhizomes	0.5			CXL		37		2005		
HS 0190	Spices, seeds	2			CXL		37		2005		
VL 0502	Spinach	3			CXL	99	34	33	2003		
VA 0389	Spring onion	5			CXL	99	36	33,35	2004		
FB 0275	Strawberry	1			CXL	99					
VO 0447	Sweet corn (corn-on-the-	0.02			CXL	99	36	33-35	2004		
VO 0448	Tomato	0.5			CXL	99	34	33	2003		
JF 0448	Tomato juice	0.01			CXL	99	36	33-35	2004		
VL 0506	Turnip greens	5			CXL	99	36	33-35	2004		
VR 0506	Turnip, Garden	0.2			CXL	99	34	33	2003		
GC 0654	Wheat	10			CXL	08	41		2009		
CM 0654	Wheat bran, unprocessed	25			CXL	08	41		2009		
CF 1211	Wheat flour	0.2			CXL	00	38	33,35-37	2006		

51 Methidathion

Main Uses: Insecticide
 ADI: 0.001 mg/kg bw (1992), confirmed (1997)
 ARfD: 0.01 mg/kg bw (1997)
 Residue: Methidathion
 Note: CCPR agreed to keep this compound in the list of pesticides, wait for data submission on peach and mango to the 2020 JMPR, and agreed to consider withdrawing all existing CXLs at CCPR49 (2017) (48:36)

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR	
FP	0226 Apple	0.5			CXL						
FS	0013 Cherries (subgroup)	0.2			CXL						
FB	0269 Grapes	1			CXL						
FC	0003 Mandarins (including mandarin-like hybrids) (subgroup)	5			CXL						
FP	0230 Pear	1			CXL						
DT	1114 Tea, green, black (black, fermented and dried)	0.5			CXL						
						30	28,29	1999			
						28	1997				

55 Omethoate

Main Uses: Insecticide
 ADI: (See (27) dimethoate for ADI)
 ARfD: N/A
 Residue: Omethoate. The MRLs apply to residues that may have resulted from the use of formothion, dimethoate or omethoate.
 Note: The compound is no longer supported. All CXLs deleted by the CAC in 2003. Omethoate was withdrawn from the Codex list by CCPR 34:95:AppV and consequently recommended for revocation. CAC27 revoked the compound and associated proposed MRLs from the Codex List (ALINORM 04/27/41, Appendix V).

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
HS 0191	Spices, fruits and berries	0.01		Residues of omethoate resulting from the use of dimethoate.	CXL	10	44	43	2012	Recommended for withdrawal. These MRLs applied to residues that may have resulted from the use of dimethoate.
HS 0193	Spices, roots and rhizomes	0.05		Residues of omethoate resulting from the use of dimethoate.	CXL	10	44	43	2012	Recommended for withdrawal. These MRLs applied to residues that may have resulted from the use of dimethoate.

56 2-Phenylphenol

Main Uses: Fungicide
 ADI: 0.4 mg/kg bw (1999)
 ARfD: Unnecessary (1999)
 Residue: Plant commodities: Sum of 2-phenylphenol and sodium 2-phenylphenate, free and conjugated, expressed as 2-phenylphenol.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FC 0001	Citrus fruits (group)		10	Po		CXL	1999	33		2001	
AB 0001	Citrus pulp, dried		60	PoP		CXL	1999	34	33	2003	
JF 0004	Orange juice		0.5	PoP		CXL	1999	34	33	2003	
FP 0230	Pear		20	Po		CXL	2002	35		2003	

57 Paraquat

Main Uses: Herbicide
 ADI: 0-0.005 mg/kg bw mg paraquat ion/kg bw (2003)
 ARfD: 0.006 mg/kg bw (2009)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Paraquat cation.
 Note: No short-term dietary intake was calculated due to insufficient data (JMPR 2003).

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AM 0660	Almond hulls	0.01	(*)		CXL	04	38	37	2006	
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	0.01	(*)		CXL	04	38	37	2006	
FB 0018	Berries and other small fruits	0.01	(*)		CXL	04	38	37	2006	
FC 0001	Citrus fruits (group)	0.02			CXL	04	38	37	2006	
SO 0691	Cotton seed	2			CXL	04	38	37	2006	
MO 0105	Edible offal (mammalian)	0.05			CXL	04	38	37	2006	
PE 0112	Eggs	0.005	(*)		CXL	04	38	37	2006	
VC 0045	Fruiting vegetables, cucurbits (group)	0.02			CXL	04	38	37	2006	
VO 0050	Fruiting vegetables, other than cucurbits (group)	0.05			CXL	04	38	37	2006	
DH 1100	Hops, dry	0.1			CXL	04	38	37	2006	
VL 0053	Leafy vegetables	0.07			CXL	04	38	37	2006	
GC 0645	Maize	0.03			CXL	04	38	37	2006	
CF 1255	Maize flour	0.05			CXL	04	38	37	2006	
AS 0645	Maize fodder (dry)	10	dry wt		CXL	04	38	37	2006	
MM 0095	Meat (from mammals other than marine mammals)	0.005			CXL	04	38	37	2006	
ML 0106	Milks	0.005	(*)		CXL	04	38	37	2006	
FP 0009	Pome fruits (group)	0.01	(*)		CXL	04	38	37	2006	
PM 0110	Poultry meat	0.005	(*)		CXL	04	38	37	2006	
PO 0111	Poultry, edible offal of	0.005	(*)		CXL	04	38	37	2006	
VD 0070	Pulses (group)	0.5			CXL	04	38	37	2006	
GC 0649	Rice	0.05			CXL	09	42		2010	
AS 0649	Rice, hay and/or straw	0.05			CXL	09	42		2010	
VR 0075	Root and tuber vegetables (group)	0.05			CXL	04	38	37	2006	
GC 0651	Sorghum grain	0.03			CXL	04	38	37	2006	
AS 0651	Sorghum straw and fodder, dry	0.3	dry wt		CXL	04	38	37	2006	
AL 0541	Soya bean fodder	0.5	dry wt		CXL	04	38	37	2006	
FS 0012	Stone fruits (group)	0.01	(*)		CXL	04	38	37	2006	
SO 0702	Sunflower seed	2			CXL	04	38	37	2006	
FT 0305	Table olives	0.1			CXL	04	38	37	2006	
DT 1114	Tea, green, black (black, fermented and dried)	0.2			CXL	04	38	37	2006	
TN 0085	Tree nuts (group)	0.05			CXL	04	38	37	2006	

58 Parathion

Main Uses: Insecticide
 ADI: 0.004 mg/kg bw (1995)
 ARfD: 0.01 mg/kg bw (1995)
 Residue: Parathion

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code Name										
HS 0191	Spices, fruits and berries	0.2			CXL		37		2005	
HS 0193	Spices, roots and rhizomes	0.2			CXL		37		2005	
HS 0190	Spices, seeds	0.1 (*)			CXL		37		2005	

59 Parathion-Methyl

Main Uses: Insecticide

ADI: 0.003 mg/kg bw (1995)

ARfD: 0.03 mg/kg bw (1995)

Residue: For compliance with MRLs: Parathion-methyl. For estimation of dietary intake: Sum of parathion-methyl and para-oxon methyl expressed as parathion-methyl.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FP 0226	Apple		0.2			CXL	00	36	34,35	2004	
VD 0071	Beans (dry)		0.05	(*)		CXL	94,00	29	28	1997	
VB 0041	Cabbages, head		0.05			CXL	00	36	34,35	2004	
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)		1			CXL	00	36	34,35	2004	
FB 0269	Grapes		0.5			CXL	00	36	34,35	2004	
FS 0245	Nectarine		0.3			CXL	03	36		2004	
FS 0247	Peach		0.3			CXL	00	36	34,35	2004	
VD 0072	Peas (dry)		0.3			CXL	00	36	34,35	2004	
VR 0589	Potato		0.05	(*)		CXL	94,00	29	28	1997	
HS 0191	Spices, fruits and berries		5			CXL		37		2005	
HS 0193	Spices, roots and rhizomes		3			CXL		37		2005	
HS 0190	Spices, seeds		5			CXL		37		2005	
VR 0596	Sugar beet		0.05	(*)		CXL	94,00	29	28	1997	

60 Phosalone

Main Uses: Insecticide
 ADI: 0.02 mg/kg bw (1997)
 ARfD: 0.3 mg/kg bw (2001)
 Residue: Phosalone (fat-soluble)

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code Name										
HS 0191	Spices, fruits and berries	2			CXL		37		2005	
HS 0193	Spices, roots and rhizomes	3			CXL		37		2005	
HS 0190	Spices, seeds	2			CXL		37		2005	

62 Piperonyl Butoxide

Main Uses: Synergist
 ADI: 0.2 mg/kg bw (1995)
 ARfD: Unnecessary (2001)
 Residue: Piperonyl butoxide (fat-soluble)

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
MO 1280	Cattle kidney	0.3		The MRL accommodates external animal treatment.	CXL	01,02	36	34	2004	
MO 1281	Cattle liver	1			CXL	01	36	34	2004	
MM 0812	Cattle meat	5	(fat)	The MRL accommodates external animal treatment.	CXL	01,02	36	34	2004	
ML 0812	Cattle milk	0.2		The MRL accommodates external animal treatment.	CXL	01,02	36	34	2004	
GC 0080	Cereal grains	30	Po		CXL	01,02	36	34	2004	
FC 0001	Citrus fruits (group)	5			CXL	01,02	36	34	2004	
JF 0001	Citrus juice	0.05			CXL	01	36	34	2004	
DF 0167	Dried fruits	0.2	Po		CXL	01,02	36	34	2004	
PE 0112	Eggs	1		The MRL accommodates external animal treatment.	CXL	01,02	36	34	2004	
VC 0045	Fruiting vegetables, cucurbits (group)	1			CXL	01,02	36	34	2004	
MO 0098	Kidney of cattle, goats, pigs and sheep	0.2		Except cattle kidney	CXL	02	36		2004	
VL 0483	Lettuce, leaf	50			CXL	01,02	36	34	2004	
MO 0099	Liver of cattle, goats, pigs & sheep	1			CXL	02	36		2004	
OC 0645	Maize oil, crude	80	PoP		CXL	01,02	36	34	2004	
MM 0095	Meat (from mammals other than marine mammals)	2	(fat)	Except cattle meat	CXL	02	36		2004	
ML 0106	Milks	0.05	F		CXL		36	34	2004	
VL 0485	Mustard greens	50			CXL	01,02	36	34	2004	
AL 0072	Pea hay or pea fodder (dry)	200			CXL	01,02	36	34	2004	
SO 0703	Peanut, whole	1			CXL	01,02	36	34	2004	
VO 0051	Peppers (subgroup)	2			CXL	01,02	36	34	2004	
HS 0444	Peppers chili, dried	20			CXL	04	38	37	2006	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
PM 0110	Poultry meat		7	(fat)	The MRL accommodates external animal treatment.	CXL	02	36	34	2004	
PO 0111	Poultry, edible offal of		10			CXL	01,02	36	34	2004	
VD 0070	Pulses (group)		0.2	Po		CXL	01,02	36	34	2004	
VL 0494	Radish leaves (including radish tops)		50			CXL	01,02	36	34	2004	
VR 0075	Root and tuber vegetables (group)		0.5		Except carrot	CXL	01,02	36	34	2004	
VL 0502	Spinach		50			CXL	01,02	36	34	2004	
VO 0448	Tomato		2			CXL	01,02	36	34	2004	
JF 0448	Tomato juice		0.3			CXL	01,02	36	34	2004	
CM 0654	Wheat bran, unprocessed		80	PoP		CXL	02	36	34	2004	
CF 1211	Wheat flour		10	PoP		CXL	02	36	34	2004	
CF 1210	Wheat germ		90	PoP		CXL	02	36	34	2004	
CF 1212	Wheat wholemeal		30	PoP		CXL	01,02	36	34	2004	

63 Pyrethrins

Main Uses: Insecticide
 ADI: 0-0.04 mg/kg bw (1972); confirmed (1999, 2005)
 ARfD: 0.2 mg/kg bw (1999)
 Residue: For compliance with MRLs and estimation of dietary intake for plant and animal commodities: Total pyrethrins, calculated as the sum of pyrethrins 1 and 2, cinerins 1 and 2, and jasmolins 1 and 2, determined after calibration with the World Standard pyrethum extract.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
GC 0080	Cereal grains	0.3	Po		CXL	03	36		2004	
FC 0001	Citrus fruits (group)	0.05			CXL	00	34		2003	
DF 0167	Dried fruits	0.2	Po		CXL	00	35	34	2003	
VC 0045	Fruiting vegetables, cucurbits (group)	0.05	(*)		CXL	00	34		2003	
AL 0072	Pea hay or pea fodder (dry)	1			CXL	00	34		2003	
SO 0697	Peanut	0.5	Po		CXL	00	34		2003	
VO 0051	Peppers (subgroup)	0.05	(*)		CXL	00	34		2003	
HS 0444	Peppers chili, dried	0.5			CXL	04	38	37	2006	
VD 0070	Pulses (group)	0.1	Po		CXL	00	35	34	2003	
VR 0075	Root and tuber vegetables (group)	0.05	(*)		CXL	00	34		2003	
VO 0448	Tomato	0.05	(*)		CXL	00	34		2003	
TN 0085	Tree nuts (group)	0.5	(*) Po		CXL	05	38		2006	

64 Quintozene

Main Uses: Fungicide
 ADI: 0.01 mg/kg bw for quintozene containing less than 0.1% hexachlorobenzene (1995)
 ARfD: N/A
 Residue: Plant commodities: Quintozene (fat-soluble).
 Animal commodities: Sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulphide, expressed as quintozene (fat-soluble).

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
GC	0640	Barley	0.01 (*)			CXL	98	34	32	2003	
AS	0640	Barley, hay and/or straw	0.01 (*)			CXL	98	34	32	2003	
VB	0400	Broccoli	0.05			CXL	98	34	32	2003	
VB	0041	Cabbages, head	0.1			CXL	98	34	32	2003	
PM	0840	Chicken meat	0.1 (*) (fat)			CXL	98	34	32	2003	
PO	0840	Chicken, edible offal of	0.1 (*)			CXL	98	34	32	2003	
VD	0526	Common bean (dry)	0.02			CXL	98	34	32	2003	
VP	0526	Common bean (pods and/or immature seeds)	0.1			CXL	98	34	32	2003	
SO	0691	Cotton seed	0.01			CXL	98	34	32	2003	
PE	0112	Eggs	0.03 (*)			CXL	98	34	32	2003	
GC	0645	Maize	0.01 (*)			CXL	98	34	32	2003	
AS	0645	Maize fodder (dry)	0.01			CXL	98	34	32	2003	
AL	0072	Pea hay or pea fodder (dry)	0.05			CXL	98	34	32	2003	
SO	0697	Peanut	0.5			CXL	98	34	32	2003	
VD	0072	Peas (dry)	0.01			CXL	98	34	32	2003	
HS	0444	Peppers chili, dried	0.1			CXL	04	38	37	2006	
VO	0445	Peppers, sweet (including pimento or pimiento)	0.05 (*)			CXL	98	34	32	2003	
VD	0541	Soya bean (dry)	0.01 (*)			CXL	98	34	32	2003	
AL	0541	Soya bean fodder	0.01 (*)			CXL	98	34	32	2003	
HS	0191	Spices, fruits and berries	0.02			CXL		37		2005	
HS	0193	Spices, roots and rhizomes	2			CXL		37		2005	
HS	0190	Spices, seeds	0.1			CXL		37		2005	
VR	0596	Sugar beet	0.01 (*)			CXL	98	34	32	2003	
VO	0448	Tomato	0.02			CXL	98	34	32	2003	
GC	0654	Wheat	0.01			CXL	98	34	32	2003	
AS	0654	Wheat, hay and/or straw	0.03			CXL	98	34	32	2003	

65 Thiabendazole

Main Uses: Fungicide
 ADI: 0.1 mg/kg bw (1992 by JECFA; confirmed by JECFA in 1997: WHO TRS No 879)
 ARfD: 0.3 mg/kg bw for woman of child-bearing age. 1 mg/kg/bw for the general population. (2006)
 Residue: For compliance with MRLs and estimation of dietary intake for plant commodities: Thiabendazole.
 For compliance with MRLs for animal commodities: Sum of thiabendazole and 5-hydroxythiabendazole.
 For estimation of dietary intake for animal commodities: Sum of thiabendazole, 5-hydroxythiabendazole and its sulfate conjugate.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FI	0326	Avocado	15	Po		CXL	00	35	34	2003	
FI	0327	Banana	5	Po		CXL	97	31		1999	
VP	2060	Beans with pods (subgroup)	0.01	(*)		CXL	2019	52		2021	
MO	1280	Cattle kidney	1			CXL	00	35	34	2003	
MO	1281	Cattle liver	0.3			CXL	00	35	34	2003	
MM	0812	Cattle meat	0.1			CXL	97,00	32	31	2001	
ML	0812	Cattle milk	0.2			CXL	00	35	34	2003	
FC	0001	Citrus fruits (group)	7	Po		CXL	07	45	39,40	2013	
VD	2065	Dry beans (subgroup)	0.01	(*)		CXL	2019	52		2021	
VD	2066	Dry peas		(subgroup)		0.01	(*)	CXL		2019	52 2021
PE	0112	Eggs	0.1			CXL	97	33		2001	
FI	0345	Mango	7	Po		CXL	2019	52		2021	
VO	0450	Mushrooms	60			CXL	97	37	31-36	2005	
FI	0350	Papaya	10	Po		CXL	00	35	34	2003	
VP	2061	Peas with pods (subgroup)	0.01	(*)		CXL	2019	52		2021	
FP	0009	Pome fruits (group)	3	Po		CXL	00	35	34	2003	
VR	0589	Potato	15	Po		CXL	00	35	34	2003	
PM	0110	Poultry meat	0.05			CXL	97	31		1999	
VP	2062	Succulent beans without pods (subgroup)	0.01	(*)		CXL	2019	52		2021	
VP	2063	Succulent peas without pods (subgroup)	0.01	(*)		CXL	2019	52		2021	
VR	0508	Sweet potato	9	Po		CXL	2019	52		2021	
VL	2832	Witloof chicory (sprouts)	0.05	(*)		CXL	97	31		1999	

67 Cyhexatin

Main Uses: Acaricide

ADI: 0.007 mg/kg bw Group ADI (2005)

ARfD: N/A

Residue: Sum of azocyclotin and cyhexatin, expressed as cyhexatin.

Note: CCPR25 decided to harmonize the residue definition as "the sum of azocyclotin and cyhexatin expressed as cyhexatin" and to have 2 separate but identical lists.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FP 0226	Apple	0.2			CXL	05	38	2006		
FB 0021	Currants, black, red, white	0.1			CXL	05	38	2006		
FB 0269	Grapes	0.3			CXL	05	38	2006		
FC 0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.2			CXL	05	38	2006		
FP 0230	Pear	0.2			CXL	05	38	2006		
HS 0444	Peppers chili, dried	5			CXL	04	38	37	2006	

72 Carbendazim

Main Uses: Fungicide
 ADI: 0.03 mg/kg bw (1995)
 ARfD: 0.1 & 0.5 0.1 mg/kg bw for woman of child bearing age and 0.5 mg/kg bw for the general population (2005)
 Residue: For compliance with MRLs and estimation of dietary intake : Sum of benomyl, carbendazime and thiophanate-methyl, expressed as carbendazim.
 Note: Compounds for which sufficient data from trials complying with GAP were provided (B, benomyl; C, carbendazim; Th, thiophanate-methyl).
 Letters in upper case indicate the source(s) of the data on which the MRL is based.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FS 0240	Apricot	2	B		CXL	94	33	28,32	2001	
VS 0621	Asparagus	0.2	C		CXL	03	38	36,37	2006	
FI 0327	Banana	0.2	B		CXL	98	38	32,34,36,37	2006	
GC 0640	Barley	0.5	C		CXL	98	38	32,34,36,37	2006	
AS 0640	Barley, hay and/or straw	2	C		CXL	98	38	32,34,36,37	2006	
VD 0071	Beans (dry)	0.5	Th		CXL	98	38	32,34,36,37	2006	
FB 0018	Berries and other small fruits	1	B,Th	Except grapes	CXL	94	38	28,32-37	2006	
VB 0402	Brussels sprouts	0.5	B		CXL				1991	
VR 0577	Carrot	0.2	B		CXL	98	38	32,34,36,37	2006	
MM 0812	Cattle meat	0.05	(*)	B	CXL	98	38	32,34,36,37	2006	
FS 0013	Cherries (subgroup)	10	Th	Based on thiophanatemethyl use	CXL	03	40	36-39	2008	
PF 0840	Chicken fat	0.05	(*)	B	CXL	98	38	32,34,36,37	2006	
SB 0716	Coffee beans	0.1	C		CXL		32		2001	
VP 0526	Common bean (pods and/or immature seeds)	0.5	Th		CXL	03	38	36,37	2006	
VC 0424	Cucumber	0.05	(*)	b,C	CXL	98	38	32,34,36,37	2006	
MO 0105	Edible offal (mammalian)	0.05	(*)	B	CXL	98	38	32,34,36,37	2006	
PE 0112	Eggs	0.05	(*)	B	CXL	98	38	32,34,36,37	2006	
VP 0529	Garden pea, shelled (succulent seeds)	0.02	Th		CXL	98	38	32,34,36,37	2006	
VC 0425	Gherkin	0.05	(*)	b,C	CXL	98	38	32,34,36,37	2006	
FB 0269	Grapes	3	b,Th		CXL	98	40	32,34,36-39	2008	
VL 0482	Lettuce, head	5	Th		CXL	94	40	28,32-39	2008	
FI 0345	Mango	5	C	Based on carbendazime use	CXL	03	40	36-39	2008	
ML 0106	Milks	0.05	(*)	B	CXL	98	38	32,34,36,37	2006	
FS 0245	Nectarine	2	B		CXL	94	33	28,32	2001	
FC 0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	1	B		CXL	98	40	32,34,36-39	2008	
FS 0247	Peach	2	B		CXL	94,98	33	28,32	2001	
SO 0697	Peanut	0.1	(*)	Th	CXL	03	38	36,37	2006	
AL 0697	Peanut fodder	3	Th		CXL	03	38	36,37	2006	
VO 0444	Peppers chili	2	Th		CXL	03	38	36,37	2006	
HS 0444	Peppers chili, dried	20	C		CXL	04	38	37	2006	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FI 0353	Pineapple		5	B		CXL	98	34	32	2003	
FS 0014	Plums (including fresh prunes) (subgroup)		0.5	B		CXL	94,98	33	28,32	2001	
FP 0009	Pome fruits (group)		3	B,c,th		CXL	98	33	28,32	2001	
PM 0110	Poultry meat		0.05 (*)	B		CXL	98	38	32,34,36,37	2006	
SO 0495	Rape seed		0.05 (*)	C		CXL	98	38	32,34,36,37	2006	
AS 0649	Rice, hay and/or straw		15	C		CXL	98	38	32,34,36,37	2006	
CM 0649	Rice, husked		2 (*)	B		CXL	98	38	32,34,36,37	2006	
GC 0650	Rye		0.1	C,Th		CXL	94	38	32,34,36,37	2006	
VD 0541	Soya bean (dry)		0.5	Th		CXL	03	38	36,37	2006	
AL 0541	Soya bean fodder		0.1	C		CXL		32		2001	
HS 0191	Spices, fruits and berries		0.1			CXL		43		2011	
HS 0193	Spices, roots and rhizomes		0.1			CXL		43		2011	
HS 0190	Spices, seeds		5			CXL	2019	52		2021	
VC 0431	Squash, summer		0.5	Th		CXL	03	38	36,37	2006	
VR 0596	Sugar beet		0.1 (*)	Th		CXL	03	38	36,37	2006	
VO 0448	Tomato		0.5	b,C		CXL	98	33	28,32	2001	
TN 0085	Tree nuts (group)		0.1 (*)	B		CXL	98	32		2001	
GC 0654	Wheat		0.05 (*)	b,Th		CXL	98	38	32,34,36,37	2006	
AS 0654	Wheat, hay and/or straw		1	B,C		CXL	98	38	32,34,36,37	2006	

74 Disulfoton

Main Uses: Insecticide
 ADI: 0-0.0003 mg/kg bw (1991), confirmed (2006)
 ARfD: 0.003 mg/kg bw, confirmed 2006 (1996)
 Residue: Sum of disulfoton, demeton-S and their sulfoxides and sulphones, expressed as disulfoton.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AL 1020	Alfalfa fodder	5	dry wt		CXL				1995	
VS 0621	Asparagus	0.02	(*)		CXL		35	28-34	2003	
GC 0640	Barley	0.2			CXL		35	28-34	2003	
AS 0640	Barley, hay and/or straw	3			CXL				1995	
VD 0071	Beans (dry)	0.2			CXL	98	35	28-34	2003	
PE 0840	Chicken eggs	0.02	(*)		CXL		35	28-34	2003	
AL 1031	Clover hay or fodder	10			CXL					
SB 0716	Coffee beans	0.2			CXL				1995	
VP 0526	Common bean (pods and/or immature seeds)	0.2			CXL		35	28-33	2003	
SO 0691	Cotton seed	0.1			CXL	94,98	35	28-34	2003	
VP 0528	Garden pea (young pods)(=succulent, immature seeds)	0.1			CXL		35	28-34	2003	
VP 0529	Garden pea, shelled (succulent seeds)	0.02	(*)		CXL		35	28-34	2003	
GC 0645	Maize	0.02			CXL	98	35	28-34	2003	
AS 0645	Maize fodder (dry)	3			CXL				1995	
ML 0107	Milk of cattle, goats & sheep	0.01			CXL	94	35	28-34	2003	
AS 0647	Oat straw and fodder, dry	0.05			CXL	94	35	28-34	2003	
GC 0647	Oats	0.02	(*)		CXL		35	28-34	2003	
SO 0697	Peanut	0.1			CXL					
TN 0672	Pecan	0.1			CXL					
FI 0353	Pineapple	0.1			CXL					
PM 0110	Poultry meat	0.02	(*)		CXL		35	28-34	2003	
HS 0093	Spices	0.05	(*)		CXL		37		2005	
VR 0596	Sugar beet	0.2			CXL				1995	
VO 0447	Sweet corn (corn-on-the-	0.02	(*)		CXL		35	28-34	2003	
VO 1275	Sweet corn (kernels)	0.02	(*)		CXL		35	28-32,34	2003	
GC 0654	Wheat	0.2			CXL		35	28-34	2003	
AS 0654	Wheat, hay and/or straw	5			CXL	94	35	28-34	2003	

79 Amitrole

Main Uses: Herbicide
 ADI: 0.002 mg/kg bw (1997)
 ARfD: N/A
 Residue: Amitrole

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FB	0269	Grapes	0.05			CXL	98	36	32,34	2004	
FP	0009	Pome fruits (group)	0.05	(*)		CXL	98	36	32,34	2004	
FS	0012	Stone fruits (group)	0.05	(*)		CXL	98	36	32,34	2004	

81 Chlorothalonil

Main Uses: Fungicide
 ADI: 0-0.02 mg/kg bw (2009)
 ARfD: 0.6 mg/kg bw (2009)
 Residue: For compliance with MRL for plant commodities: Chlorothalonil. For estimation of dietary intake for plant commodities: Chlorothalonil SDS-3701 (2,5,6-trichloro-4-hydroxyisophthalonitrile), all considered separately.
 For compliance with MRL and for estimation of dietary intake for animal commodities: SDS-3701 (2,5,6-trichloro-4-hydroxyisophthalonitrile).
 The residue is not fat-soluble.
 Note: Chlorothalonil Metabolite SDS-3701
 ADI: 0-0.008 mg/kg bw(2009)
 ARfD: 0.03 mg/kg bw(2009)

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VS 0621	Asparagus	0.01 (*)		CXL	2015	48		2016		
FI 0327	Banana	15		CXL	12	45		2013		
VB 0402	Brussels sprouts	6		CXL	10	43		2011		
VS 0624	Celery	20		CXL	10	43		2011		
VL 0464	Chard	50		CXL	12	45		2013		
FS 0013	Cherries (subgroup)	3		CXL	2015	48		2016		
FB 0265	Cranberry	5		CXL						Withdrawal recommended (JMPR 2010). The CCPR decided to retain the CXL for four years under the periodic review, noting the manufacturers would submit supporting data for these commodities (43-34). The CCPR agreed to maintain the CXL for cranberry, until the submission of data for evaluation by the 2018 JMPR.
FB 0265	Cranberry	15		4	2019	52				CCPR52 (2021) agreed to retain the MRL for cranberry at Step 4, awaiting the re-evaluation by the 2021 JMPR (PR52:52)
VC 0424	Cucumber	3		CXL	10	43		2011		
FB 0021	Currants, black, red, white	20		CXL	10	43		2011		

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
MO	0105	Edible offal (mammalian)	0.2			CXL	10	43		2011	
VB	0042	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and cauliflower)	5			CXL	10	43		2011	
VC	0425	Gherkin	3			CXL	10	43		2011	
DV	0604	Ginseng, dried including red ginseng	2			CXL	2015	48		2016	
FB	0268	Gooseberry	20			CXL	10	43		2011	
FB	0269	Grapes	3			CXL	10	43		2011	
VR	0583	Horseradish	1			CXL	2015	48		2016	
VA	0384	Leek	40			CXL	10	43		2011	
MF	0100	Mammalian fats (except milk fats)	0.07			CXL	10	43		2011	
MM	0095	Meat (from mammals other than marine mammals)	0.02			CXL	10	43		2011	
VC	0046	Melons, except watermelon	2			CXL	10	43		2011	
ML	0106	Milks	0.07			CXL	10	43		2011	
VA	0385	Onion, bulb	1.5			CXL	2015	48		2016	
VA	0386	Onion, Chinese	10			CXL	10	43		2011	
VA	0387	Onion, Welsh	10			CXL	10	43		2011	
FI	0350	Papaya	20			CXL	10	43		2011	
FS	2001	Peaches (including apricots and nectarine) (subgroup)	1.5			CXL	2015	48		2016	
SO	0697	Peanut	0.1			CXL	10	43		2011	
VO	0051	Peppers (subgroup)	7			CXL	2015	48		2016	
HS	0444	Peppers chili, dried	70			CXL	2015	48		2016	
TN	0675	Pistachio nuts	0.3			CXL	2015	48		2016	
PF	0111	Poultry fats	0.01			CXL	10	43		2011	
PM	0110	Poultry meat	0.01			CXL	10	43		2011	
PO	0113	Poultry skin	0.01			CXL	10	43		2011	
PO	0111	Poultry, edible offal of	0.07			CXL	10	43		2011	
VD	0070	Pulses (group)	1			CXL	10	43		2011	
VS	0627	Rhubarb	7			CXL	2015	48		2016	
VR	0075	Root and tuber vegetables (group)	0.3		(except horseradish)	CXL	2015	48		2016	
VA	0388	Shallot	1.5			CXL	2015	48		2016	
VA	0389	Spring onion	10			CXL	10	43		2011	
VC	0431	Squash, summer	3			CXL	10	43		2011	
FB	0275	Strawberry	5			CXL	10	43		2011	
VO	0448	Tomato	5			CXL	2015	48		2016	

84 Dodine

Main Uses: Fungicide
 ADI: 0.1 mg/kg bw (2000)
 ARfD: 0.2 mg/kg bw (2000)
 Residue: For compliance with MRLs and for estimation of dietary intake: Dodine.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FS	0013	Cherries (subgroup)	3			CXL	03	37	36	2005	
FS	0245	Nectarine	5			CXL	03	37	36	2005	
FS	0247	Peach	5			CXL	03	37	36	2005	
FP	0009	Pome fruits (group)	5			CXL	03	37	36	2005	

85 Fenamiphos

Main Uses: Insecticide
 ADI: 0-0.0008 mg/kg bw (1997), confirmed (2006)
 ARfD: 0.003 mg/kg bw, confirmed 2006 (2002)
 Residue: Sum of fenamiphos and its sulphoxide and sulphone, expressed as fenamiphos.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FP 0226	Apple		0.05 (*)			CXL	99	36	33-35	2004	
FI 0327	Banana		0.05 (*)			CXL	99	36	33-35	2004	
VB 0402	Brussels sprouts		0.05			CXL	99	36	33-35	2004	
VB 0041	Cabbages, head		0.05			CXL	99	36	33-35	2004	
SO 0691	Cotton seed		0.05 (*)			CXL	99	36	33	2004	
OC 0691	Cotton seed oil, crude		0.05 (*)			CXL	99	36	33-35	2004	
MO 0105	Edible offal (mammalian)		0.01 (*)			CXL	99	36	33-35	2004	
PE 0112	Eggs		0.01 (*)			CXL	99	36	33-35	2004	
MM 0095	Meat (from mammals other than marine mammals)		0.01 (*)			CXL	99	36	33-35	2004	
VC 0046	Melons, except watermelon		0.05			CXL	06	39		2007	
ML 0106	Milks		0.005 (*)			CXL	99	36	33-35	2004	
SO 0697	Peanut		0.05 (*)			CXL	99	36	33	2004	
OC 0697	Peanut oil, crude		0.05 (*)			CXL	99	36	33-35	2004	
PM 0110	Poultry meat		0.01 (*)			CXL	99	36	33,35	2004	
PO 0111	Poultry, edible offal of		0.01 (*)			CXL	99	36	33-35	2004	

86 Pirimiphos-Methyl

Main Uses: Insecticide

ADI: 0.03 mg/kg bw (1992), confirmed (2006)

ARfD: 0.2 mg/kg bw (2006)

Residue: For compliance with MRLs and estimation of dietary intake for plant and animal commodities: Pirimiphos-methyl.

The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
GC 0080	Cereal grains	7	Po		CXL	03	37	36	2005	
MO 0105	Edible offal (mammalian)	0.01	(*)		CXL	04	37		2005	
PE 0112	Eggs	0.01			CXL	04	37		2005	
MM 0095	Meat (from mammals other than marine mammals)	0.01	(*)		CXL	04	37		2005	
ML 0106	Milks	0.01			CXL	03	37	36	2005	
PM 0110	Poultry meat	0.01	(*)		CXL	04	37		2005	
PO 0111	Poultry, edible offal of	0.01	(*)		CXL	04	37		2005	
HS 0191	Spices, fruits and berries	0.5			CXL		37		2005	
HS 0190	Spices, seeds	3			CXL		37		2005	
CM 0654	Wheat bran, unprocessed	15	PoP		CXL	03	37	36	2005	

87 Dinocap

Main Uses: Fungicide
 ADI: 0.008 mg/kg bw (1998)
 ARfD: 0.008 mg/kg bw (for women of child bearing age); 0.03 mg/kg bw for children and general population other than women of childbearing age (2000)
 Residue: Sum of dinocap isomers and dinocap phenols, expressed as dinocap.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FP 0226	Apple		0.2	D		CXL	98	34	32	2003	
VC 0424	Cucumber		0.7	M,d		CXL	10	43		2011	
VC 0045	Fruiting vegetables, cucurbits (group)	(*)	0.05	D		CXL	98	34	32	2003	
FB 0269	Grapes		0.5	D,m		CXL	01	35	32,34	2003	
VC 0046	Melons, except watermelon		0.5	M,d		CXL	10	43		2011	
FS 0247	Peach		0.1	D		CXL	98	34	32	2003	
VO 0051	Peppers (subgroup)		0.2	D		CXL	98	34	32	2003	
HS 0444	Peppers chili, dried		2	D		CXL	04	38	37	2006	
VC 0431	Squash, summer		0.07	M,d		CXL	10	43		2011	
FB 0275	Strawberry		0.5	D,m	Except glasshouse-grown strawberry	CXL	98	34	32	2003	
VO 0448	Tomato		0.3	D		CXL	99	34	32	2003	

90 Chlorpyrifos-Methyl

Main Uses: Insecticide

ADI: 0-0.01 mg/kg bw (2009)

ARfD: 0.1 mg/kg bw (2009)

Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Chlorpyrifos-methyl.

The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
GC 0640	Barley	3	Po		CXL	2009	49	43,44,45,46, 47	2017	
FC 0001	Citrus fruits (group)	2			CXL	09	45	42	2013	
MO 0105	Edible offal (mammalian)	0.01			CXL	09	43		2011	
VO 0440	Egg plant	1			CXL	09	42		2010	
PE 0112	Eggs	0.01	(*)		CXL	09	43		2011	
AB 0269	Grape pomace, dry	5			CXL	09	43		2011	
FB 0269	Grapes	1			CXL	09	42		2010	
MM 0095	Meat (from mammals other than marine mammals)	0.1	(fat)		CXL	09	43		2011	
FM 0183	Milk fats	0.01	(*)		CXL	09	43		2011	
ML 0106	Milks	0.01	(*)		CXL	09	43		2011	
VO 0051	Peppers (subgroup)	1			CXL	09	42		2010	
HS 0444	Peppers chili, dried	10			CXL	09	42		2010	
FP 0009	Pome fruits (group)	1			CXL	09	42		2010	
VR 0589	Potato	0.01	(*)		CXL	09	42		2010	
PM 0110	Poultry meat	0.01	(fat)		CXL	09	43		2011	
PO 0111	Poultry, edible offal of	0.01	(*)		CXL	09	43		2011	
HS 0191	Spices, fruits and berries	0.3			CXL		37		2005	
HS 0193	Spices, roots and rhizomes	5			CXL		37		2005	
HS 0190	Spices, seeds	1			CXL		37		2005	
FS 0012	Stone fruits (group)	0.5			CXL	09	42		2010	
FB 0275	Strawberry	0.06			CXL	09	42		2010	
VO 0448	Tomato	1			CXL	09	42		2010	
GC 0654	Wheat	3	Po		CXL	2009	49	43,44,45,46, 47	2017	
CM 0654	Wheat bran, unprocessed	6	PoP		CXL	2009	49	43,44,45,46, 47	2017	
CF 1210	Wheat germ	5	PoP		CXL	2009	49	43,44,45,46, 47	2017	

94 Methomyl

Main Uses: Insecticide
 ADI: 0.02 mg/kg bw (2001)

ARfD: 0.02 mg/kg bw (2001)
 Residue: For compliance with MRLs and for estimation of dietary intake for plant and animal commodities: Sum of methomyl and thiodicarb, expressed as methomyl.

MRLs related to methomyl and (154) thiodicarb are combined into a single list.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AL	1020	Alfalfa fodder	20			CXL	01	37	34-36	2005	
FP	0226	Apple	0.3			CXL	08	42	41	2010	
VS	0621	Asparagus	2			CXL	01			1991	
GC	0640	Barley	2			CXL	01	37	34-36	2005	
AL	0061	Bean fodder	10			CXL	01	37	34-36	2005	
VD	0071	Beans (dry)	0.05			CXL	01	36	34,35	2004	
VP	0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	1			CXL	01	36	34,35	2004	
FC	0001	Citrus fruits (group)	1			CXL	01	45		2013	
AB	0001	Citrus pulp, dried	3			CXL	01	37	34-36	2005	
VP	0526	Common bean (pods and/or immature seeds)	1			CXL	01	36	34,35	2004	
SO	0691	Cotton seed	0.2			CXL	01	36	34,35	2004	
OR	0691	Cotton seed oil, edible	0.04			CXL	01	36	34,35	2004	
AB	0691	Cotton seed, hulls	0.2			CXL	01	36	34,35	2004	
AB	1203	Cotton seed, meal	0.05			CXL	01	36	34	2004	
MO	0105	Edible offal (mammalian)	0.02	(*)		CXL	01	36	34,35	2004	
PE	0112	Eggs	0.02	(*)		CXL		36	34,35	2004	
VC	0045	Fruiting vegetables, cucurbits (group)	0.1			CXL	01,08	41	34-40	2009	Resulting from consideration of methomyl supervised field trial data.
FB	0269	Grapes	0.3			CXL	08	41		2009	
VL	0482	Lettuce, head	0.2			CXL	08	41		2009	
VL	0483	Lettuce, leaf	0.2			CXL	08	41		2009	
GC	0645	Maize	0.02	(*)		CXL	01	36	34,35	2004	
OR	0645	Maize oil, edible	0.02	(*)		CXL	01	36	34,35	2004	
MM	0095	Meat (from mammals other than marine mammals)	0.02	(*)		CXL	01	36	34,35	2004	
ML	0106	Milks	0.02	(*)		CXL	01	36	34,35	2004	
AM	0738	Mint hay	0.5			CXL	04	37		2005	
FS	0245	Nectarine	0.2			CXL	01	36	34,35	2004	
GC	0647	Oats	0.02	(*)		CXL	01	36	34,35	2004	
VA	0385	Onion, bulb	0.2			CXL	01			1991	
FS	0247	Peach	0.2			CXL	01	36	34,35	2004	
FP	0230	Pear	0.3			CXL	08	41		2009	
VP	0063	Peas (pods and succulent=immature seeds)	5			CXL	01			1991	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VO 0051	Peppers (subgroup)	0.7				CXL	04	37		2005	
HS 0444	Peppers chili, dried	10				CXL	04	38	37	2006	
FS 0014	Plums (including fresh prunes) (subgroup)	1				CXL	01	36	34,35	2004	
VR 0589	Potato	0.02	(*)			CXL	01	36	34,35	2004	
PM 0110	Poultry meat	0.02	(*)			CXL	01	36	34,35	2004	
PO 0111	Poultry, edible offal of	0.02	(*)			CXL	01	36	34,35	2004	
SO 0495	Rape seed	0.05				CXL	01	36	34,35	2004	
VD 0541	Soya bean (dry)	0.2				CXL	01				
AL 0541	Soya bean fodder	0.2				CXL	01	36	34,35	2004	
AB 0541	Soya bean hulls	1				CXL	01	36	34,35	2004	
AB 1265	Soya bean meal	20				CXL	01	36	34,35	2004	
OC 0541	Soya bean oil, crude	0.2				CXL	01	36	34,35	2004	
OR 0541	Soya bean oil, refined	0.2				CXL	01	36	34,35	2004	
HS 0191	Spices, fruits and berries	0.07				CXL		43		2011	
AS 0161	Straw, fodder (dry) and hay of cereal grains and other grass-like plants	10				CXL	01	36	34,35	2004	
VO 0448	Tomato	1				CXL	08	41		2009	
GC 0654	Wheat	2				CXL	01	37	34-36	2005	
CM 0654	Wheat bran, unprocessed	3				CXL	01	37	34-36	2005	
CF 1211	Wheat flour	0.03				CXL	01	37	34-36	2005	
CF 1210	Wheat germ	2				CXL	01	37	34-36	2005	
AS 0654	Wheat, hay and/or straw	5				CXL				1991	

95 Acephate

Main Uses: Insecticide
 ADI: 0-0.03 mg/kg bw (2005)
 ARfD: 0.1 mg/kg bw (2005)
 Residue: For compliance with MRL for plant and animal commodities: Acephate.
 For estimation of dietary intake for plant and animal commodities: Acephate and methamidophos.
 The residue is not fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VS 0620	Artichoke, globe	0.3			CXL	03	37	36	2005	
VP 0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	5			CXL	03	38	36,37	2006	
VB 0041	Cabbages, head	2			CXL	96	30		1999	
FB 0265	Cranberry	0.5			CXL	06	39		2007	
MO 0105	Edible offal (mammalian)	0.05			CXL	03	37	36	2005	
PE 0112	Eggs	0.01	(*)		CXL	03	37	36	2005	
MM 0095	Meat (from mammals other than marine mammals)	0.05			CXL	03	37	36	2005	
ML 0106	Milks	0.02			CXL	03	37	36	2005	
HS 0444	Peppers chili, dried	50			CXL	04	38	37	2006	
PF 0111	Poultry fats	0.1			CXL					
PM 0110	Poultry meat	0.01	(*)		CXL	03	37	36	2005	
PO 0111	Poultry, edible offal of	0.01	(*)		CXL	03	37	36	2005	
AS 0649	Rice, hay and/or straw	0.3			CXL	11	44		2012	
CM 0649	Rice, husked	1			CXL	11	44		2012	
VD 0541	Soya bean (dry)	0.3			CXL	03	37	36	2005	
HS 0093	Spices	0.2	(*)		CXL		37		2005	
VO 0448	Tomato	1			CXL	96	30		1999	

96 Carbofuran

Main Uses: Acaricide, Insecticide and Nematocide

ADI: 0-0.001 mg/kg bw (2008)

ARfD: 0.001 mg/kg bw (2008)

Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Carbofuran and 3-hydroxy carbofuran expressed as carbofuran.
The residue is not fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FI 0327	Banana	0.01 (*)			CXL	12	45		2013	
MF 0812	Cattle fat	0.05 (*)			CXL	97	31		1999	
AB 0001	Citrus pulp, dried	2		Based on the use of carbosulfan	CXL	97	32	31	2001	
SB 0716	Coffee beans	1			CXL	97	31		1999	
SO 0691	Cotton seed	0.1			CXL	02	36	35	2004	
MO 0096	Edible offal of cattle, goats, horses, pigs & sheep	0.05 (*)			CXL	97	31		1999	
MF 0814	Goat fat	0.05 (*)			CXL	97	31		1999	
MF 0816	Horse fat	0.05 (*)			CXL	97	31		1999	
GC 0645	Maize	0.05 (*)		Based on the use of carbosulfan	CXL	03	37	36	2005	
FC 0206	Mandarin	0.5		Based on the use of carbosulfan	CXL	99	42	33,36,37,38	2010	
MM 0096	Meat of cattle, goats, horses, pigs & sheep	0.05 (*)			CXL	97	31		1999	
FC 0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.5			CXL	97,04	42	31-41	2010	
MF 0818	Pig fat	0.05 (*)			CXL	97	31		1999	
SO 0495	Rape seed	0.05 (*)			CXL	02	36	35	2004	
AS 0649	Rice, hay and/or straw	1			CXL	02	36	35	2004	
CM 0649	Rice, husked	0.1			CXL	02	36	35	2004	
MF 0822	Sheep fat	0.05 (*)			CXL	97	31		1999	
GC 0651	Sorghum grain	0.1 (*)			CXL	97	31		1999	
AS 0651	Sorghum straw and fodder, dry	0.5			CXL	97	32	31	2001	
HS 0193	Spices, roots and rhizomes	0.1			CXL		43		2011	
VR 0596	Sugar beet	0.2		Based on the use of carbosulfan	CXL	03	37	36	2005	
GS 0659	Sugar cane	0.1 (*)			CXL	97	31		1999	
SO 0702	Sunflower seed	0.1 (*)			CXL	97	31		1999	

100 Methamidophos

Main Uses: Insecticide

ADI: 0-0.004 mg/kg bw (2002)

ARfD: 0.01 mg/kg bw (2002)

Residue: For compliance with MRLs and for estimation of dietary intake for plant and animal commodities: Methamidophos.

The residue is not fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VS 0620	Artichoke, globe	0.2			CXL	03	37	36	2005	
VP 0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	1			CXL	03	38	36,37	2006	
SO 0691	Cotton seed	0.2			CXL	03	37	36	2005	
MO 0105	Edible offal (mammalian)	0.01 (*)			CXL	03	37	36	2005	
PE 0112	Eggs	0.01 (*)			CXL	03	37	36	2005	
AM 1051	Fodder beet	0.02			CXL	03	37	36	2005	
MM 0095	Meat (from mammals other than marine mammals)	0.01 (*)			CXL	03	37	36	2005	
ML 0106	Milks	0.02			CXL	03	37	36	2005	
VR 0589	Potato	0.05			CXL	03	37	36	2005	
PM 0110	Poultry meat	0.01 (*)			CXL	03	37	36	2005	
PO 0111	Poultry, edible offal of	0.01 (*)			CXL	03	37	36	2005	
AS 0649	Rice, hay and/or straw	0.1		(arising from the use of acephate on rice)	CXL	11	44		2012	
CM 0649	Rice, husked	0.6		(arising from the use of acephate on rice)	CXL	11	44		2012	
VD 0541	Soya bean (dry)	0.1			CXL	03	37	36	2005	
HS 0093	Spices	0.1 (*)			CXL		37		2005	
VR 0596	Sugar beet	0.02			CXL	03	37	36	2005	

101 Pirimicarb

Main Uses: Aphicide
 ADI: 0-0.02 mg/kg bw (1982), confirmed (2006)
 ARfD: 0.1 mg/kg bw, confirmed 2006 (2004)
 Residue: For estimation of dietary intake: Sum of pirimicarb, and its demethyl, demethyl formamido metabolites, expressed as pirimicarb for plant commodities and pirimicarb (parent compound only) for animal commodities.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VS	0620	Artichoke, globe	5			CXL	06	39		2007	
VS	0621	Asparagus	0.01 (*)			CXL	06	39		2007	
FB	0018	Berries and other small fruits	1		Except strawberries and grapes	CXL	06	39		2007	
VB	0040	Brassica vegetables (except Brassica leafy vegetables) (group)	0.5			CXL	06	39		2007	
GC	0080	Cereal grains	0.05		Except rice	CXL	06	39		2007	
FC	0001	Citrus fruits (group)	3			CXL	06	45	39	2013	
MO	0105	Edible offal (mammalian)	0.01 (*)			CXL	06	39		2007	
PE	0112	Eggs	0.01 (*)			CXL	06	39		2007	
VC	0045	Fruiting vegetables, cucurbits (group)	1		Except melons and watermelons	CXL	06	39		2007	
VO	0050	Fruiting vegetables, other than cucurbits (group)	0.5		Except edible fungi and Sweet corn	CXL	06	39		2007	
VA	0381	Garlic	0.1			CXL	06	39		2007	
VL	0480	Kale (including among others: Collards, curly kale, Scotch kale, thousand-headed kale; not including Marrow-stem kale)	0.3			CXL	06	39		2007	
VP	0060	Legume vegetables (group)	0.7		Except soya bean	CXL	06	39		2007	
VL	0482	Lettuce, head	5			CXL	06	39		2007	
VL	0483	Lettuce, leaf	5			CXL	06	39		2007	
MM	0095	Meat (from mammals other than marine mammals)	0.01 (*)			CXL	06	39		2007	
VC	0046	Melons, except watermelon	0.2			CXL	06	39		2007	
ML	0106	Milks	0.01 (*)			CXL	06	39		2007	
VA	0385	Onion, bulb	0.1			CXL	06	39		2007	
AL	0072	Pea hay or pea fodder (dry)	60	dry wt		CXL	06	39		2007	
HS	0444	Peppers chili, dried	20			CXL	04	38	37	2006	
FP	0009	Pome fruits (group)	1			CXL	06	39		2007	
PM	0110	Poultry meat	0.01 (*)			CXL	06	39		2007	
PO	0111	Poultry, edible offal of	0.01 (*)			CXL	06	39		2007	
VD	0070	Pulses (group)	0.2		Except soya bean (dry)	CXL	06	39		2007	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
SO 0495	Rape seed	0.05			CXL	06	39		2007		
VR 0075	Root and tuber vegetables (group)	0.05			CXL	06	39		2007		
HS 0190	Spices, seeds	5			CXL		37		2005		
FS 0012	Stone fruits (group)	3			CXL	06	39		2007		
AS 0081	Straw and hay of cereal grains except pseudocereals	0.3	dry wt	Except rice straw and fodder,	CXL	06	39		2007		
SO 0702	Sunflower seed	0.1			CXL	06	39		2007		
VO 1275	Sweet corn (kernels)	0.05			CXL	06	39		2007		

102 Maleic Hydrazide

Main Uses: Plant growth regulator
 ADI: 0.3 mg/kg bw (1996)
 ARfD: N/A
 Residue: Maleic hydrazide

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR		
VA	0381	Garlic	15			CXL	98	32	2001			
VA	0385	Onion, bulb	15			CXL	98					
VR	0589	Potato	50			CXL	98					
VA	0388	Shallot	15			CXL	98	32	2001			

103 Phosmet

Main Uses: Insecticide
 ADI: 0-0.01 mg/kg bw (1998)
 ARfD: 0.2 mg/kg bw (2003)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Phosmet.
 The residue is not fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FS 0240	Apricot	10			CXL	97	40	31,33-39	2008	
FB 0020	Blueberries	10			CXL	07	40		2008	
MM 0812	Cattle meat	1	(fat) V		CXL		31		1999	
FC 0001	Citrus fruits (group)	3			CXL	02,07	45	35-40	2013	
SO 0691	Cotton seed	0.05			CXL	97	32	31	2001	
FB 0265	Cranberry	3			CXL	2014	47		2015	
FB 0269	Grapes	10			CXL	97	31		1999	
ML 0106	Milks	0.02			CXL		31		1999	
FS 0245	Nectarine	10			CXL	02,07	40	35-39	2008	
FS 0247	Peach	10			CXL	97	31		1999	
FP 0009	Pome fruits (group)	10			CXL	02	40	35-39	2008	
VR 0589	Potato	0.05	(*)		CXL	97	32	31	2001	
TN 0085	Tree nuts (group)	0.2			CXL	02	36	35	2004	

105 Dithiocarbamates

Main Uses: Fungicide
 ADI: 0-0.03 mg/kg bw Group ADI (or in any combination) for ethylene-bis-dithiocarbamates (EBDCs: mancozeb, maneb, metiram and zineb) (1993)
 ARfD: N/A
 Residue: For compliance with MRLs in plant and animal commodities: Total dithiocarbamates, determined as CS2, evolved during acid digestion and expressed as mg CS2/kg.
 For the estimation of dietary intake in plant and animal commodities: mancozeb plus ethylenethiourea (ETU).
 Dithiocarbamate residues are not fat soluble.

Note: An ADI of 0-0.004 mg/kg bw for their metabolite ethylenethiourea (ETU).
 Recommended MRLs refer to the total residues from the use of any or each of the dithiocarbamates.
 Recommendations are based on trials with; n, maneb; m, metiram; c, mancozeb; p, propineb; h, thiram, z, ziram.
 Compounds shown in upper case are those on which estimates of MRLs are mainly based.
 The 1995 JMPR changed the expression of residue definition. Propineb: ADI for propineb 0-0.007 mg/kg/bw. Interim ARfD: 0.1 mg/kg bw.
 Some commodities contain natural compounds that generate CS2 (36-201).
 The JMPR 2004 evaluated propineb and proposed MRLs for the use of propineb alone and for the use of dithiocarbamates including propineb in several commodities (37-127). CCPR agreed not to establish separate MRLs for propineb as the residue definition applies to all dithiocarbamates (37-128).

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AM	0660	Almond hulls	20	N,z		CXL	1995	31	28-30	1999	
TN	0660	Almonds	0.1	(*)	N,Z	CXL	1995	31	28-30	1999	
VS	0621	Asparagus	0.1	c		CXL	1995	31	28-30	1999	
FI	0327	Banana	2	c		CXL	1995	31	28-30	1999	
GC	0640	Barley	1	c		CXL	1995	31	28-30	1999	
AS	0640	Barley, hay and/or straw	25	C,n		CXL	1995	31	28-30	1999	
VB	0041	Cabbages, head	5	c,N		CXL	1995	31	28-30	1999	
HS	0775	Cardamom	0.1			CXL	2014	47		2015	
VR	0577	Carrot	1	c		CXL	1995	31	28-30	1999	
FS	0013	Cherries (subgroup)	0.2	p		CXL	2004	38	37	2006	
HS	0779	Coriander, seed	0.1			CXL	2014	47		2015	Refer to Dithiocarbamates(105)/Ma ncozed(050)
VL	0510	Cos lettuce	10	n		CXL	1995	31	28-30	1999	
FB	0265	Cranberry	5	c		CXL	1995	31	28-30	1999	
VC	0424	Cucumber	2	c,N,p		CXL	2004	37		2005	
HS	0780	Cumin seed	10			CXL	2014	47		2015	Refer to Dithiocarbamates(105)/Ma ncozed(050)
FB	0021	Currants, black, red, white	10	C,m		CXL	1995	31	28-30	1999	
MO	0105	Edible offal (mammalian)	0.1	C,m,p		CXL	2004	37		2005	
PE	0112	Eggs	0.05	(*)	C,p	CXL	2004	37		2005	
HS	0731	Fennel, seed	0.1			CXL	2014	47		2015	Refer to Dithiocarbamates(105)/Ma ncozed(050).
VA	0381	Garlic	0.5	c		CXL	1995	31	28-30	1999	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VR 0604	Ginseng		0.3			CXL	2014	47		2015	Refer to Dithiocarbamates(105)/Mancozed(050).
DV 0604	Ginseng, dried including red ginseng		1.5			CXL	2014	47		2015	Refer to Dithiocarbamates(105)/Mancozed(050).
FB 0269	Grapes	5		C,m,n		CXL	2004	37		2005	
DH 1100	Hops, dry	30		m		CXL	1995	31	28-30	1999	
VL 0480	Kale (including among others: Collards, curly kale, Scotch kale, thousand-headed kale; not including Marrow-stem kale)	15		c,N		CXL	1995	31	28-30	1999	
VA 0384	Leek	0.5		c		CXL	1995	31	28-30	1999	
VL 0482	Lettuce, head	0.5		C,N,m		CXL	1995	31	28-30	1999	
AS 0645	Maize fodder (dry)	2		c		CXL	1995	31	28-30	1999	
FC 0003	Mandarins (including mandarin-like hybrids) (subgroup)	10		c		CXL	1995	31	28-30	1999	
FI 0345	Mango	2		c		CXL	1995	31	28-30	1999	
MM 0095	Meat (from mammals other than marine mammals)	0.05	(*)	c,m,p		CXL	2004	37		2005	
VC 0046	Melons, except watermelon	0.5		C		CXL	2004	37		2005	
ML 0106	Milks	0.05	(*)	c,m,p		CXL	2004	37		2005	
VA 0385	Onion, bulb	0.5		C		CXL	2004	37		2005	
FC 0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	2		c		CXL	1995	31	28-30	1999	
FI 0350	Papaya	5		c		CXL	1995	31	28-30	1999	
SO 0697	Peanut	0.1	(*)	c		CXL	1995	31	28-30	1999	
AL 0697	Peanut fodder	5		c		CXL	1995	31	28-30	1999	
TN 0672	Pecan	0.1	(*)	Z		CXL	2004	37		2005	
HS 0790	Pepper, black, white	0.1				CXL	2014	47		2015	Refer to Dithiocarbamates(105)/Mancozed(050)
HS 0444	Peppers chili, dried	20				CXL	2014	47		2015	Refer to Dithiocarbamates(105)/Mancozed(050).
VO 0445	Peppers, sweet (including pimento or pimiento)	1		c,n		CXL	1995	31	28-30	1999	
FP 0009	Pome fruits (group)	5		C,M,H,Z		CXL	2004	37		2005	
VR 0589	Potato	0.2		c,m,n,p		CXL	2004	37		2005	
PM 0110	Poultry meat	0.1		c,p		CXL	2004	37		2005	
PO 0111	Poultry, edible offal of	0.1		c,p		CXL	2004	37		2005	
VC 0429	Pumpkins	0.2		c		CXL	1995	31	28-30	1999	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VA 0389	Spring onion		10	n		CXL	1995	31	28-30	1999	
VC 0431	Squash, summer		1	c		CXL	1995	31	28-30	1999	
FS 0012	Stone fruits (group)		7	h,p,Z		CXL	2004	37		2005	
FB 0275	Strawberry		5	H		CXL	1996	32	30	2001	
VR 0596	Sugar beet		0.5	C,n		CXL	1995	31	28-30	1999	
VO 0447	Sweet corn (corn-on-the-	0.1	(*)	c		CXL	1995	31	28-30	1999	
VO 0448	Tomato		2	p		CXL	2004	38	37	2006	
VC 0432	Watermelon		1	c,N		CXL	1995	30	28,29	1999	
GC 0654	Wheat		1	C,n,m		CXL	1995	31	28-30	1999	
AS 0654	Wheat, hay and/or straw		25	C,n,m		CXL	1995	31	28-30	1999	
VC 0433	Winter squash		0.1	c		CXL	1995	31	28-30	1999	

106 Ethephon

Main Uses: Plant growth regulator
 ADI: 0–0.05 mg/kg bw (2015)
 ARfD: 0.05 mg/kg bw (2015)
 Residue: For plant commodities except cereal grains and straw (for compliance with the MRL and for estimation of dietary intake): Ethephon.
 For cereal grains and straw (for compliance with the MRL and for estimation of dietary intake): Ethephon and its conjugates, expressed as ethephon.
 For animal commodities (for compliance with the MRL and for estimation of dietary intake): Ethephon.
 The residue is not fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FP 0226	Apple	0.8			CXL	2015	48		2016	
GC 0640	Barley	1.5			CXL	2015	48		2016	
AS 0640	Barley, hay and/or straw	7	(dw)		CXL	2015	48		2016	
FS 0013	Cherries (subgroup)	5			CXL	2015	48		2016	
SO 0691	Cotton seed	6			CXL	2015	48		2016	
MO 0105	Edible offal (mammalian)	0.4			CXL	2015	48		2016	
PE 0112	Eggs	0.01	(*)		CXL	2015	48		2016	
FT 0297	Fig	3			CXL	2015	48		2016	
FB 0269	Grapes	0.8			CXL	2015	48		2016	
MF 0100	Mammalian fats (except milk fats)	0.01	(*)		CXL	2015	48		2016	
MM 0095	Meat (from mammals other than marine mammals)	0.01	(*)		CXL	2015	48		2016	
ML 0106	Milks	0.01	(*)		CXL	2015	48		2016	
FI 0353	Pineapple	1.5			CXL	2015	48		2016	
PF 0111	Poultry fats	0.04			CXL	2015	48		2016	
PM 0110	Poultry meat	0.02			CXL	2015	48		2016	
PO 0111	Poultry, edible offal of	0.08			CXL	2015	48		2016	
GC 0650	Rye	0.5			CXL	2015	48		2016	
AS 0650	Rye straw and fodder, dry	7	(dw)		CXL	2015	48		2016	
FT 0305	Table olives	7			CXL	2015	48		2016	
VO 0448	Tomato	2			CXL	2015	48		2016	
GC 0653	Triticale	0.5			CXL	2015	48		2016	
AS 0653	Triticale, hay and/or straw	7	(dw)		CXL	2015	48		2016	
GC 0654	Wheat	0.5			CXL	2015	48		2016	
CM 0654	Wheat bran, unprocessed	1.5			CXL	2015	48		2016	
CF 1210	Wheat germ	1			CXL	2015	48		2016	
AS 0654	Wheat, hay and/or straw	7	(dw)		CXL	2015	48		2016	

109 Fenbutatin Oxide

Main Uses: Acaricide
 ADI: 0.03 mg/kg bw (1977), confirmed (1992)
 ARfD: N/A
 Residue: Fenbutatin oxide

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
TN 0660	Almonds		0.5			CXL				1995	
FI 0327	Banana		10			CXL		28		1997	
FS 0013	Cherries (subgroup)		10			CXL		28		1997	
PM 0840	Chicken meat	0.05	(*)			CXL				1995	
PO 0840	Chicken, edible offal of	0.05	(*)			CXL				1995	
FC 0001	Citrus fruits (group)	5			(including kumquats)	CXL				1995	
AB 0001	Citrus pulp, dried	25				CXL				1995	
VC 0424	Cucumber	0.5				CXL				1995	
MO 0105	Edible offal (mammalian)	0.2				CXL		28		1997	
PE 0112	Eggs	0.05				CXL				1995	
AB 0269	Grape pomace, dry	100				CXL				1995	
FB 0269	Grapes	5				CXL				1995	
MM 0095	Meat (from mammals other than marine mammals)	0.05	(*)			CXL				1995	
ML 0106	Milks	0.05	(*)			CXL				1995	
FS 0247	Peach	7				CXL				1995	
TN 0672	Pecan	0.5				CXL				1995	
FS 0014	Plums (including fresh prunes) (subgroup)	3				CXL					
FP 0009	Pome fruits (group)	5				CXL				1995	
DF 0014	Prunes	10				CXL		28		1997	
DF 5263	Raisins (seedless white grape var., partially dried)	20				CXL		28		1997	
FB 0275	Strawberry	10				CXL				1995	
VO 0448	Tomato	1				CXL				1995	
TN 0678	Walnuts	0.5				CXL		28		1997	

110 Imazalil

Main Uses: Fungicide
 ADI: 0–0.03 mg/kg bw (1977, 2018)
 ARfD: 0.05 mg/kg bw (2005)
 Residue: For compliance with the MRL for plant and animal commodities: Imazalil. For dietary risk assessment for plant commodities: Free and conjugated imazalil.
 For dietary risk assessment for animal commodities: Sum of imazalil and the metabolite R061000 (RS)-3-[2-(2,4-dichlorophenyl)-2-(2,3-dihydroxypropoxy)ethyl]imidazolidine- 2,4-dione (+)-1-[2-(2,4-dichlorophenyl)-2-[(2,3-dihydroxypropyl)oxy]ethyl]-2,5-imidazolidinedione), expressed as imazalil equivalents.
 The residue is not fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FI 0327	Banana	3	Po		CXL	2018	51		2019	
GC 0640	Barley	0.01	(*)		CXL	2018	51		2019	
AS 0640	Barley, hay and/or straw	0.01			CXL	2018	51		2019	
FC 0001	Citrus fruits (group)	5	Po	(except subgroups of oranges, sweet, sour and lemons and limes)	CXL	2018	51		2019	Recommended for withdrawal by JMPR
FC 0001	Citrus fruits (group)	15	Po		3	2021	53			
OR 0001	Citrus oil, edible	500	Po		3	2021	53			
AB 0001	Citrus pulp, dried	70	(dw) Po		3	2021	53			
MO 0105	Edible offal (mammalian)	0.3			CXL	2018	51		2019	
PE 0112	Eggs	0.01	(*)		CXL	2018	51		2019	
FC 0002	Lemons and limes (including citron) (subgroup)	15	Po		CXL	2018	51		2019	Recommended for withdrawal by JMPR
MF 0100	Mammalian fats (except milk fats)	0.02			CXL	2018	51		2019	
MM 0095	Meat (from mammals other than marine mammals)	0.02	(*)		CXL	2018	51		2019	
ML 0106	Milks	0.02	(*)		CXL	2018	51		2019	
FC 0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	8	Po		CXL	2018	51		2019	Recommended for withdrawal by JMPR
VR 0589	Potato	9	Po		CXL	2018	51		2019	
PF 0111	Poultry fats	0.02	(*)		CXL	2018	51		2019	
PM 0110	Poultry meat	0.02	(*)		CXL	2018	51		2019	
PO 0111	Poultry, edible offal of	0.02	(*)		CXL	2018	51		2019	
VO 0448	Tomato	0.3			CXL	2018	51		2019	
GC 0653	Triticale	0.01	(*)		CXL	2018	51		2019	
AS 0653	Triticale, hay and/or straw	0.01			CXL	2018	51		2019	
GC 0654	Wheat	0.01	(*)		CXL					
AS 0654	Wheat, hay and/or straw	0.01			CXL-D	2018	51		2019	

111 Iprodione

Main Uses: Fungicide

ADI: 0.06 mg/kg bw (1995)

Residue: Iprodione.

Note: ARfD may be necessary but has not been established (2001 JMPR).

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
TN 0660	Almonds		0.2			CXL	94	28		1997	
GC 0640	Barley		2			CXL	94	28		1997	
VD 0071	Beans (dry)		0.1			CXL		28		1997	
FB 0264	Blackberries		30			CXL	94	29	28	1997	
VB 0400	Broccoli		25			CXL	94	28		1997	
VR 0577	Carrot		10	Po		CXL	94	29	28	1997	
FS 0013	Cherries		10			CXL	94	29	28	1997	
VP 0526	Common bean (pods and/or immature seeds)		2			CXL	94	29	28	1997	
VC 0424	Cucumber		2			CXL	94	28		1997	
FB 0269	Grapes		10			CXL	94				
FI 0341	Kiwifruit		5			CXL	94				
VL 0482	Lettuce, Head		10			CXL	94				
VL 0483	Lettuce, Leaf		25			CXL	94	28		1997	
VA 0385	Onion, Bulb		0.2			CXL	94	28		1997	
FS 0247	Peach		10			CXL	94	28		1997	
FP 0009	Pome fruits		5	Po		CXL	94	28		1997	
SO 0495	Rape seed		0.5			CXL	94	28		1997	
FB 0272	Raspberries, Red, Black		30			CXL	94	28		1997	
CM 0649	Rice, Husked		10			CXL	94	29	28	1997	
HS 0193	Spices, Roots and Rhizomes		0.1			CXL		37		2005	
HS 0190	Spices, Seeds		0.05	(*)		CXL		37		2005	
FB 0275	Strawberry		10			CXL	94				
VR 0596	Sugar beet		0.1	(*)		CXL	94	28		1997	
SO 0702	Sunflower seed		0.5			CXL	94				
VO 0448	Tomato		5			CXL		31		1999	
VL 2832	Witloof chicory (sprouts)		1			CXL	94				

112 Phorate

Main Uses: Acaricide and Insecticide
 ADI: 0-0.0007 mg/kg bw (2004)
 ARfD: 0.003 mg/kg bw (2004)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Sum of the parent, its oxygen analogue, and their sulfoxides and sulfones, expressed as phorate.
 The residue is not fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VD 0071	Beans (dry)	0.05 (*)			CXL	05	38		2006	
SB 0716	Coffee beans	0.05 (*)			CXL	05	38		2006	
VP 0526	Common bean (pods and/or immature seeds)	0.05 (*)			CXL	05	38		2006	
HS 0779	Coriander, seed	0.1			CXL	2015	48		2016	
SO 0691	Cotton seed	0.05 (*)			CXL	05	38		2006	
MO 0105	Edible offal (mammalian)	0.02 (*)			CXL	05	38		2006	
PE 0112	Eggs	0.05 (*)			CXL	05	38		2006	
HS 0731	Fennel, seed	0.1			CXL	2015	48		2016	
GC 0645	Maize	0.05 (*)			CXL	05	38		2006	
CF 1255	Maize flour	0.05			CXL	05	38		2006	
OC 0645	Maize oil, crude	0.1			CXL	05	38		2006	
OR 0645	Maize oil, edible	0.02			CXL	05	38		2006	
MM 0095	Meat (from mammals other than marine mammals)	0.02 (*)			CXL	05	38		2006	
ML 0106	Milks	0.01 (*)			CXL	05	38		2006	
VR 0589	Potato	0.3			CXL	12	45		2013	
PM 0110	Poultry meat	0.05 (*)			CXL	05	38		2006	
GC 0651	Sorghum grain	0.05 (*)			CXL	05	38		2006	
VD 0541	Soya bean (dry)	0.05 (*)			CXL	05	38		2006	
HS 0191	Spices, fruits and berries	0.1 (*)			CXL		37		2005	
HS 0193	Spices, roots and rhizomes	0.1 (*)			CXL		37		2005	
HS 0190	Spices, seeds	0.5		(except coriander seed and fennel seed)	CXL	2015	48		2016	
VR 0596	Sugar beet	0.05 (*)			CXL	05	38		2006	

113 Propargite

Main Uses: Acaricide
 ADI: 0.01 mg/kg bw (1999)
 ARfD: Unnecessary. Confirmed 2006. (1999)
 Residue: For compliance with MRLs and for estimation of dietary intake: Propargite. This definition applies to both plant and animal commodities.
 The residue is fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AM	0660	Almond hulls	50			CXL	02	36	35	2004	
TN	0660	Almonds	0.1	(*)		CXL	02	36	35	2004	
FP	0226	Apple	3			CXL	02	36	35	2004	
JF	0226	Apple juice	0.2			CXL	02	36	35	2004	
VD	0071	Beans (dry)	0.3			CXL	06	39		2007	
VD	0523	Broad bean (dry)	0.3			CXL	06	39		2007	
VD	0524	Chick-pea (dry)	0.3			CXL	06	39		2007	
FC	0001	Citrus fruits (group)	3			CXL	02	36	35	2004	
AB	0001	Citrus pulp, dried	10			CXL	02	36	35	2004	
SO	0691	Cotton seed	0.1			CXL	02	36	35	2004	
OR	0691	Cotton seed oil, edible	0.2			CXL	02	36	35	2004	
MO	0105	Edible offal (mammalian)	0.1	(*)		CXL	02	36	35	2004	
PE	0112	Eggs	0.1	(*)		CXL	02	36	35	2004	
JF	0269	Grape juice	1			CXL	02	36	35	2004	
AB	0269	Grape pomace, dry	40			CXL	02				
DF	0269	Grape, dried (= Currents, Raisins and Sultanas)	12			CXL	02	36	35	2004	
FB	0269	Grapes	7			CXL	02	36	35	2004	
DH	1100	Hops, dry	100			CXL	02	36	35	2004	
VD	0545	Lipin (dry)	0.3			CXL	06	39		2007	
GC	0645	Maize	0.1	(*)		CXL	02				
CF	1255	Maize flour	0.2			CXL	02	36	35	2004	
OC	0645	Maize oil, crude	0.7			CXL	02	36	35	2004	
OR	0645	Maize oil, edible	0.5			CXL	02	36	35	2004	
MM	0095	Meat (from mammals other than marine mammals)	0.1	(*) (fat)		CXL	02	36	35	2004	
ML	0106	Milks	0.1	(*) F		CXL	02	36	35	2004	
JF	0004	Orange juice	0.3			CXL	02	36	35	2004	
SO	0697	Peanut	0.1	(*)		CXL	02				
OC	0697	Peanut oil, crude	0.3			CXL	02	36	35	2004	
OR	0697	Peanut oil, edible	0.3			CXL	02	36	35	2004	
VR	0589	Potato	0.03			CXL	06	39		2007	
PM	0110	Poultry meat	0.1	(*) (fat)		CXL	02	36	35	2004	
PO	0111	Poultry, edible offal of	0.1	(*)		CXL	02	36	35	2004	
FS	0012	Stone fruits (group)	4			CXL	02	36	35	2004	
DT	1114	Tea, green, black (black, fermented and dried)	5			CXL	02	36	35	2004	
VO	0448	Tomato	2			CXL	02				

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
TN 0678	Walnuts	0.3		CXL	06	39		2007		

116 Triforine

Main Uses: Fungicide

ADI: 0-0.03 mg/kg bw (2014)

ARfD: 0.3 mg/kg bw (2014)

Residue: For compliance with the MRL and for estimation of dietary intake for plant commodities: Triforine.

For compliance with the MRL and for estimation of dietary intake for animal commodities: Triforine and its metabolites determined as chloral hydrate expressed as triforine.

The residue is not fat soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FB	0020	Blueberries	0.03			CXL	2014	47		2015	
MO	0105	Edible offal (mammalian)	0.01	(*)		CXL	2014	47		2015	
VO	0440	Egg plant	1			CXL	2014	47		2015	
MF	0100	Mammalian fats (except milk fats)	0.01	(*)		CXL	2014	47		2015	
MM	0095	Meat (from mammals other than marine mammals)	0.01	(*)		CXL	2014	47		2015	
ML	0106	Milks	0.01	(*)		CXL	2014	47		2015	
VO	0448	Tomato	0.7			CXL	2014	47		2015	

117 Aldicarb

Main Uses: Insecticide
 ADI: 0.003 mg/kg bw (1992)
 ARfD: 0.003 mg/kg bw (1995)
 Residue: Plant commodities: Sum of aldicarb, aldicarb sulphoxide and aldicarb sulphone, expressed as aldicarb.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
GC	0640	Barley	0.02			CXL	94	28		1997	
AS	0640	Barley, hay and/or straw	0.05			CXL	94	28		1997	
VD	0071	Beans (dry)	0.1			CXL	94				
VB	0402	Brussels sprouts	0.1			CXL	93,94	28		1997	
FC	0001	Citrus fruits (group)	0.2			CXL	94				
SB	0716	Coffee beans	0.1			CXL	94				
SO	0691	Cotton seed	0.1			CXL	94				
OR	0691	Cotton seed oil, edible	0.01	(*)		CXL	94	28		1997	
FB	0269	Grapes	0.2			CXL	94	28		1997	
GC	0645	Maize	0.05			CXL	94				
AS	0645	Maize fodder (dry)	0.5			CXL	94	28		1997	
MM	0095	Meat (from mammals other than marine mammals)	0.01	(*)		CXL	94				
ML	0106	Milks	0.01	(*)		CXL	94				
VA	0385	Onion, bulb	0.1			CXL	94	28		1997	
SO	0697	Peanut	0.02			CXL	94	28		1997	
OR	0697	Peanut oil, edible	0.01	(*)		CXL	94	28		1997	
TN	0672	Pecan	1			CXL	94	28		1997	
GC	0651	Sorghum grain	0.1			CXL	94	28		1997	
AS	0651	Sorghum straw and fodder, dry	0.5			CXL	94				
VD	0541	Soya bean (dry)	0.02	(*)		CXL	94				
HS	0191	Spices, fruits and berries	0.07			CXL		43		2011	
HS	0193	Spices, roots and rhizomes	0.02			CXL		43		2011	
VR	0596	Sugar beet	0.05	(*)		CXL	94				
GS	0659	Sugar cane	0.1			CXL	94	28		1997	
SO	0702	Sunflower seed	0.05	(*)		CXL	94	28		1997	
VR	0508	Sweet potato	0.1			CXL	94				
GC	0654	Wheat	0.02			CXL	94	28		1997	
AS	0654	Wheat, hay and/or straw	0.05			CXL	94	28		1997	

118 Cypermethrins (including alpha- and zeta- cypermethrin)

Main Uses: Insecticide

ADI: 0-0.02 mg/kg bw Group ADI for cypermethrins, including alpha-cypermethrin and zeta-cypermethrin (2006)

ARfD: 0.04 mg/kg bw. Group ARfD (JMPR 2009). (2006)

Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Cypermethrin (sum of isomers).

The residue is fat soluble.

Note: Group ADI for cypermethrins, including alpha-cypermethrin and zeta-cypermethrin. Group ARfD for cypermethrins, including alpha-cypermethrin and zeta-cypermethrin.

Source of data supporting the proposed MRLs: a: alpha-cypermethrin. c: cypermethrin. z: zeta-cypermethrin.

Capital letters show the source of data responsible for the MRL estimate. Small letters show the sources of other data for that commodity.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AL 1020	Alfalfa fodder	30			CXL	08	41		2009	
VS 0620	Artichoke, globe	0.1			CXL	08	41		2009	
VS 0621	Asparagus	0.4	Po	a,C C	CXL	11	44		2012	
GC 0640	Barley	2			CXL	09	42		2010	
AL 0061	Bean fodder	2			CXL	08	41		2009	
VB 0040	Brassica vegetables (except Brassica leafy vegetables) (group)	1			CXL	08	41		2009	
FT 0289	Carambola	0.2			CXL	08	41		2009	
HS 0775	Cardamom	3			CXL	2015	48		2016	
GC 0080	Cereal grains	0.3	Acz	Except rice barley, oats, rye and wheat. (excluding shaddock or pomelos)	CXL	09	42		2010	
FC 0001	Citrus fruits (group)	0.3			CXL	11	45	44		2013
SB 0716	Coffee beans	0.05	(*)		CXL	08	41		2009	
FI 0334	Durian	1			CXL	08	41		2009	
MO 0105	Edible offal (mammalian)	0.05		The MRL accommodates external animal treatment.	CXL	08	41		2009	
VO 0440	Egg plant	0.03			CXL	08	41		2009	
PE 0112	Eggs	0.01	(*)		CXL	11	44		2012	
VC 0045	Fruiting vegetables, cucurbits (group)	0.07			CXL	08	41		2009	
VR 0604	Ginseng	0.03	(*)		CXL	2019	52		2021	
DV 0604	Ginseng, dried including red ginseng	0.15			CXL	2019	52		2021	
DM 0604	Ginseng, extracts	0.06	(*)		CXL	2019	52		2021	
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	0.5			CXL	08	41		2009	
FB 0269	Grapes	0.2			CXL	08	41		2009	
VL 0053	Leafy vegetables	0.7			CXL	08	41		2009	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VA 0384	Leek		0.05			CXL	08	41		2009	
VP 0060	Legume vegetables (group)		0.7			CXL	08	41		2009	
FI 0343	Litchi		2			CXL	08	41		2009	
FI 0342	Longan		1			CXL	08	41		2009	
FI 0345	Mango		0.7			CXL	08	41		2009	
MM 0095	Meat (from mammals other than marine mammals)		2	(fat)	The MRL accommodates external animal treatment.	CXL	08	41		2009	
FM 0183	Milk fats		0.5			CXL	08	41		2009	
ML 0106	Milks		0.05		The MRL accommodates external animal treatment.	CXL	08	41		2009	
GC 0647	Oats	2	Po	C		CXL	09	42		2010	
SO 0088	Oilseed	0.1				CXL	08	41		2009	
VO 0442	Okra	0.5				CXL	08	41		2009	
OR 0305	Olive oil, refined	0.5				CXL	08	41		2009	
OC 0305	Olive oil, virgin	0.5				CXL	08	41		2009	
VA 0385	Onion, bulb	0.01	(*)			CXL	08	41		2009	
FI 0350	Papaya	0.5				CXL	08	41		2009	
AL 0072	Pea hay or pea fodder (dry)	2				CXL	08	41		2009	
VO 0444	Peppers chili	2				CXL	08	41		2009	
HS 0444	Peppers chili, dried	10				CXL	08	41		2009	
VO 0445	Peppers, sweet (including pimento or pimiento)	0.1				CXL	08	41		2009	
FP 0009	Pome fruits (group)	0.7				CXL	08	41		2009	
PF 0111	Poultry fats	0.1				CXL	11	44		2012	
PM 0110	Poultry meat	0.1	(fat)			CXL	11	44		2012	
PO 0111	Poultry, edible offal of	0.05	(*)			CXL	11	44		2012	
VD 0070	Pulses (group)	0.05	(*)			CXL	08	41		2009	
FC 0005	Pummelo and grapefruits (including Shaddock-like hybrids, among others Grapefruit) (subgroup)	0.5		a,C,z		CXL	11	44		2012	
GC 0649	Rice	2				CXL	08	41		2009	
VR 0075	Root and tuber vegetables (group)	0.01	(*)		Except sugar beet	CXL	08	41		2009	
GC 0650	Rye	2	Po	C		CXL	09	42		2010	
HS 0191	Spices, fruits and berries	0.5				CXL		43		2011	
HS 0193	Spices, roots and rhizomes	0.2				CXL		37		2005	
FS 0012	Stone fruits (group)	2				CXL	08	41		2009	
AS 0081	Straw and hay of cereal grains except pseudocereals	10				CXL	08	41		2009	
FB 0275	Strawberry	0.07				CXL	08	41		2009	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VR 0596	Sugar beet		0.1			CXL	08	41		2009	
GS 0659	Sugar cane		0.2			CXL	08	41		2009	
VO 0447	Sweet corn (corn-on-the-cob)		0.05	(*)		CXL	08	41		2009	
FT 0305	Table olives		0.05	(*)		CXL	08	41		2009	
DT 1114	Tea, green, black (black, fermented and dried)		15		C	CXL	11	44		2012	
VO 0448	Tomato		0.2			CXL	08	41		2009	
TN 0085	Tree nuts (group)		0.05	(*)	a,Z	CXL	11	44		2012	
GC 0654	Wheat		2	Po	C	CXL	09	42		2010	
CM 0654	Wheat bran, unprocessed		5	PoP	C	CXL	09	42		2010	

119 Fenvalerate

Main Uses: Insecticide
 ADI: 0-0.02 mg/kg bw (2012)
 ARfD: 0.2 mg/kg bw (2012)
 Residue: For compliance with MRL and for estimation of dietary intake for plant and animal commodities: Sum of fenvalerate isomers.
 The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VB 0401	Broccoli, Chinese	3		CXL	12	45			2013	
MO 0105	Edible offal (mammalian)	0.02		CXL						Withdrawal recommended (JMPR 2012). CCPR agreed to revoke all existing CXLs except those for spices, fruits and berries; spices, roots and rhizomes and also those for edible offal (mammalian); meat and milks (to support the use of esfenvalerate on animal feed commodities) (45:29).
FI 0345	Mango	1.5			CXL	12	45		2013	
MM 0095	Meat (from mammals other than marine mammals)	1	(fat)	CXL						See edible offal.
ML 0106	Milks	0.1	F	CXL						See edible offal.
HS 0191	Spices, fruits and berries	0.03		CXL		43			2011	
HS 0193	Spices, roots and rhizomes	0.05		CXL		43			2011	

120 Permethrin

Main Uses: Insecticide
 ADI: 0.05 mg/kg bw (1987), confirmed (1999)
 ARfD: Unnecessary (1999)
 Residue: Permethrin (sum of isomers) (fat-soluble). ADI applies to technical grade permethrin with cis:trans ratios of 25:75 to 40:60.
 Note: Permethrin was reviewed by JECFA54 (2000) but as a different formulation (cis:trans ration of 80:20) was used for veterinary applications, it did not make any proposals on ADI or MRLs.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AL	1020 Alfalfa fodder	100	dry wt		CXL					
TN	0660 Almonds	0.1			CXL					
VS	0621 Asparagus	1			CXL					
VD	0071 Beans (dry)	0.1			CXL					
FB	0264 Blackberries	1			CXL					
VB	0400 Broccoli	2			CXL					
VB	0402 Brussels sprouts	1			CXL					
VB	0403 Cabbage, Savoy	5			CXL					
VB	0041 Cabbages, head	5			CXL					
VR	0577 Carrot	0.1			CXL					
VB	0404 Cauliflower	0.5			CXL					
VS	0624 Celery	2			CXL					
GC	0080 Cereal grains	2	Po		CXL					
VL	0467 Chinese cabbage (type pe-tsai)	5			CXL					
FC	0001 Citrus fruits (group)	0.5			CXL					
SB	0716 Coffee beans	0.05	(*)		CXL					
VP	0526 Common bean (pods and/or immature seeds)	1			CXL					
SO	0691 Cotton seed	0.5			CXL					
OR	0691 Cotton seed oil, edible	0.1			CXL					
VC	0424 Cucumber	0.5			CXL					
FB	0021 Currants, black, red, white	2			CXL					
FB	0266 Dewberries (including boysenberry and loganberry)	1			CXL					
MO	0105 Edible offal (mammalian)	0.1		The MRL accommodates external animal treatment.	CXL					
VO	0440 Egg plant	1			CXL					
PE	0112 Eggs	0.1			CXL					
VC	0425 Gherkin	0.5			CXL					
FB	0268 Gooseberry	2			CXL					
FB	0269 Grapes	2			CXL					
DH	1100 Hops, dry	50			CXL					
VR	0583 Horseradish	0.5			CXL					

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VL 0480	Kale (including among others: Collards, curly kale, Scotch kale, thousand-headed kale; not including Marrow-stem kale)		5			CXL					
FI 0341	Kiwifruit		2			CXL					
VB 0405	Kohlrabi		0.1			CXL					
VA 0384	Leek		0.5			CXL					
VL 0482	Lettuce, head		2			CXL					
AS 0645	Maize fodder (dry)	100		dry wt (fat)		CXL					
MM 0095	Meat (from mammals other than marine mammals)	1			The MRL accommodates external animal treatment.	CXL					
VC 0046	Melons, except watermelon	0.1		F		CXL					
ML 0106	Milks					CXL					
VO 0450	Mushrooms	0.1				CXL					
SO 0697	Peanut	0.1				CXL					
VP 0064	Peas, shelled (succulent seeds)	0.1				CXL					
VO 0051	Peppers (subgroup)	1				CXL					
HS 0444	Peppers chili, dried	10				CXL	04	38	37		2006
TN 0675	Pistachio nuts	0.05	(*)			CXL					
FP 0009	Pome fruits (group)	2				CXL					
VR 0589	Potato	0.05	(*)			CXL					
PM 0110	Poultry meat	0.1				CXL					
VR 0591	Radish, Japanese	0.1				CXL					
SO 0495	Rape seed	0.05	(*)			CXL					
FB 0272	Raspberries, red, black	1				CXL					
AS 0651	Sorghum straw and fodder, dry	20				CXL					
VD 0541	Soya bean (dry)	0.05	(*)	dry wt		CXL					
AL 0541	Soya bean fodder	50				CXL					
OC 0541	Soya bean oil, crude	0.1				CXL					
HS 0093	Spices	0.05	(*)			CXL	37				2005
VL 0502	Spinach	2				CXL					
VA 0389	Spring onion	0.5				CXL					
VC 0431	Squash, summer	0.5				CXL					
FS 0012	Stone fruits (group)	2				CXL					
FB 0275	Strawberry	1				CXL					
VR 0596	Sugar beet	0.05	(*)			CXL					
SO 0702	Sunflower seed	1				CXL					
OC 0702	Sunflower seed oil, crude	1				CXL					
OR 0702	Sunflower seed oil, edible	1				CXL					
VO 0447	Sweet corn (corn-on-the-	0.1				CXL					

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
AS 0447	Sweet corn fodder		50					CXL			
FT 0305	Table olives		1					CXL			
DT 1114	Tea, green, black (black, fermented and dried)		20					CXL			
VO 0448	Tomato		1					CXL			
CM 0654	Wheat bran, unprocessed		5	PoP				CXL			
CF 1211	Wheat flour		0.5	PoP				CXL			
CF 1210	Wheat germ		2	PoP				CXL			
CF 1212	Wheat wholemeal		2	PoP				CXL			
VC 0433	Winter squash		0.5					CXL			

122 Amitraz

Main Uses: Insecticide
 ADI: 0.01 mg/kg bw (1998)
 ARfD: 0.01 mg/kg bw (1998)
 Residue: Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamidine calculated as N-(2,4-dimethylphenyl)-N'-methylformamidine.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
MM	0812	Cattle meat	0.05		The MRL accommodates external animal treatment.	CXL					
FS	0013	Cherries (subgroup)	0.5			CXL					
SO	0691	Cotton seed	0.5			CXL					
OC	0691	Cotton seed oil, crude	0.05			CXL					
VC	0424	Cucumber	0.5			CXL					
MO	0097	Edible offal of cattle, pigs & sheep	0.2		The MRL accommodates external animal treatment.	CXL					
ML	0106	Milks	0.01	(*)		The MRL accommodates external animal treatment.	CXL				
FC	0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.5			CXL					
FS	0247	Peach	0.5			CXL					
MM	0818	Pig meat	0.05		The MRL accommodates external animal treatment.	CXL					
FP	0009	Pome fruits (group)	0.5			CXL					
MM	0822	Sheep meat	0.1		The MRL accommodates external animal treatment.	CXL					
VO	0448	Tomato	0.5			CXL			1991		

126 Oxamyl

Main Uses: Insecticide
 ADI: 0-0.009 mg/kg bw (2017)
 ARfD: 0.009 mg/kg bw (2017)
 Residue: For compliance with the MRL and for estimation of dietary exposure for plant and animal commodities: Oxamyl.
 The residue is not fat-soluble

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VB 0402	Brussels sprouts	0.01 (*)			CXL	2017	50		2018	
VR 0577	Carrot	0.01 (*)			CXL	2017	50		2018	
VO 2700	Cherry tomato	0.01 (*)			CXL	2017	50		2018	
IM 1000	Clams				CXL					
VC 0424	Cucumber	0.02			CXL	2017	50		2018	
MO 0105	Edible offal (mammalian)	0.01 (*)			CXL	2017	50		2018	
VO 2046	Eggplants (subgroup)	0.01 (*)			CXL	2017	50		2018	
MF 0100	Mammalian fats (except milk fats)	0.01 (*)			CXL	2017	50		2018	
MM 0095	Meat (from mammals other than marine mammals)	0.01 (*)			CXL	2017	50		2018	
VC 0046	Melons, except watermelon	0.01			CXL	2017	50		2018	
ML 0106	Milks	0.01 (*)			CXL	2017	50		2018	
VR 0588	Parsnip	0.01 (*)			CXL	2017	50		2018	
VO 0051	Peppers (subgroup)	0.01 (*)		(except martynia, okra and roselle)	CXL	2017, 2018	51	50	2019	
HS 0444	Peppers chili, dried	0.01 (*)			CXL	2017, 2018	51	50	2019	
VR 0589	Potato	0.01 (*)			CXL	2017	50		2018	
VC 0431	Squash, summer	0.04			CXL	2017	50		2018	
VR 0596	Sugar beet	0.01 (*)			CXL	2017	50		2018	
VO 0448	Tomato	0.01 (*)			CXL	2017	50		2018	
VC 0432	Watermelon	0.01			CXL	2017	50		2018	

128 Phenthroate

Main Uses: Insecticide
ADI: 0.003 mg/kg bw (1984)
ARfD: N/A
Residue: Phenthroate (fat-soluble)

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
HS 0190	Spices, seeds	7			CXL		37		2005	

129 Azocyclotin

Main Uses: Acaricide
 ADI: 0-0.003 mg/kg bw (1994; Group ADI 2005)
 ARfD: 0.02 mg/kg bw. Group ARfD for woman of child-bearing age and unnecessary for the rest of the population. (2005)
 Residue: For compliance with MRLs and estimation of dietary intake in plant and animal commodities: Cyhexatin.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FP	0226 Apple	0.2			CXL	05	38	2006		
FB	0021 Currants, black, red, white	0.1			CXL	05	38	2006		
FB	0269 Grapes	0.3			CXL	05	38	2006		
FC	0004 Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.2			CXL	05	38	2006		
FP	0230 Pear	0.2			CXL	05	38	2006		

130 Diflubenzuron

Main Uses: Insecticide
 ADI: 0-0.02 mg/kg bw (2001)
 ARfD: Unnecessary (2001)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Diflubenzuron.
 The residue is fat soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
GC	0640	Barley	0.05 (*)			CXL	11	45	44	2013	
FC	0001	Citrus fruits (group)	0.5			CXL	02	36	35	2004	
MO	0105	Edible offal (mammalian)	0.1 (*)			CXL	02	36	35	2004	
PE	0112	Eggs	0.05 (*)			CXL	02				
AS	0162	Hay or fodder (dry) of grasses	3			CXL	11	45	44	2013	
MM	0095	Meat (from mammals other than marine mammals)	0.1 (fat)			CXL	02	36	35	2004	
ML	0106	Milks	0.02 (*) F			CXL	02	36	35	2004	
VO	0450	Mushrooms	0.3			CXL	02	36	35	2004	
VL	0485	Mustard greens	10			CXL	11	45	44	2013	
FS	0245	Nectarine	0.5			CXL	11	45	44	2013	
GC	0647	Oats	0.05 (*)			CXL	11	45	44	2013	
FS	0247	Peach	0.5			CXL	11	45	44	2013	
SO	0697	Peanut	0.1			CXL	11	45	44	2013	
AL	0697	Peanut fodder	40			CXL	11	45	44	2013	
VO	0444	Peppers chili	3			CXL	11	45	44	2013	
HS	0444	Peppers chili, dried	20			CXL	11	45	44	2013	
VO	0445	Peppers, sweet (including pimento or pimiento)	0.7			CXL	11	45	44	2013	
FS	0014	Plums (including fresh prunes) (subgroup)	0.5			CXL	11	45	44	2013	
FP	0009	Pome fruits (group)	5			CXL	02	36	35	2004	
PM	0110	Poultry meat	0.05 (*) (fat)			CXL	02	36	35	2004	
GC	0649	Rice	0.01 (*)			CXL	02	36	35	2004	
AS	0649	Rice, hay and/or straw	0.7			CXL	02	36	35	2004	
AS	0081	Straw and hay of cereal grains except pseudocereals	1.5			CXL	11	45	44	2013	
TN	0085	Tree nuts (group)	0.2			CXL	11	45	44	2013	
GC	0653	Triticale	0.05 (*)			CXL	11	45	44	2013	
GC	0654	Wheat	0.05 (*)			CXL	11	45	44	2013	

132 Methiocarb

Main Uses: Insecticide
 ADI: 0-0.02 mg/kg bw (1998), confirmed (2005)
 ARfD: 0.02 mg/kg bw (2005)
 Residue: For compliance with MRLs and for estimation of dietary intake in plant commodities: The sum of methiocarb, methiocarb sulfoxide and methiocarb sulfone, expressed as methiocarb.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VS	0620	Artichoke, globe	0.05 (*)			CXL	05	38		2006	
GC	0640	Barley	0.05 (*)			CXL	05	38		2006	
AS	0640	Barley, hay and/or straw	0.05			CXL	05	38		2006	
VB	0402	Brussels sprouts	0.05 (*)			CXL	05	38		2006	
VB	0041	Cabbages, head	0.1			CXL	05	38		2006	
VB	0404	Cauliflower	0.1			CXL	05	38		2006	
TN	0666	Hazelnuts	0.05 (*)			CXL	05	38		2006	
VA	0384	Leek	0.5			CXL	05	38		2006	
VL	0482	Lettuce, head	0.05 (*)			CXL	05	38		2006	
GC	0645	Maize	0.05 (*)			CXL	05	38		2006	
VC	0046	Melons, except watermelon	0.2			CXL	05	38		2006	
VA	0385	Onion, bulb	0.5			CXL	05	38		2006	
AL	0072	Pea hay or pea fodder (dry)	0.5			CXL	05	38		2006	
VD	0072	Peas (dry)	0.1			CXL	05	38		2006	
VP	0063	Peas (pods and succulent=immature seeds)	0.1			CXL	05	38		2006	
VO	0445	Peppers, sweet (including pimento or pimiento)	2			CXL	05	38		2006	
VR	0589	Potato	0.05 (*)			CXL	05	38		2006	
SO	0495	Rape seed	0.05 (*)			CXL	05	38		2006	
HS	0191	Spices, fruits and berries	0.07			CXL		43		2011	
HS	0193	Spices, roots and rhizomes	0.1			CXL		43		2005	
FB	0275	Strawberry	1			CXL	99	34	33	2003	
VR	0596	Sugar beet	0.05 (*)			CXL	05	38		2006	
SO	0702	Sunflower seed	0.05 (*)			CXL	05	38		2006	
GC	0654	Wheat	0.05 (*)			CXL	05	38		2006	
AS	0654	Wheat, hay and/or straw	0.05			CXL	05	38		2006	

133 Triadimefon

Main Uses: Fungicide
 ADI: 0-0.03 mg/kg bw (1985)
 ARfD: 0.08 mg/kg bw (2004)
 Residue: For compliance with MRLs and estimation of dietary intake: Sum of triadimefon and triadimenol.
 The residue is fat soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FP	0226	Apple	0.3		Based on triadimenol use only	CXL	07	40		2008	
VS	0620	Artichoke, globe	0.7		Based on triadimenol use only	CXL	07	40		2008	
FI	0327	Banana	1		Based on triadimenol use only	CXL	07	41	40	2009	
GC	0080	Cereal grains	0.2		Except maize and rice. Based on triadimefon and triadimenol uses	CXL	07	40		2008	
SB	0716	Coffee beans	0.5		Based on triadimenol use only	CXL	07	40		2008	
FB	0021	Currants, black, red, white	0.7		Based on triadimenol use only	CXL	07	40		2008	
MO	0105	Edible offal (mammalian)	0.01	(*)	Based on triadimefon and triadimenol uses	CXL	07	40		2008	
PE	0112	Eggs	0.01	(*)	Based on triadimefon and triadimenol uses	CXL	07	40		2008	
VC	0045	Fruiting vegetables, cucurbits (group)	0.2		Based on triadimenol use only	CXL	07	41	40	2009	
VO	0050	Fruiting vegetables, other than cucurbits (group)	1		Except fungi and sweet corn. Based on triadimefon and triadimenol uses.	CXL	07	41	40	2009	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)		1		based on triadimenol uses	CXL	2014	47		2015	
FB 0269	Grapes		0.3		based on triadimenol uses	CXL	2014	47		2015	
MM 0095	Meat (from mammals other than marine mammals)		0.02		Based on triadimefon and triadimenol uses	CXL	07	40		2008	
ML 0106	Milks		0.01	(*)	Based on triadimefon and triadimenol uses	CXL	07	40		2008	
HS 0444	Peppers chili, dried		5		Based on triadimefon and triadimenol uses	CXL	07	40		2008	
FI 0353	Pineapple		5	Po	Based on triadimenol use only	CXL	07	40		2008	
PM 0110	Poultry meat		0.01	(*)	Based on triadimefon and triadimenol uses	CXL	07	40		2008	
PO 0111	Poultry, edible offal of		0.01	(*)	Based on triadimefon and triadimenol uses	CXL	07	40		2008	
AS 0081	Straw and hay of cereal grains except pseudocereals		5		Except maize. Based on triadimefon and triadimenol uses	CXL	07	40		2008	
FB 0275	Strawberry		0.7		Based on triadimenol use only	CXL	07	40		2008	
VR 0596	Sugar beet		0.05	(*)	Based on triadimenol use only	CXL	07	40		2008	
AV 0596	Sugar beet leaves or tops (dry)		2				07				

135 Deltamethrin

Main Uses: Insecticide
 ADI: 0-0.01 mg/kg bw (1982), confirmed (2000)
 ARfD: 0.05 mg/kg bw (2000)
 Residue: For compliance with MRLs and for dietary risk assessment for plant and animal commodities: Sum of deltamethrin and its α-R- and trans- isomers.
 The residue is fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FP 0226	Apple	0.2			CXL	02	36	35	2004	
VR 0577	Carrot	0.02			CXL	02	36	35	2004	
GC 0080	Cereal grains	2	Po		CXL	02	36	35	2004	
FC 0001	Citrus fruits (group)	0.02			CXL	02	36	35	2004	
PE 0112	Eggs	0.02	(*)		CXL	02	36	35	2004	
VB 0042	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and cauliflower)	0.1			CXL	02	36	35	2004	
VC 0045	Fruiting vegetables, cucurbits (group)	0.2			CXL					
FB 0269	Grapes	0.2			CXL	02	36	35	2004	
TN 0666	Hazelnuts	0.02	(*)		CXL	02	36	35	2004	
MO 0098	Kidney of cattle, goats, pigs and sheep	0.03	(*)		CXL	02	36	35	2004	
VL 0053	Leafy vegetables	2			CXL	02	38	36,37	2006	
VA 0384	Leek	0.2			CXL	02	36	35	2004	
VP 0060	Legume vegetables (group)	0.2			CXL	02	36	35	2004	
MO 0099	Liver of cattle, goats, pigs & sheep	0.03	(*)		CXL	02	36	35	2004	
MM 0095	Meat (from mammals other than marine mammals)	0.5	(fat)	The MRL accommodates external animal treatment.	CXL	02				
ML 0106	Milks	0.05	F		CXL	02	36	35	2004	
VO 0450	Mushrooms	0.05			CXL	02	36	35	2004	
FS 0245	Nectarine	0.05			CXL	02	36	35	2004	
VA 0385	Onion, bulb	0.05			CXL	02	36	35	2004	
FS 0247	Peach	0.05			CXL	02	36	35	2004	
FS 0014	Plums (including fresh prunes) (subgroup)	0.05			CXL	02	36	35	2004	
VR 0589	Potato	0.01	(*)		CXL	02	36	35	2004	
PM 0110	Poultry meat	0.1	(fat)		CXL	02	36	35	2004	
PO 0111	Poultry, edible offal of	0.02	(*)		CXL	02	36	35	2004	
VD 0070	Pulses (group)	1	Po		CXL	02	36	35	2004	
VR 0494	Radish	0.01	(*)		CXL	02	36	35	2004	
SO 0495	Rape seed	0.2			CXL	2016	49		2017	
HS 0191	Spices, fruits and berries	0.03			CXL		43		2011	
HS 0193	Spices, roots and rhizomes	0.5			CXL		43		2011	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FB 0275	Strawberry	0.2			CXL	02	36	35	2004		
SO 0702	Sunflower seed	0.05	(*)		CXL	02	36	35	2004		
VO 0447	Sweet corn (corn-on-the-	0.02	(*)		CXL	02	36	35	2004		
FT 0305	Table olives	1			CXL	02	36	35	2004		
DT 1114	Tea, green, black (black, fermented and dried)	5			CXL	02	36	35	2004		
VO 0448	Tomato	0.3			CXL	02	36	35	2004		
TN 0678	Walnuts	0.02	(*)		CXL	02	36	35	2004		
CM 0654	Wheat bran, unprocessed	5	PoP		CXL	02			1995		
CF 1211	Wheat flour	0.3	PoP		CXL	02	36	35	2004		
CF 1212	Wheat wholemeal	2	PoP		CXL	02	36	35	2004		

138 Metalaxyl

Main Uses:

Fungicide

ADI:

0–0.08 mg/kg bw Applies to metalaxyl and metalaxyl-M (alone or in combination) (2021)

ARfD:

0.5 mg/kg bw (Applies to metalaxyl and metalaxyl-M (alone or in combination) (2021)

Residue:

For metalaxyl and metalaxyl-M for compliance with the MRL for plant commodities: Metalaxyl (sum of enantiomers).For metalaxyl and metalaxyl-M for dietary risk assessment in plant commodities: Metalaxyl (sum of enantiomers) and

N-(2-hydroxymethyl-6-methylphenyl)-N-(methoxyacetyl)alanine methyl ester (M8; free and conjugated; sum of enantiomers), expressed as metalaxyl.

For metalaxyl and metalaxyl-M for compliance with the MRL in animal commodities: Sum of metalaxyl (sum of enantiomers) and metabolites (free + conjugated) M3 (N- (2,6-dimethylphenyl)-N-(hydroxyacetyl)alanine methyl ester) and M8 (N-(2-hydroxymethyl-6- methylphenyl)-N-(methoxyacetyl)alanine methyl ester (sum of enantiomers), expressed as metalaxyl.For metalaxyl and metalaxyl-M for dietary risk assessment in animal commodities: Sum of metalaxyl (sum of enantiomers) and metabolites (free + conjugated)

M1 (N-(2,6- dimethylphenyl)-N-(methoxyacetyl) alanine), M3 (N-(2,6-dimethylphenyl)-N-(hydroxyacetyl)alanine methyl ester),

M6 (N-(2,6-dimethylphenyl)-N-(hydroxyacetyl)alanine), M7 (N-(2,6-dimethyl- 5- hydroxyphenyl)-N-(methoxyacetyl)alanine methyl ester) and

M8 (N-(2-hydroxymethyl-6-methylphenyl)-N-(methoxyacetyl)alanine methyl ester (sum of enantiomers), expressed as metalaxyl.

The residue is not fat-soluble.

Note:

Residue data that was the basis for the estimation: metalaxyl (M), metalaxyl-M (MM) or monitoring (Mt)

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FP	0226	Apple	0.02	(*)	(MM)	(Residue data that was the basis for the estimation: metalaxyl-M (MM))	3	2021	53		
VS	0621	Asparagus	0.05	(*)		CXL					Withdrawal recommended by JMPR (2021)
FI	0326	Avocado	0.2			CXL					Withdrawal recommended by JMPR (2021)
VB	0400	Broccoli	0.5			CXL				1993	Withdrawal recommended by JMPR (2021)
VB	0402	Brussels sprouts	0.2			CXL				1991	Recommended withdrawal by JMPR (2021)
VB	0402	Brussels sprouts	0.15	(M)	(Residue data that was the basis for the estimation: Metalaxyl (M))	3	2021	53			
VB	0041	Cabbages, head	0.5			CXL				1993	Recommended withdrawal by JMPR (2021)

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VB 0041	Cabbages, head	0.08	(MM)	(Residue data that was the basis for the estimation: Metalaxyl-M (MM))	3	2021	3			
SB 0715	Cacao beans	0.2			CXL				1991	Withdrawal recommended by JMPR (2021)
VR 0577	Carrot	0.05 (*)			CXL				1991	Recommended withdrawal by JMPR (2021)
VR 0577	Carrot	0.02 (*)	(MM)	(Residue data that was the basis for the estimation: Metalaxyl-M (MM))	3	2021	53			
VB 0404	Cauliflower	0.5			CXL				1993	Withdrawal recommended by JMPR (2021)
GC 0080	Cereal grains	0.05 (*)			CXL					Withdrawal recommended by JMPR (2021)
FC 0001	Citrus fruits (group)	5 Po			CXL					Withdrawal recommended by JMPR (2021)
SO 0691	Cotton seed	0.05 (*)			CXL					Withdrawal recommended by JMPR (2021)
VC 0424	Cucumber	0.5			CXL				1991	Withdrawal recommended by JMPR (2021)
VB 0042	Flowerhead brassicas (subgroup)	0.2	(M)	(Residue data that was the basis for the estimation: Metalaxyl (M))	3	2021	53			
VC 0425	Gherkin	0.5			CXL				1991	Withdrawal recommended by JMPR (2021)
VR 0604	Ginseng	0.03 (*)	(MM)	(Residue data that was the basis for the estimation: Metalaxyl-M (MM))	3	2021	53			
FB 0269	Grapes	1			CXL					Recommended for withdrawal by JMPR

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FB 0269	Grapes	1.5	(MM)	(Residue data that was the basis for the estimation: Metalaxyl-M (MM))	3	2021	53			
DH 1100	Hops, dry	10			CXL					Withdrawal recommended by JMPR (2021)
VL 0482	Lettuce, head	2			CXL				1995	Withdrawal recommended by JMPR (2021)
VL 0483	Lettuce, leaf	1.5	(M)	(Residue data that was the basis for the estimation: Metalaxyl (M))	3	2021	53			
VC 0046	Melons, except watermelon	0.2		Withdrawal recommended by JMPR (2021)	CXL					
VC 0046	Melons, except watermelon	0.15	(MM)	(Residue data that was the basis for the estimation: Metalaxyl-M (MM))	3	2021	53			
VA 0385	Onion, bulb	2			CXL				1995	Withdrawal recommended by JMPR (2021)
VA 0385	Onion, bulb	0.03	(MM)	(Residue data that was the basis for the estimation: Metalaxyl-M (MM))	3	2021	53			
OR 0004	Orange oil, edible	7			3	2021	53			
FC 0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.7	(M)	(Residue data that was the basis for the estimation: Metalaxyl (M))	3	2021	53			
SO 0697	Peanut	0.1			CXL					Withdrawal recommended by JMPR (2021)

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FP 0230	Pear	0.02 (*)	(MM)	(Residue data that was the basis for the estimation: Metalaxyl-M (MM))	3	2021	53			
VP 0064	Peas, shelled (succulent seeds)	0.05 (*)			CXL					Withdrawal recommended by JMPR (2021)
HS 0790	Pepper, black, white	2	(MM)	(Residue data that was the basis for the estimation: Metalaxyl-M (MM))	3	2021	53			
VO 0051	Peppers (subgroup)	1			CXL					Withdrawal recommended by JMPR (2021)
HS 0444	Peppers chili, dried	10			CXL	04	38	37	2006	Withdrawal recommended by JMPR (2021)
FP 0009	Pome fruits (group)	1 Po			CXL				1993	Withdrawal recommended by JMPR (2021)
VR 0589	Potato	0.05 (*)			CXL					Withdrawal recommended by JMPR (2021)
VR 0589	Potato	0.02	(M)	(Residue data that was the basis for the estimation: Metalaxyl (M))	3	2021	53			
FB 0272	Raspberries, red, black	0.2			CXL				1991	Withdrawal recommended by JMPR (2021)
VD 0541	Soya bean (dry)	0.05 (*)			CXL					Withdrawal recommended by JMPR (2021)
HS 0190	Spices, seeds	5			CXL		37		2005	Withdrawal recommended by JMPR (2021)
VL 0502	Spinach	2			CXL					Withdrawal recommended by JMPR (2021)
VL 0502	Spinach	0.02 (*)	(MM)	(Residue data that was the basis for the estimation: Metalaxyl-M (MM))	3	2021	53			
VC 0431	Squash, summer	0.2			CXL					Withdrawal recommended by JMPR (2021)

Commodity Code		Name	MRL (mg/kg)		Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VR	0596	Sugar beet	0.05	(*)			CXL					Withdrawal recommended by JMPR (2021)
SO	0702	Sunflower seed	0.05	(*)			CXL					Withdrawal recommended by JMPR (2021)
SO	0702	Sunflower seed	0.01	(*)	(MM)	(Residue data that was the basis for the estimation: Metalaxy-M (MM))	3	2021	53			
VO	0448	Tomato	0.5				CXL					Withdrawal recommended by JMPR (2021)
VO	2045	Tomatoes (subgroup)	0.3		(MM)	(Residue data that was the basis for the estimation: Metalaxy-M (MM))	3	2021	53			
VC	0432	Watermelon	0.2				CXL					Withdrawal recommended by JMPR (2021)
VC	0433	Winter squash	0.2				CXL					Withdrawal recommended by JMPR (2021)

142 Prochloraz

Main Uses: Fungicide
 ADI: 0.01 mg/kg bw (1983), confirmed (2001)
 ARfD: 0.1 mg/kg bw (2009)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Sum of prochloraz and its metabolites containing the 2,4,6-trichlorphenol moiety, expressed as prochloraz.
 The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	7	Po		CXL	04	37		2005	
GC 0080	Cereal grains	2			CXL	04	37		2005	
FC 0001	Citrus fruits (group)	10	Po		CXL	04	45	37	2013	
MO 0105	Edible offal (mammalian)	10			CXL	04	37		2005	
PE 0112	Eggs	0.1			CXL	04	37		2005	
SO 0693	Linseed	0.05	(*)		CXL	04	37		2005	
MM 0095	Meat (from mammals other than marine mammals)	0.5	(fat)		CXL	04	37		2005	
ML 0106	Milks	0.05	(*)		CXL	04	37		2005	
VO 0450	Mushrooms	3			CXL	09	42		2010	
HS 0790	Pepper, black, white	10			CXL	04	37		2005	
PM 0110	Poultry meat	0.05	(*)		CXL	04	37		2005	
PO 0111	Poultry, edible offal of	0.2			CXL	04	37		2005	
SO 0495	Rape seed	0.7			CXL	04	37		2005	
AS 0081	Straw and hay of cereal grains except pseudocereals	40			CXL	04	37		2005	
SO 0702	Sunflower seed	0.5			CXL	04	37		2005	
OR 0702	Sunflower seed oil, edible	1			CXL	04	37		2005	
CM 0654	Wheat bran, unprocessed	7			CXL	04	37		2005	

143 Triazophos

Main Uses: Acaricide and Insecticide
 ADI: 0-0.001 mg/kg bw (2002)
 ARfD: 0.001 mg/kg bw (2002)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant commodities: Triazophos.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
HS 0775	Cardamom	4			CXL	2015	48		2016	
HS 0779	Coriander, seed	0.1			CXL	2015	48		2016	
SO 0691	Cotton seed	0.2			CXL	07	40		2008	
OC 0691	Cotton seed oil, crude	1			CXL	07	40		2008	
HS 0731	Fennel, seed	0.1			CXL	2015	48		2016	
CM 1205	Rice, polished	0.6			CXL	2013	46		2014	
VP 0541	Soya bean (immature	0.5			CXL	10	43		2011	
VP 0546	Soya bean (young pod)	1			CXL	10	43		2011	
HS 0191	Spices, fruits and berries	0.07		(except cardamom)	CXL	2015	48		2016	
HS 0193	Spices, roots and rhizomes	0.1			CXL		43		2005	

144 Bitertanol

Main Uses: Fungicide
 ADI: 0.01 mg/kg bw (1988), confirmed (1998)
 ARfD: Unnecessary (1998)
 Residue: Bitertanol (fat-soluble).

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FS 0240	Apricot		1			CXL	02				
FI 0327	Banana		0.5			CXL	99				
GC 0640	Barley		0.05 (*)			CXL	99	33		2001	
AS 0640	Barley, hay and/or straw		0.05 (*)			CXL	99	33		2001	
FS 0013	Cherries (subgroup)		1			CXL	99	33		2001	
VC 0424	Cucumber		0.5			CXL	99				
MO 0105	Edible offal (mammalian)		0.05 (*)			CXL	99	33		2001	
PE 0112	Eggs		0.01 (*)			CXL	99	33		2001	
MM 0095	Meat (from mammals other than marine mammals)		0.05 (*) (fat)			CXL	99	33		2001	
ML 0106	Milks		0.05 (*)			CXL	99	33		2001	
FS 0245	Nectarine		1			CXL	99				
AS 0647	Oat straw and fodder, dry		0.05 (*)			CXL	99	33		2001	
GC 0647	Oats		0.05 (*)			CXL	99	33		2001	
FS 0247	Peach		1			CXL	99				
FS 0014	Plums (including fresh prunes) (subgroup)		2			CXL	99				
FP 0009	Pome fruits (group)		2			CXL	99				
PM 0110	Poultry meat		0.01 (*)			CXL	99	33		2001	
PO 0111	Poultry, edible offal of		0.01 (*)			CXL	99	33		2001	
GC 0650	Rye		0.05 (*)			CXL	99	33		2001	
AS 0650	Rye straw and fodder, dry		0.05 (*)			CXL	99	33		2001	
VO 0448	Tomato		3			CXL	99	34	33	2003	
GC 0653	Triticale		0.05 (*)			CXL	99	33		2001	
AS 0653	Triticale, hay and/or straw		0.05 (*)			CXL	99	33		2001	
GC 0654	Wheat		0.05 (*)			CXL	99	33		2001	
AS 0654	Wheat, hay and/or straw		0.05 (*)			CXL	99	33		2001	

145 Carbosulfan

Main Uses: Insecticide
 ADI: 0-0.01 mg/kg bw (1986)
 ARfD: 0.02 mg/kg bw. Group ARfD for woman of child-bearing age and unnecessary for the rest of the population. (2003)
 Residue: For compliance with MRLs and for estimation of dietary intake for plant and animal commodities: Carbosulfan.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AB	0001	Citrus pulp, dried	0.1			CXL	97	37	31-36	2005	
SO	0691	Cotton seed	0.05			CXL	03	37	36	2005	
MO	0105	Edible offal (mammalian)	0.05	(*)		CXL	03	37	36	2005	
PE	0112	Eggs	0.05	(*)		CXL	03	37	36	2005	
GC	0645	Maize	0.05	(*)		CXL	03	37	36	2005	
FC	0206	Mandarin	0.1			CXL	99	42	31-41	2010	
MM	0095	Meat (from mammals other than marine mammals)	0.05	(*) (fat)		CXL	03	37	36	2005	
FC	0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.1			CXL	97	42	31-41	2010	
PM	0110	Poultry meat	0.05	(*)		CXL	03	37	36	2005	
PO	0111	Poultry, edible offal of	0.05	(*)		CXL	03	37	36	2005	
AS	0649	Rice, hay and/or straw	0.05	(*)		CXL	03	37	36	2005	
HS	0191	Spices, fruits and berries	0.07			CXL		43		2011	
HS	0193	Spices, roots and rhizomes	0.1			CXL		43		2011	
VR	0596	Sugar beet	0.3			CXL	03	37	36	2005	

146 Cyhalothrin (includes lambda-cyhalothrin)

Main Uses: Insecticide

ADI: 0-0.02 mg/kg bw (2007)

ARfD: 0.02 mg/kg bw (2007)

Residue: For compliance with the MRL and for dietary risk assessment for plant and animal commodities: Cyhalothrin (sum of all isomers).

The residue is fat soluble.

Note: ADI and ARfD for cyhalothrin and lambda-cyhalothrin (2007). The 2018 JMPR concluded that the new studies do not have any impact on the ADI of 0-0.02 mg/kg bw or the ARfD of 0.02 mg/kg bw established in 2007 and that on the basis of available data, the metabolites evaluated appear to be less acutely toxic orally than the parent compound.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AM 0660	Almond hulls	2			CXL	08	41		2009	
FS 0240	Apricot	0.5			CXL	08	41		2009	
VS 0621	Asparagus	0.02			CXL	08	41		2009	
GC 0640	Barley	0.5			CXL	08	41		2009	
HH 0722	Basil, leaves	0.7			CXL	2015	48		2016	
FB 0018	Berries and other small fruits	0.2			CXL	08	41		2009	
VA 0035	Bulb vegetables (group)	0.2			CXL	08	41		2009	
VB 0041	Cabbages, head	0.3			CXL	08	41		2009	
HS 0775	Cardamom	2			CXL	2015	48		2016	
FS 0013	Cherries (subgroup)	0.3			CXL	08	41		2009	
FC 0001	Citrus fruits (group)	0.2			CXL	08	45	41	2013	
SB 0716	Coffee beans	0.01	(*)		CXL	2015	48		2016	
VB 0042	Flowerhead brassicas (includes Broccoli; Broccoli, Chinese and cauliflower)	0.5			CXL	08	41		2009	
VC 0045	Fruiting vegetables, cucurbits (group)	0.05			CXL	08	41		2009	
VO 0050	Fruiting vegetables, other than cucurbits (group)	0.3		Except mushrooms	CXL	08	41		2009	
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	0.3			CXL	08	41		2009	
MO 0098	Kidney of cattle, goats, pigs and sheep	0.2			CXL	08	41		2009	
VP 0060	Legume vegetables (group)	0.2			CXL	08	41		2009	
MO 0099	Liver of cattle, goats, pigs & sheep	0.05			CXL	08	41		2009	
GC 0645	Maize	0.02			CXL	08	41		2009	
FI 0345	Mango	0.2			CXL	08	41		2009	
MM 0095	Meat (from mammals other than marine mammals)	3	(fat)		CXL	08	41		2009	
ML 0106	Milks	0.2			CXL	08	41		2009	
FS 0245	Nectarine	0.5			CXL	08	41		2009	
GC 0647	Oats	0.05			CXL	08	41		2009	
SO 0088	Oilseed	0.2			CXL	08	41		2009	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FS 0247	Peach		0.5			CXL	08	41		2009	
HS 0444	Peppers chili, dried		3			CXL	08	41		2009	
FS 0014	Plums (including fresh prunes) (subgroup)		0.2		Except prunes	CXL	08	41		2009	
FP 0009	Pome fruits (group)		0.2			CXL	08	41		2009	
VD 0070	Pulses (group)		0.05			CXL	08	41		2009	
GC 0649	Rice		1			CXL	08	41		2009	
VR 0075	Root and tuber vegetables (group)		0.01	(*)		CXL	08	41		2009	
GC 0650	Rye		0.05			CXL	08	41		2009	
HS 0191	Spices, fruits and berries		0.03		(except cardamom)	CXL	2015	48		2016	
HS 0193	Spices, roots and rhizomes		0.05			CXL		43		2005	
AS 0081	Straw and hay of cereal grains except pseudocereals		2			CXL	08	41		2009	
GS 0659	Sugar cane		0.05			CXL	08	41		2009	
FT 0305	Table olives		1			CXL	08	41		2009	
TN 0085	Tree nuts (group)		0.01	(*)		CXL	08	41		2009	
GC 0653	Triticale		0.05			CXL	08	41		2009	
GC 0654	Wheat		0.05			CXL	08	41		2009	
CM 0654	Wheat bran, unprocessed		0.1			CXL	08	41		2009	

147 Methoprene

Main Uses: Insect growth regulator
 ADI: 0.09 & 0.05 mg/kg bw 0-0.09 mg/kg bw for the R,S racemate; 0- 0.05 mg/kg bw for S-methoprene (2005).
 ARfD: Unnecessary (2005)
 Residue: Definition of the residue for compliance with the MRL and dietary risk assessment for plant and animal commodities: Methoprene.
 The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
GC 0080	Cereal grains	10	Po		CXL	05	38		2006	
MO 0105	Edible offal (mammalian)	0.02			CXL	05	38		2006	
PE 0112	Eggs	0.02			CXL	05	38		2006	
OC 0645	Maize oil, crude	200	PoP		CXL	05	38		2006	
MM 0095	Meat (from mammals other than marine mammals)	0.2	(fat)		CXL	05	38		2006	
ML 0106	Milks	0.1	F		CXL	05	38		2006	
SO 0089	Oilseed, except peanut	4	Po		CXL	2016	49		2017	
SO 0703	Peanut, whole	5	Po		CXL	2019	52		2021	
PM 0110	Poultry meat	0.02			CXL	05	38		2006	
PO 0111	Poultry, edible offal of	0.02			CXL	05	38		2006	
CM 1207	Rice hulls	40	PoP		CXL	05	38		2006	
VD 0541	Soya bean (dry)	3	Po		3	2021	53			
CM 0654	Wheat bran, unprocessed	25	PoP		CXL	05	38		2006	

148 Propamocarb

Main Uses: Fungicide
 ADI: 0-0.4 mg/kg bw (2005)
 ARfD: 2 mg/kg bw (2005)
 Residue: For compliance with MRL and for estimation of dietary intake / risk assessment for plant and animal commodities: Propamocarb.
 The residue is not fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VB	0400	Broccoli	3			CXL	2014	47		2015	
VB	0402	Brussels sprouts	2			CXL	2014	47		2015	
VB	0041	Cabbages, head	1			CXL	2014, 2018	51	47	2019	
VB	0404	Cauliflower	2			CXL	2014	47		2015	
MO	0105	Edible offal (mammalian)	1.5			CXL	2018	51		2019	
VO	0440	Egg plant	0.3			CXL	2006	39		2007	
PE	0112	Eggs	0.01	(*)		CXL	2014	47		2015	
VC	0045	Fruiting vegetables, cucurbits (group)	5			CXL	2006	39		2007	
VL	0480	Kale (including among others: Collards, curly kale, Scotch kale, thousand- headed kale; not including Marrow-stem kale)	20			CXL	2014, 2018	51	47	2019	
VA	0384	Leek	30			CXL	2014	47		2015	
VL	0482	Lettuce, head	100			CXL	2006	39		2007	
VL	0483	Lettuce, leaf	100			CXL	2006	39		2007	
MF	0100	Mammalian fats (except milk fats)	0.03			CXL	2018	51		2018	
MM	0095	Meat (from mammals other than marine mammals)	0.03			CXL	2018	51		2019	
ML	0106	Milks	0.01	(*)		CXL	2018	51		2019	
VA	0385	Onion, bulb	2			CXL	2014	47		2015	
HS	0444	Peppers chili, dried	10			CXL	2004	38	37	2006	
VO	0445	Peppers, sweet (including pimento or pimiento)	3			CXL	2006	39		2007	
VR	0589	Potato	0.3			CXL	2006	39		2007	
PF	0111	Poultry fats	0.01	(*)		CXL	2014	47		2015	
PM	0110	Poultry meat	0.01	(*)		CXL	2014	47		2015	
PO	0111	Poultry, edible offal of	0.01	(*)		CXL	2014	47		2015	
VR	0494	Radish	1			CXL	2006	39		2007	
VL	0502	Spinach	40			CXL	2006	39		2007	
VO	0448	Tomato	2			CXL	2006	39		2007	
VL	2832	Witloof chicory (sprouts)	2			CXL	2006	39		2007	

149 Ethoprophos

Main Uses: Insecticide
 ADI: 0-0.0004 mg/kg bw (1999)
 ARfD: 0.05 mg/kg bw (1999)
 Residue: For compliance with MRLs and estimation of dietary intake in plant and animal commodities: Ethoprophos.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FI 0327	Banana		0.02			CXL	04	37		2005	
VC 0424	Cucumber		0.01			CXL	04	37		2005	
MO 0105	Edible offal (mammalian)		0.01	(*)		CXL	04	37		2005	
MM 0095	Meat (from mammals other than marine mammals)		0.01	(*)		CXL	04	37		2005	
VC 0046	Melons, except watermelon		0.02			CXL	04	37		2005	
ML 0106	Milks		0.01	(*)		CXL	04	37		2005	
HS 0444	Peppers chili, dried		0.2			CXL	04	38	37	2006	
VO 0445	Peppers, sweet (including pimento or pimiento)		0.05			CXL	04	37		2005	
VR 0589	Potato		0.05			CXL	04	37		2005	
FB 0275	Strawberry		0.02	(*)		CXL					
GS 0659	Sugar cane		0.02			CXL	04	37		2005	
AM 0659	Sugar cane fodder		0.02	(*)		CXL					
VR 0508	Sweet potato		0.05			CXL	04	37		2005	
VO 0448	Tomato		0.01	(*)		CXL	04	37		2005	
VR 0506	Turnip, Garden		0.02	(*)		CXL					

151 Dimethipin

Main Uses: Plant growth regulator
 ADI: 0-0.02 mg/kg bw (1988); confirmed (1999, 2004)
 ARfD: 0.2 mg/kg bw (2004)
 Residue: Dimethipin

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
SO	0691	Cotton seed	1			CXL	01	35		2003	
OC	0691	Cotton seed oil, crude	0.1			CXL	01	35		2003	
OR	0691	Cotton seed oil, edible	0.1			CXL	01	35		2003	
MO	0105	Edible offal (mammalian)	0.01 (*)			CXL	01	35		2003	
PE	0112	Eggs	0.01 (*)			CXL	01	35		2003	
MM	0095	Meat (from mammals other than marine mammals)	0.01 (*)			CXL	01	35		2003	
ML	0106	Milks	0.01 (*)			CXL	01	34		2003	
VR	0589	Potato	0.05 (*)			CXL	01	35		2003	
PM	0110	Poultry meat	0.01 (*)			CXL	01	35		2003	
PO	0111	Poultry, edible offal of	0.01 (*)			CXL	01	35		2003	
SO	0495	Rape seed	0.2			CXL	01	35		2003	
SO	0702	Sunflower seed	1			CXL	01	35		2003	

155 Benalaxyil

Main Uses: Fungicide
 ADI: 0-0.07 mg/kg bw (2005), confirmed (2009)
 ARfD: 0.1 mg/kg bw. Group ARfD for woman of child-bearing age and unnecessary for the rest of the population (2009)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Benalaxyil

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FB	0269	Grapes	0.3			CXL	09	42		2010	
VL	0482	Lettuce, head	1			CXL	09	42		2010	
VC	0046	Melons, except watermelon	0.3			CXL	09	42		2010	
VA	0385	Onion, bulb	0.02	(*)		CXL	09	42		2010	
VR	0589	Potato	0.02	(*)		CXL	09	42		2010	
VO	0448	Tomato	0.2			CXL	09	42		2010	
VC	0432	Watermelon	0.1			CXL	09	42		2010	

156 Clofentezine

Main Uses: Acaricide
 ADI: 0-0.02 mg/kg bw (1986), confirmed (2005)

ARfD: Unnecessary (2005)

Residue: For compliance with MRLs and estimation of dietary intake for plant commodities: Clofentezine.

For compliance with MRLs for animal commodities: Sum of clofentezine, and all metabolites containing the 2-chlorobenzoyl moiety, expressed as clofentezine.
 The residue is fat soluble.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
AM 0660	Almond hulls		5			CXL	07	40		2008	
FC 0001	Citrus fruits (group)		0.5			CXL	07	40		2008	
VC 0424	Cucumber		0.5			CXL	07	40		2008	
FB 0021	Currants, black, red, white		0.2			CXL	07	40		2008	
MO 0105	Edible offal (mammalian)	0.05	(*)			CXL	07	40		2008	
PE 0112	Eggs	0.05	(*)			CXL	07	40		2008	Residues are not expected as dietary burden in poultry is zero
DF 0269	Grape, dried (= Currants, Raisins and Sultanas)		2			CXL	07	40		2008	
FB 0269	Grapes		2			CXL	07	40		2008	
DH 1100	Hops, dry		7			3	2021	53		2008	
MM 0095	Meat (from mammals other than marine mammals)	0.05	(*)			CXL	07	40		2008	
VC 0046	Melons, except watermelon	0.1				CXL	07	40		2008	
ML 0106	Milks	0.05	(*)			CXL	07	40		2008	
FP 0009	Pome fruits (group)	0.5				CXL	07	40		2008	
PM 0110	Poultry meat	0.05	(*)			CXL	07	40		2008	Residues are not expected as dietary burden in poultry is zero
PO 0111	Poultry, edible offal of	0.05	(*)			CXL	07	40		2008	Residues are not expected as dietary burden in poultry is zero
FS 0012	Stone fruits (group)	0.5				CXL	07	40		2008	
FB 0275	Strawberry	2				CXL	07	40		2008	
VO 0448	Tomato	0.5				CXL	07	40		2008	
TN 0085	Tree nuts (group)	0.5				CXL	07	40		2008	

157 Cyfluthrin/beta-cyfluthrin

Main Uses: Insecticide

ADI: 0-0.04 mg/kg bw Group ADI (2006)

ARfD: 0.04 mg/kg bw. Group ARfD (JMPR 2009). (2006)

Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Cyfluthrin (sum of isomers).

The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FP 0226	Apple	0.1			CXL	07	40		2008	
VB 0041	Cabbages, head	0.08			CXL	07,12	45	43	2013	
VB 0404	Cauliflower	2			CXL	07	40		2008	
FC 0001	Citrus fruits (group)	0.3			CXL	07	40		2008	
AB 0001	Citrus pulp, dried	2			CXL	07	40		2008	
SO 0691	Cotton seed	0.7			CXL	07	40		2008	
OC 0691	Cotton seed oil, crude	1			CXL	07	40		2008	
MO 0105	Edible offal (mammalian)	0.02			CXL	12	45		2013	
VO 0440	Egg plant	0.2			CXL	07	40		2008	
PE 0112	Eggs	0.01	(*)		CXL	07	40		2008	
MM 0095	Meat (from mammals other than marine mammals)	0.2	(fat)		CXL	12	45		2013	
ML 0106	Milks	0.01			CXL	12	45		2013	
FP 0230	Pear	0.1			CXL	07	40		2008	
VO 0051	Peppers (subgroup)	0.2			CXL	07	40		2008	
HS 0444	Peppers chili, dried	1			CXL	07	40		2008	
VR 0589	Potato	0.01	(*)		CXL	07	40		2008	
PM 0110	Poultry meat	0.01	(*) (fat)		CXL	07	40		2008	
PO 0111	Poultry, edible offal of	0.01	(*)		CXL	07	40		2008	
SO 0495	Rape seed	0.07			CXL	07	40		2008	
VD 0541	Soya bean (dry)	0.03			CXL	12	45		2013	
AL 0541	Soya bean fodder	4			CXL	12	45		2013	
HS 0191	Spices, fruits and berries	0.03			CXL		43		2011	
HS 0193	Spices, roots and rhizomes	0.05			CXL		43		2011	
VO 0448	Tomato	0.2			CXL	07	40		2008	

158 Glyphosate

Main Uses: Herbicide
 ADI: 0-1 mg/kg bw for the sum of glyphosate, N-acetyl-glyphosate, AMPA and N-acetyl-AMPA (2011)
 ARfD: Unnecessary (2011)
 Residue: For compliance with MRL for plant commodities - for soya bean, maize and rape: Sum of glyphosate and N-acetylglyphosate, expressed as glyphosate, for other crops: Glyphosate.
 For compliance with MRL for animal commodities: Sum of glyphosate and N-acetylglyphosate, expressed as glyphosate.
 For estimation of dietary intake) for plant and animal commodities: glyphosate, N-acetylglyphosate, AMPA and N-acetyl AMPA, expressed as glyphosate.
 The residue is not fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AL 1020	Alfalfa fodder	500			CXL	05	38		2006	
FI 0327	Banana	0.05	(*)		CXL	05	38		2006	
AS 0640	Barley, hay and/or straw	400			CXL	05	38		2006	
AL 0061	Bean fodder	200			CXL	05	38		2006	
GC 0080	Cereal grains	30		Except maize and rice	CXL	05	38		2006	
SO 0691	Cotton seed	40			CXL	05	38		2006	
VD 2065	Dry beans (subgroup)	15		(except soya beans)	CXL	2019	52		2021	
VD 2066	Dry peas				(subgroup)		10			
MO 0105	Edible offal (mammalian)	5		Except pigs	CXL	05	38		2006	
PE 0112	Eggs	0.05	(*)		CXL	05	38		2006	
AS 0162	Hay or fodder (dry) of grasses	500			CXL	05	38		2006	
GC 0645	Maize	5			CXL	05	38		2006	
AS 0645	Maize fodder (dry)	150			CXL	05	38		2006	
MM 0095	Meat (from mammals other than marine mammals)	0.05	(*)		CXL	05	38		2006	
ML 0106	Milks	0.05	(*)		CXL	05	38		2006	
AS 0647	Oat straw and fodder, dry	100			CXL	05	38		2006	
AL 0072	Pea hay or pea fodder (dry)	500			CXL	05	38		2006	
MO 0818	Pig, edible offal of	0.5			CXL	05	38		2006	
PM 0110	Poultry meat	0.05	(*)		CXL	05	38		2006	
PO 0111	Poultry, edible offal of	0.5			CXL	05	38		2006	
SO 0495	Rape seed	30			CXL	2013	46		2014	
AS 0651	Sorghum straw and fodder, dry	50			CXL	05	38		2006	
VD 0541	Soya bean (dry)	20			CXL	05	38		2006	
VR 0596	Sugar beet	15			CXL	11	44		2012	
GS 0659	Sugar cane	2			CXL	05	38		2006	
DM 0659	Sugar cane molasses	10			CXL	05	38		2006	
SO 0702	Sunflower seed	7			CXL	05	38		2006	
VO 0447	Sweet corn (corn-on-the-	3			CXL	11	44		2012	
CM 0654	Wheat bran, unprocessed	20			CXL	05	38		2006	
AS 0654	Wheat, hay and/or straw	300			CXL	05	38		2006	

159 Vinclozolin

Main Uses: Fungicide
 ADI: 0.01 mg/kg bw (1995)
 ARfD: N/A
 Residue: Sum of vinclozolin and all metabolites containing the 3,5-dichloroaniline moiety, expressed as vinclozolin.

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
HS 0093	Spices	0.05 (*)			CXL		37		2005	Procymidone (136) and Vinclozolin (159) are no longer supported by industry and member countries. Therefore, the Committee decided that all CXLs for these 2 compounds should be revoked (43-139). The Committee agreed to retain the CXL for vinclozolin on spices (despite vinclozolin having recently been deleted from the substance list) because residues were at or about the limit of quantification and there were no intake concern (44-83).

160 Propiconazole

Main Uses: Fungicide
 ADI: 0-0.07 mg/kg bw (2004)
 ARfD: 0.3 mg/kg bw (2004)
 Residue: For compliance with the MRL for plant and animal commodities: Propiconazole.
 For the estimation of dietary exposure / for dietary risk assessment for plant and animal commodities: Propiconazole plus all metabolites convertible to 2,4-dichloro-benzoic acid, expressed as propiconazole.
 The residue is fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FI	0327	Banana	0.1			CXL	2007	40		2008	
GC	0640	Barley	2			CXL	2015	48		2016	
AS	0640	Barley, hay and/or straw	8			CXL	2014	47		2015	
FS	0013	Cherries (subgroup)	3	Po		CXL	2018	51		2019	
SB	0716	Coffee beans	0.02			CXL	2007	40		2008	
FB	0265	Cranberry	0.3			CXL	2006, 2007	40	39	2008	
MO	0105	Edible offal (mammalian)	0.5			CXL	2014	47		2015	
PE	0112	Eggs	0.01	(*)		CXL	2007	40		2008	
FC	0002	Lemons and limes (including citron) (subgroup)	10	Po		CXL	2018	51		2019	
GC	0645	Maize	0.05			CXL	2007	40		2008	
MF	0100	Mammalian fats (except milk fats)	0.01	(*)		CXL	2014	47		2015	
FC	0003	Mandarins (including mandarin-like hybrids) (subgroup)	10	Po		CXL	2018	51		2019	
MM	0095	Meat (from mammals other than marine mammals)	0.01	(*) (fat)		CXL	2014	47		2015	
ML	0106	Milks	0.01	(*)		CXL	2014	47		2015	
AS	0647	Oat straw and fodder, dry	8			CXL	2014	47		2015	
GC	0647	Oats	0.7			CXL	2015	48		2016	
OR	0004	Orange oil, edible	1850			CXL	2018	51		2019	
FC	0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	10	Po		CXL	2018	51		2019	
FS	2001	Peaches (including apricots and nectarine) (subgroup)	4	Po		CXL	2019	52		2021	
TN	0672	Pecan	0.02	(*)		CXL	2007	40		2008	
FI	0353	Pineapple	2	Po		CXL	2018	51		2019	
FS	0014	Plums (including fresh prunes) (subgroup)	0.4	Po		CXL	2018	51		2019	
GC	0656	Popcorn	0.05			CXL	2007	40		2008	
PM	0110	Poultry meat	0.01	(*) (fat)		CXL	2007	40		2008	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
	Code	Name									
FC	0005	Pummelo and grapefruits (including Shaddock-like hybrids, among others Grapefruit) (subgroup)	4	Po		CXL	2018	51		2019	
SO	0495	Rape seed	0.02			CXL	2007	40		2008	
GC	0650	Rye	0.09			CXL	2015	48		2016	
AS	0650	Rye straw and fodder, dry	15			CXL	2014	47		2015	
VD	0541	Soya bean (dry)	0.07			CXL	2007	40		2008	
AL	0541	Soya bean fodder	5			CXL	2007	40		2008	
VR	0596	Sugar beet	0.02			CXL	2007	40		2008	
GS	0659	Sugar cane	0.02	(*)		CXL	2007	40		2008	
VO	0447	Sweet corn (corn-on-the-	0.05			CXL	2007	40		2008	
VO	0448	Tomato	3	Po		CXL	2013	46		2014	
GC	0653	Triticale	0.09			CXL	2015	48		2016	
AS	0653	Triticale, hay and/or straw	15			CXL	2014	47		2015	
GC	0654	Wheat	0.09			CXL	2015	48		2016	
AS	0654	Wheat, hay and/or straw	15			CXL	2014	47		2015	

165 Flusilazole

Main Uses: Fungicide
 ADI: 0-0.007 mg/kg bw (2007)
 ARfD: 0.02 mg/kg bw (2007)
 Residue: For compliance with MRLs and estimation of dietary intake for plant commodities: Flusilazole.
 For compliance with MRLs and estimation of dietary intake for animal commodities: Flusilazole plus [bis(4-fluorophenyl)methyl]silanol.
 Flusilazole is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FS 0240	Apricot	0.2			CXL	07	40		2008	
FI 0327	Banana	0.03			CXL	07	40		2008	
GC 0080	Cereal grains	0.2	Except rice		CXL	07	40		2008	
MO 0105	Edible offal (mammalian)	2			CXL	07	41	40	2009	
PE 0112	Eggs	0.1			CXL	07	40		2008	
AB 0269	Grape pomace, dry	2			CXL	07	40		2008	
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	0.3			CXL	07	40		2008	
FB 0269	Grapes	0.2			CXL	07	40		2008	
MM 0095	Meat (from mammals other than marine mammals)	1	(fat)		CXL	07	40		2008	
ML 0106	Milks	0.05			CXL	07	40		2008	
FS 0245	Nectarine	0.2			CXL	07	41	40	2009	
FS 0247	Peach	0.2			CXL	07	41	40	2009	
FP 0009	Pome fruits (group)	0.3			CXL	07	41	40	2009	
PM 0110	Poultry meat	0.2			CXL	07	40		2008	
PO 0111	Poultry, edible offal of	0.2			CXL	07	40		2008	
SO 0495	Rape seed	0.1			CXL	07	40		2008	
VD 0541	Soya bean (dry)	0.05			CXL	07	40		2008	
AB 0541	Soya bean hulls	0.05			CXL	07	40		2008	
OR 0541	Soya bean oil, refined	0.1			CXL	07	40		2008	
AS 0081	Straw and hay of cereal grains except pseudocereals	5	Except rice		CXL	07	40		2008	
VR 0596	Sugar beet	0.05			CXL	07	40		2008	
SO 0702	Sunflower seed	0.1			CXL	07	40		2008	
VO 0447	Sweet corn (corn-on-the- cob)	0.01	(*)		CXL	07	40		2008	
AS 0447	Sweet corn fodder	2			CXL	07	40		2008	

166 Oxydemeton-Methyl

Main Uses: Insecticide

ADI: 0-0.0003 mg/kg bw Group ADI for demeton-S-methyl and related compounds (JMPR 2004)

ARfD: 0.002 mg/kg bw (2002)

Residue: For compliance with MRLs and estimation of dietary intake in plant commodities: Sum of oxydemeton-methyl, demeton-S-methyl and demeton-S-methylsulphon expressed as oxydemeton-methyl.

The residue definition and MRLs are based on the use of oxydemeton-methyl only.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
GC 0640	Barley	0.02 (*)			CXL	04	38	32-37	2006	
AS 0640	Barley, hay and/or straw	0.1			CXL	04	38	32,34-37	2006	
MF 0812	Cattle fat	0.05 (*)			CXL	98	38	32-37	2006	
VB 0404	Cauliflower	0.01 (*)			CXL	04	38	37	2006	
VD 0526	Common bean (dry)	0.1			CXL	98	38	32-37	2006	
SO 0691	Cotton seed	0.05			CXL	98	38	32-37	2006	
PE 0112	Eggs	0.05 (*)			CXL	98	38	32-37	2006	
VL 0480	Kale (including among others: Collards, curly kale, Scotch kale, thousand-headed kale; not including Marrow-stem kale)	0.01 (*)			CXL	98	38	32-34,36,37	2006	
VB 0405	Kohlrabi	0.05			CXL	98	38	32-37	2006	
FC 0204	Lemon	0.2			CXL	98	38	32-37	2006	
MM 0097	Meat of cattle, pigs & sheep	0.05 (*)			CXL	98	38	32-37	2006	
ML 0106	Milks	0.01 (*)			CXL	98	38	32-37	2006	
FP 0230	Pear	0.05			CXL	98	38	32-37	2006	
MF 0818	Pig fat	0.05 (*)			CXL	98	38	32-37	2006	
VR 0589	Potato	0.01 (*)			CXL	04	38	32-37	2006	
PF 0111	Poultry fats	0.05 (*)			CXL	98	38	32-37	2006	
PM 0110	Poultry meat	0.05 (*)			CXL	98	38	32-37	2006	
GC 0650	Rye	0.02 (*)			CXL	04	38	32-37	2006	
AS 0650	Rye straw and fodder, dry	0.1			CXL	04	38	32,34-37	2006	
MF 0822	Sheep fat	0.05 (*)			CXL	98	38	32-37	2006	
VR 0596	Sugar beet	0.01 (*)			CXL	04	38	32-37	2006	
GC 0654	Wheat	0.02 (*)			CXL	04	38	32-37	2006	
AS 0654	Wheat, hay and/or straw	0.1			CXL	04	38	32,34-37	2006	

167 Terbufos

Main Uses: Nematocide
 ADI: 0-0.0006 mg/kg bw (1989)
 ARfD: 0.002 mg/kg bw (2003)
 Residue: For compliance with MRLs and for estimation of dietary intake in plant and animal commodities: Sum of terbufos, its oxygen analogue and their sulphoxides and sulphones, expressed as terbufos.
 Note: No short-term dietary intake was calculated due to insufficient data (JMPR 2003).

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FI 0327	Banana	0.05			CXL	05	38		2006	
SB 0716	Coffee beans	0.05	(*)		CXL	05	38		2006	
MO 0105	Edible offal (mammalian)	0.05	(*)		CXL	05	38		2006	
PE 0112	Eggs	0.01	(*)		CXL	05	38		2006	
GC 0645	Maize	0.01	(*)		CXL	05	38		2006	
AS 0645	Maize fodder (dry)	0.2			CXL	05	38		2006	
MM 0095	Meat (from mammals other than marine mammals)	0.05	(*)		CXL	05	38		2006	
ML 0106	Milks	0.01	(*)		CXL	05	38		2006	
PM 0110	Poultry meat	0.05	(*)		CXL	05	38		2006	
PO 0111	Poultry, edible offal of	0.05	(*)		CXL	05	38		2006	
GC 0651	Sorghum grain	0.01	(*)		CXL	05	38		2006	
AS 0651	Sorghum straw and fodder, dry	0.3	dry wt		CXL	05	38		2006	
VR 0596	Sugar beet	0.02			CXL	05	38		2006	
VO 0447	Sweet corn (corn-on-the-	0.01			CXL	05	38		2006	

168 Triadimenol

Main Uses: Fungicide
 ADI: 0-0.03 mg/kg bw (1989, 2004)
 ARfD: 0.08 mg/kg bw (2004)
 Residue: For compliance with MRLs and for the estimation of dietary intake for plant and animal commodities: Sum of triadimefon and triadimenol.
 Triadimefon and triadimenol are fat-soluble.
 Note: Source of data resulting from the uses of: TF=triadimefon; TN=triadimenol.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FP	0226	Apple	0.3			CXL	07	40		2008	Based on triadimenol use only
VS	0620	Artichoke, globe	0.7			CXL	07	40		2008	Based on triadimenol use only
FI	0327	Banana	1			CXL	07	41	40	2009	Based on triadimenol use only
GC	0080	Cereal grains	0.2		Except maize and rice	CXL	07	40		2008	Based on triadimefon and triadimenol uses
SB	0716	Coffee beans	0.5			CXL	07	40		2008	Based on triadimenol use only
FB	0021	Currants, black, red, white	0.7			CXL	07	40		2008	
MO	0105	Edible offal (mammalian)	0.01	(*)		CXL	07	40		2008	Based on triadimefon and triadimenol uses
PE	0112	Eggs	0.01	(*)		CXL	07	40		2008	Based on triadimefon and triadimenol uses
VC	0045	Fruiting vegetables, cucurbits (group)	0.2			CXL	07	41	40	2009	Based on triadimefon and triadimenol uses
VO	0050	Fruiting vegetables, other than cucurbits (group)	1		Except fungi and sweet corn based on triadimenol uses	CXL	07	41	40	2009	Based on triadimenol use only
DF	0269	Grape, dried (= Currants, Raisins and Sultanas)	1	TN		CXL	2014	47		2015	
FB	0269	Grapes	0.3			CXL	2014	47		2015	
MM	0095	Meat (from mammals other than marine mammals)	0.02			CXL	07	40		2008	Based on triadimefon and triadimenol uses
ML	0106	Milks	0.01	(*) F		CXL	07	40		2008	Based on triadimefon and triadimenol uses
HS	0444	Peppers chili, dried	5			CXL	07	40		2008	Based on triadimefon and triadimenol uses
FI	0353	Pineapple	5	Po		CXL	07	40		2008	Based on triadimenol use only

Commodity Code		Name	MRL (mg/kg)		Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
PM	0110	Poultry meat	0.01	(*)			CXL	07	40		2008	Based on triadimefon and triadimenol uses
PO	0111	Poultry, edible offal of	0.01	(*)			CXL	07	40		2008	Based on triadimefon and triadimenol uses
AS	0081	Straw and hay of cereal grains except pseudocereals	5		Except maize		CXL	07	40		2008	Based on triadimefon and triadimenol uses
FB	0275	Strawberry	0.7				CXL	07	40		2008	Based on triadimenol use only
VR	0596	Sugar beet	0.05	(*)			CXL	07	40		2008	Based on triadimenol use only

169 Cyromazine

Main Uses: Insecticide
 ADI: 0-0.06 mg/kg bw (2006)
 ARfD: 0.1 mg/kg bw (2006)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Cyromazine.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VS 0620	Artichoke, globe	3			CXL	07	40		2008	
VD 0071	Beans (dry)	3			CXL	07	40		2008	
VB 0400	Broccoli	1			CXL	07	40		2008	
VS 0624	Celery	4			CXL	07	40		2008	
VD 0524	Chick-pea (dry)	3			CXL	12	45		2013	
VC 0424	Cucumber	2			CXL	07	40		2008	
MO 0105	Edible offal (mammalian)	0.3			CXL	07	40		2008	
PE 0112	Eggs	0.3			CXL	07	40		2008	
VO 0050	Fruiting vegetables, other than cucurbits (group)	1		Except mushrooms and sweet corn (corn-on-the-cob)	CXL	07	40		2008	
VD 0533	Lentil (dry)	3			CXL	12	45		2013	
VL 0482	Lettuce, head	4			CXL	07	40		2008	
VL 0483	Lettuce, leaf	4			CXL	07	40		2008	
VP 0534	Lima bean (young pods and/or immature beans)	1			CXL	07	40		2008	
VD 0545	Lupin (dry)	3			CXL	12	45		2013	
FI 0345	Mango	0.5			CXL	07	40		2008	
MM 0095	Meat (from mammals other than marine mammals)	0.3			CXL	07	40		2008	
VC 0046	Melons, except watermelon	0.5			CXL	07	40		2008	
ML 0106	Milks	0.01			CXL	07	40		2008	
VO 0450	Mushrooms	7			CXL	07	40		2008	
VL 0485	Mustard greens	10			CXL	07	40		2008	
VA 0385	Onion, bulb	0.1			CXL	07	40		2008	
HS 0444	Peppers chili, dried	10			CXL	04	38	37	2006	
PM 0110	Poultry meat	0.1			CXL	07	40		2008	
PO 0111	Poultry, edible offal of	0.2			CXL	07	40		2008	
VA 0389	Spring onion	3			CXL	07	40		2008	
VC 0431	Squash, summer	2			CXL	07	40		2008	

171 Profenofos

Main Uses: Insecticide
 ADI: 0-0.03 mg/kg bw (2007)
 ARfD: 1.0 mg/kg bw (2007)
 Residue: For compliance with MRL and for estimation of dietary intake for plant and animal commodities: Profenofos.
 The residue is not fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
HS	0775	Cardamom	3			CXL	2015	48		2016	
SB	0716	Coffee beans	0.04			CXL	2018	51		2019	
HS	0779	Coriander, seed	0.1			CXL	2015	48		2016	
SO	0691	Cotton seed	3			CXL	2008	41		2009	
HS	0780	Cumin seed	5			CXL	2015	48		2016	
MO	0105	Edible offal (mammalian)	0.05 (*)			CXL	2008	41		2009	
PE	0112	Eggs	0.02 (*)			CXL	2008	41		2009	
HS	0731	Fennel, seed	0.1			CXL	2015	48		2016	
FI	0345	Mango	0.2			CXL	2008	41		2009	
FI	0346	Mangostan	10			CXL	2008	41		2009	
MM	0095	Meat (from mammals other than marine mammals)	0.05 (*)			CXL	2008	41		2009	
ML	0106	Milks	0.01 (*)			CXL	2008	41		2009	
VO	0444	Peppers chili	3			CXL	2011	44		2012	
HS	0444	Peppers chili, dried	20			CXL	2011	44		2012	
PM	0110	Poultry meat	0.05 (*)			CXL	2008	41		2009	
PO	0111	Poultry, edible offal of	0.05 (*)			CXL	2008	41		2009	
HS	0191	Spices, fruits and berries	0.07		(except cardamom)	CXL	2015	48		2016	
HS	0193	Spices, roots and rhizomes	0.05			CXL	2010	43		2011	
DT	0171	Teas (tea and herb teas)	0.5			CXL	1994	29		1997	NOTE (CXSEC): CCPR52 (2020) may consider to recommend revocation of this CXL.
VO	0448	Tomato	10			CXL	2008	41		2009	

172 Bentazone

Main Uses: Herbicide
 ADI: 0-0.09 mg/kg bw (2012)
 ARfD: 0.5 mg/kg bw (2016)
 Residue: For compliance with the MRL and dietary risk assessment for plant and animal commodities: Bentazone.
 The residue is not fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AL 1020	Alfalfa fodder	0.5			CXL	2013	46		2014	
AS 0640	Barley, hay and/or straw	0.3			CXL	2013	46		2014	
VP 0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	0.01	(*)	(green pods and immature seeds)	CXL	2013	46		2014	
VP 0062	Beans, shelled	0.01	(*)	(succulent=immature seeds)	CXL	2013	46		2014	
GC 0080	Cereal grains	0.01	(*)		CXL	2013	46		2014	
VD 2065	Dry beans (subgroup)	0.5			CXL	2018	51		2019	
VD 2066	Dry peas			(subgroup)		0.5			2018	51
MO 0105	Edible offal (mammalian)	0.04			CXL	2018	51		2019	
PE 0112	Eggs	0.01	(*)		CXL	2013	46		2014	
AS 0162	Hay or fodder (dry) of grasses	2			CXL	2013	46		2014	
HH 0092	Herbs	0.1			CXL	2013	46		2014	
SO 0693	Linseed	0.02	(*)		CXL	2013	46		2014	
AS 0645	Maize fodder (dry)	0.4			CXL	2013	46		2014	
MF 0100	Mammalian fats (except milk fats)	0.01	(*)		CXL	2018	51		2019	
MM 0095	Meat (from mammals other than marine mammals)	0.01	(*)		CXL	2018	51		2019	
ML 0106	Milks	0.01	(*)		CXL	2018	51		2019	
AS 0646	Millet fodder, dry	0.3			CXL	2013	46		2014	
AS 0647	Oat straw and fodder, dry	0.3			CXL	2013	46		2014	
VA 0385	Onion, bulb	0.04			CXL	2013	46		2014	
SO 0697	Peanut	0.05	(*)		CXL	2013	46		2014	
VP 0063	Peas (pods and succulent=immature seeds)	1.5			CXL	2013	46		2014	
VR 0589	Potato	0.1			CXL	2013	46		2014	
PM 0110	Poultry meat	0.03	(fat)		CXL	2013	46		2014	
PO 0111	Poultry, edible offal of	0.07			CXL	2013	46		2014	
AS 0650	Rye straw and fodder, dry	0.3			CXL	2013	46		2014	
VA 0389	Spring onion	0.08			CXL	2013	46		2014	
VO 0447	Sweet corn (corn-on-the-	0.01	(*)		CXL	2013	46		2014	
AS 0653	Triticale, hay and/or straw	0.3			CXL	2013	46		2014	
AS 0654	Wheat, hay and/or straw	0.3			CXL	2013	46		2014	

173 Buprofezin

Main Uses: Insecticide
 ADI: 0-0.009 mg/kg bw (2008)
 ARfD: 0.5 mg/kg bw (2008)
 Residue: For compliance with MRLs and for estimation of dietary intake for plant commodities and animal commodities: Buprofezin. The residue is not fat soluble.
 Note: Aniline
 ADI: 0-0.02 mg/kg bw
 ARfD: 0.02 mg/kg bw

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AM	0660	Almond hulls	3			CXL	2019	52		2021	
FP	0226	Apple	3			CXL	09	42		2010	
FI	0326	Avocado	0.1			CXL	2016	49	2017		
FI	0327	Banana	0.3			CXL	12	45		2013	
HH	0722	Basil, leaves	1.5			CXL	2016	49		2017	
FS	0013	Cherries (subgroup)	2			CXL	09	42			
FC	0001	Citrus fruits (group)	1			CXL	08	45	41	2013	
OR	0001	Citrus oil, edible	6			CXL	2019	52		2021	
AB	0001	Citrus pulp, dried	5			CXL	2019	52		2021	
SB	0716	Coffee beans	0.4			CXL	2014	47		2015	
MO	0105	Edible offal (mammalian)	0.05	(*)		CXL	09	42		2010	
PE	0112	Eggs	0.01	(*)		CXL	2019	52		2021	
VC	0045	Fruiting vegetables, cucurbits (group)	0.7			CXL	09	42		2010	
DF	0269	Grape, dried (= Currents, Raisins and Sultanas)	2			CXL	09	42		2010	
FB	0269	Grapes	1			CXL	09	42		2010	
MF	0100	Mammalian fats (except milk fats)	0.01	(*)		CXL	2019	52		2021	
FI	0345	Mango	0.1			CXL	08	41		2009	
MM	0095	Meat (from mammals other than marine mammals)	0.05	(*)		CXL	09	42		2010	
ML	0106	Milks	0.01	(*)		CXL	09	42		2010	
FS	0245	Nectarine	9			CXL	09	42		2010	
OC	0305	Olive oil, virgin	20			CXL	2019	52		2021	The name for this category is OC 0305 Olive oil, virgin as opposed to olive oil, crude (Annex I, JMPR 2019 regular meeting)
FS	0247	Peach	9			CXL	09	42		2010	
FP	0230	Pear	6			CXL	09	42		2010	
VO	0051	Peppers (subgroup)	2			CXL	09	42		2010	
VO	0444	Peppers chili	10			CXL	09	42		2010	
HS	0444	Peppers chili, dried	10			CXL	08	41		2009	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FS 0014	Plums (including fresh prunes) (subgroup)		2			CXL	09	42		2010	
PF 0111	Poultry fats	0.01	(*)			CXL	2019	52		2021	
PM 0110	Poultry meat	0.01	(*)			CXL	2019	52		2021	
PO 0111	Poultry, edible offal of	0.01				CXL	2019	52		2021	
VD 0541	Soya bean (dry)	0.01	(*)			CXL	2016	49		2017	
FB 0275	Strawberry	3				CXL	09	42		2010	
FT 0305	Table olives	5				CXL	09	42		2010	
DT 1116	Tea, green	30				CXL	12	45		2013	
VO 0448	Tomato	1				CXL	08	41		2009	
TN 0085	Tree nuts (group)	0.05	(*)			CXL	2019	52		2021	

174 Cadusafos

Main Uses: Insecticide

ADI: 0-0.0005 mg/kg bw (2009)

ARfD: 0.001 mg/kg bw (2009)

Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Cadusafos.

The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FI	0327 Banana	0.01			CXL	10	43			2011

175 Glufosinate-Ammonium

Main Uses: Herbicide

ADI: 0.01 mg/kg bw (2012)

ARfD: 0.01 mg/kg bw (2012)

Residue: For compliance with MRL and for estimation of dietary intake for animal and plant commodities: Sum of glufosinate, 3-[hydroxy(methyl)phosphinoyl]propionic acid and N-acetyl-glufosinate, calculated as glufosinate (free acid).
The residue is not fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VS 0621	Asparagus	0.4			CXL	12	45		2013	
FT 0026	Assorted tropical and sub-tropical fruits - edible peel	0.1			CXL	12	45		2013	
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	0.1		(except banana and kiwifruit)	CXL	12	45		2013	
FI 0327	Banana	0.2			CXL	2012	46	45	2014	
AL 0061	Bean fodder	1			CXL	12	45		2013	
FB 0020	Blueberries	0.1			CXL	12	45		2013	
VR 0577	Carrot	0.05			CXL	12	45		2013	
FC 0001	Citrus fruits (group)	0.05			CXL	12	45		2013	
SB 0716	Coffee beans	0.1			CXL	12	45		2013	
VD 0526	Common bean (dry)	0.05			CXL	12	45		2013	
VP 0526	Common bean (pods and/or immature seeds)	0.05	(*)		CXL	12	45		2013	
VL 0470	Corn salad	0.05			CXL	12	45		2013	
SO 0691	Cotton seed	5			CXL	12	45		2013	
FB 0021	Currants, black, red, white	1			CXL	12	45		2013	
MO 0105	Edible offal (mammalian)	3			CXL	2012	46	45	2014	
PE 0112	Eggs	0.05	(*)		CXL	12	45		2013	
FB 0268	Gooseberry	0.1			CXL	12	45		2013	
FB 0269	Grapes	0.15			CXL	12	45		2013	
FI 0341	Kiwifruit	0.6			CXL	2012	46	45	2014	
VL 0482	Lettuce, head	0.4			CXL	12	45		2013	
VL 0483	Lettuce, leaf	0.4			CXL	2012	46	45	2014	
GC 0645	Maize	0.1			CXL	12	45		2013	
AS 0645	Maize fodder (dry)	8			CXL	12	45		2013	
MM 0095	Meat (from mammals other than marine mammals)	0.05			CXL	12	45		2013	
ML 0106	Milks	0.02	(*)		CXL	12	45		2013	
VA 0385	Onion, bulb	0.05			CXL	12	45		2013	
FP 0009	Pome fruits (group)	0.1			CXL	12	45		2013	
VR 0589	Potato	0.1			CXL	12	45		2013	
PM 0110	Poultry meat	0.05	(*)		CXL	12	45		2013	
PO 0111	Poultry, edible offal of	0.1	(*)		CXL	12	45		2013	
DF 0014	Prunes	0.3			CXL	12	45		2013	
SO 0495	Rape seed	1.5			CXL	12	45		2013	
OC 0495	Rape seed oil, crude	0.05	(*)		CXL	12	45		2013	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FB 0272	Raspberries, red, black	0.1			CXL	12	45		2013		
GC 0649	Rice	0.9			CXL	12	45		2013		
AS 0649	Rice, hay and/or straw	2			CXL	12	45		2013		
VD 0541	Soya bean (dry)	2			CXL	2014	47		2015		
FS 0012	Stone fruits (group)	0.15			CXL	12	45		2013		
FB 0275	Strawberry	0.3			CXL	12	45		2013		
VR 0596	Sugar beet	1.5			CXL	12	45		2013		
DM 0596	Sugar beet molasses	8			CXL	12	45		2013		
TN 0085	Tree nuts (group)	0.1			CXL	12	45		2013		

176 Hexythiazox

Main Uses: Acaricide and Insecticide
 ADI: 0-0.03 mg/kg bw (2008)
 ARfD: Unnecessary (2008)
 Residue: For compliance with the MRL for plant commodities: Hexythiazox.
 For estimation of dietary intake for plant commodities: Sum of hexythiazox and all metabolites containing the trans-5-(4-chlorophenyl)-4-methyl-2-oxothiazolidine-moiety (PT-1-3), expressed as hexythiazox.
 For compliance with MRL and for estimation of dietary intake) for animal commodities: Sum of hexythiazox and all metabolites containing the trans-5-(4-chlorophenyl)-4-methyl-2-oxothiazolidine-moiety (PT-1-3), expressed as hexythiazox.
 The residue is fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FC	0001	Citrus fruits (group)	0.5			CXL	09	42		2010	
FT	0295	Date	2			CXL	09	42		2010	
MO	0105	Edible offal (mammalian)	0.05			CXL	09	42		2010	
VO	0440	Egg plant	0.1			CXL	09	42		2010	
PE	0112	Eggs	0.05			CXL	09	42		2010	
VC	0045	Fruiting vegetables, cucurbits (group)	0.05		Except watermelon.	CXL	09	42		2010	
AB	0269	Grape pomace, dry	15			CXL	09	42		2010	
DF	0269	Grape, dried (= Currents, Raisins and Sultanas)	1			CXL	09	42		2010	
FB	0269	Grapes	1			CXL	09	42		2010	
DH	1100	Hops, dry	3			CXL	11	44		2012	
MF	0100	Mammalian fats (except milk fats)	0.05			CXL	09	42		2010	
MM	0095	Meat (from mammals other than marine mammals)	0.05	(fat)		CXL	09	42		2010	
FM	0183	Milk fats	0.05			CXL	09	42		2010	
ML	0106	Milks	0.05			CXL	09	42		2010	
FP	0009	Pome fruits (group)	0.4			CXL	09	42		2010	
PM	0110	Poultry meat	0.05	(*) (fat)		CXL	09	42		2010	
PO	0111	Poultry, edible offal of	0.05			CXL	09	42		2010	
DF	0014	Prunes	1			CXL	09	42		2010	
FS	0012	Stone fruits (group)	0.3			CXL	09	42		2010	
FB	0275	Strawberry	6			CXL	11	45	44	2013	
DT	1114	Tea, green, black (black, fermented and dried)	15			CXL	11	44		2012	
VO	0448	Tomato	0.1			CXL	09	42		2010	
TN	0085	Tree nuts (group)	0.05	(*)		CXL	09	42		2010	

177 Abamectin

Main Uses: Acaricide and Insecticide
 ADI: 0–0.001 mg/kg bw (2015)
 ARfD: 0.003 mg/kg bw (2015)
 Residue: For compliance with the MRL and for dietary risk assessment for plant and animal commodities: Avermectin B1a.
 The residue is fat-soluble.
 Note: The ADI also applies to the 8,9-Z isomer and the 24-hydroxymethyl metabolite of abamectin.
 The ARfD also applies to the 8,9-Z isomer and the 24-hydroxymethyl metabolite of abamectin.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AM 0660	Almond hulls	0.2			CXL	2015	48		2016	
FI 0326	Avocado	0.015			CXL	2015	48		2016	
VD 0071	Beans (dry)	0.005			CXL	2015	48		2016	
VP 0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	0.08		(immature beans with pods)	CXL	2015	48		2016	
FB 2005	Cane berries (subgroup)	0.2			CXL	2018	51		2019	
VS 0624	Celery	0.03			CXL	2015	48		2016	
FS 0013	Cherries (subgroup)	0.07			CXL	2015	48		2016	
DH 2605	Chive, dry	0.08			CXL	2018	51		2019	
FC 0001	Citrus fruits (group)	0.02			CXL	2015	48		2016	
SO 0691	Cotton seed	0.015			CXL	2015	48		2016	
VC 0424	Cucumber	0.03			CXL	2015	48		2016	
VO 0440	Egg plant	0.05			CXL	2015	48		2016	
VA 0381	Garlic	0.005			CXL	2015	48		2016	
VC 0425	Gherkin	0.03			CXL	2015	48		2016	
JF 0269	Grape juice	0.05			CXL	2018	51		2019	
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	0.1			CXL	2018	51		2019	
FB 0269	Grapes	0.03			CXL	2018	51		2019	
VA 2032	Green onions (subgroup)	0.01			CXL	2018	51		2019	
HH 2095	Herbs	0.015			CXL	2018	51		2019	
DH 1100	Hops, dry	0.15			CXL	2015	48		2016	
VL 0482	Lettuce, head	0.15			CXL	2015	48		2016	
FI 0345	Mango	0.01			CXL	2015	48		2016	
VC 0046	Melons, except watermelon	0.01			CXL	2015	48		2016	
AS 0647	Oat straw and fodder, dry				CXL					
VA 0385	Onion, bulb	0.005			CXL	2015	48		2016	
OR 0004	Orange oil, edible	0.1			CXL	2018	51		2019	
FI 0350	Papaya	0.015			CXL	2015	48		2016	
FS 2001	Peaches (including apricots and nectarine) (subgroup)	0.03			CXL	2015	48		2016	
SO 0697	Peanut	0.005	(*)		CXL	2015	48		2016	
VO 0444	Peppers chili	0.005	(*)		CXL	2015	48		2016	
HS 0444	Peppers chili, dried	0.5			CXL	2015	48		2016	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VO 0445	Peppers, sweet (including pimento or pimiento)	0.09				CXL	2015	48		2016	
FI 0353	Pineapple	0.002	(*)			CXL	2018	51		2019	
FS 0014	Plums (including fresh prunes) (subgroup)	0.005				CXL	2015	48		2016	
FP 0009	Pome fruits (group)	0.01				CXL	2015	48		2016	
VR 0589	Potato	0.005	(*)			CXL	2015	48		2016	
AS 0649	Rice, hay and/or straw	0.001				CXL	2015	48		2016	
CM 0649	Rice, husked	0.002				CXL	2015	48		2016	
VA 0388	Shallot	0.005				CXL	2015	48		2016	
VD 0541	Soya bean (dry)	0.002	(*)			CXL	2018	51		2019	
FB 0275	Strawberry	0.15				CXL	2015	48		2016	
VP 2062	Succulent beans without pods (subgroup)	0.002	(*)			CXL	2018	51		2019	
GC 2090	Sweet corns (subgroup)	0.002				CXL	2018	51		2019	
VR 0508	Sweet potato	0.005	(*)			CXL	2015	48		2016	
VO 0448	Tomato	0.05				CXL	2015	48		2016	
TN 0085	Tree nuts (group)	0.005	(*)			CXL	2015	48		2016	
VR 0600	Yams	0.005	(*)			CXL	2015	48		2016	

178 Bifenthrin

Main Uses: Acaricide and Insecticide

ADI: 0-0.01 mg/kg bw (2009)

ARfD: 0.01 mg/kg bw (2009)

Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Bifenthrin (sum of isomers).

The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FI	0327	Banana	0.1		CXL	2010	43		2011	
FB	0264	Blackberries	1		CXL	2010	43		2011	
FB	0020	Blueberries	3		CXL	2015	48		2016	
VB	0040	Brassica vegetables (except Brassica leafy vegetables) (group)	0.4		CXL	2010	43		2011	
VS	0624	Celery	3		4	2015	48			CCPR retained the proposed MRLs for strawberry; celery and lettuce, head at Step 4 (in light of acute intake risk identified by the 2015 JMPR) and await an alternative GAP for review by the 2017 JMPR.(48-58). CCPR noted that the 2019 would evaluate this compound (50:45). For celery and lettuce, head, CCPR agreed to keep the proposed MRLs at Step 4, waiting one year for advice on the availability of additional data or alternative GAP information to resolve the acute intake concerns identified by the 2015 JMPR (PR52:75).
FC	0001	Citrus fruits (group)	0.05		CXL	2010	43		2011	
SO	0691	Cotton seed	0.5		CXL	2010	43		2011	
FB	0266	Dewberries (including boysenberry and loganberry)	1		CXL	2010	43		2011	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
MO 0105	Edible offal (mammalian)		0.2			CXL	2010	43		2011	
VO 0440	Egg plant		0.3			CXL	2010	43		2011	
FB 0269	Grapes		0.3			CXL	2015	48		2016	
DH 1100	Hops, dry		20			CXL	2010	43		2011	
VL 0482	Lettuce, head		4			4	2015	48			See celery.
GC 0645	Maize	0.05	(*)			CXL	2010	43		2011	
AS 0645	Maize fodder (dry)	15				CXL	2010	43		2011	
MM 0095	Meat (from mammals other than marine mammals)	3	(fat)			CXL	2010	43		2011	
FM 0183	Milk fats	3				CXL	2010	43		2011	
ML 0106	Milks	0.2				CXL	2010	43		2011	
VL 0485	Mustard greens	4				CXL	2010	43		2011	
AL 0072	Pea hay or pea fodder (dry)	0.7				CXL	2010	43		2011	
VP 0063	Peas (pods and succulent=immature seeds)	0.9				CXL	2015	48		2016	
VP 0064	Peas, shelled (succulent seeds)	0.05	(*)			CXL	2015	48		2016	
VO 0051	Peppers (subgroup)	0.5				CXL	2010	43		2011	
HS 0444	Peppers chili, dried	5				CXL	2010	43		2011	
VD 0070	Pulses (group)	0.3				CXL	2010	43		2011	
VL 0494	Radish leaves (including radish tops)	4				CXL	2010	43		2011	
SO 0495	Rape seed	0.05				CXL	2010	43		2011	
OR 0495	Rape seed oil, edible	0.1				CXL	2010	43		2011	
FB 0272	Raspberries, red, black	1				CXL	2010	43		2011	
VR 0075	Root and tuber vegetables (group)	0.05				CXL	2010	43		2011	
HS 0191	Spices, fruits and berries	0.03				CXL	2010	43		2011	
HS 0193	Spices, roots and rhizomes	0.05				CXL	2010	43		2011	
AS 0081	Straw and hay of cereal grains except pseudocereals	1	(dw)			CXL	2019	52		2021	

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FB 0275	Strawberry	3			4	2019	52			On the basis of the information provided to JMPR it was concluded that the estimated acute dietary exposure to residues of bifenthrin for the consumption of strawberries may present a public health concern. CCPR noted the 2019 JMPR conclusion that the estimated acute dietary exposure to residues of bifenthrin in strawberries may present a public health concern (JMPR 2019). For strawberries, CCPR agreed to revoke the CXL, withdraw the proposed MRL currently at Step 4 and to retain the proposed MRL of 3 mg/kg at Step 4 waiting for advice on the availability of an alternative GAP or other information (PR52:73-74).
DT 1114	Tea, green, black (black, fermented and dried)	30			CXL	2010	43		2011	
VO 0448	Tomato	0.3			CXL	2010	43		2011	
TN 0085	Tree nuts (group)	0.05			CXL	2010	43		2011	
GC 0654	Wheat	0.5	Po		CXL	2010	43		2011	
CM 0654	Wheat bran, unprocessed	2	PoP		CXL	2010	43		2011	
CF 1210	Wheat germ	1	Po		CXL	2010	43		2011	

179 Cycloxydim

Main Uses: Herbicide

ADI: 0-0.07 mg/kg bw (2009)

ARfD: 2 mg/kg bw for women of childbearing age - unnecessary for general population (2009)

Residue: For compliance with the MRLs and estimation of dietary intake for plant and animal commodities: Cycloxydim, metabolites and degradation products which can be oxidized to 3-(3-thianyl) glutaric acid S-dioxide and 3-hydroxy-3-(3-thianyl) glutaric acid S-dioxide, expressed as cycloxydim.
The residue is not fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VD 0071	Beans (dry)	30			CXL	12	45		2013	
VP 0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	15	(green pods & immature seeds)		CXL	12	45		2013	
VR 0574	Beetroot	0.2			CXL	12	45		2013	
VB 0040	Brassica vegetables (except Brassica leafy vegetables) (group)	9			CXL	12	45		2013	
VR 0577	Carrot	5			CXL	12	45		2013	
VR 0578	Celeriac	1			CXL	12	45		2013	
MO 0105	Edible offal (mammalian)	0.5			CXL	12	45		2013	
PE 0112	Eggs	0.15			CXL	12	45		2013	
FB 0269	Grapes	0.3			CXL	12	45		2013	
VL 4355	Kale, curly	3			CXL	12	45		2013	
VA 0384	Leek	4			CXL	12	45		2013	
VL 0482	Lettuce, head	1.5			CXL	12	45		2013	
VL 0483	Lettuce, leaf	1.5			CXL	12	45		2013	
SO 0693	Linseed	7			CXL	12	45		2013	
GC 0645	Maize	0.2			CXL	12	45		2013	
AS 0645	Maize fodder (dry)	2			CXL	12	45		2013	
MF 0100	Mammalian fats (except milk fats)	0.1			CXL	12	45		2013	
MM 0095	Meat (from mammals other than marine mammals)	0.06			CXL	12	45		2013	
ML 0106	Milks	0.02			CXL	12	45		2013	
VA 0385	Onion, bulb	3			CXL	12	45		2013	
VD 0072	Peas (dry)	30			CXL	12	45		2013	
VP 0064	Peas, shelled (succulent seeds)	15			CXL	12	45		2013	
VO 0051	Peppers (subgroup)	9			CXL	12	45		2013	
HS 0444	Peppers chili, dried	90			CXL	12	45		2013	
FP 0009	Pome fruits (group)	0.09	(*)		CXL	12	45		2013	
VR 0589	Potato	3			CXL	12	45		2013	
PF 0111	Poultry fats	0.03	(*)		CXL	12	45		2013	
PM 0110	Poultry meat	0.03	(*)		CXL	12	45		2013	
PO 0111	Poultry, edible offal of	0.02			CXL	12	45		2013	
SO 0495	Rape seed	7			CXL	12	45		2013	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
GC 0649	Rice		0.09	(*)		CXL	12	45		2013	
AS 0649	Rice, hay and/or straw		0.09			CXL	12	45		2013	
VD 0541	Soya bean (dry)		80			CXL	12	45		2013	
FS 0012	Stone fruits (group)		0.09	(*)		CXL	12	45		2013	
FB 0275	Strawberry		3			CXL	12	45		2013	
VR 0596	Sugar beet		0.2			CXL	12	45		2013	
SO 0702	Sunflower seed		6			CXL	12	45		2013	
VR 0497	Swede		0.2			CXL	12	45		2013	
VO 0448	Tomato		1.5			CXL	12	45		2013	

180 Dithianon

Main Uses: Fungicide
 ADI: 0.01 mg/kg bw (2010)
 ARfD: 0.1 mg/kg bw (2010)
 Residue: For compliance with MRL and for estimation of dietary intake for plant and animal commodities: Dithianon.
 The residue is not fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
TN 0660	Almonds	0.05 (*)			CXL	2013	46		2014	
FB 0021	Currants, black, red, white	2			CXL	2013	46		2014	
MO 0105	Edible offal (mammalian)	0.01 (*)			CXL	2013	46		2014	
PE 0112	Eggs	0.01 (*)			CXL	2013	46		2014	
DF 0269	Grape, dried (= Currants, Raisins and Sultanas)	3.5			CXL	2013	46		2014	
DH 1100	Hops, dry	300			CXL	2013	46		2014	
MM 0095	Meat (from mammals other than marine mammals)	0.01 (*)			CXL	2013	46		2014	
ML 0106	Milks	0.01 (*)			CXL	2013	46		2014	
FP 0009	Pome fruits (group)	1			CXL	2013	46		2014	
PM 0110	Poultry meat	0.01 (*)			CXL	2013	46		2014	
PO 0111	Poultry, edible offal of	0.01 (*)			CXL	2013	46		2014	
FS 0012	Stone fruits (group)	2			CXL	2013	46		2014	
FB 1235	Table-grapes	2			CXL	2013	46		2014	
FB 1236	Wine-grapes	5			CXL	2013	46		2014	

181 Myclobutanil

Main Uses: Fungicide
 ADI: 0.03 mg/kg bw (2014)

ARfD: 0.3 mg/kg bw (2014)

Residue: For compliance with the MRL) for plant and animal commodities: Myclobutanil.

For estimation of dietary intake for and animal commodities: Myclobutanil.

For estimation of dietary intake) for plant commodities: Sum of myclobutanil, α -(4-chlorophenyl)- α -(3-hydroxybutyl)-1H-1,2,4-triazole- 1-propanenitrile (RH-9090) and its conjugates, expressed as myclobutanil.

The residue is not fat-soluble.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VP	0061	Beans with pods (<i>Phaseolus spp.</i>) immature pods and succulent seeds)	0.8			CXL	2014	47		2015	
VB	0040	Brassica vegetables (except Brassica leafy vegetables) (group)	0.05			CXL	2014	47		2015	
VA	0035	Bulb vegetables (group)	0.06			CXL	2014	47		2015	
FS	0013	Cherries (subgroup)	3			CXL	2014	47		2015	
FB	0021	Currants, black, red, white	0.9			CXL	2014	47		2015	
MO	0105	Edible offal (mammalian)	0.01	(*)		CXL	2014	47		2015	
PE	0112	Eggs	0.01	(*)		CXL	2014	47		2015	
VC	0045	Fruiting vegetables, cucurbits (group)	0.2			CXL	2014	47		2015	
DF	0269	Grape, dried (= Currants, Raisins and Sultanas)	6			CXL	2014	47		2015	
FB	0269	Grapes	0.9			CXL	2014	47		2015	
DH	1100	Hops, dry	5			CXL	2014	47		2015	
VL	0053	Leafy vegetables	0.05			CXL	2014	47		2015	
AL	0157	Legume animal feeds	0.2			CXL	2014	47		2015	
MF	0100	Mammalian fats (except milk fats)	0.01	(*)		CXL	2014	47		2015	
MM	0095	Meat (from mammals other than marine mammals)	0.01	(*)		CXL	2014	47		2015	
ML	0106	Milks	0.01	(*)		CXL	2014	47		2015	
FS	2001	Peaches (including apricots and nectarine) (subgroup)	3			CXL	2014	47		2015	
VO	0051	Peppers (subgroup)	3			CXL	2014	47		2015	
HS	0444	Peppers chili, dried	20			CXL	2014	47		2015	
FS	0014	Plums (including fresh prunes) (subgroup)	2			CXL	2014	47		2015	
FP	0009	Pome fruits (group)	0.6			CXL	2014	47		2015	
PF	0111	Poultry fats	0.01	(*)		CXL	2014	47		2015	
PM	0110	Poultry meat	0.01	(*)		CXL	2014	47		2015	
PO	0111	Poultry, edible offal of	0.01	(*)		CXL	2014	47		2015	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VR	0075	Root and tuber vegetables (group)	0.06			CXL	2014	47		2015	
AS	0081	Straw and hay of cereal grains except pseudocereals	0.3			CXL	2014	47		2015	
FB	0275	Strawberry	0.8			CXL	2014	47		2015	
VO	0448	Tomato	0.3			CXL	2014	47		2015	

182 Penconazole

Main Uses: Fungicide

ADI: 0–0.03 mg/kg bw (2015)

ARfD: 0.8 mg/kg bw (2015)

Residue: For compliance with the MRL for plant and animal commodities: Penconazole.

For dietary risk assessment) for plant commodities: Sum of penconazole and 4-(2,4-dichloro-phenyl)-5-[1,2,4]triazol-1-yl-pentan-2-ol (free and conjugated), expressed as penconazole.

For dietary risk assessment) for animal commodities: Sum of penconazole, 4-(2,4-dichloro-phenyl)-5-[1,2,4]triazol-1-yl-pentan-2-ol (free and conjugated) and 4-(2,4-dichloro-phenyl)-5-[1,2,4]triazol-1-yl-pentanoic acid , expressed as penconazole.

The residue is fat soluble.

Note: 1,2,4-Triazole (2015) ADI: 0–0.2 mg/kg bw; ARfD: 0.3 mg/kg bw.

Triazole alanine and triazole acetic acid(2015) ADI: 0–1 mg/kg bw; ARfD: 3 mg/kg bw.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FP	0226	Apple	0.1			CXL	2016	49		2017	
VS	0620	Artichoke, globe	0.06			CXL	2016	49		2017	
VC	0424	Cucumber	0.06			CXL	2016	49		2017	
FB	0278	Currant, black	2			CXL	2016	49		2017	
MO	0105	Edible offal (mammalian)	0.05	(*)		CXL	2016	49		2017	
VO	0440	Egg plant	0.09			CXL	2016	49		2017	
PE	0112	Eggs	0.05	(*)		CXL	2016	49		2017	
VC	0425	Gherkin	0.06			CXL	2016	49		2017	
DF	0269	Grape, dried (= Currants, Raisins and Sultanas)	1.5			CXL	2016	49		2017	
FB	0269	Grapes	0.4			CXL	2016	49		2017	
MF	0100	Mammalian fats (except milk fats)	0.05	(*)		CXL	2016	49		2017	
MM	0095	Meat (from mammals other than marine mammals)	0.05	(*)		CXL	2016	49		2017	
VC	0046	Melons, except watermelon	0.15			CXL	2016	49		2017	
ML	0106	Milks	0.01	(*)		CXL	2016	49		2017	
FS	2001	Peaches (including apricots and nectarine) (subgroup)	0.08			CXL	2016	49		2017	
FP	0230	Pear	0.1			CXL	2016	49		2017	
VO	0445	Peppers, sweet (including pimento or pimiento)	0.2			CXL	2016	49		2017	
PM	0110	Poultry meat	0.05	(*)		CXL	2016	49		2017	
PO	0111	Poultry, edible offal of	0.05	(*)		CXL	2016	49		2017	
VC	0431	Squash, summer	0.06			CXL	2016	49		2017	
FB	0275	Strawberry	0.5			CXL	2016	49		2017	
VO	0448	Tomato	0.09			CXL	2016	49		2017	

184 Etofenprox

Main Uses:	Insecticide
ADI:	0-0.03 mg/kg bw (2011)
ARfD:	1 mg/kg bw (2011)
Residue:	For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Etofenprox. The residue is fat soluble.
Note:	CCPR recalled that the compound was no longer supported at the international level. However, as the compound has not yet been scheduled for period re-evaluation, CCPR decided to postpone consideration of this compound (36-162).

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FP	0226	Apple	0.6			CXL	11	44		2012	
VD	0071	Beans (dry)	0.05			CXL	11	44		2012	
MO	0105	Edible offal (mammalian)	0.05			CXL	11	44		2012	
PE	0112	Eggs	0.01	(*)		CXL	11	44		2012	
DF	0269	Grape, dried (= Currents, Raisins and Sultanas)	8			CXL	11	44		2012	
FB	0269	Grapes	4			CXL	11	45	44	2013	
GC	0645	Maize	0.05	(*)		CXL	11	44		2012	
MM	0095	Meat (from mammals other than marine mammals)	0.5	(fat)		CXL	11	44		2012	
ML	0106	Milks	0.02			CXL	11	44		2012	
FS	0245	Nectarine	0.6			CXL	11	44		2012	
FS	0247	Peach	0.6			CXL	11	44		2012	
FP	0230	Pear	0.6			CXL	11	44		2012	
PM	0110	Poultry meat	0.01	(*)		CXL	11	44		2012	
PO	0111	Poultry, edible offal of	0.01	(*)		CXL	11	44		2012	
SO	0495	Rape seed	0.01	(*)		CXL	11	44		2012	
GC	0649	Rice	0.01	(*)		CXL	11	44		2012	
AS	0649	Rice, hay and/or straw	0.05			CXL	11	44		2012	

185 Fenpropathrin

Main Uses: Acaricide and Insecticide
 ADI: 0-0.03 mg/kg bw (2012)
 ARfD: 0.03 mg/kg bw (2012)
 Residue: For compliance with the MRL and for dietary risk assessment for plant and animal commodities: Fenpropathrin.
 The residue is fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AM 0660	Almond hulls	10			CXL	2014	47		2015	
FC 0001	Citrus fruits (group)	2			CXL	2014	47		2015	
OR 0001	Citrus oil, edible	100			CXL	2014	47		2015	
SB 0716	Coffee beans	0.03			CXL	2014	47		2015	
MO 0105	Edible offal (mammalian)	0.01			CXL	2014	47		2015	
PE 0112	Eggs	0.01	(*)		CXL	2014	47		2015	
MF 0100	Mammalian fats (except milk fats)	0.03			CXL	2014	47		2015	
MM 0095	Meat (from mammals other than marine mammals)	0.01			CXL	2014	47		2015	
ML 0106	Milks	0.01			CXL	2014	47		2015	
VO 0051	Peppers (subgroup)	1			CXL	2014	47		2015	
HS 0444	Peppers chili, dried	10			CXL	2014	47		2015	
FS 0014	Plums (including fresh prunes) (subgroup)	1			CXL	2014	47		2015	
PF 0111	Poultry fats	0.01	(*)		CXL	2014	47		2015	
PM 0110	Poultry meat	0.01	(*) (fat)		CXL	2014	47		2015	
PO 0111	Poultry, edible offal of	0.01	(*)		CXL	2014	47		2015	
DF 0014	Prunes	3			CXL	2014	47		2015	
VD 0541	Soya bean (dry)	0.01			CXL	2014	47		2015	
FB 0275	Strawberry	2			CXL	2014	47		2015	
DT 1114	Tea, green, black (black, fermented and dried)	3			CXL	2014	47		2015	
VO 0448	Tomato	1			CXL	2014	47		2015	
TN 0085	Tree nuts (group)	0.15			CXL	2014	47		2015	

187 Clethodim

Main Uses: Herbicide
 ADI: 0-0.2 mg/kg bw (2019).
 ARfD: Unnecessary (2019)
 Residue: For compliance with the MRL for plant commodities: Sum of clethodim and its metabolites convertible to dimethyl 3-[2-(ethylsulfonyl)propyl]-pentanedioate (DME) and dimethyl 3-[2-(ethylsulfonyl)propyl]-3-hydroxy-pantanedioate (DME-OH), expressed as clethodim.
 For compliance with the MRL for animal commodities: Sum of clethodim and its metabolites convertible to dimethyl 3-[2-(ethylsulfonyl)propyl]-pentanedioate (DME), expressed as clethodim.
 Definition of the residue for dietary risk assessment for plant and animal commodities: A conclusion could not be reached.
 The residue is fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AL	1020	Alfalfa fodder	10			CXL	97	35	31-34	2003	Recommended for withdrawal
AL	0061	Bean fodder	10			CXL	99	35	33, 34	2003	Recommended for withdrawal
VD	0071	Beans (dry)	2			CXL	99	35	28, 31-34	2003	Recommended for withdrawal
VP	0061	Beans with pods (<i>Phaseolus spp.</i>) immature pods and succulent seeds)	0.5	(*)		CXL	97	35	31-34	2003	Recommended for withdrawal
SO	0691	Cotton seed	0.5			CXL	94	35	28,31-34	2003	Recommended for withdrawal
OC	0691	Cotton seed oil, crude	0.5	(*)		CXL	94,97	35	28,31-34	2003	Recommended for withdrawal
OR	0691	Cotton seed oil, edible	0.5	(*)		CXL	94,97	35	28,31-33	2003	Recommended for withdrawal
MO	0105	Edible offal (mammalian)	0.2	(*)		CXL	99	35	33,34	2003	Recommended for withdrawal
PE	0112	Eggs	0.05	(*)		CXL	99	35	33	2003	Recommended for withdrawal
VD	0561	Field pea (dry)	2			CXL	94,97	35	28,31-34	2003	Recommended for withdrawal
AM	1051	Fodder beet	0.1	(*)		CXL	97	35	31-34	2003	Recommended for withdrawal
VA	0381	Garlic	0.5			CXL	97	35	31-34	2003	Recommended for withdrawal
MM	0095	Meat (from mammals other than marine mammals)	0.2	(*)		CXL	99	35	33,34	2003	Recommended for withdrawal

Commodity		Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name								
ML 0106	Milks		0.05	(*)	CXL	99	35	33,34	2003 Recommended for withdrawal
VA 0385	Onion, bulb		0.5		CXL	97	35	31-34	2003 Recommended for withdrawal
SO 0697	Peanut		5		CXL	97	35	31-34	2003 Recommended for withdrawal
VR 0589	Potato		0.5		CXL	99	35	28,31,33,34	2003 Recommended for withdrawal
PM 0110	Poultry meat		0.2	(*)	CXL	99	35	33,34	2003 Recommended for withdrawal
PO 0111	Poultry, edible offal of		0.2	(*)	CXL	99	35	33	2003 Recommended for withdrawal
SO 0495	Rape seed		0.5		CXL	94	35	28,31-34	2003 Recommended for withdrawal
OC 0495	Rape seed oil, crude		0.5	(*)	CXL	94,97	35	28,31-34	2003 Recommended for withdrawal
OR 0495	Rape seed oil, edible		0.5	(*)	CXL	94,97	35	28,31-34	2003 Recommended for withdrawal
VD 0541	Soya bean (dry)		10		CXL	94	35	28,31-34	2003 Recommended for withdrawal
OC 0541	Soya bean oil, crude		1		CXL	94	35	28,31-34	2003 Recommended for withdrawal
OR 0541	Soya bean oil, refined		0.5	(*)	CXL	94,97	35	28,31-34	2003 Recommended for withdrawal
VR 0596	Sugar beet		0.1		CXL	94,97	35	28,31-34	2003 Recommended for withdrawal
SO 0702	Sunflower seed		0.5		CXL	99	35	28,31,33,34	2003 Recommended for withdrawal
OC 0702	Sunflower seed oil, crude		0.1	(*)	CXL	99	35	28,31,33,34	2003 Recommended for withdrawal
VO 0448	Tomato		1		CXL	97	35	31-34	Recommended for withdrawal

188 Fenpropimorph

Main Uses: Fungicide

ADI: 0-0.004 mg/kg bw (2017)

ARfD: 0.1; 0.4 0.1 mg/kg bw (Woman of child bearing age); 0.4 mg/kg bw (General population) (2017)

Residue: For compliance with MRLs and for estimation of dietary exposure for plant commodities: Fenpropimorph.

For compliance with the MRLs and for estimation of dietary exposure for animal commodities:

2-methyl-2-[4-[2-methyl-3-(cis-2,6-dimethylmorpholin-4-yl)propyl]phenyl]propionic acid, expressed as fenpropimorph.

The residue is not fat soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FI	0327	Banana	2			CXL	2017	50		2018	
GC	0640	Barley	0.2			CXL	2017	50		2018	
AS	0640	Barley, hay and/or straw	0.5			CXL	2017	50		2018	
MO	0105	Edible offal (mammalian)	0.7			CXL	2017	50		2018	
PE	0112	Eggs	0.005 (*)			CXL	2017	50		2018	
MF	0100	Mammalian fats (except milk fats)	0.05			CXL	2017	50		2018	
MM	0095	Meat (from mammals other than marine mammals)	0.04			CXL	2017	50		2018	
ML	0106	Milks	0.01			CXL	2017	50		2018	
AS	0647	Oat straw and fodder, dry	0.5			CXL	2017	50		2018	
GC	0647	Oats	0.2			CXL	2017	50		2018	
PF	0111	Poultry fats	0.005 (*)			CXL	2017	50		2018	
PM	0110	Poultry meat	0.005 (*)			CXL	2017	50		2018	
PO	0111	Poultry, edible offal of	0.005 (*)			CXL	2017	50		2018	
GC	0650	Rye	0.07			CXL	2017	50		2018	
AS	0650	Rye straw and fodder, dry	0.5			CXL	2017	50		2018	
VR	0596	Sugar beet	0.03			CXL	2017	50		2018	
AB	0596	Sugar beet pulp, dry	0.1			CXL	2017	50		2018	
GC	0653	Triticale	0.07			CXL	2017	50		2018	
AS	0653	Triticale, hay and/or straw	0.5			CXL	2017	50		2018	
GC	0654	Wheat	0.07			CXL	2017	50		2018	
CM	0654	Wheat bran, unprocessed	0.2			CXL	2017	50		2018	
CF	1210	Wheat germ	0.3			CXL	2017	50		2018	
CF	1212	Wheat wholemeal	0.1			CXL	2017	50		2018	
AS	0654	Wheat, hay and/or straw	0.5			CXL	2017	50		2018	

189 Tebuconazole

Main Uses: Fungicide
 ADI: 0-0.03 mg/kg bw (2010)
 ARfD: 0.3 mg/kg bw (2010)
 Residue: For compliance with the MRL and for estimation of dietary exposure for plant and animal commodities: Tebuconazole.
 Residue is not fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FP	0226	Apple	1			CXL	11	44	43	2012	
FS	0240	Apricot	2			CXL	11	44		2012	
VS	0620	Artichoke, globe	0.6			CXL	11	44		2012	
VS	0621	Asparagus	0.02 (*)			CXL	2015	48		2016	
FI	0327	Banana	1.5			CXL	2015	48		2016	
GC	0640	Barley	2			CXL	11	44		2012	
AS	0640	Barley, hay and/or straw	40			CXL	11	44		2012	
VD	0071	Beans (dry)	0.3			CXL	11	44		2012	
VP	2060	Beans with pods (subgroup)	3			CXL	2017	50		2018	
VB	0400	Broccoli	0.2			CXL	11	44		2012	
VB	0402	Brussels sprouts	0.3			CXL	11	44		2012	
VB	0041	Cabbages, head	1			CXL	11	44		2012	
VR	0577	Carrot	0.4			CXL	11	44		2012	
VB	0404	Cauliflower	0.05 (*)			CXL	11	44		2012	
FS	0013	Cherries (subgroup)	4			CXL	11	44		2012	
AB	0001	Citrus pulp, dried	3 (dw)			CXL	2019	52		2021	
SB	0716	Coffee beans	0.1			CXL	11	44		2012	Recommended for withdrawal by JMPR
SB	0716	Coffee beans	0.4			3	2021	53			
SO	0691	Cotton seed	2			CXL	11	44		2012	
VC	0424	Cucumber	0.2			CXL	2015	48		2016	
MO	0105	Edible offal (mammalian)	0.2			CXL	11	44		2012	
VO	0440	Egg plant	0.1			CXL	11	44		2012	
PE	0112	Eggs	0.05 (*)			CXL	11	44		2012	
FB	0267	Elderberries	1.5			CXL	11	44		2012	
VA	0381	Garlic	0.1			CXL	11	44		2012	
VR	0604	Ginseng	0.15			CXL	2015	48		2016	
DV	0604	Ginseng, dried including red ginseng	0.4			CXL	2015	48		2016	
DM	0604	Ginseng, extracts	0.5			CXL	2015	48		2016	
DF	0269	Grape, dried (= Currants, Raisins and Sultanas)	7			CXL	11	44		2012	
FB	0269	Grapes	6			CXL	11	44		2012	
DH	1100	Hops, dry	40			CXL	11	44		2012	
VA	0384	Leek	0.7			CXL	11	44		2012	
VL	0482	Lettuce, head	5			CXL	08	43	44	2012	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FC 0003	Mandarins (including mandarin-like hybrids) (subgroup)		0.7	Po		CXL	2019	52		2021	
FI 0345	Mango		0.05			CXL	11	44		2012	
MM 0095	Meat (from mammals other than marine mammals)		0.05	(*)		CXL	11	44		2012	
VC 0046	Melons, except watermelon		0.15			CXL	11	44		2012	
ML 0106	Milks		0.01	(*)		CXL	11	44		2012	
FS 0245	Nectarine		2			CXL	11	44		2012	
GC 0647	Oats		2			CXL	11	44		2012	
VA 0385	Onion, bulb		0.15			CXL	2015	48		2016	
OR 0004	Orange oil, edible		10			CXL	2019	52		2021	
FC 0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)		0.4	Po		CXL	2019	52		2021	
FI 0350	Papaya		2			CXL	11	44		2012	
FI 0351	Passion fruit		0.1			CXL	11	44		2012	
FS 0247	Peach		2			CXL	11	44		2012	
SO 0697	Peanut		0.15			CXL	11	44		2012	
AL 0697	Peanut fodder		40			CXL	11	44		2012	
FP 0230	Pear		1			CXL	11	44		2012	
HS 0444	Peppers chili, dried		10			CXL	11	44		2012	
VO 0445	Peppers, sweet (including pimento or pimiento)		1			CXL	11	44		2012	
FS 0014	Plums (including fresh prunes) (subgroup)		1		except prunes	CXL	11	44		2012	
PM 0110	Poultry meat		0.05	(*)		CXL	11	44		2012	
PO 0111	Poultry, edible offal of		0.05	(*)		CXL	11	44		2012	
DF 0014	Prunes		3			CXL	11	44		2012	
SO 0495	Rape seed		0.3			CXL	11	44		2012	
GC 0649	Rice		1.5			CXL	11	44		2012	
GC 0650	Rye		0.15			CXL	11	44		2012	
AS 0650	Rye straw and fodder, dry		40			CXL	11	44		2012	
VA 0388	Shallot		0.15			CXL	2015	48		2016	
VD 0541	Soya bean (dry)		0.15			CXL	11	44		2012	
VA 0389	Spring onion		2			CXL	2015	48		2016	
VC 0431	Squash, summer		0.2			CXL	11	44		2012	
SO 0702	Sunflower seed		0.1			CXL	2015	48		2016	
VO 0447	Sweet corn (corn-on-the-		0.6			CXL	11	44		2012	
FT 0305	Table olives		0.05	(*)		CXL	11	44		2012	
VO 0448	Tomato		0.7			CXL	11	44		2012	
TN 0085	Tree nuts (group)		0.05	(*)		CXL	11	44		2012	
GC 0653	Triticale		0.15			CXL	11	44		2012	
GC 0654	Wheat		0.15			CXL	11	44		2012	
AS 0654	Wheat, hay and/or straw		40			CXL	11	44		2012	

190 Teflubenzuron

Main Uses: Insect growth regulator

ADI: 0-0.005 mg/kg bw (2016)

ARfD: Unnecessary (2016)

Residue: For compliance with the MRL and for dietary risk assessment for plant and animal commodities: Teflubenzuron.

The residue is fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FP 0226	Apple	0.5			CXL	2016	49		2017	
VB 0404	Cauliflower	0.01 (*)			CXL	2016	49		2017	
SB 0716	Coffee beans	0.3			CXL	2016	49		2017	
VC 0424	Cucumber	0.5			CXL	2016	49		2017	
MO 0105	Edible offal (mammalian)	0.01 (*)			CXL	2016	49		2017	
PE 0112	Eggs	0.01 (*)			CXL	2016	49		2017	
VC 0425	Gherkin	1.5			CXL	2016	49		2017	
FB 0269	Grapes	0.7			CXL	2016	49		2017	
FC 0002	Lemons and limes (including citron) (subgroup)	0.5		(includes all commodities in this subgroup)	CXL	2016	49		2017	
GC 0645	Maize	0.01 (*)			CXL	2016	49		2017	
OR 0645	Maize oil, edible	0.015			CXL	2016	49		2017	
MF 0100	Mammalian fats (except milk fats)	0.01 (*)			CXL	2016	49		2017	
MM 0095	Meat (from mammals other than marine mammals)	0.01 (*)			CXL	2016	49		2017	
VC 0046	Melons, except watermelon	0.3			CXL	2016	49		2017	
FM 0183	Milk fats	0.01 (*)			CXL	2016	49		2017	
ML 0107	Milk of cattle, goats & sheep	0.01 (*)			CXL	2016	49		2017	
OR 0004	Orange oil, edible	126			CXL	2016	49		2017	
FC 0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.5		(includes all commodities in this subgroup)	CXL	2016	49		2017	
FI 0350	Papaya	0.4			CXL	2016	49		2017	
PF 0111	Poultry fats	0.01 (*)			CXL	2016	49		2017	
PM 0110	Poultry meat	0.01 (*)			CXL	2016	49		2017	
PO 0111	Poultry, edible offal of	0.01 (*)			CXL	2016	49		2017	
VD 0541	Soya bean (dry)	0.05			CXL	2016	49		2017	
AB 0541	Soya bean hulls	0.2			CXL	2016	49		2017	
GS 0659	Sugar cane	0.01 (*)			CXL	2016	49		2017	
SO 0702	Sunflower seed	0.3			CXL	2016	49		2017	
VO 0448	Tomato	1.5			CXL	2016	49		2017	

191 Tolclofos-Methyl

Main Uses: Fungicide
 ADI: 0.07 mg/kg bw 1994. 2019 (reaffirmed)
 ARfD: Unnecessary (2019)

Residue: For compliance with the MRL for plant and animal commodities: Tolclofos-methyl.
 For dietary risk assessment for plant commodities: Sum of tolclofos-methyl, 2,6-dichloro-4-methylphenol (ph-CH₃, incl. conjugates), O,O-dimethyl O-2,6-dichloro-4-(hydroxymethyl) phenylphosphorothioate (TM-CH₂OH, incl. conjugates), O-methyl O-hydrogen O-2,6-dichloro-4-(hydroxymethyl) phenylphosphorothioate (DM-TM-CH₂OH) and O-methyl O-hydrogen O-(2,6-dichloro-4-methylphenyl) phosphorothioate (DM-TM), expressed as tolclofos-methyl.
 For dietary risk assessment for animal commodities: Sum of tolclofos-methyl and 3,5-dichloro-4-hydroxybenzoic acid (ph-COOH)

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
MO 0105	Edible offal (mammalian)	0.01 (*)			CXL	2019	52		2021	
PE 0112	Eggs	0.01 (*)			CXL	2019	52		2021	
VL 2050	Leafy greens (subgroup)	0.7	(except spinach, purslane and chard)		CXL	2019	52		2021	
MF 0100	Mammalian fats (except milk fats)	0.01 (*)			CXL	2019	52		2021	
MM 0095	Meat (from mammals other than marine mammals)	0.01 (*)			CXL	2019	52		2021	
ML 0106	Milks	0.01 (*)			CXL	2019	52		2021	
VR 0589	Potato	0.3			CXL	2019	52		2021	
PF 0111	Poultry fats	0.01 (*)			CXL	2019	52		2021	
PM 0110	Poultry meat	0.01 (*)			CXL	2019	52		2021	
PO 0111	Poultry, edible offal of	0.01 (*)			CXL	2019	52		2021	

193 Fenpyroximate

Main Uses: Acaricide

ADI: 0–0.005 mg/kg bw (2021)

ARfD: 0.005 mg/kg bw (2021)

Residue: For compliance with the MRL for plant commodities: Fenpyroximate.For dietary risk assessment for plant commodities and for dietary burden calculations: Sum of parent fenpyroximate and tert-butyl (Z)- α -(1,3-dimethyl-5-phenoxyypyrazol-4-yl)methyleneamino-oxy)-p-toluate (its Z-isomer M-1), expressed as fenpyroximate.For compliance with the MRL for animal commodities: Sum of fenpyroximate and (E)-4-[(1,3-dimethyl-5-phenoxyypyrazol-4-yl)methyleneaminooxymethyl]benzoic acid (M-3), expressed as fenpyroximate.For dietary risk assessment for animal commodities: Sum of fenpyroximate, 2-hydroxymethyl-2-propyl (E)-4-[(1,3-dimethyl-5-phenoxyypyrazol-4-yl)methyleneaminooxymethyl]benzoate (Fen-OH), 2-hydroxy-2-methylpropyl (E)- α -(1,3-dimethyl-5-phenoxyypyrazol-4-yl)methyleneamino-oxy)-p-toluate (R-UL-1) and (E)-4-[(1,3-dimethyl-5-phenoxyypyrazol-4-yl)methyleneaminooxymethyl]benzoic acid (M-3), expressed as fenpyroximate.

The residue is fat-soluble.

Note: The ADI and ARfD can be applied to metabolites M-1, M-3, M-5, M-21, M-22 and Fen-OH (2021). The 2021 Regular JMPR revised the ARfD for fenpyroximate, a new acute dietary risk assessment for all recommendations made by the 2017 and 2018 JMPRs was conducted in addition to those commodities considered by the current Meeting. Based on the revised ARfD, the current Meeting confirmed the 2017 JMPR conclusion that the estimated acute dietary exposure to residues of fenpyroximate for the consumption of commodities from FS 0013 Subgroup of cherries, FS 0247 Peach, VC 0432 Watermelon may present a public health concern. Alternative GAP data were available for plums, so the 2017 JMPR exceedances noted for FS 0014 Plums and dried plum no longer exist.

In addition, the current Meeting also concluded, based on the revised ARfD, that the estimated acute dietary exposure to residues of fenpyroximate for the consumption of commodities FP 0226 Apple, FP 0230 Pear, FS 0240 Apricot, VC 0046 Melons (except watermelon), VO 2045 Subgroup of Tomatoes, VO 2046 Subgroup of Eggplants, VP 2060 Subgroup of Beans with pods as previously considered by the 2017 and 2018 JMPRs may present a public health concern.

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FP 0226	Apple	0.2			CXL	2017	50		2018	
DF 0226	Apples, dried	1			CXL	2017	50		2018	
FS 0240	Apricot	0.4			4	2017	50			CCPR kept the proposed MRLs for apricot; cherries; peach; plums (including fresh prunes); and watermelon at Step 4, awaiting the evaluation by the 2020 JMPR (51:82).
FI 0326	Avocado	0.2			CXL	2017	50		2018	
VP 2060	Beans with pods (subgroup)	0.5			CXL	2017	50		2018	
FB 2006	Bush berries (subgroup)	2			3	2021	53			See Mandarins.
FB 2005	Cane berries (subgroup)	3			3	2021	53			See Mandarins.
FS 0013	Cherries (subgroup)	2			CXL	2013	46		2014	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FS	0013	Cherries (subgroup)	2			4	2017	50			The information provided to JMPR precludes an estimate that the dietary exposure for cherry, peach, plums, watermelon, dried tomatoes and dried plums would be below the ARfD. CCPR kept the proposed MRLs for apricot; cherries; peach; plums (including fresh prunes); and watermelon at Step 4, awaiting the evaluation by the 2020 JMPR (51:82).
FC	0001	Citrus fruits (group)	0.6		CXL	2017	50		2018		Recommended for withdrawal by JMPR
OR	0001	Citrus oil, edible	25		CXL	2017	50		2018		Recommended for withdrawal by JMPR
SB	0716	Coffee beans	0.07		CXL	2017	50		2018		
VC	0424	Cucumber	0.3		CXL	2017	50		2018		Recommended for withdrawal by JMPR
MO	0105	Edible offal (mammalian)	0.5		CXL	2018	51		2019		Recommended for withdrawal by JMPR
MO	0105	Edible offal (mammalian)	0.8		3	2021	53				
VO	2046	Eggplants (subgroup)	0.3		CXL	2017	50		2018		
VC	2039	Fruiting vegetables, cucurbits - cucumbers and summer squashes (subgroup)	0.3		3	2021	53				See Mandarins
DF	0269	Grape, dried (= Currants, Raisins and Sultanas)	0.2		CXL	2017	50		2018		
FB	0269	Grapes	0.1		CXL	2017	50		2018		
DH	1100	Hops, dry	15		CXL	2017	50		2018		
FC	0002	Lemons and limes (including citron) (subgroup)	1		3	2021	53				
OR	0002	Lemons and limes, edible oil refined	150		3	2021	53				
AB	0002	Lemons and limes, dried pulp	6	(dw)	3	2021	53				
GC	0645	Maize	0.01	(*)	CXL	2017	50		2018		
AS	0645	Maize fodder (dry)	5		CXL	2017	50		2018		
MF	0100	Mammalian fats (except milk fats)	0.1		CXL	2018	51		2019		Recommended for withdrawal by JMPR
MF	0100	Mammalian fats (except milk fats)	0.2		3	2021	53				

Commodity Code		Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FC	0003	Mandarins (including mandarin-like hybrids) (subgroup)	1			3	2021	53			On the basis of the information provided to the JMPR it was concluded that the estimated acute dietary exposure to residues of fenpyroximate for the consumption of commodities from the subgroups of Mandarins, Oranges, sweet, sour, Cane berries, Bush berries, Cucumbers and Summer squash, and Stems and Petioles may present a public health concern.
OR	0003	Mandarins oil, edible	150			3	2021	53			
MM	0095	Meat (from mammals other than marine mammals)	0.1	(fat)		CXL	2018	51		2019	Recommended for withdrawal by JMPR
MM	0095	Meat (from mammals other than marine mammals)	0.2	(fat)		3	2021	53			
VC	0046	Melons, except watermelon	0.2			CXL	2017	50		2018	
ML	0106	Milks	0.01			CXL	2018	51		2019	Recommended for withdrawal by JMPR
ML	0106	Milks	0.01			3	2021	53			
AB	0004	Oranges, dried pulp	4	(dw)		3	2021	53			
OR	0004	Orange oil, edible	100			3	2021	53			
FC	0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.7			3	2021	53			See Mandarins.
FS	0247	Peach	0.8			4	2017	50			
FP	0230	Pear	0.2			CXL	2017	50		2018	
VO	0051	Peppers (subgroup)	0.2		(except martynia, okra and roselle)	CXL	2017	50		2018	
FS	0014	Plums (including fresh prunes) (subgroup)	0.8			4	2017	50			See apricot. Recommended for withdrawal by JMPR
FS	0014	Plums (including fresh prunes) (subgroup)	0.05			3	2021	53			
VR	0589	Potato	0.05	(*)		CXL	2017	50		2018	
DF	0014	Prunes	0.7			CXL	2013	46		2014	Recommended for withdrawal by JMPR 2017.
DF	0014	Prunes	0.15			3	2021	53			

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FC 0005	Pummelo and grapefruits (including Shaddock-like hybrids, among others Grapefruit) (subgroup)	0.5			3	2021	53			
AB 0005	Pummelo and grapefruits, dried pulp	3	(dw)		3	2021	53			
OR 0005	Pummelo and grapefruits oil, edible	80			3	2021	53			
FB 0272	Raspberries, red, black	0.2			CXL	2017	50	2018	Recommended for withdrawal by JMPR	
VC 0431	Squash, summer	0.06			CXL	2017	50	2018	Recommended for withdrawal by JMPR	
VS 2080	Stems and petioles (subgroup)	3			3	2021	53		See Mandarins.	
FS 0012	Stone fruits (group)	0.4		(except cherries)	CXL	2013	46	2014	Recommended for withdrawal by JMPR 2017.	
FB 0275	Strawberry	0.3			CXL	2017	50	2018		
VP 2062	Succulent beans without pods (subgroup)	0.05	(*)		3	2021	53			
DT 1114	Tea, green, black (black, fermented and dried)	8			CXL	2017	50	2018		
VO 2045	Tomatoes (subgroup)	0.3			CXL	2018	51	2019		
TN 0085	Tree nuts (group)	0.05	(*)		CXL	2017	50	2018		
VC 0432	Watermelon	0.05			4	2017	50		See cherries.	

194 Haloxyfop

Main Uses: Herbicide
 ADI: 0-0.0007 mg/kg bw (2006)
 ARfD: 0.08 mg/kg bw (2009)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Sum of haloxyfop (including haloxyfop-P), its esters and its conjugates expressed as haloxyfop.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FI 0327	Banana	0.02 (*)			CXL	09	42		2010	
VD 0071	Beans (dry)	3			CXL	09	43		2011	
VP 0061	Beans with pods (<i>Phaseolus spp.</i>) immature pods and succulent seeds)	0.5			CXL	09	43		2011	
VD 0524	Chick-pea (dry)	0.05			CXL	09	43		2011	
FC 0001	Citrus fruits (group)	0.02 (*)			CXL	09	43		2011	
SB 0716	Coffee beans	0.02 (*)			CXL	09	42		2010	
SO 0691	Cotton seed	0.7			CXL	09	43		2011	
MO 0105	Edible offal (mammalian)	2			CXL	09	43		2011	
PE 0112	Eggs	0.1			CXL	09	43		2011	
AM 1051	Fodder beet	0.4			CXL	09	43		2011	
FB 0269	Grapes	0.02 (*)			CXL	09	42		2011	
MM 0095	Meat (from mammals other than marine mammals)	0.5 (fat)			CXL	09	43		2011	
FM 0183	Milk fats	7			CXL	09	43		2011	
ML 0106	Milks	0.3			CXL	09	43		2011	
VA 0385	Onion, bulb	0.2			CXL	09	42		2010	
AL 0697	Peanut fodder	5			CXL	09	43		2011	
VD 0072	Peas (dry)	0.2			CXL	09	43		2011	
VP 0063	Peas (pods and succulent-immature seeds)	0.7			CXL	09	43		2011	
VP 0064	Peas, shelled (succulent seeds)	1			CXL	09	43		2011	
FP 0009	Pome fruits (group)	0.02 (*)			CXL	09	43		2011	
PM 0110	Poultry meat	0.7 (fat)			CXL	09	43		2011	
PO 0111	Poultry, edible offal of	0.7			CXL	09	43		2011	
SO 0495	Rape seed	3			CXL	09	43		2011	
VD 0541	Soya bean (dry)	2			CXL	09	43		2011	
FS 0012	Stone fruits (group)	0.02 (*)			CXL	09	42		2010	
VR 0596	Sugar beet	0.4			CXL	09	43		2011	
SO 0702	Sunflower seed	0.3			CXL	09	43		2011	

195 Flumethrin

Main Uses: Insecticide
 ADI: 0.004 mg/kg bw (1996)

ARfD: N/A

Residue: Flumethrin (fat-soluble).

Note: The 1996 JMPR proposed an MRL of 0.005 mg/kg (*) for honey which has not been included in the Codex Classification of Food and Feed.

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
MM 0812	Cattle meat	0.2 (fat)	V	On carcass fat basis. The MRL accommodates external animal treatment.	CXL	96	30		1999	
ML 0812	Cattle milk	0.05	F V	On carcass fat basis. The MRL accommodates external animal treatment.	CXL	96	30		1999	

196 Tebufenoziide

Main Uses: Insecticide

ADI: 0-0.02 mg/kg bw (1996)

ARfD: 0.9 mg/kg bw (2003)

Residue: For compliance with MRLs and for estimation of dietary intake for plant and animal commodities: Tebufenoziide.

The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AM 0660	Almond hulls	30			CXL 01	36	34,35		2004	
TN 0660	Almonds	0.05			CXL 01	36	34,35		2004	
FI 0326	Avocado	1			CXL 01	36	34,35		2004	
FB 0020	Blueberries	3			CXL 01	36	34,35		2004	
VB 0400	Broccoli	0.5			CXL 01	36	34,35		2004	
VB 0041	Cabbages, head	5			CXL 01	36	34,35		2004	
ML 0812	Cattle milk	0.05			CXL 01	36	34,35		2004	
FC 0001	Citrus fruits (group)	2			CXL 01	45	34-36		2013	
FB 0265	Cranberry	0.5			CXL 01	36	34,35		2004	
MO 0105	Edible offal (mammalian)	0.02	(*)		CXL 03	36			2004	
PE 0112	Eggs	0.02	(*)		CXL 01	36	34,35		2004	
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	2			CXL 01	36	34,35		2004	
FB 0269	Grapes	2			CXL 01	36	35		2004	
FI 0341	Kiwifruit	0.5			CXL 97	31			1999	
VL 0053	Leafy vegetables	10			CXL 01	36	34,35		2004	
MM 0095	Meat (from mammals other than marine mammals)	0.05	(fat)		CXL 03	36			2004	
ML 0106	Milks	0.01	(*)		CXL 03	36			2004	
HH 0738	Mints	20			CXL 01	36	34,35		2004	
FS 0245	Nectarine	0.5			CXL 01	36	34,35		2004	
FS 0247	Peach	0.5			CXL 01	36	34,35		2004	
TN 0672	Pecan	0.01	(*)		CXL 01	36	34,35		2004	
VO 0051	Peppers (subgroup)	1			CXL 01	36	35		2004	
HS 0444	Peppers chili, dried	10			CXL 04	38	37		2006	
FP 0009	Pome fruits (group)	1			CXL 96,99	30			1999	
PM 0110	Poultry meat	0.02	(*)		CXL 01	36	34,35		2004	
SO 0495	Rape seed	2			CXL 01	36	34,35		2004	
FB 0272	Raspberries, red, black	2			CXL 01	36	34,35		2004	
CM 0649	Rice, husked	0.1			CXL 96	30			1999	
GS 0659	Sugar cane	1			CXL 01	36	34,35		2004	
VO 0448	Tomato	1			CXL 01	36	34,35		2004	
TN 0678	Walnuts	0.05			CXL 96	30			1999	

197 Fenbuconazole

Main Uses: Fungicide
 ADI: 0-0.03 mg/kg bw (1997)
 ARfD: 0.2 mg/kg bw (2012)
 Residue: For compliance with MRL and for estimation of dietary intake for plant and animal commodities: Fenbuconazole.
 The residue is not fat soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AM	0660	Almond hulls	3			CXL	09	45	43,44	2013	
FS	0240	Apricot	0.5			CXL	97	32	31	2001	
FI	0327	Banana	0.05			CXL	97	31		1999	
GC	0640	Barley	0.2			CXL	97	32	31	2001	
CM	0640	Barley bran, unprocessed	1			CXL	09	45	43,44	2013	
AS	0640	Barley, hay and/or straw	3			CXL	97	32	31	2001	
FB	0020	Blueberries	0.5			CXL	09	45	43,44	2013	
FS	0013	Cherries (subgroup)	1			CXL	97	31		1999	
FC	0001	Citrus fruits (group)	0.5		(except lemons and limes)	CXL	2013	46		2014	
OR	0001	Citrus oil, edible	30		(except lemons and limes)	CXL	2013	46		2014	
AB	0001	Citrus pulp, dried	4			CXL	2013	46		2014	
FB	0265	Cranberry	1			CXL	09	45	43,44	2013	
VC	0424	Cucumber	0.2			CXL	97	31		1999	
MO	0105	Edible offal (mammalian)	0.1			CXL	09	45	43,44	2013	
PE	0112	Eggs	0.01	(*)		CXL	09	42		2010	
FB	0269	Grapes	1			CXL	97	31		1999	
FC	0002	Lemons and limes (including citron) (subgroup)	1			CXL	2013	46		2014	
OR	0002	Lemons and limes, edible oil refined	60			CXL	2013	46		2014	
MM	0095	Meat (from mammals other than marine mammals)	0.01			CXL	09	45	43,44	2013	
VC	0046	Melons, except watermelon	0.2			CXL	97	31		1999	
ML	0106	Milks	0.01	(*)		CXL	09	42		2010	
FS	0247	Peach	0.5			CXL	97	32	31	2001	
SO	0697	Peanut	0.1			CXL	09	45	43,44	2013	
AL	0697	Peanut fodder	15			CXL	09	45	43,44	2013	
VO	0051	Peppers (subgroup)	0.6			CXL	09	45	43,44	2013	
HS	0444	Peppers chili, dried	2			CXL	09	45	43,44	2013	
FS	0014	Plums (including fresh prunes) (subgroup)	0.3			CXL	09	45	43,44	2013	
FP	0009	Pome fruits (group)	0.5			CXL	09	45	43,44	2013	
PM	0110	Poultry meat	0.01	(*)		CXL	09	42		2010	
PO	0111	Poultry, edible offal of	0.01	(*)		CXL	09	42		2010	
SO	0495	Rape seed	0.05	(*)		CXL	97	32	31	2001	
GC	0650	Rye	0.1			CXL	97	31		1999	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VC 0431	Squash, summer		0.05			CXL	97	31		1999	
SO 0702	Sunflower seed		0.05	(*)		CXL	97	31		1999	
AS 0447	Sweet corn fodder		1			CXL	09	45	43	2013	
DT 1114	Tea, green, black (black, fermented and dried)		30			3	2021	53			
TN 0085	Tree nuts (group)		0.01	(*)		CXL	09	42		2010	
GC 0654	Wheat		0.1			CXL	97	31		1999	
AS 0654	Wheat, hay and/or straw		3			CXL	97	31		1999	

199 Kresoxim-Methyl

Main Uses: Fungicide

ADI: 0–0.3 mg/kg bw (2018)

ARfD: Unnecessary (2018)

Residue: For compliance with the MRL for plant commodities: Kresoxim-methyl.

For dietary risk assessment for plant commodities: Sum of kresoxim-methyl and metabolites (2E)-(methoxyimino){2-[(2-methylphenoxy)methyl]phenyl}acetic acid (490M1) and (2E)-{2-[(4-hydroxy-2-methylphenoxy)methyl]phenyl}(methoxyimino)acetic acid (490M9) including their conjugates expressed as kresoxim-methyl.

For compliance with the MRL and dietary risk assessment for animal commodities: Sum of metabolites (2E)-(methoxyimino){2-[(2-methylphenoxy)methyl]phenyl}acetic acid (490M1), and (2E)-{2-[(4-hydroxy-2-methylphenoxy)methyl]phenyl}(methoxyimino)acetic acid (490M9) expressed as kresoxim-methyl.

The residue is not fat-soluble

Note: The 2018 JMPR concluded that the ADI could be applied to the metabolites 490M1 and 490M9 and their conjugates.

JMPR also concluded that if future uses of kresoxim-methyl result in an increase of the exposure for metabolite 490M2, a reconsideration of the residue definition for dietary exposure purposes may become necessary.

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
GC 2087	Barley, similar grains, and pseudocereals with husks (subgroup)	0.15			CXL	2018	51		2019	
VR 0574	Beetroot	0.05	(*)		CXL	2018	51		2019	
FB 0021	Currants, black, red, white	0.9			CXL	2018	51		2019	
MO 0105	Edible offal (mammalian)	0.05			CXL	2018	51		2019	
PE 0112	Eggs	0.02	(*)		CXL	2018	51		2019	
VC 0045	Fruiting vegetables, cucurbits (group)	0.5			CXL	2018	51		2019	
VA 0381	Garlic	0.01			CXL	2018	51		2019	
DF 0269	Grape, dried (= Currants, Raisins and Sultanas)	3			CXL	2018	51		2019	
FB 0269	Grapes	1.5			CXL	2018	51		2019	
VA 0384	Leek	10			CXL	2018	51		2019	
MF 0100	Mammalian fats (except milk fats)	0.02	(*)		CXL	2018	51		2019	
FI 0345	Mango	0.1			CXL	2018	51		2019	
MM 0095	Meat (from mammals other than marine mammals)	0.02	(*)		CXL	2018	51		2019	
ML 0106	Milks	0.02	(*)		CXL	2018	51		2019	
OC 0305	Olive oil, virgin	1			CXL	2018	51		2019	
SO 0305	Olives for oil production	0.2			CXL	2018	51		2019	
FS 0247	Peach	1.5			CXL	2018	51		2019	
TN 0672	Pecan	0.05	(*)		CXL	2018	51		2019	
VO 0445	Peppers, sweet (including pimento or pimiento)	0.3			CXL	2018	51		2019	
FP 0009	Pome fruits (group)	0.15		(except Japanese persimmon)	CXL	2019	52		2021	
PF 0111	Poultry fats	0.02	(*)		CXL	2018	51		2019	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
PM 0110	Poultry meat		0.02 (*)			CXL	2018	51		2019	
PO 0111	Poultry, edible offal of		0.02 (*)			CXL	2018	51		2019	
AS 0081	Straw and hay of cereal grains except pseudocereals		3 (DM)			CXL	2018	51		2019	
VR 0596	Sugar beet		0.05 (*)			CXL	2018	51		2019	
FT 0305	Table olives		0.2			CXL	2018	51		2019	
VR 4571	Turnip		0.05 (*)			CXL	2018	51		2019	
GC 2086	Wheat, similar grains, and pseudocereals without husks (subgroup)		0.05			CXL	2018	51		2019	

200 Pyriproxyfen

Main Uses: Insecticide
 ADI: 0–0.1 mg/kg bw (1999)
 ARfD: Unnecessary (1999)
 Residue: For compliance with the MRL and dietary risk assessment in plant and animal commodities: Pyriproxyfen.
 The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
MM 0812	Cattle meat	0.01 (*) (fat)			CXL	1999	34	33	2003	
MO 0812	Cattle, edible offal of	0.01 (*)			CXL	1999	34	33	2003	
FC 0001	Citrus fruits (group)	0.5			CXL	1999	33		2001	
SO 0691	Cotton seed	0.05			CXL	1999	34	33	2003	
OC 0691	Cotton seed oil, crude	0.01			CXL	1999	34	33	2003	
OR 0691	Cotton seed oil, edible	0.01			CXL	1999	34	33	2003	
VC 0424	Cucumber	0.04			CXL	2018	51		2019	
VO 0440	Egg plant	0.6			CXL	2018	51		2019	
VC 0425	Gherkin	0.04			CXL	2018	51		2019	
MM 0814	Goat meat	0.01 (*) (fat)			CXL	1999	34	33	2003	
MO 0814	Goat, edible offal of	0.01 (*)			CXL	1999	34	33	2003	
FI 0345	Mango	0.02 (*)			CXL	2019	52		2021	
VC 0046	Melons, except watermelon	0.07			CXL	2018	51		2019	
FI 0350	Papaya	0.3			CXL	2018	51		2019	
VO 0051	Peppers (subgroup)	0.6			CXL	2018	51		2019	
HS 0444	Peppers chili, dried	6			CXL	2018	51		2019	
FI 0353	Pineapple	0.01			CXL	2018	51		2019	
VC 0431	Squash, summer	0.04			CXL	2018	51		2019	
VO 0448	Tomato	0.4			CXL	2018	51		2019	

201 Chlorpropham

Main Uses: Plant growth regulator
 ADI: 0-0.05 mg/kg bw (2005)
 ARfD: 0.5 mg/kg bw (2005)
 Residue: Chlorpropham (fat-soluble).

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
MM 0812	Cattle meat		0.1 (fat)			CXL	01	38	34,35,37	2006	
MO 0812	Cattle, edible offal of		0.01 (*)			CXL	01	38	34,35,37	2006	
FM 0183	Milk fats		0.02			CXL	08	41		2009	
ML 0106	Milks		0.01 (*)			CXL	08	41		2009	
VR 0589	Potato		30 Po			CXL	01	38	34,35,37	2006	

202 Fipronil

Main Uses: Insecticide
 ADI: 0–0.0002 mg/kg bw (2021)
 ARfD: 0.03 mg/kg bw (2021)
 Residue: For compliance with the MRL for plant and animal commodities: Sum of fipronil and 5-amino-3-cyano-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-trifluoromethylsulfonylpyrazole (MB46136) expressed in terms of fipronil.
 For dietary risk assessment for plant and animal commodities: Sum of fipronil and 5-amino-3-cyano-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-trifluoromethylsulfonylpyrazole (MB46136), 5-amino-3-cyano-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-trifluoromethylthiopyrazole (MB45950) and 5-amino-3-cyano-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-trifluoromethylpyrazole (MB46513) expressed in terms of fipronil.
 The residue is fat-soluble.

Note: On the basis of the information provided to the JMPR it was concluded that the estimated long-term dietary exposure to residues of fipronil may present a public health

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FI	0327	Banana	0.005			CXL	01	35	34	2003	Recommended for withdrawal by JMPR
FI	0327	Banana	0.004	(*)		3	2021	53			
GC	0640	Barley	0.002	(*)		CXL	01	35	34	2003	Recommended for withdrawal by JMPR
AS	0640	Barley, hay and/or straw	0.07			3	2021	53			
GC	2087	Barley, similar grains, and pseudocereals with husks (subgroup)	0.004	(*)		3	2021	53			
HH	0722	Basil, leaves	1.5			CXL	2016	49		2017	Recommended for withdrawal by JMPR
HH	0722	Basil, leaves	0.8			3	2021	53			
VP	2060	Beans with pods (subgroup)	0.01			3	2021	53			
VB	0041	Cabbages, head	0.02			CXL	01	35	34	2003	Recommended for withdrawal by JMPR
MO	1280	Cattle kidney	0.02			CXL	01	35	34	2003	Recommended for withdrawal by JMPR
MO	1281	Cattle liver	0.1			CXL	01	35	34	2003	Recommended for withdrawal by JMPR
MM	0812	Cattle meat	0.5	(fat)		CXL	01	35	34	2003	Recommended for withdrawal by JMPR
ML	0812	Cattle milk	0.02			CXL	01	35	34	2003	Recommended for withdrawal by JMPR
SO	0691	Cotton seed	0.01			3	2021	53			
VD	2065	Dry beans (subgroup)	0.01		(except soya beans)	3	2021	53			
MO	0105	Edible offal (mammalian)	0.1			3	2021	53			
PE	0112	Eggs	0.02			CXL	01	35	34	2003	Recommended for withdrawal by JMPR
PE	0112	Eggs	0.04			3	2021	53			

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VB 0042	Flowerhead brassicas (includes Broccoli; Broccoli, Chinese and cauliflower)	0.02			CXL	01	35	34	2003	Recommended withdrawal by JMPR (2021)
VL 0053	Leafy vegetables	0.01		(residues resulting from rotational cropping)	3	2021	53			
GC 0645	Maize	0.01			CXL	01	35	34	2003	Recommended withdrawal by JMPR (2021)
GC 2091	Maize cereals (subgroup)	0.01			3	2021	53			
AS 0645	Maize fodder (dry)	0.1	dry wt		CXL	01	35	34	2003	Recommended withdrawal by JMPR (2021)
MF 0100	Mammalian fats (except milk fats)	0.4			3	2021	53			
MM 0095	Meat (from mammals other than marine mammals)	0.03			3	2021	53			
FM 0183	Milk fats	0.3			3	2021	53			
ML 0106	Milks	0.03			3	2021	53			
AS 3559	Oat, hay and/or straw	0.07	(dw)		3	2021	53			
GC 0647	Oats	0.002	(*)		CXL	01	35	34	2003	Recommended withdrawal by JMPR (2021)
VA 0385	Onion, bulb	0.03			3	2021	53			
VR 0589	Potato	0.02			CXL	01	35	34	2003	Recommended withdrawal by JMPR (2021)
VR 0589	Potato	0.05			3	2021	53			
PF 0111	Poultry fats	0.07			3	2021	53			
PM 0110	Poultry meat	0.01	(*)		CXL	01	35	34	2003	Recommended for withdrawal by JMPR
PM 0110	Poultry meat	0.07			3	2021	53			
PO 0111	Poultry, edible offal of	0.02			CXL	01	35	34	2003	Recommended for withdrawal by JMPR
PO 0111	Poultry, edible offal of	0.03			3	2021	53			
GC 0649	Rice	0.01			CXL	01	35	34	2003	Recommended withdrawal by JMPR (2021)
CM 1206	Rice bran, unprocessed	2			3	2021	53			
GC 2088	Rice cereals (subgroup)	0.4			3	2021	53			
AS 0649	Rice, hay and/or straw	0.2	dry wt		CXL	01	35	34	2003	Withdrawal recommended by JMPR (2021)
AS 0649	Rice, hay and/or straw	0.6	(dw)		3	2021	53			
AS 3570	Rice, hulls	2			3	2021	53			
CM 0649	Rice, husked	0.4			3	2021	53			
CM 1205	Rice, polished	0.15			3	2021	53			

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VR	0075	Root and tuber vegetables (group)	0.002		(except potato and sugar beet) (residues resulting from rotational cropping)	3	2021	53			
GC	0650	Rye	0.002	(*)		CXL	01	35	34	2003	Recommended withdrawal by JMPR (2021)
AS	3560	Rye, hay and/or straw	0.05	(dw)		3	2021	53			
VD	0541	Soya bean (dry)	0.01			3	2021	53			
OC	0541	Soya bean oil, crude	0.05			3	2021	53			
AL	3538	Soya bean, hulls	0.06			3	2021	53			
AS	0081	Straw and hay of cereal grains except pseudocereals	0.03	(dw)	(except of barley, oats, rice, rye, triticale and wheat) (residues resulting from rotational cropping)	3	2021	53			
VR	0596	Sugar beet	0.2			CXL	01	35	34	2003	Recommended withdrawal by JMPR (2021)
VR	0596	Sugar beet	0.01			3	2021	53			
GS	0659	Sugar cane	0.01			3	2021	53			
SO	0702	Sunflower seed	0.002	(*)		CXL	01	35	34	2003	Recommended withdrawal by JMPR (2021)
SO	2091	Sunflower seeds (subgroup)	0.004	(*)		3	2021	53			
VO	2045	Tomatoes (subgroup)	0.01	(*)		3	2021	53			
GC	0653	Triticale	0.002	(*)		CXL	01	35	34	2003	Recommended withdrawal by JMPR (2021)
AS	0653	Triticale, hay and/or straw	0.05	(dw)		3	2021	53			
GC	0654	Wheat	0.002	(*)		CXL	01	35	34	2003	Recommended withdrawal by JMPR (2021)
AS	0654	Wheat, hay and/or straw	0.05	(dw)		3	2021	53			
GC	2086	Wheat, similar grains, and pseudocereals without husks (subgroup)	0.004	(*)		3	2021	53			

203 Spinosad

Main Uses: Insecticide
 ADI: 0-0.02 mg/kg bw (2001)
 ARfD: Unnecessary (2001)
 Residue: For compliance with MRL and for estimation of dietary intake for plant and animal commodities: Sum of spinosyn A and spinosyn D.
 The residue is fat-soluble, but the residues in milk should be determined in the whole milk.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FP 0226	Apple	0.1			CXL	01	36	34,35	2004	
FB 0264	Blackberries	1			CXL	11	44		2012	
FB 0020	Blueberries	0.4			CXL	11	44		2012	
VB 0040	Brassica vegetables (except Brassica leafy vegetables) (group)	2			CXL	01	35		2004	
MO 1280	Cattle kidney	1		The MRL accommodates external animal treatment.	CXL	01	35	34	2003	
MO 1281	Cattle liver	2		The MRL accommodates external animal treatment.	CXL	01	35	34	2003	
MM 0812	Cattle meat	3	(fat)	The MRL accommodates external animal treatment.	CXL	01	35	34	2003	
ML 0812	Cattle milk	1		The MRL accommodates external animal treatment.	CXL	01	36	34,35	2004	
FM 0812	Cattle milk fat	5			CXL	04	37		2005	
VS 0624	Celery	2			CXL	01	35	34	2003	
GC 0080	Cereal grains	1	Po		CXL	04	37		2005	
FC 0001	Citrus fruits (group)	0.3			CXL	01	35	34	2003	
SO 0691	Cotton seed	0.01	(*)		CXL	01	35	34	2003	
OC 0691	Cotton seed oil, crude	0.01	(*)		CXL	01	35	34	2003	
OR 0691	Cotton seed oil, edible	0.01	(*)		CXL	01	35	34	2003	
FB 0265	Cranberry	0.02			CXL	11	44		2012	
FB 0266	Dewberries (including boysenberry and loganberry)	1			CXL	11	44		2012	
MO 0105	Edible offal (mammalian)	0.5		Except cattle	CXL	04	37		2005	
PE 0112	Eggs	0.01			CXL	01	35	34	2003	
VC 0045	Fruiting vegetables, cucurbits (group)	0.2			CXL	01	35	34	2003	
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	1			CXL	04	37		2005	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FB 0269	Grapes		0.5			CXL	04	37		2005	
FI 0341	Kiwifruit		0.05			CXL	01	35	34	2003	
VL 0053	Leafy vegetables		10			CXL	01	36	34,35	2004	
VP 0060	Legume vegetables (group)		0.3			CXL	01	35	34	2003	
AS 0645	Maize fodder (dry)		5			CXL	01	35	34	2003	
MM 0095	Meat (from mammals other than marine mammals)		2	(fat)		CXL	04	37		2005	
VA 0385	Onion, bulb		0.1			CXL	11	44		2012	
FI 0351	Passion fruit		0.7			CXL	11	44		2012	
VO 0051	Peppers (subgroup)		0.3			CXL	01	35	34	2003	
HS 0444	Peppers chili, dried		3			CXL	04	38	37	2006	
VR 0589	Potato		0.01	(*)		CXL	01	35	34	2003	
PM 0110	Poultry meat		0.2	(fat)		CXL	01	35	34	2003	
FB 0272	Raspberries, red, black		1			CXL	11	44		2012	
VD 0541	Soya bean (dry)		0.01	(*)		CXL	01	35	34	2003	
VA 0389	Spring onion		4			CXL	11	44		2012	
FS 0012	Stone fruits (group)		0.2			CXL	01	35	34	2003	
VO 0447	Sweet corn (corn-on-the-		0.01	(*)		CXL	01	35	34	2003	
VO 0448	Tomato		0.3			CXL	01	35	34	2003	
TN 0085	Tree nuts (group)		0.07			CXL	11	44		2012	
CM 0654	Wheat bran, unprocessed		2			CXL	04	37		2005	
AS 0654	Wheat, hay and/or straw		1			CXL	01	35	34	2003	

204 Esfenvalerate

Main Uses: Insecticide
 ADI: 0-0.02 mg/kg bw (2002)
 ARfD: 0.02 mg/kg bw (2002)
 Residue: Sum of fenvalerate isomers (fat-soluble).

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
SO	0691	Cotton seed	0.05			CXL	02	45	43,44	2013	
PE	0112	Eggs	0.01	(*)		CXL	02	36	35	2004	
PM	0110	Poultry meat	0.01	(*) (fat)		CXL	02	36	35	2004	
PO	0111	Poultry, edible offal of	0.01	(*)		CXL	02	36	35	2004	
SO	0495	Rape seed	0.01	(*)		CXL	02	36	35	2004	
VO	0448	Tomato	0.1			CXL	02	45	43,44	2013	
GC	0654	Wheat	0.05			CXL	02	45	43,44	2013	
AS	0654	Wheat, hay and/or straw	2			CXL	02	36	35	2004	

205 Flutolanil

Main Uses: Fungicide
 ADI: 0.09 mg/kg bw (2002)

ARfD: Unnecessary (2002)

Residue: For compliance with MRL and for estimation of dietary intake for plant commodities: Flutolanil.
 For compliance with MRL and for estimation of dietary intake for animal commodities: Flutolanil and transformation products containing the 2-trifluoromethylbenzoic acid moiety, expressed as flutolanil.
 The residue is not fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VB	0040	Brassica vegetables (except Brassica leafy vegetables) (group)	0.05 (*)			CXL	2013	46		2014	
MO	0105	Edible offal (mammalian)	0.5			CXL	2013	46		2014	
PE	0112	Eggs	0.05 (*)			CXL	02	36	35	2004	
VL	0054	Leaves of Brassicaceae	0.07			CXL	2013	46		2014	
MM	0095	Meat (from mammals other than marine mammals)	0.05 (*)			CXL	02	36	35	2004	
ML	0106	Milks	0.05 (*)			CXL	02	36	35	2004	
PM	0110	Poultry meat	0.05 (*)			CXL	02	36	35	2004	
PO	0111	Poultry, edible offal of	0.05 (*)			CXL	02	36	35	2004	
CM	1206	Rice bran, unprocessed	10			CXL	02	36	35	2004	
AS	0649	Rice, hay and/or straw	10			CXL	02	36	35	2004	
CM	0649	Rice, husked	2			CXL	02	36	35	2004	
CM	1205	Rice, polished	1			CXL	02	36	35	2004	

206 Imidacloprid

Main Uses: Insecticide
 ADI: 0-0.06 mg/kg bw (2001)
 ARfD: 0.4 mg/kg bw, confirmed 2006 (2002)
 Residue: For compliance with the MRL and for estimation of dietary exposure for plant and animal commodities: Sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid.
 The residue is not fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AM 0660	Almond hulls	5			CXL	08	41		2009	
FP 0226	Apple	0.5			CXL	02	36	35	2004	
FI 0327	Banana	0.05			CXL	02	36	35	2004	
AS 0640	Barley, hay and/or straw	1			CXL	02	36	35	2004	
HH 0722	Basil, leaves	20			CXL	2015	48		2016	
VP 0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	2			CXL	02	36	35	2004	
FB 0018	Berries and other small fruits	5		Except cranberries, grapes and strawberries.	CXL	08	41		2009	
VB 0400	Broccoli	0.5			CXL	02	36	35	2004	
VB 0402	Brussels sprouts	0.5			CXL	02	36	35	2004	
VB 0041	Cabbages, head	0.5			CXL	02	36	35	2004	
VB 0404	Cauliflower	0.5			CXL	02	36	35	2004	
VS 0624	Celery	6			CXL	12	45		2013	
GC 0080	Cereal grains	0.05			CXL	02	36	35	2004	
FS 0013	Cherries (subgroup)	4			CXL	2015	48		2016	
FC 0001	Citrus fruits (group)	1			CXL	02	45	35,36	2013	
AB 0001	Citrus pulp, dried	10			CXL	02	36	35	2004	
SB 0716	Coffee beans	1			CXL	08	41		2009	
FB 0265	Cranberry	0.05	(*)		CXL	06	39		2007	
VC 0424	Cucumber	1			CXL	02	36	35	2004	
MO 0105	Edible offal (mammalian)	0.3			CXL	08	41		2009	
VO 0440	Egg plant	0.2			CXL	02	36	35	2004	
PE 0112	Eggs	0.02			CXL	08	41		2009	
FB 0269	Grapes	1			CXL	02	36	35	2004	
DH 1100	Hops, dry	10			CXL	02	36	35	2004	
VL 0480	Kale (including among others: Collards, curly kale, Scotch kale, thousand-headed kale; not including Marrow-stem kele)	5			CXL	2015	48		2016	
VA 0384	Leek	0.05	(*)		CXL	02	36	35	2004	
VL 0482	Lettuce, head	2			CXL	02	36	35	2004	
AS 0645	Maize fodder (dry)	0.2			CXL	02	36	35	2004	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FI 0345	Mango		0.2			CXL	02	36	35	2004	
MM 0095	Meat (from mammals other than marine mammals)		0.1			CXL	08	41		2009	
VC 0046	Melons, except watermelon		0.2			CXL	02	36	35	2004	
ML 0106	Milks		0.1			CXL	08	41		2009	
AS 0647	Oat straw and fodder, dry		1			CXL	02	36	35	2004	
SO 0305	Olives for oil production		2			CXL	2015	48		2016	
VA 0385	Onion, bulb		0.1			CXL	02	36	35	2004	
FS 2001	Peaches (including apricots and nectarine) (subgroup)		1.5			CXL	2015	48		2016	
SO 0697	Peanut		1			CXL	08	41		2009	
AL 0697	Peanut fodder		30			CXL	08	41		2009	
FP 0230	Pear		1			CXL	02	36	35	2004	
VP 0063	Peas (pods and succulent=immature seeds)		5			CXL	08	41		2009	
VP 0064	Peas, shelled (succulent seeds)		2			CXL	08	41		2009	
VO 0051	Peppers (subgroup)		1			CXL	02	36	35	2004	
HS 0444	Peppers chili, dried		10			CXL	04	38	37	2006	
FS 0014	Plums (including fresh prunes) (subgroup)		1.5			CXL	2015	48		2016	
FI 0355	Pomegranate		1			CXL	08	41		2009	
PM 0110	Poultry meat		0.02			CXL	08	41		2009	
PO 0111	Poultry, edible offal of		0.05			CXL	08	41		2009	
DF 0014	Prunes		5			CXL	2015	48		2016	
VD 0070	Pulses (group)		2		(except soya beans)	CXL	12	45		2013	
VL 0494	Radish leaves (including radish tops)		5			CXL	08	41		2009	
SO 0495	Rape seed		0.05	(*)		CXL	02	36	35	2004	
VR 0075	Root and tuber vegetables (group)		0.5			CXL	08	41		2009	
AS 0650	Rye straw and fodder, dry		1			CXL	02	36	35	2004	
VD 0541	Soya bean (dry)		3			CXL	2015	48		2016	
AL 0541	Soya bean fodder		50			CXL	2015	48		2016	
VC 0431	Squash, summer		1			CXL	02	36	35	2004	
FB 0275	Strawberry		0.5			CXL	08	41		2009	
SO 0702	Sunflower seed		0.05	(*)		CXL	08	41		2009	
VO 0447	Sweet corn (corn-on-the-		0.02	(*)		CXL	02	36	35	2004	
AS 0447	Sweet corn fodder		5			CXL	02	36	35	2004	
FT 0305	Table olives		2			CXL	2015	48		2016	
DT 1114	Tea, green, black (black, fermented and dried)		50			CXL	2015	48		2016	
VO 0448	Tomato		0.5			CXL	02	36	35	2004	
TN 0085	Tree nuts (group)		0.01			CXL	07	41		2009	

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VC	0432 Watermelon	0.2			CXL	02	36	35	2004	
CM	0654 Wheat bran, unprocessed	0.3			CXL	02	36	35	2004	
CF	1211 Wheat flour	0.03			CXL	02	36	35	2004	
AS	0654 Wheat, hay and/or straw	1			CXL	02	36	35	2004	

207 Cyprodinil

Main Uses: Fungicide
 ADI: 0-0.03 mg/kg bw (2003)
 ARfD: Unnecessary (2003)
 Residue: For compliance with the MRL and dietary risk assessment for plant and animal commodities: Cyprodinil.
 The residue is fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AM	0660	Almond hulls	0.05 (*)			CXL	2003	37	36	2005	
TN	0660	Almonds	0.02 (*)			CXL	2003	37	36	2005	
VS	0620	Artichoke, globe	4			CXL	2017	50		2018	
FI	0326	Avocado	1			CXL	2013	46		2014	
GC	0640	Barley	3			CXL	2003	37	36	2005	
VD	0071	Beans (dry)	0.2			CXL	2013	46		2014	Recommended for withdrawal by JMPR
VP	2060	Beans with pods (subgroup)	2			CXL	2017	50		2018	
VP	0062	Beans, shelled	0.06			CXL	2013	46		2014	
FB	0018	Berries and other small fruits	10		(except grapes)	CXL	2013	46		2014	
VB	0041	Cabbages, head	0.7			CXL	2013	46		2014	
VR	0577	Carrot	1.5			CXL	2017	50		2018	
VS	0624	Celery	30			CXL	2017	50		2018	
DH	0170	Dried herbs	300		(except hops, dry)	CXL	2013	46		2014	
VD	2065	Dry beans (subgroup)	0.2		(except soya beans)	3	2021	53			
VD	2066	Dry peas					(subgroup)	0.2	3	2021	53
MO	0105	Edible offal (mammalian)	0.01				CXL	2013	46		2014
PE	0112	Eggs	0.01 (*)				CXL	2003	37	36	2005
VB	0042	Flowerhead brassicas (includes Broccoli; Broccoli, Chinese and cauliflower)	2				CXL	2013	46		2014
VC	0045	Fruiting vegetables, cucurbits (group)	0.5				CXL	2013	46		2014
VO	0050	Fruiting vegetables, other than cucurbits (group)	2		(except sweet corn and mushroom)		CXL	2013	46		2014
VR	0604	Ginseng	0.3			3	2021	53			
DV	0604	Ginseng, dried including red ginseng	3			3	2021	53			
DF	0269	Grape, dried (= Currents, Raisins and Sultanas)	5			CXL	2003	37	36	2005	
FB	0269	Grapes	3			CXL	2003	37	36	2005	
FT	0336	Guava	1.5			CXL	2017	50		2018	
HH	0092	Herbs	40			CXL	2013	46		2014	
VL	0053	Leafy vegetables	50		(except brassica leafy vegetables)		CXL	2013	46		2014

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VL 0054	Leaves of Brassicaceae	15			CXL	2013	46			2014	
MM 0095	Meat (from mammals other than marine mammals)	0.01	(*) (fat)		CXL	2003	37	36		2005	
ML 0106	Milks	0.0004	(*) F	The MRL is calculated as 4% of the LOQ for milk fat (0.01 mg/kg). Milk fat is the fraction of the milk that is analyzed (JMPR 2003).	CXL	2003	37	36		2005	
VA 0385	Onion, bulb	0.3			CXL	2003	37	36		2005	
VR 0588	Parsnip	0.7			CXL	2013	46			2014	
VP 2061	Peas with pods (subgroup)	2			3	2021	53				
HS 0444	Peppers chili, dried	9			CXL	2013	46			2014	
FP 0009	Pome fruits (group)	2			CXL	2013	46			2014	
FI 0355	Pomegranate	5	Po		CXL	2018	51			2019	
VR 0589	Potato	0.01	(*)		CXL	2017	50			2018	
PM 0110	Poultry meat	0.01	(*) (fat)		CXL	2003	37	36		2005	
PO 0111	Poultry, edible offal of	0.01	(*)		CXL	2003	37	36		2005	
DF 0014	Prunes	5			CXL	2003	37	36		2005	
VR 0494	Radish	0.3			CXL	2013	46			2014	
SO 0495	Rape seed	0.02			CXL	2015	48			2016	
VD 0541	Soya bean (dry)	0.3			CXL	2019	52			2021	
FS 0012	Stone fruits (group)	2			CXL	2003	37	36		2005	
AS 0081	Straw and hay of cereal grains except pseudocereals	10			CXL	2003	37	36		2005	
TN 0085	Tree nuts (group)	0.04		(except almond and pistachio)	CXL	2017	50			2018	
GC 0654	Wheat	0.5			CXL	2003	37	36		2005	
CM 0654	Wheat bran, unprocessed	2			CXL	2003	37	36		2005	

208 Famoxadone

Main Uses: Fungicide

ADI: 0-0.006 mg/kg bw (2003)

ARfD: 0.6 mg/kg bw (2003)

Residue: For compliance with MRLs and for estimation of dietary intake for plant and animal commodities: Famoxadone.

The residue is fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
GC 0640	Barley	0.2			CXL	03	37	36	2005	
AS 0640	Barley, hay and/or straw	5			CXL	03	37	36	2005	
VC 0424	Cucumber	0.2			CXL	03	37	36	2005	
MO 0105	Edible offal (mammalian)	0.5			CXL	03	37	36	2005	
PE 0112	Eggs	0.01	(*)		CXL	03	37	36	2005	
AB 0269	Grape pomace, dry	7			CXL	03	37	36	2005	
DF 0269	Grape, dried (= Currants, Raisins and Sultanas)	5			CXL	03	37	36	2005	
FB 0269	Grapes	2			CXL	03	37	36	2005	
MM 0095	Meat (from mammals other than marine mammals)	0.5	(fat)		CXL	03	37	36	2005	
ML 0106	Milks	0.03	F		CXL	03	37	36	2005	
VR 0589	Potato	0.02	(*)		CXL	03	37	36	2005	
PM 0110	Poultry meat	0.01	(*)		CXL	03	37	36	2005	
PO 0111	Poultry, edible offal of	0.01	(*)		CXL	03	37	36	2005	
VC 0431	Squash, summer	0.2			CXL	03	37	36	2005	
VO 0448	Tomato	2			CXL	03	37	36	2005	
GC 0654	Wheat	0.1			CXL	03	37	36	2005	
CM 0654	Wheat bran, unprocessed	0.2			CXL	03	37	36	2005	
AS 0654	Wheat, hay and/or straw	7			CXL	03	37	36	2005	

209 Methoxyfenozide

Main Uses: Insecticide
 ADI: 0-0.1 mg/kg bw (2003)

ARfD: 0.9 mg/kg bw (2003)

Residue: For compliance with the MRL and dietary risk assessment for plant and animal commodities: Methoxyfenozide.

The residue is fat-soluble in its distribution between meat muscle and fat, but not in its distribution in milk.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AM	0660	Almond hulls	50			CXL	03	37	36	2005	
FI	0326	Avocado	0.7			CXL	09	42		2010	
DH	0722	Basil, dry	400			3	2021	53			
HH	0722	Basil, leaves	80			3	2021	53			
VD	0071	Beans (dry)	0.5			CXL	09	42		2010	
VP	0062	Beans, shelled	0.3			CXL	09	42		2010	
FB	0020	Blueberries	4			CXL	09	42		2010	
VB	0400	Broccoli	3			CXL	03	37	36	2005	
VB	0041	Cabbages, head	7			CXL	03	37	36	2005	
VR	0577	Carrot	0.5			CXL	09	42		2010	
VS	0624	Celery	15			CXL	03	37	36	2005	
FC	0001	Citrus fruits (group)	2			CXL	12	45		2013	
SB	0716	Coffee beans	0.15			3	2021	53			
VP	0526	Common bean (pods and/or immature seeds)	2			CXL	09	42		2010	
SO	0691	Cotton seed	7			CXL	03	37	36	2005	
VD	0527	Cowpea (dry)	5			CXL	09	42		2010	
FB	0265	Cranberry	0.7			CXL	09	42		2010	
MO	0105	Edible offal (mammalian)	0.2			CXL	12	45		2013	
PE	0112	Eggs	0.01			CXL	03	37	36	2005	
VC	0045	Fruiting vegetables, cucurbits (group)	0.3		(except watermelon)	CXL	12	45		2013	
DF	0269	Grape, dried (= Currents, Raisins and Sultanas)	2			CXL	03	37	36	2005	
FB	0269	Grapes	1			CXL	03	37	36	2005	
VL	0482	Lettuce, head	15			CXL	03	37	36	2005	
VL	0483	Lettuce, leaf	30			CXL	03	37	36	2005	
GC	0645	Maize	0.02	(*)		CXL	03	37	36	2005	
AS	0645	Maize fodder (dry)	60	dry wt		CXL	03	37	36	2005	
MF	0100	Mammalian fats (except milk fats)	0.3			CXL	12	45		2013	
MM	0095	Meat (from mammals other than marine mammals)	0.3	(fat)		CXL	12	45		2013	
ML	0106	Milks	0.05			CXL	09	42		2010	
VL	0485	Mustard greens	30			CXL	03	37	36	2005	
FI	0350	Papaya	1			CXL	09	42		2010	
SO	0697	Peanut	0.03			CXL	09	42		2010	
AL	0697	Peanut fodder	80			CXL	09	42		2010	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
OR 0697	Peanut oil, edible		0.1			CXL	09	42		2010	
VD 0072	Peas (dry)		5			CXL	12	45		2013	
VP 0063	Peas (pods and succulent=immature seeds)		2			CXL	12	45		2013	
VP 0064	Peas, shelled (succulent seeds)		0.3			CXL	09	42		2010	
VO 0051	Peppers (subgroup)		2			CXL	03	37	36	2005	
HS 0444	Peppers chili, dried		20			CXL	04	38	37	2006	
FP 0009	Pome fruits (group)		2			CXL	03	37	36	2005	
PM 0110	Poultry meat	0.01	(*)			CXL	03	37	36	2005	
PO 0111	Poultry, edible offal of	0.01	(*)			CXL	03	37	36	2005	
DF 0014	Prunes		2			CXL	03	37	36	2005	
VR 0494	Radish		0.4			CXL	09	42		2010	
VL 0494	Radish leaves (including radish tops)		7			CXL	09	42		2010	
FS 0012	Stone fruits (group)		2			CXL	03	37	36	2005	
FB 0275	Strawberry		2			CXL	09	42		2010	
VR 0596	Sugar beet		0.3			CXL	09	42		2010	
GS 0659	Sugar cane		0.015			3	2021	53			
DM 0659	Sugar cane molasses		0.1			3	2021	53			
VO 0447	Sweet corn (corn-on-the-	0.02	(*)			CXL	03	37	36	2005	
AS 0447	Sweet corn fodder		7			CXL	03	37	36	2005	
VR 0508	Sweet potato		0.02			CXL	09	42		2010	
DT 1114	Tea, green, black (black, fermented and dried)		80			3	2021	53			
VO 0448	Tomato		2			CXL	03	37	36	2005	
TN 0085	Tree nuts (group)		0.1			CXL	03	37	36	2005	

210 Pyraclostrobin

Main Uses: Fungicide
 ADI: 0-0.03 mg/kg bw (2003)
 ARfD: 0.7 mg/kg bw (2018)
 Residue: For compliance with MRL and for estimation of dietary intake / risk assessment for plant and animal commodities: Pyraclostrobin.
 The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AL 1020	Alfalfa fodder	30			CXL	2011	44		2012	
VS 0620	Artichoke, globe	2			CXL	2011	44		2012	
VS 0621	Asparagus	0.01	(*)		CXL	2018	51		2019	
FI 0326	Avocado	0.2			CXL	2018	51		2019	
FI 0327	Banana	0.02	(*)		CXL	2004	38	37	2006	
GC 0640	Barley	1			CXL	2011	44		2012	
VD 0071	Beans (dry)	0.2			CXL	2004	38	37	2006	
VP 2060	Beans with pods (subgroup)	0.3		(except common beans)	CXL	2018	51		2019	
FB 0264	Blackberries	3			CXL	2011	44		2012	
FB 0020	Blueberries	4			CXL	2011	44		2012	
VP 0523	Broad bean, without pods (succulent seeds)	0.01			CXL	2018	51		2019	
VB 0402	Brussels sprouts	0.3			CXL	2006	39		2007	
VB 0041	Cabbages, head	0.2			CXL	2006	39		2007	
SB 0715	Cacao beans	0.01			CXL	2018	51		2019	
VC 4199	Cantaloupe	0.2			CXL	2006	39		2007	
VS 0624	Celery	1.5			CXL	2018	51		2019	
FS 0013	Cherries (subgroup)	3		(includes all commodities in this subgroup)	CXL	2014	47		2015	
FC 0001	Citrus fruits (group)	2			CXL	2011	45	44	2013	
OR 0001	Citrus oil, edible	10			CXL	2012	45		2013	
SB 0716	Coffee beans	0.3			CXL	2006	39		2007	
VP 0526	Common bean (pods and/or immature seeds)	0.6			CXL	2018	51		2019	
VP 2845	Common beans (succulent seeds)	0.3			CXL	2018	51		2019	
VD 2066	Dry peas			(subgroup)		0.3				
MO 0105	Edible offal (mammalian)	0.05			CXL	2018	51		2019	
VO 0440	Egg plant	0.3			CXL	2006	39		2007	
PE 0112	Eggs	0.05	(*)		CXL	2004	38	37	2006	
VB 0042	Flowerhead brassicas (includes Broccoli; Broccoli, Chinese and cauliflower)	0.1			CXL	2006	39		2007	
VC 0045	Fruiting vegetables, cucurbits (group)	0.5			CXL	2011	44		2012	
VA 0381	Garlic	0.15			CXL	2011	44		2012	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
	Code	Name									
DF	0269	Grape, dried (= Currents, Raisins and Sultanas)	5			CXL	2004	38	37	2006	
FB	0269	Grapes	2			CXL	2004	38	37	2006	
DH	1100	Hops, dry	15			CXL	2006	39		2007	
VL	0480	Kale (including among others: Collards, curly kale, Scotch kale, thousand-headed kale; not including Marrow-stem kale)	1			CXL	2006	39		2007	
VA	0384	Leek	0.7			CXL	2006	39		2007	
VD	0533	Lentil (dry)	0.5			CXL	2004	38	37	2006	
VL	0482	Lettuce, head	40			CXL	2018	51		2019	
GC	0645	Maize	0.02	(*)		CXL	2004	38	37	2006	
MF	0100	Mammalian fats (except milk fats)	0.5			CXL	2018	51		2019	
FI	0345	Mango	0.6			CXL	2018	51		2019	
MM	0095	Meat (from mammals other than marine mammals)	0.5	(fat)		CXL	2018	51		2019	
ML	0106	Milks	0.03			CXL	2018	51		2019	
GC	0647	Oats	1			CXL	2011	44		2012	
SO	0089	Oilseed, except peanut	0.4			CXL	2011	44		2012	
OC	0305	Olive oil, virgin	0.07			CXL	2018	51		2019	
SO	0305	Olives for oil production	0.01			CXL	2018	51		2019	
VA	0385	Onion, bulb	1.5			CXL	2011	44		2012	
FI	0350	Papaya	0.15			CXL	2011	44		2012	
FI	0351	Passion fruit	0.2			CXL	2018	51		2019	
AL	0072	Pea hay or pea fodder (dry)	30			CXL	2004	38	37	2006	
FS	2001	Peaches (including apricots and nectarine) (subgroup)	0.3			CXL	2014	47		2015	
AL	0697	Peanut fodder	50			CXL	2004	38	37	2006	
SO	0703	Peanut, whole	0.02	(*)		CXL	2004	38	37	2006	
VP	2061	Peas with pods (subgroup)	0.3			CXL	2018	51		2019	
VO	0051	Peppers (subgroup)	0.5			CXL	2006	39		2007	
FI	0353	Pineapple	0.3			CXL	2018	51		2019	
TN	0675	Pistachio nuts	1			CXL	2004	38	37	2006	
FS	0014	Plums (including fresh prunes) (subgroup)	0.8		(includes all commodities in this subgroup)	CXL	2014	47		2015	
FP	0009	Pome fruits (group)	0.7			CXL	2018	51		2019	
PM	0110	Poultry meat	0.05	(*) (fat)		CXL	2004	38	37	2006	
PO	0111	Poultry, edible offal of	0.05	(*)		CXL	2004	38	37	2006	
VL	0494	Radish leaves (including radish tops)	20			CXL	2004	38	37	2006	
FB	0272	Raspberries, red, black	3			CXL	2011	44		2012	
GC	0649	Rice	1.5			CXL	2018	51		2019	

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AS 0649	Rice, hay and/or straw	5	(dw)		CXL	2018	51		2019	
CM 0649	Rice, husked	0.09			CXL	2018	51		2019	
CM 1205	Rice, polished	0.03			CXL	2018	51		2019	
VR 2070	Root vegetables (subgroup)	0.5		(except sugar beet)	CXL	2019	52		2021	
GC 0650	Rye	0.2			CXL	2011	44		2012	
GC 0651	Sorghum grain	0.5			CXL	2011	44		2012	
VD 0541	Soya bean (dry)	0.05			CXL	2006	39		2007	
GC 4673	Spelt	0.2			CXL	2006	39		2007	
VL 0502	Spinach	0.6			CXL	2019	52		2021	
VA 0389	Spring onion	1.5			CXL	2011	44		2012	
AS 0081	Straw and hay of cereal grains except pseudocereals	30			CXL	2004	38	37	2006	
FB 0275	Strawberry	1.5			CXL	2011	44		2012	
VP 2063	Succulent peas without pods (subgroup)	0.08			CXL	2018	51		2019	
GS 0659	Sugar cane	0.08			CXL	2018	51		2019	
FT 0305	Table olives	0.01			CXL	2018	51		2019	
DT 1114	Tea, green, black (black, fermented and dried)	6			CXL	2018	51		2019	
VO 0448	Tomato	0.3			CXL	2004	38	37	2006	
TN 0085	Tree nuts (group)	0.02	(*)			CXL	2011	44		2012
				except pistachio nuts						
GC 0653	Triticale	0.2			CXL	2011	44		2012	
VR 2071	Tuberous and corm vegetables (subgroup)	0.02	(*)		CXL	2018	51		2019	
GC 0654	Wheat	0.2			CXL	2004	38	37	2006	
VL 2832	Witloof chicory (sprouts)	0.09			CXL	2018	51		2019	

211 Fludioxonil

Main Uses: Fungicide
 ADI: 0-0.4 mg/kg bw (2004)
 ARfD: Unnecessary (2004)
 Residue: For compliance with MRLs and estimation of dietary intake in plant commodities: Fludioxonil.
 For compliance with MRLs and estimation of dietary intake in animal commodities: Sum of fludioxonil and metabolites determined as 2,2-difluorobenzo[1,1]dioxole-4-carboxylic acid, expressed as fludioxonil.
 Fludioxonil is fat-soluble.

		Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FI	0326	Avocado			1.5			CXL	2018	51		2019	
VD	0071	Beans (dry)			0.5			CXL	2013	46		2014	
VP	0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)			0.6		(green pods and immature seeds)	CXL	2013	46		2014	
VP	0062	Beans, shelled			0.4			CXL	2013	46		2014	
FB	0264	Blackberries			5			CXL	2004	38	37	2006	
FB	0020	Blueberries			2			CXL	2018	51		2019	
VB	0400	Broccoli			0.7			CXL	2004	38	37	2006	
VA	2031	Bulb onions (subgroup)			0.5			CXL	2018	51		2019	
VB	0041	Cabbages, head			0.7			CXL	2018	51		2019	
VR	0577	Carrot			1			CXL	2018	51		2019	
VS	0624	Celery			15			CXL	2018	51		2019	
GC	0080	Cereal grains			0.05	(*)		CXL	2004	38	37	2006	
VD	0524	Chick-pea (dry)			0.3			CXL	2018	51		2019	
FC	0001	Citrus fruits (group)			10	Po		CXL	2010	43		2011	
SO	0691	Cotton seed			0.05	(*)		CXL	2004	38	37	2006	
FB	0021	Currants, black, red, white			3			CXL	2018	51		2019	
FB	0266	Dewberries (including boysenberry and loganberry)			5			CXL	2004	38	37	2006	
DH	0170	Dried herbs			60			CXL	2013	46		2014	
MO	0105	Edible offal (mammalian)			0.1			CXL	2018	51		2019	
VO	0440	Egg plant			0.3			CXL	2004	38	37	2006	
PE	0112	Eggs			0.02			CXL	2018	51		2019	
VC	0045	Fruiting vegetables, cucurbits (group)			0.5			CXL	2013	46		2014	
VR	0604	Ginseng			4			CXL	2013	46		2014	
FB	0269	Grapes			2			CXL	2004	38	37	2006	
VA	2032	Green onions (subgroup)			0.8			CXL	2018	51		2019	
FT	0336	Guava			0.5			CXL	2018	51		2019	
HH	0092	Herbs			9			CXL	2013	46		2014	
FI	0341	Kiwifruit			15	Po		CXL	2004	38	37	2006	
VL	0054	Leaves of Brassicaceae			15		(except radish leaves)	CXL	2018	51		2019	
VD	0533	Lentil (dry)			0.3			CXL	2018	51		2019	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VL 0482	Lettuce, head		10			CXL	2004	38	37	2006	
VL 0483	Lettuce, leaf		40			CXL	2013	46		2014	
MF 0100	Mammalian fats (except milk fats)		0.02			CXL	2018	51		2019	
FI 0345	Mango		2			CXL	2012	45		2013	
MM 0095	Meat (from mammals other than marine mammals)		0.02	(fat)		CXL	2018	51		2019	
ML 0106	Milks		0.04			CXL	2018	51		2019	
VD 0072	Peas (dry)		0.07			CXL	2004	38	37	2006	
VP 0063	Peas (pods and succulent=immature seeds)		0.3			CXL	2004	38	37	2006	
VP 0064	Peas, shelled (succulent seeds)		0.03			CXL	2004	38	37	2006	
VO 0051	Peppers (subgroup)		1			CXL	2013	46		2014	
HS 0444	Peppers chili, dried		4			CXL	2013	46		2014	
FI 0353	Pineapple		5	Po		CXL	2018	51		2019	
TN 0675	Pistachio nuts		0.2			CXL	2004	38	37	2006	
FP 0009	Pome fruits (group)		5	Po		CXL	2006	39		2007	
FI 0355	Pomegranate		3	Po		CXL	2018	51		2019	
VR 0589	Potato		5	Po		CXL	2013	46		2014	
PF 0111	Poultry fats		0.01	(*)		CXL	2018	51		2019	
PM 0110	Poultry meat		0.01	(*)		CXL	2018	51		2019	
PO 0111	Poultry, edible offal of		0.1			CXL	2018	51		2019	
VR 0494	Radish		0.3			CXL	2013	46		2014	
VL 0494	Radish leaves (including radish tops)		20			CXL	2013	46		2014	
SO 0495	Rape seed		0.02	(*)		CXL	2004	38	37	2006	
FB 0272	Raspberries, red, black		5			CXL	2004	38	37	2006	
VP 4453	Snap bean (young pods)		0.6			CXL	2013	46		2014	
VD 0541	Soya bean (dry)		0.2			CXL	2018	51		2019	
VL 0502	Spinach		30			CXL	2013	46		2014	
FS 0012	Stone fruits (group)		5	Po		CXL	2004	38	37	2006	
AS 0081	Straw and hay of cereal grains except pseudocereals		0.06	(*)		CXL	2004	38	37	2006	
FB 0275	Strawberry		3			CXL	2004	38	37	2006	
VO 0447	Sweet corn (corn-on-the-		0.01	(*)		CXL	2004	38	37	2006	
AS 0447	Sweet corn fodder		20			CXL	2006	39		2007	
VR 0508	Sweet potato		10	Po		CXL	2010	43		2011	
VO 0448	Tomato		3	Po		CXL	2013	46		2014	
VL 0473	Watercress		10			CXL	2004	38	37	2006	
VR 0600	Yams		10	Po		CXL	2010	43		2011	

212 Metalaxyl-M

Main Uses: Fungicide

ADI: 0–0.08 mg/kg bw Applies to metalaxyl and metalaxyl-M (alone or in combination) (2021)

ARfD: 0.5 mg/kg bw (Applies to metalaxyl and metalaxyl-M (alone or in combination) (2021)

Residue: For metalaxyl and metalaxyl-M for compliance with the MRL for plant commodities: Metalaxyl (sum of enantiomers).
 For metalaxyl and metalaxyl-M for dietary risk assessment in plant commodities: Metalaxyl (sum of enantiomers) and N-(2-hydroxymethyl-6-methylphenyl)-N-(methoxyacetyl)alanine methyl ester (M8; free and conjugated; sum of enantiomers), expressed as metalaxyl.
 For metalaxyl and metalaxyl-M for compliance with the MRL in animal commodities: Sum of metalaxyl (sum of enantiomers) and metabolites (free + conjugated) M3 (N-(2,6-dimethylphenyl)-N-(hydroxyacetyl)alanine methyl ester) and M8 (N-(2-hydroxymethyl-6-methylphenyl)-N-(methoxyacetyl)alanine methyl ester (sum of enantiomers), expressed as metalaxyl.
 For metalaxyl and metalaxyl-M for dietary risk assessment in animal commodities: Sum of metalaxyl (sum of enantiomers) and metabolites (free + conjugated) M1 (N-(2,6-dimethylphenyl)-N-(methoxyacetyl) alanine), M3 (N-(2,6-dimethylphenyl)-N-(hydroxyacetyl)alanine methyl ester), M6 (N-(2,6-dimethylphenyl)-N-(hydroxyacetyl)alanine), M7 (N-(2,6-dimethyl-5-hydroxyphenyl)-N-(methoxyacetyl)alanine methyl ester) and M8 (N-(2-hydroxymethyl-6-methylphenyl)-N-(methoxyacetyl)alanine methyl ester (sum of enantiomers), expressed as metalaxyl.
 The residue is not fat-soluble.

Note: JMPR 2004: No new MRLs are recommended because all MRLs required for metalaxyl-M are covered by existing MRLs for Metalaxyl.
 The values listed in the "New" column (JMPR 2004) are the estimated maximum residue levels for metalaxyl-M and, because they do not exceed the existing metalaxyl MRLs, are not intended to replace them. Metalaxyl is a racemic mixture of (R)- and (S)- enantiomers. Metalaxyl-M is the (R)- enantiomer.
 No MRLs are currently recommended for animal commodities.

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FP 0226	Apple	0.02 (*)			7	2004	46	37,38,39,40, 41,42		
Note to CCPR: Advanced all MRLs to Step 5 (37:174). Noted that metalaxyl was no longer supported by the original manufacturer. Several delegations informed CCPR that there are generic producers of this compound hence there could be continued support for metalaxyl MRLs. Returned all MRLs to Step 6 and considered revocation of all CXLs for metalaxyl in 2 years time (38:129-130). Returned all MRLs to Step 6 awaiting phasing out of metalaxyl (138) and requested information on support for metalaxyl CXLs. Thailand informed CCPR that metalaxyl was used in Thailand and that the phase-out of metalaxyl would cause trade problems (39:126). Retained all MRLs at Step 7 awaiting the periodic review of metalaxyl by JMPR in 2012 (toxicology) and 2013 (residues) (40:96). Retained all MRLs at Step 7 awaiting the periodic review by JMPR for both toxicology and residues in 2013 (41:122). Awaiting the outcome of the JMPR periodic re-evaluation of metalaxyl (138) for toxicology and residue in 2013 (42:74). Noted the concern form submitted by Cameroon, relating to the proposed reduction in the MRL for cocoa beans. The JMPR Secretariat advised that the advancement of the MRLs for metalaxyl-M was dependent on the outcome of the metalaxyl periodic review in 2015. Agreed to retain all MRLs for metalaxyl-M at Step 7 awaiting this review and to apply the 4 year rule for metalaxyl awaiting data on cocoa beans from Cameroon (46:76). CCPR agreed to retain all the MRLs for Metalaxyl-M at Step 7, awaiting the outcome of the Metalaxyl periodic re-evaluation scheduled for 2017 (47:76). Agreed to include Metalaxyl (138) and Metalaxyl-M (212) for periodic review by JMPR (2020) (51:250:App.X). Withdrawal recommended by JMPR (2021).										
SB 0715	Cacao beans	0.02			7	2004	46	37,38,39,40, 41,42		See apple. Withdrawal recommended by JMPR (2021).
FB 0269	Grapes	1			7	2004	46	37,38,39,40, 41,42		See apple. Withdrawal recommended by JMPR (2021).
VL 0482	Lettuce, head	0.5			7	2004	46	37,38,39,40, 41,42		See apple. Withdrawal recommended by JMPR (2021).
VA 0385	Onion, bulb	0.03			7	2004	46	37,38,39,40, 41,42		See apple. Withdrawal recommended by JMPR (2021).
VO 0445	Peppers, sweet (including pimento or pimiento)	0.5			7	2004	46	37,38,39,40, 41,42		See apple. Withdrawal recommended by JMPR (2021).

Commodity Code	Name	MRL (mg/kg)		Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VR 0589	Potato	0.02	(*)			7	2004	46	37,38,39,40, 41,42		See apple. Withdrawal recommended by JMPR (2021).
VL 0502	Spinach	0.1				7	2004	46	37,38,39,40, 41,42		See apple. Withdrawal recommended by JMPR (2021).
SO 0702	Sunflower seed	0.02	(*)			7	2004	46	37,38,39,40, 41,42		See apple. Withdrawal recommended by JMPR (2021).
VO 0448	Tomato	0.2				7	2004	46	37,38,39,40, 41,42		See apple. Withdrawal recommended by JMPR (2021).

213 Trifloxystrobin

Main Uses: Fungicide
 ADI: 0-0.04 mg/kg bw (2004)
 ARfD: Unnecessary (2004)
 Residue: For compliance with the MRL for plant commodities: Trifloxystrobin.
 For estimation of dietary exposure of plant commodities: Sum of trifloxystrobin and [(E,E)-methoxyimino-{2-[1-(3-trifluoromethylphenyl)ethylideneaminoxyethyl]phenyl}acetic acid] (CGA 321113), expressed as trifloxystrobin.
 For compliance with the MRL and estimation of dietary exposure in animal commodities: Sum of trifloxystrobin and [(E,E)-methoxyimino-{2-[1-(3-trifluoromethylphenyl)ethylideneamino-oxymethyl]phenyl}acetic acid] (CGA 321113), expressed as trifloxystrobin.
 The residue is fat soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AM	0660	Almond hulls	3			CXL	04	38	37	2006	
VS	0621	Asparagus	0.05	(*)		CXL	12	45		2013	
FI	0327	Banana	0.05			CXL	04	38	37	2006	
GC	0640	Barley	0.5			CXL	04	38	37	2006	
AS	0640	Barley, hay and/or straw	7			CXL	04	38	37	2006	
VD	0071	Beans (dry)	0.01	(*)		CXL	2015	48		2016	
VP	2060	Beans with pods (subgroup)	0.5			3	2021	53			
FB	0261	Bilberry	3			3	2021	53			
FB	0263	Bilberry, red	3			3	2021	53			
FB	0020	Blueberries	3			3	2021	53			
VB	0402	Brussels sprouts	0.1			CXL	04	38	37	2006	
VB	0041	Cabbages, head	1.5			CXL	2017	50		2018	
FB	2005	Cane berries (subgroup)	3			3	2021	53			
VR	0577	Carrot	0.1			CXL	04	38	37	2006	
VS	0624	Celery	1			CXL	04	38	37	2006	
FC	0001	Citrus fruits (group)	0.5			CXL	04	38	37	2006	Recommended withdrawal by JMPR (2021)
AB	0001	Citrus pulp, dried	1			CXL	04	38	37	2006	Recommended withdrawal by JMPR (2021)
SB	0716	Coffee beans	0.015			3	2021	53			
VL	0470	Corn salad	15			3	2021	53			
SO	0691	Cotton seed	0.4			CXL	2017	50		2018	
FB	0021	Currants, black, red, white	3			3	2021	53			
MO	0105	Edible offal (mammalian)	0.09			3	2021	53			
VO	0440	Egg plant	0.7			CXL	12	45		2013	
PE	0112	Eggs	0.04	(*)		CXL	04	38	37	2006	Recommended for withdrawal by JMPR
PE	0112	Eggs	0.04	(*)		3	2021	53			
VB	0042	Flowerhead brassicas (includes Broccoli; Broccoli, Chinese and cauliflower)	0.5			CXL	04	38	37	2006	
VC	0045	Fruiting vegetables, cucurbits (group)	0.3			CXL	04	38	37	2006	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VR 0604	Ginseng	0.03	(*)			CXL	2017	50		2018	
FB 0268	Gooseberry	3				3	2021	53			
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	5				CXL	04	38	37	2006	
FB 0269	Grapes	3				CXL	04	38	37	2006	
DH 1100	Hops, dry	40				CXL	04	38	37	2006	
MO 0098	Kidney of cattle, goats, pigs and sheep	0.04	(*)			CXL	04	38	37	2006	Recommended for withdrawal by JMPR
VA 0384	Leek	0.7				CXL	04	38	37	2006	
VD 0533	Lentil (dry)	0.01				CXL	2015	48		2016	
VL 0482	Lettuce, head	15				CXL	12	45		2013	
VL 0483	Lettuce, leaf	15				3	2021	53			
SO 0693	Linseed	0.4				3	2021	53			
MO 0099	Liver of cattle, goats, pigs & sheep	0.05				CXL	04	38	37	2006	Recommended withdrawal by JMPR (2021)
GC 0645	Maize	0.02				CXL	04	38	37	2006	
AS 0645	Maize fodder (dry)	10				CXL	04	38	37	2006	
MF 0100	Mammalian fats (except milk fats)	0.07				3	2021	53			
MM 0095	Meat (from mammals other than marine mammals)	0.05	(fat)			CXL	04	38	37	2006	Recommended for withdrawal by JMPR
MM 0095	Meat (from mammals other than marine mammals)	0.07	(fat)			3	2021	53			
ML 0106	Milks	0.02	(*)			CXL	04	38	37	2006	Recommended for withdrawal by JMPR
ML 0106	Milks	0.02	(*)			3	2021	53			
OR 0305	Olive oil, refined	1.2				CXL	12	45		2013	
OC 0305	Olive oil, virgin	0.9				CXL	12	45		2013	
FI 0350	Papaya	0.6				CXL	12	45		2013	
SO 0697	Peanut	0.02	(*)			CXL	04	38	37	2006	
AL 0697	Peanut fodder	5				CXL	04	38	37	2006	
VD 0072	Peas (dry)	0.01				CXL	2015	48		2016	
VP 2061	Peas with pods (subgroup)	1.5				3	2021	53			
VO 0445	Peppers, sweet (including pimento or pimiento)	0.3				CXL	04	38	37	2006	
FP 0009	Pome fruits (group)	0.7				CXL	04	38	37	2006	
VR 0589	Potato	0.02	(*)			CXL	04	38	37	2006	
PF 0111	Poultry fats	0.04	(*)			3	2021	53			
PM 0110	Poultry meat	0.04	(*) (fat)			CXL	04	38	37	2006	Recommended withdrawal by JMPR (2021)
PM 0110	Poultry meat	0.04	(*) (fat)			3	2021	53			
PO 0111	Poultry, edible offal of	0.04	(*)			CXL	04	38	37	2006	Recommended withdrawal by JMPR (2021)
PO 0111	Poultry, edible offal of	0.04	(*)			3	2021	53			
VR 0494	Radish	0.08				CXL	12	45		2013	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VL 0494	Radish leaves (including radish tops)		15			CXL	12	45		2013	
GC 0649	Rice		5			CXL	04	38	37	2006	
CM 1206	Rice bran, unprocessed		7			CXL	04	38	37	2006	
AS 0649	Rice, hay and/or straw		10			CXL	04	38	37	2006	
FB 0273	Rose hips		3			3	2021	53			
VD 0541	Soya bean (dry)		0.05			CXL	2015	48		2016	
VL 0502	Spinach		20			CXL	2017	50		2018	
FS 0012	Stone fruits (group)		3			CXL	04	38	37	2006	
FB 0275	Strawberry		1			CXL	12	45		2013	
VR 0596	Sugar beet		0.05			CXL	04	38	37	2006	
DM 0596	Sugar beet molasses		0.1			CXL	04	38	37	2006	
AB 0596	Sugar beet pulp, dry		0.2			CXL	04	38	37	2006	
FT 0305	Table olives		0.3			CXL	12	45		2013	
VO 0448	Tomato		0.7			CXL	04	38	37	2006	
TN 0085	Tree nuts (group)	0.02	(*)			CXL	04	38	37	2006	
GC 0654	Wheat		0.2			CXL	04	38	37	2006	
CM 0654	Wheat bran, unprocessed		0.5			CXL	04	38	37	2006	
AS 0654	Wheat, hay and/or straw		5			CXL	04	38	37	2006	

214 Dimethenamid-P

Main Uses: Herbicide
 ADI: 0-0.07 mg/kg bw The ADI and the ARfD apply to dimethenamid-P and the racemic dimethenamid (JMPR 2005).
 ARfD: 0.5 mg/kg bw (2005)
 Residue: For compliance with MRLs and for estimation of dietary intake: Dimethenamid-P and its enantiomer.
 This definition applies to both plant and animal commodities.
 The residue definition could apply to residues arising from the use of either dimethenamid-P or dimethanamid.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AL	0061	Bean fodder	0.01 (*)			CXL	05	38		2006	
VD	0071	Beans (dry)	0.01 (*)			CXL	05	38		2006	
VR	0574	Beetroot	0.01 (*)			CXL	05	38		2006	
PE	0112	Eggs	0.01 (*)			CXL	05	38		2006	
AM	1051	Fodder beet	0.01 (*)			CXL	05	38		2006	
VA	0381	Garlic	0.01 (*)			CXL	05	38		2006	
GC	0645	Maize	0.01 (*)			CXL	05	38		2006	
AS	0645	Maize fodder (dry)	0.01 (*)			CXL	05	38		2006	
MM	0095	Meat (from mammals other than marine mammals)	0.01 (*)			CXL	05	38		2006	
ML	0106	Milks	0.01 (*)			CXL	05	38		2006	
VA	0385	Onion, bulb	0.01 (*)			CXL	05	38		2006	
SO	0697	Peanut	0.01 (*)			CXL	05	38		2006	
AL	0697	Peanut fodder	0.01 (*)			CXL	05	38		2006	
VR	0589	Potato	0.01 (*)			CXL	05	38		2006	
PM	0110	Poultry meat	0.01 (*)			CXL	05	38		2006	
PO	0111	Poultry, edible offal of	0.01 (*)			CXL	05	38		2006	
VA	0388	Shallot	0.01 (*)			CXL	05	38		2006	
GC	0651	Sorghum grain	0.01 (*)			CXL	05	38		2006	
AS	0651	Sorghum straw and fodder, dry	0.01 (*)			CXL	05	38		2006	
VD	0541	Soya bean (dry)	0.01 (*)			CXL	05	38		2006	
VR	0596	Sugar beet	0.01 (*)			CXL	05	38		2006	
VO	0447	Sweet corn (corn-on-the-	0.01 (*)			CXL	05	38		2006	
VR	0508	Sweet potato	0.01 (*)			CXL	05	38		2006	

215 Fenhexamid

Main Uses: Fungicide
 ADI: 0-0.2 mg/kg bw (2005)
 ARfD: Unnecessary (2005)
 Residue: For compliance with MRLs and for estimation of dietary intake in plant and animal commodities: Fenhexamid.
 The residue is fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AM	0660	Almond hulls	2			CXL	05	38		2006	
TN	0660	Almonds	0.02	(*)		CXL	05	38		2006	
FS	0240	Apricot	10			CXL	05	38		2006	
VS	0621	Asparagus	0.02			3	2021	53			
FB	0261	Bilberry	5			CXL	05	38		2006	
FB	0264	Blackberries	15			CXL	05	38		2006	
FB	0020	Blueberries	5			CXL	05	38		2006	
VA	2031	Bulb onions (subgroup)	3			3	2021	53			
FS	0013	Cherries (subgroup)	7			CXL	05	38		2006	
VC	0424	Cucumber	1			CXL	05	38		2006	
FB	0021	Currants, black, red, white	5			CXL	05	38		2006	
FB	0266	Dewberries (including boysenberry and loganberry)	15			CXL	05	38		2006	
MO	0105	Edible offal (mammalian)	0.05	(*)		CXL	05	38		2006	
VO	0440	Egg plant	2			CXL	05	38		2006	
FB	0267	Elderberries	5			CXL	05	38		2006	
VC	0425	Gherkin	1			CXL	05	38		2006	
FB	0268	Gooseberry	5			CXL	05	38		2006	
DF	0269	Grape, dried (= Currants, Raisins and Sultanas)	25			CXL	05	38		2006	
FB	0269	Grapes	15			CXL	05	38		2006	
FB	0270	Juneberries	5			CXL	05	38		2006	
FI	0341	Kiwifruit	15			CXL	05	38		2006	
VL	0482	Lettuce, head	30			CXL	05	38		2006	
VL	0483	Lettuce, leaf	30			CXL	05	38		2006	
MM	0095	Meat (from mammals other than marine mammals)	0.05	(*) (fat)		CXL	05	38		2006	
ML	0106	Milks	0.01	(*) F		CXL	05	38		2006	
FS	0245	Nectarine	10			CXL	05	38		2006	
FS	0247	Peach	10			CXL	05	38		2006	
FP	0230	Pear	6	Po		3	2021	53			
VO	0051	Peppers (subgroup)	2			CXL	05	38		2006	
FS	0014	Plums (including fresh prunes) (subgroup)	1			CXL	05	38		2006	
FB	0272	Raspberries, red, black	15			CXL	05	38		2006	
VC	0431	Squash, summer	1			CXL	05	38		2006	
FB	0275	Strawberry	10			CXL	05	38		2006	
VO	0448	Tomato	2			CXL	05	38		2006	

216 Indoxacarb

Main Uses: Insecticide
 ADI: 0.01 mg/kg bw (2005)
 ARfD: 0.1 mg/kg bw (2005)
 Residue: For compliance with the MRL for all commodities and for estimation of dietary intake for plant commodities: Sum of indoxacarb and its R enantiomer.
 For estimation of dietary intake for animal commodities: Sum of indoxacarb, its R enantiomer and methyl 7-chloro-2,5-dihydro-2-[[[4-(trifluoromethoxy)phenyl]amino]carbonyl]indeno[1,2-e][1,3,4]oxadiazine-4a(3H)-carboxylate, expressed as indoxacarb.
 The residue is fat soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AL	1020	Alfalfa fodder	60			CXL	05	38		2006	
FP	0226	Apple	0.5			CXL	05	38		2006	
VB	0400	Broccoli	0.2			CXL	05	38		2006	
VB	0041	Cabbages, head	3			CXL	05,07	40	38,39	2008	
VB	0404	Cauliflower	0.2			CXL	05	38		2006	
VD	0524	Chick-pea (dry)	0.2			CXL	05	38		2006	
AM	0691	Cotton fodder, dry	20			CXL	05	38		2006	
SO	0691	Cotton seed	1			CXL	05	38		2006	
VD	0527	Cowpea (dry)	0.1			CXL	09	42		2010	
FB	0265	Cranberry	1			CXL	09	42		2010	
MO	0105	Edible offal (mammalian)	0.05			CXL	09	42		2010	
VO	0440	Egg plant	0.5			CXL	05	38		2006	
PE	0112	Eggs	0.02			CXL	09	42		2010	
VC	0045	Fruiting vegetables, cucurbits (group)	0.5			CXL	09	42		2010	
DF	0269	Grape, dried (= Currents, Raisins and Sultanas)	5			CXL	05	38		2006	
FB	0269	Grapes	2			CXL	05	38		2006	
VL	0482	Lettuce, head	7			CXL	05	38		2006	
VL	0483	Lettuce, leaf	3			CXL	12	45		2013	
AS	0645	Maize fodder (dry)	25			CXL	05	38		2006	
MM	0095	Meat (from mammals other than marine mammals)	2	(fat)		CXL	09	42		2010	
FM	0183	Milk fats	2			CXL	09	42		2010	
ML	0106	Milks	0.1			CXL	09	42		2010	
HH	0738	Mints	15			CXL	09	42		2010	
VD	0536	Mung bean (dry)	0.2			CXL	05	38		2006	
SO	0697	Peanut	0.02	(*)		CXL	05	38		2006	
AL	0697	Peanut fodder	50			CXL	05	38		2006	
FP	0230	Pear	0.2			CXL	05	38		2006	
VO	0051	Peppers (subgroup)	0.3			CXL	05	38		2006	
VR	0589	Potato	0.02			CXL	05	38		2006	
PM	0110	Poultry meat	0.01	(*) (fat)		CXL	09	42		2010	
PO	0111	Poultry, edible offal of	0.01	(*)		CXL	09	42		2010	
DF	0014	Prunes	3			CXL	09	42		2010	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VD 0541	Soya bean (dry)		0.5		CXL	05	38		2006		
FS 0012	Stone fruits (group)		1		CXL	09	42		2010		
VO 0447	Sweet corn (corn-on-the-		0.02		CXL	05	38		2006		
DT 1114	Tea, green, black (black, fermented and dried)		5		CXL	2013	46		2014		
VO 0448	Tomato		0.5		CXL	05	38		2006		

217 Novaluron

Main Uses: Insecticide
 ADI: 0-0.01 mg/kg bw (2005)
 ARfD: Unnecessary (2005)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Novaluron.
 The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VD 0071	Beans (dry)	0.1			CXL	10	43		2011	
FB 0020	Blueberries	7			CXL	10	43		2011	
VB 0040	Brassica vegetables (except Brassica leafy vegetables) (group)	0.7			CXL	10	43		2011	
VL 0464	Chard	15			CXL	10	43		2011	
VP 0526	Common bean (pods and/or immature seeds)	0.7			CXL	10	43		2011	
SO 0691	Cotton seed	0.5			CXL	05	38		2006	
MO 0105	Edible offal (mammalian)	0.7			CXL	10	43		2011	
PE 0112	Eggs	0.1			CXL	10	43		2011	
VC 0045	Fruiting vegetables, cucurbits (group)	0.2			CXL	10	43		2011	
VO 0050	Fruiting vegetables, other than cucurbits (group)	0.7		Except sweet corn.	CXL	10	43		2011	
MM 0095	Meat (from mammals other than marine mammals)	10	(fat)		CXL	10	43		2011	
FM 0183	Milk fats	7			CXL	10	43		2011	
ML 0106	Milks	0.4			CXL	10	43		2011	
VL 0485	Mustard greens	25			CXL	10	43		2011	
FP 0009	Pome fruits (group)	3			CXL	05	38		2006	
VR 0589	Potato	0.01	(*)		CXL	05	38		2006	
PM 0110	Poultry meat	0.5	(fat)		CXL	10	43		2011	
PO 0111	Poultry, edible offal of	0.1			CXL	10	43		2011	
DF 0014	Prunes	3			CXL	10	43		2011	
VP 0541	Soya bean (immature)	0.01	(*)		CXL	05	38		2006	
FS 0012	Stone fruits (group)	7			CXL	10	43		2011	
FB 0275	Strawberry	0.5			CXL	10	43		2011	
GS 0659	Sugar cane	0.5			CXL	10	43		2011	
AS 0447	Sweet corn fodder	40			CXL	05	38		2006	

218 Sulfuryl fluoride

Main Uses: Fumigant

ADI: 0-0.01 mg/kg bw (2005)

ARfD: 0.3 mg/kg bw (2005)

Residue: For compliance with MRLs in plant commodities: Sulfuryl fluoride.

For the estimation of dietary intake from plant commodities: Sulfuryl fluoride and fluoride ion, measured separately.

Note: Residues resulting from sulfuryl fluoride fumigation of foodstuffs are primarily fluoride. The dietary risk assessment for fluoride from fumigant use needs to be considered in light of the overall exposure to fluoride from other sources.

Commodity		Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
CM 0081 Bran, unprocessed of cereal grain (except buckwheat, cañihua and quinoa)				0.1	Po		CXL	05	38		2006	
CF 0081 Cereal bran, processed				0.1	Po		CXL	05	38		2006	
GC 0080 Cereal grains				0.05	Po		CXL	05	38		2006	
DF 0167 Dried fruits				0.06	Po		CXL	05	38		2006	
CF 1255 Maize flour				0.1	Po		CXL	05	38		2006	
CF 0645 Maize meal				0.1	Po		CXL	05	38		2006	
CM 0649 Rice, husked				0.1	Po		CXL	05	38		2006	
CM 1205 Rice, polished				0.1	Po		CXL	05	38		2006	
CF 1250 Rye flour				0.1	Po		CXL	05	38		2006	
CF 1251 Rye wholemeal				0.1	Po		CXL	05	38		2006	
TN 0085 Tree nuts (group)				3	Po		CXL	05	38		2006	
CF 1211 Wheat flour				0.1	Po		CXL	05	38		2006	
CF 1210 Wheat germ				0.1	Po		CXL	05	38		2006	
CF 1212 Wheat wholemeal				0.1	Po		CXL	05	38		2006	

219 Bifenazate

Main Uses: Acaricide
 ADI: 0-0.01 mg/kg bw (2006)
 ARfD: Unnecessary (2006)
 Residue: For compliance with MRL and for estimation of dietary intake for plant and animal commodities: Sum of bifenazate and bifenazatediazene (diazene carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl-3-yl] 1-methylethyl ester), expressed as bifenazate.
 The residue is fat-soluble.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
AM 0660	Almond hulls		10		CXL	06	39		2007		
VD 0071	Beans (dry)		0.3		CXL	10	43		2011		
FB 0264	Blackberries		7		CXL	10	43		2011		
SO 0691	Cotton seed		0.3		CXL	06	39		2007		
FB 0266	Dewberries (including boysenberry and loganberry)		7		CXL	10	43		2011		
MO 0105	Edible offal (mammalian)	0.01	(*)		CXL	06	39		2007		
PE 0112	Eggs	0.01	(*)		CXL	06	39		2007		
VC 0045	Fruiting vegetables, cucurbits (group)	0.5			CXL	06	39		2007		
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	2			CXL	06	39		2007		
FB 0269	Grapes	0.7			CXL	06	39		2007		
DH 1100	Hops, dry	20			CXL	06	39		2007		
VP 0060	Legume vegetables (group)	7			CXL	10	43		2011		
MM 0095	Meat (from mammals other than marine mammals)	0.05	(fat)		CXL	06,07	40	39		2008	
FM 0183	Milk fats	0.05			CXL	06	39		2007		
ML 0106	Milks	0.01	(*)		CXL	06	39		2007		
HH 0738	Mints	40			CXL	06	39		2007		
VO 0444	Peppers chili	3			CXL	06	39		2007		
VO 0445	Peppers, sweet (including pimento or pimiento)	2			CXL	06	39		2007		
FP 0009	Pome fruits (group)	0.7			CXL	06	39		2007		
PM 0110	Poultry meat	0.01	(*) (fat)		CXL	06	39		2007		
PO 0111	Poultry, edible offal of	0.01	(*)		CXL	06	39		2007		
FB 0272	Raspberries, red, black	7			CXL	10	43		2011		
FS 0012	Stone fruits (group)	2			CXL	06	39		2007		
FB 0275	Strawberry	2			CXL	06	39		2007		
VO 0448	Tomato	0.5			CXL	06	39		2007		
TN 0085	Tree nuts (group)	0.2			CXL	06	39		2007		

220 Aminopyralid

Main Uses: Herbicide
 ADI: 0-0.9 mg/kg bw (2007)
 ARfD: Unnecessary (2007)
 Residue: For compliance with the MRL and for estimation of dietary intake: Aminopyralid and its conjugates that can be hydrolysed, expressed as aminopyralid.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
GC	0640	Barley	0.1			CXL	07	40		2008	
MO	0105	Edible offal (mammalian)	0.05		Except kidney	CXL	07	40		2008	
PE	0112	Eggs	0.01 (*)			CXL	07	40		2008	
AS	0164	Fodder (dry) of cereal grains	3			CXL	07	40		2008	
AS	0162	Hay or fodder (dry) of grasses	70			CXL	07	40		2008	
MO	0098	Kidney of cattle, goats, pigs and sheep	1			CXL	07	40		2008	
MM	0095	Meat (from mammals other than marine mammals)	0.1			CXL	07	40		2008	
ML	0106	Milks	0.02			CXL	07	40		2008	
GC	0647	Oats	0.1			CXL	07	40		2008	
PM	0110	Poultry meat	0.01 (*)			CXL	07	40		2008	
PO	0111	Poultry, edible offal of	0.01 (*)			CXL	07	40		2008	
AS	0163	Straw of cereal grains	0.3			CXL	07	40		2008	
GC	0653	Triticale	0.1			CXL	07	40		2008	
GC	0654	Wheat	0.1			CXL	07	40		2008	
CM	0654	Wheat bran, unprocessed	0.3			CXL	07	40		2008	

221 Boscalid

Main Uses: Fungicide

ADI: 0-0.04 mg/kg bw (2006)

ARfD: Unnecessary (2006)

Residue: For compliance with the MRL for plant and animal commodities and for estimation of dietary intake for plant commodities: Boscalid.

For estimation of dietary intake) for animal commodities: Sum of boscalid, 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl)nicotinamide including its conjugate, expressed as boscalid.

The residue is fat soluble.

		Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AM	0660	Almond hulls		15			CXL	09	42		2010	
FI	0327	Banana		0.6			CXL	08	42	41	2010	
GC	0640	Barley		0.5			CXL	09	42		2010	
AS	0640	Barley, hay and/or straw		50	dry wt		CXL	09	42		2010	
FB	0018	Berries and other small fruits		10		Except strawberry and grapes.	CXL	09	42		2010	
VB	0040	Brassica vegetables (except Brassica leafy vegetables) (group)		5			CXL	09	42		2010	
VA	0035	Bulb vegetables (group)		5			CXL	09	42		2010	
GC	0080	Cereal grains		0.1		Except barley, oats, rye and wheat.	CXL	09	42		2010	
FS	0013	Cherries (subgroup)		5			CXL	2019	52		2021	
FC	0001	Citrus fruits (group)		2			CXL	10	43		2011	
OR	0001	Citrus oil, edible		50			CXL	10	43		2011	
AB	0001	Citrus pulp, dried		6			CXL	10	43		2011	
SB	0716	Coffee beans		0.05	(*)		CXL	09	42		2010	
MO	0105	Edible offal (mammalian)		0.2			CXL	09	42		2010	
PE	0112	Eggs		0.02			CXL	09	42		2010	
VC	0045	Fruiting vegetables, cucurbits (group)		3			CXL	09	42		2010	
VO	0050	Fruiting vegetables, other than cucurbits (group)		3		Except fungi, mushroom and sweet corn.	CXL	09	42		2010	
DF	0269	Grape, dried (= Currents, Raisins and Sultanas)		10			CXL	09	42		2010	
FB	0269	Grapes		5			CXL	09	42		2010	
DH	1100	Hops, dry		60			CXL	10	43		2011	
FI	0341	Kiwifruit		5			CXL	09	42		2010	
VL	0053	Leafy vegetables		40			CXL	10	43		2011	
VP	0060	Legume vegetables (group)		3			CXL	09	42		2010	
FI	0345	Mango		2			CXL	2019	52		2021	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
MM 0095	Meat (from mammals other than marine mammals)		0.7	(fat)		CXL	09	42		2010	
FM 0183	Milk fats		2			CXL	09	42		2010	
ML 0106	Milks		0.1			CXL	09	42		2010	
AS 0647	Oat straw and fodder, dry		50	dry wt		CXL	09	42		2010	
GC 0647	Oats		0.5			CXL	09	42		2010	
SO 0088	Oilseed		1			CXL	09	42		2010	
FS 2001	Peaches (including apricots and nectarine) (subgroup)		4			CXL	2019	52		2021	
HS 0444	Peppers chili, dried		10			CXL	09	42		2010	
TN 0675	Pistachio nuts		1			CXL	09	42		2010	
FS 0014	Plums (including fresh prunes) (subgroup)		1.5			CXL	2019	52		2021	
FP 0009	Pome fruits (group)		2			CXL	2019	52		2021	
PF 0111	Poultry fats		0.02			CXL	09	42		2010	
PM 0110	Poultry meat		0.02			CXL	09	42		2010	
PO 0111	Poultry, edible offal of		0.02			CXL	09	42		2010	
DF 0014	Prunes		5			CXL	2019	52		2021	
VD 0070	Pulses (group)		3			CXL	09	42		2010	
VR 0075	Root and tuber vegetables (group)		2			CXL	09	42		2010	
GC 0650	Rye		0.5			CXL	09	42		2010	
AS 0650	Rye straw and fodder, dry		50	dry wt		CXL	09	42		2010	
VS 0078	Stalk and stem vegetables		30			CXL	10	43		2011	
AS 0081	Straw and hay of cereal grains except pseudocereals		5	dry wt	Except straw and fodder of barley, oats, rye and wheat.	CXL	09	42		2010	
FB 0275	Strawberry		3			CXL	09	42		2010	
DT 1114	Tea, green, black (black, fermented and dried)		40			CXL	2019	52		2021	
TN 0085	Tree nuts (group)		0.05	(*)	Except	CXL	09	42		2010	
GC 0654	Wheat		0.5			CXL	09	42		2010	
AS 0654	Wheat, hay and/or straw		50		dry wt	CXL	09	42		2010	

222 Quinoxifen

Main Uses: Fungicide
 ADI: 0-0.2 mg/kg bw (2006)
 ARfD: Unnecessary (2006)
 Residue: For compliance with MRLs and estimation of dietary intake: Quinoxifen.
 The residue is fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
GC 0640	Barley	0.01 (*)			CXL	06	39		2007	
FS 0013	Cherries (subgroup)	0.4			CXL	06	39		2007	Recommended for withdrawal by JMPR
FS 0013	Cherries (subgroup)	0.5			3	2021	53			
FB 0278	Currant, black	1			CXL	06	39		2007	
MO 0105	Edible offal (mammalian)	0.01 (*)			CXL	06	39		2007	
PE 0112	Eggs	0.01 (*)			CXL	06	39		2007	
FB 0269	Grapes	2			CXL	06	39		2007	
DH 1100	Hops, dry	1			CXL	06	39		2007	
VL 0482	Lettuce, head	8			CXL	06	39		2007	
VL 0483	Lettuce, leaf	20			CXL	06	39		2007	
MM 0095	Meat (from mammals other than marine mammals)	0.2 (fat)			CXL	07	40	39	2008	
VC 0046	Melons, except watermelon	0.1			CXL	06	39		2007	
FM 0183	Milk fats	0.2			CXL	06	39		2007	
ML 0106	Milks	0.01			CXL	06	39		2007	
VO 0051	Peppers (subgroup)	1			CXL	06	39		2007	
HS 0444	Peppers chili, dried	10			CXL	06	39		2007	
PM 0110	Poultry meat	0.02 (fat)			CXL	06	39		2007	
PO 0111	Poultry, edible offal of	0.01			CXL	06	39		2007	
FB 0275	Strawberry	1			CXL	06	39		2007	
VR 0596	Sugar beet	0.03			CXL	06	39		2007	
GC 0654	Wheat	0.01 (*)			CXL	06	39		2007	

223 Thiacloprid

Main Uses: Insecticide
 ADI: 0-0.01 mg/kg bw (2006)
 ARfD: 0.03 mg/kg bw (2006)
 Residue: For compliance with MRLs and estimation of dietary intake in plant and animals commodities: Thiacloprid.
 The residue is not fat soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AM	0660	Almond hulls	10			CXL	06	39		2007	
FB	0018	Berries and other small fruits	1			CXL	06	39		2007	
SO	0691	Cotton seed	0.02	(*)		CXL	06	39		2007	
VC	0424	Cucumber	0.3			CXL	06	39		2007	
MO	0105	Edible offal (mammalian)	0.5			CXL	06	39		2007	
VO	0440	Egg plant	0.7			CXL	06	39		2007	
PE	0112	Eggs	0.02	(*)		CXL	06	39		2007	
FI	0341	Kiwifruit	0.2			CXL	06	39		2007	
MM	0095	Meat (from mammals other than marine mammals)	0.1			CXL	06	39		2007	
VC	0046	Melons, except watermelon	0.2			CXL	06	39		2007	
ML	0106	Milks	0.05			CXL	06	39		2007	
SO	0485	Mustard seed	0.5			CXL	06	39		2007	
VO	0445	Peppers, sweet (including pimento or pimiento)	1			CXL	06	39		2007	
FP	0009	Pome fruits (group)	0.7			CXL	06	39		2007	
VR	0589	Potato	0.02	(*)		CXL	06	39		2007	
PM	0110	Poultry meat	0.02	(*)		CXL	06	39		2007	
PO	0111	Poultry, edible offal of	0.02	(*)		CXL	06	39		2007	
SO	0495	Rape seed	0.5			CXL	06	39		2007	
GC	0649	Rice	0.02	(*)		CXL	06	39		2007	
VC	0431	Squash, summer	0.3			CXL	06	39		2007	
FS	0012	Stone fruits (group)	0.5			CXL	06	39		2007	
VO	0448	Tomato	0.5			CXL	06	39		2007	
TN	0085	Tree nuts (group)	0.02			CXL	06	39		2007	
VC	0432	Watermelon	0.2			CXL	06	39		2007	
GC	0654	Wheat	0.1			CXL	06	39		2007	
AS	0654	Wheat, hay and/or straw	5			CXL	06	39		2007	
VC	0433	Winter squash	0.2			CXL	06	39		2007	

224 Difenoconazole

Main Uses: Fungicide
 ADI: 0-0.01 mg/kg bw (2007)

ARfD: 0.3 mg/kg bw (2007)

Residue: For compliance with the MRL and for estimation of dietary exposure for plant commodities: Difenoconazole.
 For compliance with the MRL and for estimation of dietary exposure for animal commodities: Sum of difenoconazole and 1-[2-chloro-4-(4-chloro-phenoxy)-phenyl]-2-(1,2,4-triazol)-1-yl-ethanol), expressed as difenoconazole.
 Residue is fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VS	0620	Artichoke, globe	1.5			CXL	2017	50		2018	
VS	0621	Asparagus	0.03			CXL	07	40		2008	
FI	0326	Avocado	0.6			CXL	2015	48		2016	
FI	0327	Banana	0.1			CXL	07	40		2008	
VP	0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	0.7			CXL	10	43		2011	
FB	0020	Blueberries	4			CXL	2017	50		2018	
VB	0040	Brassica vegetables (except Brassica leafy vegetables) (group)	2			CXL	2013	46		2014	
VR	0577	Carrot	0.2			CXL	07	40		2008	
VR	0578	Celeriac	0.5			CXL	07	40		2008	
VS	0624	Celery	3			CXL	07	40		2008	
FS	0013	Cherries (subgroup)	0.2			CXL	07	40		2008	
FC	0001	Citrus fruits (group)	0.6			CXL	2013	46		2014	
SB	0716	Coffee beans	0.01	(*)		CXL	2017	50		2018	
SO	0691	Cotton seed	0.4				3	2021	53		
FB	0265	Cranberry	0.6				3	2021	53		
VC	0424	Cucumber	0.2				CXL	2013	46		2014
VD	2065	Dry beans (subgroup)	0.05		(except soya bean)	CXL	2017	50		2018	
VD	2066	Dry peas			(subgroup)			0.15			
MO	0105	Edible offal (mammalian)	1.5			CXL	2013	46		2014	
PE	0112	Eggs	0.03			CXL	2013	46		2014	
VO	0050	Fruiting vegetables, other than cucurbits (group)	0.6		(except peppers, chilli)	CXL	2017	50		2018	Replaces previous recommendation for Fruiting vegetables other than Cucurbits (except sweetcorn and mushrooms).
VA	0381	Garlic	0.02	(*)		CXL	07	40		2008	
VC	0425	Gherkin	0.2			CXL	2013	46		2014	
VR	0604	Ginseng	0.08			CXL	2013	46		2014	

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
DV 0604	Ginseng, dried including red ginseng	0.8			CXL	2017	50		2018	
DM 0604	Ginseng, extracts	0.6			CXL	2013	46		2014	
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	6			CXL	2013	46		2014	
FB 0269	Grapes	3			CXL	2013	46		2014	
FT 0336	Guava	0.15			3	2021	53			
VA 0384	Leek	0.3			CXL	07	40		2008	
VL 0482	Lettuce, head	2			CXL	07	40		2008	
VL 0483	Lettuce, leaf	2			CXL	07	40		2008	
FI 0345	Mango	0.07			CXL	07	40		2008	
MM 0095	Meat (from mammals other than marine mammals)	0.2	(fat)		CXL	2013	46		2014	
VC 0046	Melons, except watermelon	0.7			CXL	2013	46		2014	
ML 0106	Milks	0.02			CXL	2013	46		2014	
FS 0245	Nectarine	0.5			CXL	07	40		2008	
VA 0385	Onion, bulb	0.1			CXL	2013	46		2014	
FI 0350	Papaya	0.2			CXL	07	40		2008	
FI 0351	Passion fruit	0.05			CXL	10	43		2011	
FS 0247	Peach	0.5			CXL	07	40		2008	
SO 0697	Peanut	0.01	(*)		CXL	2015	48		2016	
VP 0063	Peas (pods and succulent=immature seeds)	0.7			CXL	10	43		2011	
VO 0444	Peppers chili	0.9			CXL	2017	50		2018	
HS 0444	Peppers chili, dried	5			CXL	2017	50		2018	
FI 2540	Pitaya	0.15			CXL	2017	50		2018	
FS 0014	Plums (including fresh prunes) (subgroup)	0.2			CXL	07	40		2008	
FP 0009	Pome fruits (group)	4	Po		CXL	2017	50		2018	
VR 0589	Potato	4	Po		CXL	2013	46		2014	
PM 0110	Poultry meat	0.01	(*) (fat)		CXL	07	40		2008	
PO 0111	Poultry, edible offal of	0.01	(*)		CXL	07	40		2008	
SO 0495	Rape seed	0.15			CXL	2015	48		2016	
GC 0649	Rice	8			CXL	2017	50		2018	
AS 0649	Rice, hay and/or straw	17	(dw)		CXL	2017	50		2018	
CM 1205	Rice, polished	0.07			CXL	2017	50		2018	
VD 0541	Soya bean (dry)	0.1			CXL	2015	48		2016	
VA 0389	Spring onion	9			CXL	2013	46		2014	
VC 0431	Squash, summer	0.2			CXL	2013	46		2014	
FB 0275	Strawberry	2			CXL	2017	50		2018	
VR 0596	Sugar beet	0.2			CXL	07	40		2008	
SO 0702	Sunflower seed	0.02			CXL	07	40		2008	

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
GC 0447	Sweet corn (corn on the cob) (kernels plus cob with husk removed)	0.01	(*)		CXL	2017	50		2018	former sweet corn (before the revision of the Classification for Type03 Grasses)
AS 0447	Sweet corn fodder	0.01	(*) (dw)		CXL	2017	50		2018	
FT 0305	Table olives	2			CXL	07	40		2008	
DT 1114	Tea, green, black (black, fermented and dried)	20			3	2021	53			
TN 0085	Tree nuts (group)	0.03			CXL	10	43		2011	
VC 0432	Watermelon	0.02			CXL	2017	50		2018	
GC 0654	Wheat	0.02	(*)		CXL	07	40		2008	
AS 0654	Wheat, hay and/or straw	3			CXL	07	40		2008	

225 Dimethomorph

Main Uses: Fungicide
 ADI: 0-0.2 mg/kg bw (2007)
 ARfD: 0.6 mg/kg bw (2007)

Residue: For compliance with the MRL and estimation of dietary intake for plant and animal commodities: Dimethomorph (sum of isomers).
 The residue is not fat soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VS	0620	Artichoke, globe	2			CXL	2014	47		2015	
VP	0062	Beans, shelled	0.7			CXL	2014	47		2015	
VB	0400	Broccoli	4			CXL	2014	47		2015	
VB	0041	Cabbages, head	6			CXL	2014	47		2015	
VS	0624	Celery	15			CXL	2014	47		2015	
VL	0470	Corn salad	10			CXL	07	40		2008	
MO	0105	Edible offal (mammalian)	0.01 (*)			CXL	07	40		2008	
PE	0112	Eggs	0.01 (*)			CXL	07	40		2008	
VC	0045	Fruiting vegetables, cucurbits (group)	0.5			CXL	07	40		2008	
VO	0050	Fruiting vegetables, other than cucurbits (group)	1.5			CXL	2014	47		2015	
VA	0381	Garlic	0.6			CXL	2014	47		2015	
DF	0269	Grape, dried (= Currents, Raisins and Sultanas)	5			CXL	2014	47		2015	
FB	0269	Grapes	3			CXL	2014	47		2015	
DH	1100	Hops, dry	80			CXL	07	40		2008	
VB	0405	Kohlrabi	0.02			CXL	07	40		2008	
VA	0384	Leek	0.8			CXL	2014	47		2015	
VL	0482	Lettuce, head	10			CXL	07	40		2008	
VL	0483	Lettuce, leaf	9			CXL	2016	49		2017	
MM	0095	Meat (from mammals other than marine mammals)	0.01 (*)			CXL	07	40		2008	
ML	0106	Milks	0.01 (*)			CXL	07	40		2008	
VA	0385	Onion, bulb	0.6			CXL	2014	47		2015	
VA	0387	Onion, Welsh	9			CXL	2014	47		2015	
VP	0064	Peas, shelled (succulent seeds)	0.15			CXL	2014	47		2015	
HS	0444	Peppers chili, dried	5			CXL	07	40		2008	
FI	0353	Pineapple	0.01 (*)			CXL	07	40		2008	
VR	0589	Potato	0.05			CXL	07	40		2008	
PM	0110	Poultry meat	0.01 (*)			CXL	07	40		2008	
PO	0111	Poultry, edible offal of	0.01 (*)			CXL	07	40		2008	
VA	0388	Shallot	0.6			CXL	2014	47		2015	
VL	0502	Spinach	30			CXL	2014	47		2015	
VA	0389	Spring onion	9			CXL	2014	47		2015	
FB	0275	Strawberry	0.5			CXL	2014	47		2015	
VL	0505	Taro leaves	10			CXL	2014	47		2015	

226 Pyrimethanil

Main Uses: Fungicide
 ADI: 0-0.2 mg/kg bw (2007)
 ARfD: Unnecessary (2007)
 Residue: For compliance with MRL and dietary intake for plant commodities: Pyrimethanil.
 For compliance with the MRL and for dietary intake estimation for milk: Sum of pyrimethanil and 2-anilino-4,6-dimethylpyrimidin-5-ol, expressed as pyrimethanil.
 For compliance with the MRL and for dietary intake estimation) for livestock tissues (excluding poultry): Sum of pyrimethanil and 2-(4-hydroxyanilino)-4,6-dimethylpyrimidine, expressed as pyrimethanil.
 The residue is not fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AM 0660	Almond hulls	12			CXL	07	40		2008	
TN 0660	Almonds	0.2			CXL	07	40		2008	
FS 0240	Apricot	3			CXL	07	40		2008	
FI 0327	Banana	0.1			CXL	07	40		2008	
FB 0264	Blackberries	15			CXL	2015	48		2016	
FB 0020	Blueberries	8			CXL	2015	48		2016	
VR 0577	Carrot	1			CXL	07	40		2008	
FS 0013	Cherries (subgroup)	4	Po		CXL	07	40		2008	
FC 0001	Citrus fruits (group)	7	Po		CXL	07	40		2008	
VP 0526	Common bean (pods and/or immature seeds)	3			CXL	07	40		2008	
VC 0424	Cucumber	0.7			CXL	2015	48		2016	
MO 0105	Edible offal (mammalian)	0.1			CXL	07	40		2008	
VD 0561	Field pea (dry)	0.5			CXL	07	40		2008	
DV 0604	Ginseng, dried including red ginseng	1.5			CXL	2013	46		2014	
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	5			CXL	07	40		2008	
FB 0269	Grapes	4			CXL	07	40		2008	
VL 0482	Lettuce, head	3			CXL	07	40		2008	
FB 2009	Low growing berries (subgroup)	3			CXL	2013	46		2014	
MM 0095	Meat (from mammals other than marine mammals)	0.05	(*)		CXL	07	40		2008	
ML 0106	Milks	0.01			CXL	07	40		2008	
FS 0245	Nectarine	4			CXL	07	40		2008	
VA 0385	Onion, bulb	0.2			CXL	07	40		2008	
AL 0072	Pea hay or pea fodder (dry)	3			CXL	07	40		2008	
FS 0247	Peach	4			CXL	07	40		2008	
FS 0014	Plums (including fresh prunes) (subgroup)	2			CXL	07	40		2008	
FP 0009	Pome fruits (group)	15	Po		CXL	2013	46		2014	
VR 0589	Potato	0.05	(*)		CXL	07	40		2008	
FB 0272	Raspberries, red, black	15			CXL	2015	48		2016	

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VA	0389	Spring onion	3		CXL	07	40		2008	
AS	0447	Sweet corn fodder	40		CXL	07	40		2008	
VO	0448	Tomato	0.7		CXL	07	40		2008	

227 Zoxamide

Main Uses: Fungicide
 ADI: 0-0.5 mg/kg bw (2007)
 ARfD: Unnecessary (2009)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Zoxamide.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VC	0045	Fruiting vegetables, cucurbits (group)	2			CXL	09	42		2010	
DF	0269	Grape, dried (= Currants, Raisins and Sultanas)	15			CXL	07	40		2008	
FB	0269	Grapes	5			CXL	07	40		2008	
VR	0589	Potato	0.02			CXL	07	40		2008	
VO	0448	Tomato	2			CXL	07	40		2008	

229 Azoxystrobin

Main Uses: Fungicide
 ADI: 0-0.2 mg/kg bw (2008)
 ARfD: Unnecessary (2008)
 Residue: For compliance with the MRL and for estimation of dietary exposure for plant and animal commodities: Azoxystrobin.
 The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AM 0660	Almond hulls	7			CXL	08	41		2009	
VS 0620	Artichoke, globe	5			CXL	08	41		2009	
VS 0621	Asparagus	0.01 (*)			CXL	08	41		2009	
FI 0327	Banana	2			CXL	08	41		2009	
GC 0640	Barley	1.5			CXL	2013	46		2014	
FB 0018	Berries and other small fruits	5		Except cranberry, grapes and strawberry	CXL	08	41		2009	
VB 0040	Brassica vegetables (except Brassica leafy vegetables) (group)	5			CXL	08	41		2009	
VA 0035	Bulb vegetables (group)	10			CXL	08	41		2009	
FT 0289	Carambola	0.1			CXL	12	45		2013	
VS 0624	Celery	5			CXL	08	41		2009	
FC 0001	Citrus fruits (group)	15			CXL	08	41		2009	
SB 0716	Coffee beans	0.03			CXL	2013	46		2014	
SO 0691	Cotton seed	0.7			CXL	08	41		2009	
FB 0265	Cranberry	0.5			CXL	08	41		2009	
DH 0170	Dried herbs	300		Except hops (dry)	CXL	08	41		2009	
MO 0105	Edible offal (mammalian)	0.07			CXL	08	41		2009	
PE 0112	Eggs	0.01 (*)			CXL	08	41		2009	
VC 0045	Fruiting vegetables, cucurbits (group)	1			CXL	08	41		2009	
VO 0050	Fruiting vegetables, other than cucurbits (group)	3		Except mushrooms and sweet corn	CXL	08	41		2009	
VR 0604	Ginseng	0.1			CXL	11	44		2012	
DV 0604	Ginseng, dried including red ginseng	0.3			CXL	11,12	45	44	2013	
DM 0604	Ginseng, extracts	0.5			CXL	11,12	45	44	2013	
FB 0269	Grapes	2			CXL	08	41		2009	
FT 0336	Guava	0.2			CXL	2019	52		2021	
HH 0092	Herbs	70			CXL	08	41		2009	
DH 1100	Hops, dry	30			CXL	08	41		2009	
VP 0060	Legume vegetables (group)	3			CXL	08	41		2009	
VL 0482	Lettuce, head	3			CXL	08	41		2009	
VL 0483	Lettuce, leaf	3			CXL	08	41		2009	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
GC 0645	Maize		0.02			CXL	08	41		2009	
AS 0645	Maize fodder (dry)		40	dry wt		CXL	08	41		2009	
OR 0645	Maize oil, edible		0.1			CXL	08	41		2009	
FI 0345	Mango		0.7			CXL	08	41		2009	
MM 0095	Meat (from mammals other than marine mammals)		0.05	(fat)		CXL	08	41		2009	
FM 0183	Milk fats		0.03			CXL	08	41		2009	
ML 0106	Milks		0.01			CXL	08	41		2009	
GC 0647	Oats		1.5			CXL	2013	46		2014	
FI 0350	Papaya		0.3			CXL	08	41		2009	
AL 0072	Pea hay or pea fodder (dry)		20	dry wt		CXL	2013	46		2014	
SO 0697	Peanut		0.2			CXL	08	41		2009	
AL 0697	Peanut fodder		30			CXL	08	41		2009	
HS 0444	Peppers chili, dried		30			CXL	08	41		2009	
TN 0675	Pistachio nuts		1			CXL	08	41		2009	
FI 2540	Pitaya		0.3			CXL	2017	50		2018	
FI 0354	Plantain		2			CXL	08	41		2009	
VR 0589	Potato		7	Po		CXL	2013	46		2014	
PM 0110	Poultry meat		0.01	(*)		CXL	08	41		2009	
PO 0111	Poultry, edible offal of		0.01	(*)		CXL	08	41		2009	
VD 0070	Pulses (group)		0.07		(except soya beans)	CXL	2013	46		2014	
SO 0495	Rape seed		0.5			CXL	2017	50		2018	
GC 0649	Rice		5			CXL	08	41		2009	
VR 0075	Root and tuber vegetables (group)		1		(except potato)	CXL	2013	46		2014	
GC 0650	Rye		0.2			CXL	08	41		2009	
GC 0651	Sorghum grain		10			CXL	2013	46		2014	
AS 0651	Sorghum straw and fodder, dry		30	dry wt		CXL	2013	46		2014	
VD 0541	Soya bean (dry)		0.5			CXL	08	41		2009	
AL 0541	Soya bean fodder		100			CXL	08	41		2009	
FS 0012	Stone fruits (group)		2			CXL	08	41		2009	
AS 0081	Straw and hay of cereal grains except pseudocereals		15	dry wt	(except maize and sorghum)	CXL	2013	46		2014	
FB 0275	Strawberry		10			CXL	08	41		2009	
GS 0659	Sugar cane		0.05			CXL	2017	50		2018	
SO 0702	Sunflower seed		0.5			CXL	08	41		2009	
TN 0085	Tree nuts (group)		0.01			CXL	08	41		2009	
GC 0653	Triticale		0.2			CXL	08	41		2009	
GC 0654	Wheat		0.2			CXL	08	41		2009	
VL 2832	Witloof chicory (sprouts)		0.3			CXL	08	41		2009	

230 Chlorantraniliprole

Main Uses: Insecticide
 ADI: 0-2 mg/kg bw (2008)

ARfD: Unnecessary (2008)

Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Chlorantraniliprole.
 The residue is fat-soluble

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AL 1020	Alfalfa fodder	50			CXL	10	43		2011	
VS 0620	Artichoke, globe	2			CXL	2013	46		2014	
VP 0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	0.8		(green pods and immature seeds)	CXL	2013	46		2014	
FB 0018	Berries and other small fruits	1			CXL	10	43		2011	
VB 0040	Brassica vegetables (except Brassica leafy vegetables) (group)	2			CXL	10	43		2011	
VR 0577	Carrot	0.08			CXL	2013	46		2014	
VS 0624	Celery	7			CXL	08	41		2009	
GC 0080	Cereal grains	0.02		(except rice)	CXL	2013	46		2014	
FC 0001	Citrus fruits (group)	0.7			CXL	2014	47		2015	
SB 0716	Coffee beans	0.05			CXL	2013	46		2014	
SO 0691	Cotton seed	0.3			CXL	08	41		2009	
VD 2065	Dry beans (subgroup)	0.3		(except soya beans)	CXL	2019	52		2021	
VD 2066	Dry peas			(subgroup)		0.3				
MO 0105	Edible offal (mammalian)	0.2			CXL	10	43		2011	
PE 0112	Eggs	0.2			CXL	2016	49		2017	
VC 0045	Fruiting vegetables, cucurbits (group)	0.3			CXL	08	41		2009	
VO 0050	Fruiting vegetables, other than cucurbits (group)	0.6			CXL	08	41		2009	
DH 1100	Hops, dry	40			CXL	2013	46		2014	
VL 0053	Leafy vegetables	20		(except radish leaves)	CXL	2013	46		2014	
MF 0100	Mammalian fats (except milk fats)	0.2			CXL	2014	47		2015	
MM 0095	Meat (from mammals other than marine mammals)	0.2	(fat)		CXL	10	43		2011	
FM 0183	Milk fats	0.2			CXL	10	43		2011	
ML 0106	Milks	0.05			CXL	10	43		2011	
HH 0738	Mints	15			CXL	10	43		2011	
SO 3160	Palm fruit (African oil palm)	0.8			CXL	2019	52		2021	
OC 1240	Palm kernel oil, crude	2			CXL	2019	52		2021	
SO 0697	Peanut	0.06			CXL	2016	49		2017	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
	Code	Name									
VP	0063	Peas (pods and succulent=immature seeds)	2			CXL	2013	46		2014	
VP	0064	Peas, shelled (succulent seeds)	0.05			CXL	2013	46		2014	
HS	0444	Peppers chili, dried	5			CXL	08	41		2009	
FP	0009	Pome fruits (group)	0.4			CXL	08	41		2009	
FI	0355	Pomegranate	0.4			CXL	2013	46		2014	
PF	0111	Poultry fats	0.08			CXL	2016	49		2017	
PM	0110	Poultry meat	0.02			CXL	2016	49		2017	
PO	0111	Poultry, edible offal of	0.07			CXL	2016	49		2017	
VR	0494	Radish	0.5			CXL	2013	46		2014	
VL	0494	Radish leaves (including radish tops)	40			CXL	2013	46		2014	
SO	0495	Rape seed	2			CXL	2013	46		2014	
GC	0649	Rice	0.4			CXL	2013	46		2014	
CM	1205	Rice, polished	0.04			CXL	2013	46		2014	
VR	0075	Root and tuber vegetables (group)	0.02		(except carrot and radish)	CXL	2013	46		2014	
VD	0541	Soya bean (dry)	0.05			CXL	2014	47		2015	
FS	0012	Stone fruits (group)	1			CXL	08	41		2009	
AS	0161	Straw, fodder (dry) and hay of cereal grains and other grass-like plants	30	(dw)		CXL	2016	49		2017	
GS	0659	Sugar cane	0.5			CXL	10	43		2011	
SO	0702	Sunflower seed	2			CXL	2013	46		2014	
VO	0447	Sweet corn (corn-on-the-	0.01	(*)		CXL	10	43		2011	
TN	0085	Tree nuts (group)	0.02			CXL	10	43		2011	

231 Mandipropamid

Main Uses: Fungicide
 ADI: 0-0.2 mg/kg bw (2008)

ARfD: Unnecessary (2008)

Residue: For compliance with the MRL and dietary risk assessment for plant and animal commodities: Mandipropamid.
 The residue is not fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VP	2060	Beans with pods (subgroup)	1			CXL	2018	51		2019	
VB	0400	Broccoli	2			CXL	2008	41		2009	
VB	0041	Cabbages, head	3			CXL	2008	41		2009	
SB	0715	Cacao beans	0.06			CXL	2018	51		2019	
VS	0624	Celery	20			CXL	2008	41		2009	
OR	0001	Citrus oil, edible	30			3	2021	53			
AB	0001	Citrus pulp, dried	1.5			3	2021	53			
VC	0424	Cucumber	0.2			CXL	2008	41		2009	
MO	0105	Edible offal (mammalian)	0.01	(*)		CXL	2018	51		2019	Recommended for withdrawal by JMPR
MO	0105	Edible offal (mammalian)	0.01	(*)		3	2021	53			
PE	0112	Eggs	0.01	(*)		CXL	2018	51		2019	
DF	0269	Grape, dried (= Currents, Raisins and Sultanas)	5			CXL	2008	41		2009	
FB	0269	Grapes	2			CXL	2008	41		2009	
DH	1100	Hops, dry	90			CXL	2013	46		2014	
VL	0053	Leafy vegetables	25			CXL	2008	41		2009	
FC	0002	Lemons and limes (including citron) (subgroup)	0.5			3	2021	53			
MF	0100	Mammalian fats (except milk fats)	0.01	(*)		CXL	2018	51		2019	Recommended for withdrawal by JMPR
MF	0100	Mammalian fats (except milk fats)	0.02			3	2021	53			
FC	0003	Mandarins (including mandarin-like hybrids) (subgroup)	0.5			3	2021	53			
MM	0095	Meat (from mammals other than marine mammals)	0.01	(*)		CXL	2018	51		2019	
VC	0046	Melons, except watermelon	0.5			CXL	2008	41		2009	
ML	0106	Milks	0.01	(*)		CXL	2018	51		2019	
VA	0385	Onion, bulb	0.1			CXL	2008	41		2009	
FC	0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.4			3	2021	53			
VO	0051	Peppers (subgroup)	1			CXL	2008	41		2009	
HS	0444	Peppers chili, dried	10			CXL	2008	41		2009	
VR	0589	Potato	0.1			CXL	2018	51		2019	
PF	0111	Poultry fats	0.01	(*)		CXL	2018	51		2019	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
PM 0110	Poultry meat	0.01	(*)		CXL	2018	51		2019		
PO 0111	Poultry, edible offal of	0.01	(*)		CXL	2018	51		2019		
FC 0005	Pummelo and grapefruits (including Shaddock-like hybrids, among others Grapefruit) (subgroup)	0.2			3	2021	53				
VA 0389	Spring onion	7			CXL	2008	41		2009		
VC 0431	Squash, summer	0.2			CXL	2008	41		2009		
VO 0448	Tomato	0.3			CXL	2008	41		2009		

232 Prothioconazole

Main Uses: Fungicide
 ADI: 0-0.05 mg/kg bw (2008)
 ARfD: 0.8 mg/kg bw (for women of child-bearing age) (2008)
 Residue: For compliance with MRL and estimation of dietary exposure for plant commodities: Prothioconazole-desthio.
 For compliance with the MRL for animal commodities: Prothioconazole-desthio. For the estimation of dietary exposure for animal commodities: Sum of prothioconazole-desthio, prothioconazole-desthio-3-hydroxy, prothioconazole-desthio-4-hydroxy and their conjugates expressed as prothioconazole-desthio.
 The residue is not fat soluble
 Note: Prothioconazole ARfD: Unnecessary (general population)
 Prothioconazole-desthio:
 ADI: 0-0.01 mg/kg bw
 ARfD: 0.01 mg/kg bw (woman of child bearing age)
 ARfD: 1 mg/kg bw (general population)

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
GC	0640	Barley	0.2			CXL	09	42		2010	
FB	2006	Bush berries (subgroup)	1.5			CXL	2014	47		2015	
SO	0691	Cotton seed	0.3			CXL	17	50	20	2018	
FB	0265	Cranberry	0.15			CXL	2014	47		2015	
MO	0105	Edible offal (mammalian)	0.3			CXL	2017	50		2018	Recommended for withdrawal by JMPR
MO	0105	Edible offal (mammalian)	0.15			3	2021	53			
PE	0112	Eggs	0.005	(*)		CXL	2017	50		2018	Recommended for withdrawal by JMPR
PE	0112	Eggs	0.005	(*)		3	2021	53			
AS	0164	Fodder (dry) of cereal grains	5			CXL	09	42		2010	
VC	0045	Fruiting vegetables, cucurbits (group)	0.2		(except watermelon)	CXL	2014	47		2015	
SO	0693	Linseed	0.03			3	2021	53			
GC	0645	Maize	0.1			CXL	2014	47		2015	
AS	0645	Maize fodder (dry)	15			CXL	2014	47		2015	
MF	0100	Mammalian fats (except milk fats)	0.02			CXL	2017	50		2018	Recommended for withdrawal by JMPR
MF	0100	Mammalian fats (except milk fats)	0.01			3	2021	53			
MM	0095	Meat (from mammals other than marine mammals)	0.01			CXL	2017	50		2018	Recommended for withdrawal by JMPR
MM	0095	Meat (from mammals other than marine mammals)	0.01			3	2021	53			
ML	0106	Milks	0.004	(*)		CXL	2017	50		2018	Recommended for withdrawal by JMPR
ML	0106	Milks	0.004	(*)		3	2021	53			
GC	0647	Oats	0.05			CXL	08	41		2009	
SO	0697	Peanut	0.02	(*)		CXL	08	41		2009	
AL	0697	Peanut fodder	15			CXL	2014	47		2015	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
GC 0656	Popcorn		0.1			CXL	2014	47		2015	
VR 0589	Potato		0.02	(*)		CXL	2014	47		2015	
PF 0111	Poultry fats		0.01	(*)		CXL	2017	50		2018	Recommended for withdrawal by JMPR
PF 0111	Poultry fats		0.01			3	2021	53			
PM 0110	Poultry meat		0.01	(*)		CXL	2017	50		2018	Recommended for withdrawal by JMPR
PM 0110	Poultry meat		0.01	(*)		3	2021	53			
PO 0111	Poultry, edible offal of		0.1			CXL	2017	50		2018	Recommended for withdrawal by JMPR
PO 0111	Poultry, edible offal of		0.01			3	2021	53			
VD 0070	Pulses (group)		1		Except soya bean, dry.	CXL	09	42		2010	
SO 0495	Rape seed		0.1			CXL	09	42		2010	Recommended for withdrawal by JMPR
SO 0495	Rape seed		0.2			3	2021	53			
GC 0650	Rye		0.05			CXL	08	41			
VD 0541	Soya bean (dry)		0.2			CXL	2014	47		2015	
AS 0081	Straw and hay of cereal grains except pseudocereals		4			CXL	09	42		2010	
VR 0596	Sugar beet		0.3			CXL	09	42		2010	
VO 0447	Sweet corn (corn-on-the-		0.02			CXL	2014	47		2015	
AS 0447	Sweet corn fodder		15			CXL	2014	47		2015	Tentative commodity code
GC 0653	Triticale		0.05			CXL	08	41		2009	
GC 0654	Wheat		0.1			CXL	09	42		2010	

233 Spinetoram

Main Uses: Insecticide
 ADI: 0-0.05 mg/kg bw (2008)
 ARfD: Unnecessary (2008)
 Residue: For compliance with MRLs for plant and animal commodities: Spinetoram.
 For estimation of dietary intake for plant and animal commodities: Spinetoram and N-demethyl and N-formyl metabolites of the major spinetoram component.
 The residue is fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FS 0240	Apricot	0.15			CXL	2017	50		2018	
FI 0326	Avocado	0.3			CXL	2017	50		2018	
VP 0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	0.05		(green pods and immature seeds)	CXL	2012	45		2013	
FB 0020	Blueberries	0.2			CXL	2012	45		2013	
VB 0040	Brassica vegetables (except Brassica leafy vegetables) (group)	0.3			CXL	2012	45		2013	
VS 0624	Celery	6			CXL	2012	45		2013	
FS 0013	Cherries (subgroup)	0.09			CXL	2017	50		2018	
SO 0691	Cotton seed	0.01	(*)		CXL	2017	50		2018	
FB 0021	Currants, black, red, white	0.5			CXL	2017	50		2018	
MO 0105	Edible offal (mammalian)	0.1			CXL	2018	51		2019	
PE 0112	Eggs	0.01	(*)		CXL	2017	50		2018	
VC 2039	Fruiting vegetables, cucurbits - cucumbers and summer squashes (subgroup)	0.04			CXL	2017	50		2018	
FB 0269	Grapes	0.3			CXL	2012	45		2013	
VA 0384	Leek	0.05			CXL	2017	50		2018	
VL 0482	Lettuce, head	10			CXL	2008	41		2009	
VL 0483	Lettuce, leaf	10			CXL	2008	41		2009	
FI 0343	Litchi	0.015			CXL	2017	50		2018	
GC 0645	Maize	0.01	(*)		CXL	2017	50		2018	
MF 0100	Mammalian fats (except milk fats)	1			CXL	2017	50		2018	
FC 0003	Mandarins (including mandarin-like hybrids) (subgroup)	0.15			CXL	2017	50		2018	
FI 0345	Mango	0.01	(*)		CXL	2017	50		2018	
MM 0095	Meat (from mammals other than marine mammals)	1	(fat)		CXL	2017	50		2018	
VC 0046	Melons, except watermelon	0.01	(*)		CXL	2017	50		2018	
FM 0183	Milk fats	0.15			CXL	2017	50		2018	
ML 0106	Milks	0.02			CXL	2017	50		2018	
FS 0245	Nectarine	0.3			CXL	2012	45		2013	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VA 0385	Onion, bulb	0.01	(*)			CXL	2012	45		2013	
VA 0387	Onion, Welsh	0.8				CXL	2012	45		2013	
FC 0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.07				CXL	2008	41		2009	
FI 0351	Passion fruit	0.4				CXL	2017	50		2018	
FS 0247	Peach	0.3				CXL	2012	45		2013	
VO 0051	Peppers (subgroup)	0.4			(except martyinia, okra and roselle)	CXL	2017	50		2018	
HS 0444	Peppers chili, dried	4				CXL	2017	50		2018	
FI 2540	Pitaya	0.5				3	2021	53			
FS 0014	Plums (including fresh prunes) (subgroup)	0.09				CXL	2017	50		2018	
FP 0009	Pome fruits (group)	0.05				CXL	2008	41		2009	
VR 0589	Potato	0.01	(*)			CXL	2017	50		2018	
PF 0111	Poultry fats	0.01	(*)			CXL	2017	50		2018	
PM 0110	Poultry meat	0.01	(*) (fat)			CXL	2017	50		2018	
PO 0111	Poultry, edible offal of	0.01	(*)			CXL	2017	50		2018	
FB 0272	Raspberries, red, black	0.8				CXL	2012	45		2013	
AS 0649	Rice, hay and/or straw	1.5				CXL	2017	50		2018	
CM 0649	Rice, husked	0.02	(*)			CXL	2017	50		2018	
VD 0541	Soya bean (dry)	0.01	(*)			CXL	2017	50		2018	
VL 0502	Spinach	8				CXL	2012	45		2013	
VA 0389	Spring onion	0.8				CXL	2012	45		2013	
FB 0275	Strawberry	0.15				CXL	2017	50		2018	
VR 0596	Sugar beet	0.01	(*)			CXL	2008	41		2009	
GC 0447	Sweet corn (corn on the cob) (kernels plus cob with husk removed)	0.01	(*)			CXL	2017	50		2018	
AS 0447	Sweet corn fodder	0.15				CXL	2017	50		2018	
FT 0305	Table olives	0.07				CXL	2017	50		2018	
DT 1114	Tea, green, black (black, fermented and dried)	70				3	2021	53			
VO 0448	Tomato	0.06				CXL	2008	41		2009	
TN 0085	Tree nuts (group)	0.01				CXL	2008	41		2009	

234 Spirotetramat

Main Uses: Insecticide
 ADI: 0-0.5 mg/kg bw (2008)
 ARfD: 1.0 mg/kg bw (2008)
 Residue: For compliance with MRL for plant commodities: Spirotetramat and its enol metabolite, 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat.
 For estimation of dietary intake for plant commodities: Spirotetramat, enol metabolite 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, ketohydroxy metabolite 3-(2,5-dimethylphenyl)-3-hydroxy-8-methoxy-1-azaspiro[4.5]decane-2,4-dione, monohydroxy metabolite cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]decane-2-one, and enol glucoside metabolite glucoside of 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat.
 For compliance with MRL and estimation of dietary intake for animal commodities: Spirotetramat enol metabolite, 3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat.
 The residue is not fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AM 0660	Almond hulls	10			CXL	08	41		2009	
VS 0620	Artichoke, globe	1			CXL	2013	46		2014	
FI 0326	Avocado	0.4			CXL	2015	48		2016	
FB 2006	Bush berries (subgroup)	1.5			CXL	2013	46		2014	
VB 0041	Cabbages, head	2			CXL	08	41		2009	
VR 0577	Carrot	0.04			CXL	2019	52		2021	
VS 0624	Celery	4			CXL	08	41		2009	
FC 0001	Citrus fruits (group)	0.5			CXL	08	41		2009	
SO 0691	Cotton seed	0.4			CXL	11	44		2012	
AB 1203	Cotton seed, meal	1			CXL	11	44		2012	
FB 0265	Cranberry	0.2			CXL	2013	46		2014	
MO 0105	Edible offal (mammalian)	1			CXL	11	44		2012	
PE 0112	Eggs	0.01			CXL	11	44		2012	
VB 0042	Flowerhead brassicas (includes Broccoli; Broccoli, Chinese and cauliflower)	1			CXL	08	41		2009	
VC 0045	Fruiting vegetables, cucurbits (group)	0.2			CXL	08	41		2009	
VO 0050	Fruiting vegetables, other than cucurbits (group)	1		Except sweet corn, mushrooms and chili pepper	CXL	08	41		2009	
AB 0269	Grape pomace, dry	4			CXL	08	41		2009	
DF 0269	Grape, dried (= Currants, Raisins and Sultanas)	4			CXL	08	41		2009	
FB 0269	Grapes	2			CXL	08	41		2009	
FT 0336	Guava	2			CXL	2015	48		2016	
DH 1100	Hops, dry	15			CXL	08	41		2009	
FI 0341	Kiwifruit	0.02	(*)		CXL	11	44		2012	
VL 0053	Leafy vegetables	7			CXL	08	41		2009	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
AL 0157	Legume animal feeds		30			CXL	11	44		2012	
VP 0060	Legume vegetables (group)		1.5			CXL	11	44		2012	
FI 0343	Litchi		15			CXL	11	44		2012	
FI 0345	Mango		0.3			CXL	11	44		2012	
MM 0095	Meat (from mammals other than marine mammals)		0.05			CXL	11	44		2012	
ML 0106	Milks		0.005			CXL	12	45		2013	
VA 0385	Onion, bulb		0.4			CXL	11	44		2012	
FI 0350	Papaya		0.4			CXL	11	44		2012	
VO 0444	Peppers chili		2	Non-bell		CXL	08	41		2009	
HS 0444	Peppers chili, dried		15			CXL	08	41		2009	
FP 0009	Pome fruits (group)		0.7			CXL	2008	41		2009	
VR 0589	Potato		0.8			CXL	08	41		2009	
PM 0110	Poultry meat	0.01	(*)			CXL	11	44		2012	
PO 0111	Poultry, edible offal of	0.01				CXL	11	44		2012	
DF 0014	Prunes	5				CXL	08	41		2009	
VD 0070	Pulses (group)	2		except soya bean (dry)		CXL	11	44		2012	except soya bean (dry)
VD 0541	Soya bean (dry)	4				CXL	11	44		2012	
FS 0012	Stone fruits (group)	3				CXL	08	41		2009	
FB 0275	Strawberry	0.3				CXL	2019	52		2021	
VR 0596	Sugar beet	0.06				CXL	2019	52		2021	
AV 0596	Sugar beet leaves or tops (dry)	8	(dw)			CXL	2019	52		2021	
DM 0596	Sugar beet molasses	0.3				CXL	2019	42		2021	
GC 0447	Sweet corn	1.5				CXL	2015	48		2016	
TN 0085	Tree nuts (group)	0.5				CXL	08	41		2009	

235 Fluopicolide

Main Uses: Fungicide
 ADI: 0-0.08 mg/kg bw
 ARfD: 0.6 mg/kg bw (for women of child-bearing age) (2009)
 Residue: For compliance with the MRL for plant and animal commodities: Fluopicolide.
 For estimation of dietary intake for plant and animal commodities: Fluopicolide and 2,6-dichlorobenzamide measured separately.
 The residue is fat-soluble.

Note: 2,6-dichlorobenzamide: ADI: 0-0.02 mg/kg bw; ARfD: 0.6 mg/kg bw (general population)

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VB	0402	Brussels sprouts	0.2			CXL	09	42		2010	
VB	0041	Cabbages, head	7			CXL	09	43		2011	
VS	0624	Celery	20			CXL	09	43		2011	
MO	0105	Edible offal (mammalian)	0.01 (*)			CXL	09	42		2010	
PE	0112	Eggs	0.01 (*)			CXL	09	42		2010	
VB	0042	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and cauliflower)	2			CXL	09	42		2010	
VC	0045	Fruiting vegetables, cucurbits (group)	0.5			CXL	09	42		2010	
VO	0050	Fruiting vegetables, other than cucurbits (group)	1		Except mushrooms and sweet corn.	CXL	09	42		2010	
AB	0269	Grape pomace, dry	7			CXL	09	42		2010	
DF	0269	Grape, dried (= Currents, Raisins and Sultanas)	10			CXL	09	42		2010	
FB	0269	Grapes	2			CXL	09	42		2010	
VL	0053	Leafy vegetables	30			CXL	09	43		2011	
MM	0095	Meat (from mammals other than marine mammals)	0.01 (*) (fat)			CXL	09	42		2010	
ML	0106	Milks	0.02			CXL	09	42		2010	
VA	0385	Onion, bulb	1			CXL	09	42		2010	
VA	0387	Onion, Welsh	10			CXL	09	42		2010	
HS	0444	Peppers chili, dried	7			CXL	09	42		2010	
PM	0110	Poultry meat	0.01 (*)			CXL	09	42		2010	
PO	0111	Poultry, edible offal of	0.01 (*)			CXL	09	42		2010	
AS	0081	Straw and hay of cereal grains except pseudocereals	0.2			CXL	09	42		2010	

236 Metaflumizone

Main Uses: Insecticide
 ADI: 0-0.1 mg/kg bw
 ARfD: Unnecessary

Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Metaflumizone, sum of metaflumizone E-isomer and metaflumizone Z-isomer.
 The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FP 0226	Apple	0.9			CXL	2019	52		2021	
VB 0402	Brussels sprouts	0.8			CXL	09	42		2010	
VL 0466	Chinese cabbage (type pack-choi)	6			CXL	09	42		2010	
SB 0716	Coffee beans	0.15			CXL	2019	52		2021	
MO 0105	Edible offal (mammalian)	0.02	(*)		CXL	2019	52		2021	
VO 0440	Egg plant	0.6			CXL	09	42		2010	
PE 0112	Eggs	0.02			CXL	2019	52		2021	
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	13			CXL	2019	52		2021	
FB 0269	Grapes	5			CXL	2019	52		2021	
FC 0002	Lemons and limes (including citron) (subgroup)	2			CXL	2019	52		2021	
VL 0482	Lettuce, head	7			CXL	09	42		2010	
GC 0645	Maize	0.04			CXL	2019	52		2021	
MF 0100	Mammalian fats (except milk fats)	0.15			CXL	2019	52		2021	
MM 0095	Meat (from mammals other than marine mammals)	0.02	(*) (fat)		CXL	2019	52		2021	
VC 0046	Melons, except watermelon	1			CXL	2019	52		2021	The name of this food category is VC 0046 Melons, except
FM 0183	Milk fats	0.6			CXL	2019	52		2021	
ML 0106	Milks	0.02			CXL	2019	52		2021	
OR 0004	Orange oil, edible	100			CXL	2019	52		2021	
FC 0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	3			CXL	2019	52		2021	
VO 0051	Peppers (subgroup)	0.6			CXL	09	42		2010	
HS 0444	Peppers chili, dried	6			CXL	09	42		2010	
VR 0589	Potato	0.02	(*)		CXL	09	42		2010	
PF 0111	Poultry fats	0.08			CXL	2019	52		2021	
PM 0110	Poultry meat	0.02	(*) (fat)		CXL	2019	52		2021	
PO 0111	Poultry, edible offal of	0.02	(*)		CXL	2019	52		2021	
VD 0541	Soya bean (dry)	0.2			CXL	2019	52		2021	
GS 0659	Sugar cane	0.02	(*)		CXL	2019	52		2021	
VO 0448	Tomato	0.6			CXL	09	42		2010	

237 Spirodiclofen

Main Uses: Insecticide

ADI: 0-0.01 mg/kg bw (2009)

ARfD: Unnecessary (2009)

Residue: For compliance with the MRL and for estimation of dietary intake for plant commodities: Spirodiclofen.

For compliance with the MRL for animal commodities: Spirodiclofen.

For estimation of dietary intake for animal commodities: Sum of spirodiclofen and spirodiclofen-enol, expressed as spirodiclofen.

The residue is fat soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AM	0660	Almond hulls	15			CXL	09	42		2010	
FI	0326	Avocado	0.9			CXL	2014	47		2015	
FB	0020	Blueberries	4			CXL	2014	47		2015	
FC	0001	Citrus fruits (group)	0.4			CXL	09	42		2010	
SB	0716	Coffee beans	0.03	(*)		CXL	09	42		2010	
VC	0424	Cucumber	0.07			CXL	09	42		2010	
FB	0021	Currants, black, red, white	1			CXL	09	42		2010	
MO	0105	Edible offal (mammalian)	0.05	(*)		CXL	09	42		2010	
VC	0425	Gherkin	0.07			CXL	09	42		2010	
DF	0269	Grape, dried (= Currants, Raisins and Sultanas)	0.3			CXL	09	42		2010	
FB	0269	Grapes	0.2			CXL	09	42		2010	
DH	1100	Hops, dry	40			CXL	09	42		2010	
MM	0095	Meat (from mammals other than marine mammals)	0.01	(*) (fat)		CXL	09	42		2010	
ML	0106	Milks	0.004	(*)		CXL	09	42		2010	
FI	0350	Papaya	0.03	(*)		CXL	09	42		2010	
VO	0445	Peppers, sweet (including pimento or pimiento)	0.2			CXL	09	42		2010	
FP	0009	Pome fruits (group)	0.8			CXL	09	42		2010	
FS	0012	Stone fruits (group)	2			CXL	09	42		2010	
FB	0275	Strawberry	2			CXL	09	42		2010	
AS	0447	Sweet corn fodder	4			CXL	09	42		2010	
VO	0448	Tomato	0.5			CXL	09	42		2010	
TN	0085	Tree nuts (group)	0.05			CXL	09	42		2010	

238 Clothianidin

Main Uses:

Insecticide

ADI: 0.0-0.1 mg/kg bw (2010)

ARfD: 0.6 mg/kg bw (2010)

Residue: For compliance with the MRL and for estimation of the dietary intake for plant and animal commodities: Clothianidin.

The residue is not fat soluble.

Note: T = based on Cuse only; c,T or C,t = combined clothianidin and thiamethoxam use.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VS 0620	Artichoke, globe	0.05	T		CXL	10	43		2011	
FI 0326	Avocado	0.03	T		CXL	2014	47		2015	
FI 0327	Banana	0.02	C,t		CXL	10	44	43	2012	
GC 0640	Barley	0.04	c,T		CXL	10	43		2011	Recommended for withdrawal by JMPR
GC 0640	Barley	0.07	c,T	(combined clothianidin and thiamethoxam use)	3	2021	53			
CF 0640	Barley bran, processed	0.15	c,T	(combined clothianidin and thiamethoxam use)	3	2021	53			
AS 0640	Barley, hay and/or straw	0.2	dry wt	T,c		CXL	10	43	2011	Recommended for withdrawal by JMPR
AS 0640	Barley, hay and/or straw	1	(dw)	c,T	(combined clothianidin and thiamethoxam use)	3	2021	53		
VP 0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	0.2	T		CXL	2014	47		2015	
FB 0018	Berries and other small fruits	0.07	c,T	Except grapes	CXL	10	43		2011	
VB 0040	Brassica vegetables (except Brassica leafy vegetables) (group)	0.2	T		CXL	10	43		2011	
SB 0715	Cacao beans	0.02	(*)	T		CXL	10	43	2011	
VS 0624	Celery	0.04	T		CXL	10	43		2011	
FC 0001	Citrus fruits (group)	0.07	T		CXL	10	45	43	2013	
SB 0716	Coffee beans	0.05	T		CXL	10	43		2011	
MO 0105	Edible offal (mammalian)	0.02	(*)	C,t	Except liver.	CXL	10	44	43	2012
PE 0112	Eggs	0.01	(*)	C,t		CXL	10	44	43	2012
PE 0112	Eggs	0.01	(*)			3	2021	53		Recommended for withdrawal by JMPR
VC 0045	Fruiting vegetables, cucurbits (group)	0.02	(*)	T		CXL	10	43		2011
VO 0050	Fruiting vegetables, other than cucurbits (group)	0.05	T	Except sweet corn	CXL	10	43		2011	
JF 0269	Grape juice	0.2	C,t		CXL	10	43		2012	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)		1	C,t		CXL	10	43,44		2012	
FB 0269	Grapes		0.7	C,t		CXL	10	44	43	2012	
DH 1100	Hops, dry		0.07	T		CXL	2014	47		2015	
VL 0053	Leafy vegetables		2	T		CXL	10	43		2011	
VP 0060	Legume vegetables (group)	0.01	(*)	T		CXL	10	43		2011	
MO 0099	Liver of cattle, goats, pigs & sheep		0.2	c,T		CXL	10	43		2011	
MO 0099	Liver of cattle, goats, pigs & sheep		0.4			3	2021	53			
GC 0645	Maize	0.02		c,T		CXL	10	43		2011	
AS 0645	Maize fodder (dry)	0.01	(*)	dry wt	T	CXL	10	43		2011	
MF 0100	Mammalian fats (except milk fats)	0.02	(*)		C,t	CXL	10	44	43	2012	
FI 0345	Mango	0.04		T		CXL	2014	47		2015	
MM 0095	Meat (from mammals other than marine mammals)	0.02	(*)	C,t		CXL	10	44	43	2012	
ML 0106	Milks	0.02				CXL	10	44	43	2012	Recommended for withdrawal by JMPR
ML 0106	Milks	0.05				3	2021	53			
HH 0738	Mints	0.3		T		CXL	2014	47		2015	
AS 3559	Oat, hay and/or straw	1	(dw)	c,T		3	2021	53			(combined clothianidin and thiamethoxam use)
GC 0647	Oats	0.07		c,T	(combined clothianidin and thiamethoxam use)	3	2021	53			
SO 0088	Oilseed	0.02	(*)	c,T		CXL	10	43		2011	
FI 0350	Papaya	0.01	(*)	T		CXL	10	43		2011	
AL 0072	Pea hay or pea fodder (dry)	0.2		dry wt	T	CXL	10	43		2011	
TN 0672	Pecan	0.01	(*)		T	CXL	10	43		2011	
HS 0444	Peppers chili, dried	0.5			T	CXL	10	43		2011	
FI 0353	Pineapple	0.01	(*)	T		CXL	10	43		2011	
FP 0009	Pome fruits (group)	0.4		C,t		CXL	10	44	43	2012	
GC 0656	Popcorn	0.01	(*)	c,T		CXL	10	43		2011	
PF 0111	Poultry fats	0.01	(*)	C,t		CXL	10	44	43	2012	Recommended for withdrawal by JMPR
PF 0111	Poultry fats	0.01	(*)			3	2021	53			
PM 0110	Poultry meat	0.01	(*)	C,t		CXL	10	44	43	2012	Recommended for withdrawal by JMPR
PM 0110	Poultry meat	0.01	(*)			3	2021	53			
PO 0111	Poultry, edible offal of	0.1		T,c		CXL	10	43		2011	Recommended for withdrawal by JMPR
PO 0111	Poultry, edible offal of	0.4				3	2021	53			
DF 0014	Prunes	0.2		c,T		CXL	10	43		2011	
VD 0070	Pulses (group)	0.02		T		CXL	10	43		2011	

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
GC 0649	Rice	0.5	C		CXL	10	44	43	2012	Recommended for withdrawal by JMPR
GC 0649	Rice	0.9	C,t	(combined clothianidin and thiamethoxam use)	3	2021	53			
CM 1206	Rice bran, unprocessed	1	C,t		3	2021	53			(combined clothianidin and thiamethoxam use)
AS 0649	Rice, hay and/or straw	0.2	(dw)	C,t	(combined clothianidin and thiamethoxam use)	3	2021	53		
AS 3570	Rice, hulls	4		C,t	(combined clothianidin and thiamethoxam use)	3	2021	53		
CM 0649	Rice, husked	0.5		C,t	(combined clothianidin and thiamethoxam use)	3	2021	53		
CM 1205	Rice, polished	0.5		C,t	(combined clothianidin and thiamethoxam use)	3	2021	53		
VR 0075	Root and tuber vegetables (group)	0.2		C,T		CXL	2010	46	43,44,45	2014
AS 3560	Rye, hay and/or straw	1	(*)			3	2021	53		
GC 0651	Sorghum grain	0.01	(*)	C		CXL	10	44	43	2012
GC 0651	Sorghum grain	0.15		c,T	(combined clothianidin and thiamethoxam use)	3	2021	53		Recommended for withdrawal by JMPR
AS 0651	Sorghum straw and fodder, dry	0.01	(*)	dry wt	C		CXL	10	44	43
AS 3562	Sorghum, hay and/or straw	0.8	(dw)	c,T	(combined clothianidin and thiamethoxam use)	3	2021	53		2012
GS 0658	Sorgo or sorghum, sweet	0.4		T	(based on thiamethoxam use only)	3	2021	53		
VS 0078	Stalk and stem vegetables	0.04		C	Except artichoke and celery	CXL	10	44	43	2012
FS 0012	Stone fruits (group)	0.2		c,T		CXL	10	43		2011
GS 0659	Sugar cane	0.4		C		CXL	10	44	43	2012
VO 0447	Sweet corn (corn-on-the-	0.01	(*)	C,T		CXL	10	44	43	2012
AS 3563	Sweet corn stover	0.05	(dw)	C,t	(combined clothianidin and thiamethoxam use)	3	2021	53		Recommended for withdrawal by JMPR

Commodity Code		Name	MRL (mg/kg)		Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
GC	2090	Sweet corns (subgroup)	0.01	(*)	C,t	(combined clothianidin and thiamethoxam use)	3	2021	53			
DT	1114	Tea, green, black (black, fermented and dried)	0.7		T		CXL	10	43		2011	
GC	0653	Triticale	0.15		c,T	(combined clothianidin and thiamethoxam use)	3	2021	53			
AS	0653	Triticale, hay and/or straw	1	(dw)	c,T	(combined clothianidin and thiamethoxam use)	3	2021	53			
GC	0654	Wheat	0.02	(*)	c,T		CXL	10	43		2011	Recommended for withdrawal by JMPR
GC	0654	Wheat	0.15		c,T	(combined clothianidin and thiamethoxam use)	3	2021	53			
CF	0654	Wheat bran, processed	6		c,T	(combined clothianidin and thiamethoxam use)	3	2021	53			
CF	1210	Wheat germ	6		c,T	(combined clothianidin and thiamethoxam use)	3	2021	53			
AS	0654	Wheat, hay and/or straw	0.2	dry wt	T,c		CXL	10	43		2011	Recommended for withdrawal by JMPR
AS	0654	Wheat, hay and/or straw	1	(dw)	c,T	(combined clothianidin and thiamethoxam use)	3	2021	53			

239 Cyproconazole

Main Uses: Herbicide
 ADI: 0-0.02 mg/kg bw (2010)
 ARfD: 0.06 mg/kg bw (2010)
 Residue: For compliance with the MRL for animal and plant commodities: Cyproconazole.
 For estimation of dietary intake for plant commodities: Cyproconazole.
 For estimation of dietary intake for animal commodities: Cyproconazole, free and conjugated.
 The residue is fat-soluble.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VD 0071	Beans (dry)		0.02 (*)			CXL	10	43		2011	
GC 0080	Cereal grains		0.08		Except maize, rice and	CXL	10	43		2011	
SB 0716	Coffee beans		0.07			CXL	2013	46		2014	
SM 0716	Coffee beans, roasted		0.1			CXL	2013	46		2014	
MO 0105	Edible offal (mammalian)		0.5			CXL	10	43		2011	
PE 0112	Eggs		0.01 (*)			CXL	10	43		2011	
GC 0645	Maize		0.01 (*)			CXL	10	43		2011	
AS 0645	Maize fodder (dry)		2			CXL	10	43		2011	
MM 0095	Meat (from mammals other than marine mammals)		0.02 (fat)			CXL	10	43		2011	
ML 0106	Milks		0.01			CXL	10	43		2011	
VD 0072	Peas (dry)		0.02 (*)			CXL	10	43		2011	
VP 0064	Peas, shelled (succulent seeds)		0.01			CXL	10	43		2011	
PM 0110	Poultry meat		0.01 (*)			CXL	10	43		2011	
PO 0111	Poultry, edible offal of		0.01 (*)			CXL	10	43		2011	
SO 0495	Rape seed		0.4			CXL	10	43		2011	
VD 0541	Soya bean (dry)		0.07			CXL	10	43		2011	
AL 0541	Soya bean fodder		3			CXL	10	43		2011	
OR 0541	Soya bean oil, refined		0.1			CXL	10	43		2011	
AS 0081	Straw and hay of cereal grains except pseudocereals		5		Except maize, rice and	CXL	10	43		2011	
VR 0596	Sugar beet		0.05			CXL	10	43		2011	

240 Dicamba

Main Uses: Herbicide

ADI: 0-0.3 mg/kg bw (2010)

ARfD: 0.5 mg/kg bw (2010)

Residue: For compliance with the MRL for plant commodities: Dicamba.

For estimation of dietary intake for plant commodities: sum of dicamba and 5-OH dicamba expressed as dicamba

For compliance with the MRL and for estimation of dietary intake for animal commodities: Sum of dicamba and DCSA expressed as dicamba.

The residue is not fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VS 0621	Asparagus	5			CXL	10	43		2011	
GC 0640	Barley	7			CXL	10	43		2011	
AS 0640	Barley, hay and/or straw	50			CXL	10	43		2011	
SO 0691	Cotton seed	3			CXL	2019	52		2021	
MO 0105	Edible offal (mammalian)	0.7			CXL	10	43		2011	
PE 0112	Eggs	0.01 (*)			CXL	10	43		2011	
AS 0162	Hay or fodder (dry) of grasses	30			CXL	10	43		2011	
GC 0645	Maize	0.01 (*)			CXL	2019	52		2021	
AS 0645	Maize fodder (dry)	0.6 (*)			CXL	2019	52		2021	
MF 0100	Mammalian fats (except milk fats)	0.07			CXL	10	43		2011	
MM 0095	Meat (from mammals other than marine mammals)	0.03			CXL	10	43		2011	
ML 0106	Milks	0.2			CXL	10	43		2011	
PF 0111	Poultry fats	0.04			CXL	10	43		2011	
PM 0110	Poultry meat	0.02			CXL	10	43		2011	
PO 0111	Poultry, edible offal of	0.07			CXL	10	43		2011	
GC 0651	Sorghum grain	4			CXL	10	43		2011	
AS 0651	Sorghum straw and fodder, dry	8			CXL	10	43		2011	
VD 0541	Soya bean (dry)	10			CXL	2019	52		2021	
AL 0541	Soya bean fodder	150	(dw)		CXL	2019	52		2021	
AB 0541	Soya bean hulls	15			CXL	2019	52		2021	
AB 1265	Soya bean meal	15			CXL	2019	52		2021	
GS 0659	Sugar cane	1			CXL	10	43		2011	
VO 1275	Sweet corn (kernels)	0.02			CXL	10	43		2011	
GC 0654	Wheat	2			CXL	10	43		2011	
AS 0654	Wheat, hay and/or straw	50			CXL	10	43		2011	

241 Etoxazole

Main Uses: Acaricide
 ADI: 0-0.05 mg/kg bw (2010)
 ARfD: Unnecessary (2010)
 Residue: For compliance with the MRL and for estimation of dietary intake) for plant and animal commodities: Etoxazole.
 The residue is fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AM 0660	Almond hulls	3			CXL	10	43		2011	
FC 0001	Citrus fruits (group)	0.1			CXL	10	43		2011	
VC 0424	Cucumber	0.02			CXL	10	43		2011	
MO 0105	Edible offal (mammalian)	0.01 (*)			CXL	10	43		2011	
FB 0269	Grapes	0.5			CXL	10	43		2011	
DH 1100	Hops, dry	15			CXL	10	43		2011	
MM 0095	Meat (from mammals other than marine mammals)	0.01 (*) (fat)			CXL	10	43		2011	
ML 0106	Milks	0.01 (*)			CXL	10	43		2011	
HH 0738	Mints	15			CXL	10	43		2011	
FP 0009	Pome fruits (group)	0.07			CXL	11	44		2012	
DT 1114	Tea, green, black (black, fermented and dried)	15			CXL	10	43		2011	
TN 0085	Tree nuts (group)	0.01 (*)			CXL	10	43		2011	

242 Flubendiamide

Main Uses: Insecticide
 ADI: 0-0.02 mg/kg bw (2010)
 ARfD: 0.2 mg/kg bw (2010)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant commodities: Flubendiamide.
 For compliance with the MRL for animal commodities: Flubendiamide.
 For estimation of dietary intake for animal commodities: Flubendiamide and flubendiamide-iodophthalimide.
 The residue is fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AM	0660	Almond hulls	10			CXL	10	43		2011	
VB	0040	Brassica vegetables (except Brassica leafy vegetables) (group)	4			CXL	10	43		2011	
VS	0624	Celery	5			CXL	10	43		2011	
SO	0691	Cotton seed	1.5			CXL	10	43		2011	
MO	0105	Edible offal (mammalian)	1			CXL	10	43		2011	
VC	0045	Fruiting vegetables, cucurbits (group)	0.2			CXL	10	43		2011	
FB	0269	Grapes	2			CXL	10	43		2011	
VP	0060	Legume vegetables (group)	2			CXL	10	43		2011	
VL	0482	Lettuce, head	5			CXL	10	43		2011	
VL	0483	Lettuce, leaf	7			CXL	10	43		2011	
GC	0645	Maize	0.02			CXL	10	43		2011	
MM	0095	Meat (from mammals other than marine mammals)	2 (fat)			CXL	10	43		2011	
FM	0183	Milk fats	5			CXL	10	43		2011	
ML	0106	Milks	0.1			CXL	10	43		2011	
AL	0072	Pea hay or pea fodder (dry)	40			CXL	10	43		2011	
VO	0051	Peppers (subgroup)	0.7			CXL	10	43		2011	
HS	0444	Peppers chili, dried	7			CXL	10	43		2011	
FP	0009	Pome fruits (group)	0.8			CXL	10	43		2011	
VD	0070	Pulses (group)	1			CXL	10	43		2011	
AL	0541	Soya bean fodder	60			CXL	10	43		2011	
FS	0012	Stone fruits (group)	2			CXL	10	43		2011	
VO	0447	Sweet corn (corn-on-the-	0.02			CXL	10	43		2011	
DT	1114	Tea, green, black (black, fermented and dried)	50			CXL	10	43		2011	
VO	0448	Tomato	2			CXL	10	43		2011	
TN	0085	Tree nuts (group)	0.1			CXL	10	43		2011	

243 Fluopyram

Main Uses: Fungicide

ADI: 0.01 mg/kg bw (2010)

ARfD: 0.5 mg/kg bw (2010)

Residue: For compliance with the MRL and for estimation of dietary intake for plant commodities: Fluopyram.

For compliance with the MRL for animal commodities: Sum of fluopyram and 2(trifluoromethyl)benzamide, expressed as fluopyram.

For estimation of dietary intake for animal commodities: Sum of fluopyram, 2(trifluoromethyl)benzamide and the combined residues of the E-olefine and Z-olefine isomers of fluopyram, all expressed as fluopyram.

Although fluopyram (parent compound) is fat-soluble, the 2-(trifluoromethyl)benzamide metabolite (the major component of the residue) is not fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VS 0620	Artichoke, globe	0.4			CXL	2017	50		2018	
VS 0621	Asparagus	0.01 (*)			CXL	2014	47		2015	
FI 0327	Banana	0.8			CXL	2012	45		2013	
GC 0640	Barley	0.2			CXL	2017	50		2018	
AS 0640	Barley, hay and/or straw	2			CXL	2017	50		2018	
DH 0722	Basil, dry	400			CXL	2017	50		2018	
HH 0722	Basil, leaves	70			CXL	2017	50		2018	
AL 0061	Bean fodder	70			CXL	2017	50		2018	
VP 0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	1			CXL	2015	48		2016	
VP 0062	Beans, shelled	0.2			CXL	2015	48		2016	
VB 0400	Broccoli	0.3			CXL	2014	47		2015	
VB 0402	Brussels sprouts	0.3			CXL	2014	47		2015	
FB 2006	Bush berries (subgroup)	7			CXL	2017	50		2018	
VB 0041	Cabbages, head	0.15			CXL	2014	47		2015	
FB 2005	Cane berries (subgroup)	5			CXL	2017	50		2018	
VR 0577	Carrot	0.4			CXL	2012	45		2013	
VB 0404	Cauliflower	0.09			CXL	2014	47		2015	
FS 0013	Cherries (subgroup)	2			CXL	2017	50		2018	
SB 0716	Coffee beans	0.015			3	2021	53			
SO 0691	Cotton seed	0.8			CXL	2017	50		2018	
VC 0424	Cucumber	0.5			CXL	2010	43		2011	
HS 0730	Dill seed	70			CXL	2017	50		2018	
VD 2065	Dry beans (subgroup)	0.15		(except soy bean (dru))	CXL	2017	50		2018	
VD 2066	Dry peas			(subgroup)		0.7				
MO 0105	Edible offal (mammalian)	8			CXL	2017	50		2018	
VO 2046	Eggplants (subgroup)	0.5			CXL	2017	50		2018	
PE 0112	Eggs	2			CXL	2017	50		2018	
VA 0381	Garlic	0.07			CXL	2014	47		2015	
DF 0269	Grape, dried (= Currants, Raisins and Sultanas)	5			CXL	2010	43		2011	
FB 0269	Grapes	2			CXL	2010	43		2011	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
DH 1100	Hops, dry		50			CXL	2017	50		2018	
VA 0384	Leek		0.15			CXL	2014	47		2015	
FC 0002	Lemons and limes (including citron) (subgroup)		1			CXL	2017	50		2018	
VL 0482	Lettuce, head		15			CXL	2014	47		2015	
VL 0483	Lettuce, leaf		15			CXL	2014	47		2015	
GC 2091	Maize cereals (subgroup)		0.02			CXL	2017	50		2018	
AS 0645	Maize fodder (dry)		18			CXL	2017	50		2018	
MF 0100	Mammalian fats (except milk fats)		1.5			CXL	2017	50		2018	
FC 0003	Mandarins (including mandarin-like hybrids) (subgroup)		0.6			CXL	2017	50		2018	
FI 0345	Mango		1			CXL	2017	50		2018	
MM 0095	Meat (from mammals other than marine mammals)		1.5			CXL	2017	50		2018	
ML 0106	Milks		0.8			CXL	2017	50		2018	
AS 0647	Oat straw and fodder, dry		2			CXL	2017	50		2018	
GC 0647	Oats		0.2			CXL	2017	50		2018	
VA 0385	Onion, bulb		0.07			CXL	2014	47		2015	
VA 0387	Onion, Welsh		2			CXL	2017	50		2018	
FC 0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)		0.6			CXL	2017	50		2018	
AL 0072	Pea hay or pea fodder (dry)		100			CXL	2017	50		2018	
FS 2001	Peaches (including apricots and nectarine) (subgroup)		1			CXL	2014	47		2015	
SO 0697	Peanut		0.2			CXL	2017	50		2018	
AL 0697	Peanut fodder		47			CXL	2017	50		2018	
VP 0064	Peas, shelled (succulent seeds)		0.2			CXL	2015	48		2016	
VO 0051	Peppers (subgroup)		3		(except martynia, okra, roselle)	CXL	2017	50		2018	
HS 0444	Peppers chili, dried		30			CXL	2017	50		2018	
FS 0014	Plums (including fresh prunes) (subgroup)		0.5			CXL	2014	47		2015	
FP 0009	Pome fruits (group)		0.5			CXL	2012	45		2013	
VR 0589	Potato		0.15			CXL	2017	50		2018	
PF 0111	Poultry fats		1			CXL	2017	50		2018	
PM 0110	Poultry meat		1.5			CXL	2017	50		2018	
PO 0111	Poultry, edible offal of		5			CXL	2017	50		2018	
FC 0005	Pummelo and grapefruits (including Shaddock-like hybrids, among others Grapefruit) (subgroup)		0.4			CXL	2017	50		2018	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
SO 0495	Rape seed		1			CXL	2014	47		2015	
GC 0649	Rice		4			CXL	2017	50		2018	
AS 0649	Rice, hay and/or straw		17			CXL	2017	50		2018	
CM 0649	Rice, husked		1.5			CXL	2018	51		2019	
CM 1205	Rice, polished		0.5			CXL	2018	51		2019	
GC 0650	Rye		0.9			CXL	2017	50		2018	
AS 0650	Rye straw and fodder, dry		23			CXL	2017	50		2018	
VD 0541	Soya bean (dry)		0.3			CXL	2017	50		2018	
AL 0541	Soya bean fodder		35			CXL	2017	50		2018	
VA 0389	Spring onion		15			CXL	2017	50		2018	
FB 0275	Strawberry		0.4			CXL	2012	45		2013	
VR 0596	Sugar beet		0.04			CXL	2012	45		2013	
SO 0702	Sunflower seed		0.7			CXL	2017	50		2018	
GC 0447	Sweet corn (corn on the cob) (kernels plus cob with husk removed)	(*)	0.01			CXL	2017	50		2018	
VO 2045	Tomatoes (subgroup)		0.5			CXL	2018	51		2019	
TN 0085	Tree nuts (group)		0.04			CXL	2012	45		2013	
GC 0653	Triticale		0.9			CXL	2017	50		2018	
AS 0653	Triticale, hay and/or straw		23			CXL	2017	50		2018	
GC 0654	Wheat		0.9			CXL	2017	50		2018	
AS 0654	Wheat, hay and/or straw		23			CXL	2017	50		2018	
VL 2832	Witloof chicory (sprouts)		0.15			CXL	2017	50		2018	

244 Meptyldinocap

Main Uses: Fungicide
 ADI: 0-0.02 mg/kg bw (2010)
 ARfD: Unnecessary (2010)
 Residue: For with the MRL for plant commodities: Dinocap, sum of all isomers.

For estimation of dietary intake for plant commodities: Sum of meptyldinocap, and the corresponding phenol 2, 4-DNOP, expressed as parent meptyldinocap.

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VC 0424	Cucumber	0.07	M,d		CXL	10	43		2011	The maximum residue level accommodates the residues derived from the use of dinocap on fruiting vegetables, cucumbers. The Meeting recommended to re-evaluate the current CXL of 0.05*.
FB 0269	Grapes	0.2	M,d		CXL	10	43		2011	The maximum residue level accommodates the residues derived from the use of dinocap on fruiting vegetables, cucumbers. The Meeting recommended to re-evaluate the current CXL of 0.05*.
VC 0046	Melons, except watermelon	0.5	M,d		CXL	10	43		2011	The maximum residue level accommodates the residues derived from the use of dinocap on fruiting vegetables, cucumbers. The Meeting recommended to re-evaluate the current CXL of 0.05*.

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VC 0431	Squash, summer	0.07	M,d		CXL	10	43		2011	The maximum residue level accommodates the residues derived from the use of dinocap on fruiting vegetables, cucumbers. The Meeting recommended to re-evaluate the current CXL of 0.05*.
FB 0275	Strawberry	0.3	M,d		CXL	10	43		2011	The current dinocap Codex MRL of 0.5 mg/kg covers the use of meptyldinocap.

245 Thiamethoxam

Main Uses: Insecticide

ADI: 0-0.08 mg/kg bw (2010)

ARfD: 1 mg/kg bw (2010)

Residue: For compliance with the MRL for animal and plant commodities: Thiamethoxam.

For estimation of the dietary intake for plant and animal commodities (except poultry): Thiamethoxam and clothianidin (considered separately).

For estimation of the dietary intake for poultry: Sum of thiamethoxam, CGA 265307 and MU3, expressed as thiamethoxam; and clothianidin (clothianidin to be considered separately from thiamethoxam).

The residue is not fat-soluble.

Note: The recommendations for CGA322704 are listed in the clothianidin appraisal 2014.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VS 0620	Artichoke, globe	0.5			CXL	10	43		2011	
FI 0326	Avocado	0.5			CXL	2014	47		2015	
FI 0327	Banana	0.02	(*)		CXL	10	43		2011	
GC 0640	Barley	0.4			CXL	10	43		2011	
GC 0640	Barley	0.5			3	2021	53			
CF 0640	Barley bran, processed	1.5			3	2021	53			
AS 0640	Barley, hay and/or straw	2			CXL	10	43		2011	Recommended for withdrawal by JMPR
AS 0640	Barley, hay and/or straw	8	(dw)		3	2021	53			
VP 0061	Beans with pods (<i>Phaseolus spp.</i>) immature pods and succulent seeds)	0.3			CXL	2014	47		2015	
FB 0018	Berries and other small fruits	0.5			CXL	10	43		2011	
VB 0040	Brassica vegetables (except Brassica leafy vegetables) (group)	5			CXL	10	43		2011	
SB 0715	Cacao beans	0.02	(*)		CXL	10	43		2011	
VS 0624	Celery	1			CXL	10	43		2011	
FC 0001	Citrus fruits (group)	0.5			CXL	10	45	43	2013	
SB 0716	Coffee beans	0.2			CXL	10	43		2011	
MO 0105	Edible offal (mammalian)	0.01	(*)		CXL	10	43		2011	Recommended for withdrawal by JMPR
MO 0105	Edible offal (mammalian)	0.05			3	2021	53			
PE 0112	Eggs	0.01	(*)		CXL	10	43		2011	Recommended for withdrawal by JMPR
PE 0112	Eggs	0.01	(*)		3	2021	53			
VC 0045	Fruiting vegetables, cucurbits (group)	0.5			CXL	10	43		2011	
VO 0050	Fruiting vegetables, other than cucurbits (group)	0.7			CXL	10	43		2011	
DH 1100	Hops, dry	0.09			CXL	2014	47		2015	
VL 0053	Leafy vegetables	3			CXL	10	43		2011	
VP 0060	Legume vegetables (group)	0.01	(*)		CXL	10	43		2011	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
GC 0645	Maize		0.05			CXL	10	43		2011	
AS 0645	Maize fodder (dry)		0.05			CXL	10	43		2011	
MF 0100	Mammalian fats (except milk fats)	0.01	(*)			3	2021	53			
FI 0345	Mango	0.2				CXL	2014	47		2015	
MM 0095	Meat (from mammals other than marine mammals)	0.02				CXL	10	43		2011	Recommend for withdrawal by JMPR (2021)
MM 0095	Meat (from mammals other than marine mammals)	0.07				3	2021	53			
ML 0106	Milks	0.05				CXL	10	43		2011	Recommended for withdrawal by JMPR
ML 0106	Milks	0.15				3	2021	53			
HH 0738	Mints	1.5				CXL	2014	47		2015	It is noted that there are several types of mints (native mints HH0764, Vietnamese mint HH0765). The reported CCN code is listed for several types of mints, including spearmint and peppermint
AS 3559	Oat, hay and/or straw	8	(dw)			3	2021	53			
GC 0647	Oats	0.5				3	2021	53			
SO 0088	Oilseed	0.02	(*)			CXL	10	43		2011	
FI 0350	Papaya	0.01	(*)			CXL	10	43		2011	
AL 0072	Pea hay or pea fodder (dry)	0.3				CXL	10	43		2011	
TN 0672	Pecan	0.01	(*)			CXL	10	43		2011	
HS 0444	Peppers chili, dried	7				CXL	10	43		2011	
FP 0307	Persimmon, Japanese	0.6				3	2021	53			
FI 0353	Pineapple	0.01	(*)			CXL	10	43		2011	
FP 0009	Pome fruits (group)	0.3				CXL	10	43		2011	
GC 0656	Popcorn	0.01	(*)			CXL	10	43		2011	
PF 0111	Poultry fats	0.01	(*)			3	2021	53			
PM 0110	Poultry meat	0.01	(*)			CXL	10	43		2011	Recommended for withdrawal by JMPR
PM 0110	Poultry meat	0.03				3	2021	53			
PO 0111	Poultry, edible offal of	0.01	(*)			CXL	10	43		2011	Recommended for withdrawal by JMPR
PO 0111	Poultry, edible offal of	0.01	(*)			3	2021	53			
VD 0070	Pulses (group)	0.04				CXL	10	43		2011	
GC 0649	Rice	50				3	2021	53			
CM 1206	Rice bran, unprocessed	30				3	2021	53			
AS 0649	Rice, hay and/or straw	3	(dw)			3	2021	53			
AS 3570	Rice, hulls	300				3	2021	53			
CM 0649	Rice, husked	5				3	2021	53			
CM 1205	Rice, polished	3				3	2021	53			

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
	Code	Name									
VR	0075	Root and tuber vegetables (group)	0.3			CXL	10	43		2011	
AS	3560	Rye, hay and/or straw	8	(dw)		3	2021	53			
GC	0651	Sorghum grain	0.6			3	2021	53			
AS	3562	Sorghum, hay and/or straw	0.8	(dw)		3	2021	53			
GS	0658	Sorgo or sorghum, sweet	0.6			3	2021	53			
FS	0012	Stone fruits (group)	1			CXL	10	43		2011	
VO	0447	Sweet corn (corn-on-the-	0.01	(*)		CXL	10	43		2011	
AS	0447	Sweet corn stover	0.25	(dw)		3	2021	53			
GC	2090	Sweet corns (subgroup)	0.01	(*)		3	2021	53			
DT	1114	Tea, green, black (black, fermented and dried)	20			CXL	10	43		2011	
GC	0653	Triticale	0.15			3	2021	53			
AS	0653	Triticale, hay and/or straw	8	(dw)		3	2021	53			
GC	0654	Wheat	0.05			CXL	10	43		2011	
GC	0654	Wheat	0.15			3	2021	53			
CF	0654	Wheat bran, processed	0.4			3	2021	53			
CF	1210	Wheat germ	0.3			3	2021	53			
AS	0654	Wheat, hay and/or straw	2			CXL	10	43		2011	Recommended for withdrawal by JMPR
AS	0654	Wheat, hay and/or straw	8	(dw)		3	2021	53			

246 Acetamiprid

Main Uses: Insecticide

ADI: 0–0.07 mg/kg bw (2011)

ARfD: 0.1 mg/kg bw (2011)

Residue: For compliance with the MRL and for estimation of dietary exposure for plant commodities: Acetamiprid.

For compliance with the MRL and for estimation of dietary exposure for animal commodities: Sum of acetamiprid and its desmethyl (IM-2-1) metabolite, expressed as acetamiprid.

The residue is not fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VS	0621	Asparagus	0.8			CXL	2015	48		2016	
VP	0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	0.4			CXL	11	44		2012	
VP	0062	Beans, shelled	0.3			CXL	11	44		2012	
FB	0018	Berries and other small fruits	2		except grapes and strawberries	CXL	11	44		2012	
VB	0041	Cabbages, head	0.7			CXL	11	44		2012	
VS	0624	Celery	1.5			CXL	11	44		2012	
FS	0013	Cherries (subgroup)	1.5			CXL	11	44		2012	
FC	0001	Citrus fruits (group)	1			CXL	11	44		2012	
SO	0691	Cotton seed	0.7			CXL	11	44		2012	
VC	0424	Cucumber	0.3			CXL	2015	48		2016	
MO	0105	Edible offal (mammalian)	1			CXL	2015	48		2016	
PE	0112	Eggs	0.01	(*)		CXL	11	44		2012	
VB	0042	Flowerhead brassicas (includes Broccoli; Broccoli, Chinese and cauliflower)	0.4			CXL	11	44		2012	
VC	0045	Fruiting vegetables, cucurbits (group)	0.2		(except cucumber)	CXL	2015	48		2016	
VO	0050	Fruiting vegetables, other than cucurbits (group)	0.2		except sweet corn & mushrooms	CXL	11	44		2012	
VA	0381	Garlic	0.02			CXL	11	44		2012	
FB	0269	Grapes	0.5			CXL	11	44		2012	
MF	0100	Mammalian fats (except milk fats)	0.3			CXL	2015	48		2016	
MM	0095	Meat (from mammals other than marine mammals)	0.5			CXL	2015	48		2016	
ML	0106	Milks	0.2			CXL	2015	48		2016	
FS	0245	Nectarine	0.7			CXL	11	44		2012	
VA	0385	Onion, bulb	0.02			CXL	11	44		2012	
FS	0247	Peach	0.7			CXL	11	44		2012	
VP	0064	Peas, shelled (succulent seeds)	0.3			CXL	11	44		2012	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
HS 0790	Pepper, black, white		0.1			CXL	2015	48		2016	
HS 0444	Peppers chili, dried		2			CXL	11	44		2012	
TN 0675	Pistachio nuts		1			3	2021	53			
FS 0014	Plums (including fresh prunes) (subgroup)		0.2		except prunes	CXL	11	44		2012	
FP 0009	Pome fruits (group)		0.8			CXL	11	44		2012	
PM 0110	Poultry meat		0.01	(*)		CXL	11	44		2012	
PO 0111	Poultry, edible offal of		0.05	(*)		CXL	11	44		2012	
DF 0014	Prunes		0.6			CXL	11	44		2012	
HS 0190	Spices, seeds		2			CXL	2019	52		2021	
VA 0389	Spring onion		5			CXL	11	44		2012	
FB 0275	Strawberry		0.5			CXL	11	44		2012	
VO 0447	Sweet corn (corn-on-the-cob)		0.01	(*)		CXL	2015	48		2016	
AS 0447	Sweet corn fodder		40			CXL	2015	48		2016	
TN 0085	Tree nuts (group)		0.06			CXL	11	44		2012	Recommended for withdrawal by JMPR
TN 0085	Tree nuts (group)		0.06		(except pistachio nut)	3	2021	53			

247 Emamectin benzoate

Main Uses: Insecticide

ADI: 0–0.0005 mg/kg bw (2011)

ARfD: 0.02 mg/kg bw (2014)

Residue: For compliance with the MRL and estimation of dietary intake for plant and animal commodities: Emamectin B1a benzoate.

The residue is not fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VP 0061	Beans with pods (<i>Phaseolus spp.</i>) immature pods and succulent seeds)	0.015			CXL	11	44		2012	
VL 0510	Cos lettuce	0.7			CXL	2014	47		2015	
SO 0691	Cotton seed	0.002	(*)		CXL	11	44		2012	
MO 0105	Edible offal (mammalian)	0.08			CXL	11	44		2012	
VC 0045	Fruiting vegetables, cucurbits (group)	0.007			CXL	11	44		2012	
VO 0050	Fruiting vegetables, other than cucurbits (group)	0.02		except sweet corn and mushrooms	CXL	11	44		2012	
FB 0269	Grapes	0.03			CXL	11	44		2012	
VL 0482	Lettuce, head	1			CXL	11	44		2012	
VL 0483	Lettuce, leaf	0.7			CXL	2014	47		2015	
MF 0100	Mammalian fats (except milk fats)	0.02			CXL	11	44		2012	
MM 0095	Meat (from mammals other than marine mammals)	0.004			CXL	11	44		2012	
ML 0106	Milks	0.002			CXL	11	44		2012	
VL 0485	Mustard greens	0.2			CXL	11	44		2012	
FS 0245	Nectarine	0.03			CXL	11	44		2012	
FS 0247	Peach	0.03			CXL	11	44		2012	
HS 0444	Peppers chili, dried	0.2			CXL	11	44		2012	
FP 0009	Pome fruits (group)	0.02			CXL	11	44		2012	
SO 0495	Rape seed	0.005	(*)		CXL	2014	47		2015	
TN 0085	Tree nuts (group)	0.001	(*)		CXL	2014			2015	

248 Flutriafol

Main Uses: Fungicide
 ADI: 0–0.01 mg/kg bw (2011)
 ARfD: 0.05 mg/kg bw (2011)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Flutriafol.
 The residue is fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FI	0327	Banana	0.3			CXL	11	44		2012	
VB	0040	Brassica vegetables (except Brassica leafy vegetables) (group)	1.5			CXL	2015	48		2016	
VS	0624	Celery	3			CXL	2015	48		2016	
FS	0013	Cherries (subgroup)	0.8			CXL	2015	48		2016	
SB	0716	Coffee beans	0.15			CXL	11	44		2012	
SO	0691	Cotton seed	0.5			CXL	2015	48		2016	
MO	0105	Edible offal (mammalian)	1			3	2015	48		2016	
PE	0112	Eggs	0.01	(*)		CXL	2015	48		2016	
VC	0045	Fruiting vegetables, cucurbits (group)	0.3			CXL	2015	48		2016	
DF	0269	Grape, dried (= Currents, Raisins and Sultanas)	2			CXL	11	45	44	2013	
FB	0269	Grapes	0.8			CXL	11	45	44	2013	
VL	0482	Lettuce, head	1.5			CXL	2015	48		2016	
GC	0645	Maize	0.01	(*)		CXL	2015	48		2016	
AS	0645	Maize fodder (dry)	20			CXL	2015	48		2016	
MF	0100	Mammalian fats (except milk fats)	0.02			CXL	2015	48		2016	
MM	0095	Meat (from mammals other than marine mammals)	0.02	(fat)		CXL	2015	48		2016	
ML	0106	Milks	0.01	(*)		CXL	2015	48		2016	
FS	2001	Peaches (including apricots and nectarine) (subgroup)	0.6			CXL	2015	48		2016	
SO	0697	Peanut	0.15			CXL	11	44		2012	
AL	0697	Peanut fodder	20			CXL	11	44		2012	
VO	0051	Peppers (subgroup)	1			CXL	2015	48		2016	
HS	0444	Peppers chili, dried	10			CXL	11	44		2012	
FS	0014	Plums (including fresh prunes) (subgroup)	0.4			CXL	2015	48		2016	
FP	0009	Pome fruits (group)	0.4			CXL	2015	48		2016	
PF	0111	Poultry fats	0.02			CXL	2015	48		2016	
PM	0110	Poultry meat	0.01	(*)		CXL	2015	48		2016	
PO	0111	Poultry, edible offal of	0.03			CXL	2015	48		2016	
DF	0014	Prunes	0.9			CXL	2015	48		2016	
SO	0495	Rape seed	0.5			CXL	2015	48		2016	
GC	0651	Sorghum grain	1.5			CXL	2015	48		2016	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
AS 0651	Sorghum straw and fodder, dry		7			CXL	2015	48		2016	
VD 0541	Soya bean (dry)		0.4			CXL	11	44		2012	
FB 0275	Strawberry		1.5			CXL	2015	48		2016	
VR 0596	Sugar beet		0.02			CXL	2015	48		2016	
AV 0596	Sugar beet leaves or tops (dry)		3	(dw)		CXL	2015	48		2016	
VO 0448	Tomato		0.8			CXL	2015	48		2016	
GC 0654	Wheat		0.15			CXL	11	44		2012	
CM 0654	Wheat bran, unprocessed		0.3			CXL	11	44		2012	
AS 0654	Wheat, hay and/or straw		8			CXL	11	44		2012	

249 Isopyrazam

Main Uses: Fungicide
 ADI: 0–0.06 mg/kg bw (2011)
 ARfD: 0.3 mg/kg bw (2011)
 Residue: For compliance with the MRL for plant commodities: Isopyrazam (sum of syn-isomer and anti-isomer).
 For estimation of dietary exposure for plant commodities: Sum of isopyrazam and 3-difluoromethyl-1-methyl-1H-pyrazole-4-carboxylic acid [9-(1-hydroxyl-1-methylethyl)-(1RS, 4RS, 9RS)-1,2,3,4-tetrahydro-1,4-methanonaphthalen-5-yl]amide expressed as isopyrazam.
 For compliance with the MRL for estimation of dietary exposure) for animal commodities: Isopyrazam (sum of syn-isomer and anti-isomer).
 The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
DF 0226	Apples, dried	3			CXL	2017	50		2018	
FI 0327	Banana	0.06			CXL	11	44		2012	
GC 0640	Barley	0.6			CXL	2017	50		2018	
AS 0640	Barley, hay and/or straw	15	(dw)		CXL	2017	50		2018	
VR 0577	Carrot	0.15			CXL	2017	50		2018	
VO 2700	Cherry tomato	0.4			CXL	2017	50		2018	
VC 0424	Cucumber	0.06			CXL	2017	50		2018	
MO 0105	Edible offal (mammalian)	0.02			CXL	2017	50		2018	
VO 2046	Eggplants (subgroup)	0.4			CXL	2017	50		2018	
PE 0112	Eggs	0.01	(*)		CXL	11	44		2012	
MF 0100	Mammalian fats (except milk fats)	0.03			CXL	2017	50		2018	
MM 0095	Meat (from mammals other than marine mammals)	0.03	(fat)		CXL	2017	50		2018	
VC 0046	Melons, except watermelon	0.15			CXL	2017	50		2018	
FM 0183	Milk fats	0.02			CXL	2017	50		2018	
ML 0106	Milks	0.01	(*)		CXL	2017	50		2018	
SO 0697	Peanut	0.01			CXL	2017	50		2018	
VO 0445	Peppers, sweet (including pimento or pimiento)	0.09			CXL	2017	50		2018	
FP 0009	Pome fruits (group)	0.4			CXL	2017	50		2018	
PF 0111	Poultry fats	0.01	(*)		CXL	11	44		2012	
PM 0110	Poultry meat	0.01	(*)		CXL	11	44		2012	
PO 0111	Poultry, edible offal of	0.01	(*)		CXL	11	44		2012	
SO 0495	Rape seed	0.2			CXL	2017	50		2018	
GC 0650	Rye	0.03			CXL	2017	50		2018	
AS 0650	Rye straw and fodder, dry	15	(dw)		CXL	2017	50		2018	
VO 0448	Tomato	0.4			CXL	2017	50		2018	
DV 0448	Tomato, dried	5			CXL	2017	50		2018	
GC 0653	Triticale	0.03			CXL	2017	50		2018	
AS 0653	Triticale, hay and/or straw	15	(dw)		CXL	2017	50		2018	
GC 0654	Wheat	0.03			CXL	2017	50		2018	
CM 0654	Wheat bran, unprocessed	0.15			CXL	11	44		2012	
AS 0654	Wheat, hay and/or straw	15	(dw)		CXL	2017	50		2018	

250 Propylene oxide

Main Uses: Insecticide

ADI: 0-0.04 mg/kg bw (2011)

ARfD: 0.04 mg/kg bw (2011)

Residue: For compliance with MRL for plant commodities: Propylene oxide.

For estimation of dietary exposure for plant commodities: Propylene oxide, propylene chlorohydrin and propylene bromohydrin. Propylene chlorohydrin and propylene bromohydrin to be considered separately from propylene oxide.

The residue is not fat soluble.

Note: Propylene chlorohydrin

ADI: 0–0.3 mg/kg bw

ARfD: 0.3 mg/kg bw

Propylene bromohydrin

ADI: 0–0.03 mg/kg bw

ARfD: 0.03 mg/kg bw

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
-------------------	------	-------------	--------	----------	------	------	------	------------	-----	-----------

251 Saflufenacil

Main Uses: Herbicide
 ADI: 0-0.05 mg/kg bw (2011)
 ARfD: Unnecessary (2011)
 Residue: For compliance with MRL and for estimation of dietary intake for plant and animal commodities: Saflufenacil.
 The residue is not fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AL	1020	Alfalfa fodder	0.06			CXL	2016	49		2017	
FI	0327	Banana	0.01			CXL	11	44		2012	
GC	0640	Barley	1			CXL	2016	49		2017	
CM	0640	Barley bran, unprocessed	3			CXL	2016	49		2017	
AS	0640	Barley, hay and/or straw	10			CXL	2016	49		2017	
GC	0080	Cereal grains	0.01			CXL	11	44		2012	
FC	0001	Citrus fruits (group)	0.01			CXL	11	44		2012	
SB	0716	Coffee beans	0.01			CXL	11	44		2012	
SO	0691	Cotton seed	0.2			CXL	11	44		2012	
MO	0105	Edible offal (mammalian)	60			CXL	2016	49		2017	
PE	0112	Eggs	0.01	(*)		CXL	2016	49		2017	
FB	0269	Grapes	0.01			CXL	11	44		2012	
AS	0162	Hay or fodder (dry) of grasses	30			CXL	2016	49		2017	
SO	0693	Linseed	0.6			CXL	2017	50		2018	
AS	0645	Maize fodder (dry)	0.05			CXL	11	44		2012	
MF	0100	Mammalian fats (except milk fats)	0.05			CXL	2016	49		2017	
MM	0095	Meat (from mammals other than marine mammals)	0.01			CXL	2016	49		2017	
ML	0106	Milks	0.01			CXL	2016	49		2017	
SO	0485	Mustard seed	0.6			CXL	2017	50		2018	
SO	0697	Peanut	0.01	(*)		CXL	2016	49		2017	
VP	0063	Peas (pods and succulent=immature seeds)	0.01			CXL	11	44		2012	
VP	0064	Peas, shelled (succulent seeds)	0.01			CXL	11	44		2012	
FP	0009	Pome fruits (group)	0.01			CXL	11	44		2012	
FI	0355	Pomegranate	0.01	(*)		CXL	2016	49		2017	
PF	0111	Poultry fats	0.01	(*)		CXL	2016	49		2017	
PM	0110	Poultry meat	0.01	(*)		CXL	2016	49		2017	
PO	0111	Poultry, edible offal of	0.01	(*)		CXL	2016	49		2017	
VD	0070	Pulses (group)	0.3			CXL	12	45		2013	
SO	0495	Rape seed	0.6			CXL	11	44		2012	
AS	0651	Sorghum straw and fodder, dry	0.05			CXL	11	44		2012	
VP	0541	Soya bean (immature	0.01			CXL	11	44		2012	
FS	0012	Stone fruits (group)	0.01			CXL	11	44		2012	
GS	0659	Sugar cane	0.03			CXL	2016	49		2017	

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
DM 0659	Sugar cane molasses	1			CXL	2016	49		2017	
SO 0702	Sunflower seed	0.7			CXL	2016	49		2017	
GC 0447	Sweet corn	0.01			CXL	11	44		2012	
TN 0085	Tree nuts (group)	0.01			CXL	11	44		2012	
GC 0653	Triticale	0.7			CXL	2016	49		2017	
AS 0653	Triticale, hay and/or straw	10			CXL	2016	49		2017	
GC 0654	Wheat	0.7			CXL	2016	49		2017	
AS 0654	Wheat, hay and/or straw	10			CXL	2016	49		2017	

252 Sulfoxaflor

Main Uses: Insecticide
 ADI: 0-0.05 mg/kg bw (2011)
 ARfD: 0.3 mg/kg bw (2011)
 Residue: For compliance with the MRL and for estimation of dietary intake / risk assessment for plant and animal commodities: Sulfoxaflor.
 The residue is not fat soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VS	0621	Asparagus	0.015			3	2021	53			
FI	0326	Avocado	0.15			3	2021	53			
GC	0640	Barley	0.6			CXL	2011	45	44	2013	
AS	0640	Barley, hay and/or straw	3			CXL	2011	45	44	2013	
VD	0071	Beans (dry)	0.3			CXL	2013	46		2014	
VB	0400	Broccoli	3			CXL	2011	45	44	2013	
FB	2006	Bush berries (subgroup)	2			3	2021	53			
VB	0041	Cabbages, head	0.4			CXL	2011	45	44	2013	
FB	2005	Cane berries (subgroup)	1.5			3	2021	53			
VR	0577	Carrot	0.05			CXL	2013	46		2014	
VB	0404	Cauliflower	0.04			CXL	2011	45	44	2013	
VS	0624	Celery	1.5			CXL	2011	45	44	2013	
FS	0013	Cherries (subgroup)	1.5			CXL	2014	47		2015	
SB	0716	Coffee beans	0.3			3	2021	53			
SO	0691	Cotton seed	0.4			CXL	2011	45	44	2013	
MO	0105	Edible offal (mammalian)	1			CXL	2018	51		2019	
PE	0112	Eggs	0.1			CXL	2011	45	44	2013	
FB	0267	Elderberries	2			3	2021	53			
VC	0045	Fruiting vegetables, cucurbits (group)	0.5			CXL	2011	45	44	2013	
VO	0050	Fruiting vegetables, other than cucurbits (group)	1.5		(except sweet corn and mushrooms)	CXL	2011	45	44	2013	
VA	0381	Garlic	0.01	(*)		CXL	2011	45	44	2013	
DF	0269	Grape, dried (= Currents, Raisins and Sultanas)	6			CXL	2011	45	44	2013	
FB	0269	Grapes	2			CXL	2011	45	44	2013	
VL	0053	Leafy vegetables	6			CXL	2011	45	44	2013	
FC	0002	Lemons and limes (including citron) (subgroup)	0.4			CXL	2014	47		2015	
GC	0645	Maize	0.01	(*)		CXL	2018	51		2019	
AS	0645	Maize fodder (dry)	0.6			CXL	2018	51		2019	
MF	0100	Mammalian fats (except milk fats)	0.2			CXL	2018	51		2019	
FC	0003	Mandarins (including mandarin-like hybrids) (subgroup)	0.8			CXL	2014	47		2015	
FI	0345	Mango	0.3			3	2021	53			

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
MM 0095	Meat (from mammals other than marine mammals)		0.4			CXL	2018	51		2019	
ML 0106	Milks		0.3			CXL	2018	51		2019	
VA 0385	Onion, bulb		0.01	(*)		CXL	2011	45	44	2013	
FC 0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)		0.8			CXL	2014	47		2015	
FS 2001	Peaches (including apricots and nectarine) (subgroup)		0.4			CXL	2014	47		2015	
HS 0444	Peppers chili, dried		15			CXL	2011	45	44	2013	
FS 0014	Plums (including fresh prunes) (subgroup)		0.5			CXL	2014	47		2015	
FP 0009	Pome fruits (group)		0.3			CXL	2014	47		2015	
PF 0111	Poultry fats		0.03			CXL	2014	47		2015	
PM 0110	Poultry meat		0.7			CXL	2018	51		2019	
PO 0111	Poultry, edible offal of		0.3			CXL	2011	45	44	2013	
FC 0005	Pummelo and grapefruits (including Shaddock-like hybrids, among others Grapefruit) (subgroup)		0.15			CXL	2014	47		2015	
SO 0495	Rape seed		0.15			CXL	2011	45	44	2013	
GC 0649	Rice		7			CXL	2018	51		2019	
AS 0649	Rice, hay and/or straw		20			CXL	2018	51		2019	
CM 0649	Rice, husked		1.5			CXL	2018	51		2019	
CM 1205	Rice, polished		1			CXL	2018	51		2019	
VR 0075	Root and tuber vegetables (group)		0.03		(except carrots)	CXL	2011	45	44	2013	
GC 0651	Sorghum grain		0.2			CXL	2018	51		2019	
AS 0651	Sorghum straw and fodder, dry		0.7			CXL	2018	51		2019	
VD 0541	Soya bean (dry)		0.3			CXL	2011	45	44	2013	
AL 0541	Soya bean fodder		3			CXL	2011	45	44	2013	
VA 0389	Spring onion		0.7			CXL	2011	45	44	2013	
FB 0275	Strawberry		0.5			CXL	2011	45	44	2013	
GC 0447	Sweet corn (corn on the cob) (kernels plus cob with husk removed)		0.01	(*)		CXL	2018	51		2019	
TN 0085	Tree nuts (group)		0.03			CXL	2018	51		2019	
GC 0653	Triticale		0.2			CXL	2011	45	44	2013	
GC 0654	Wheat		0.2			CXL	2011	45	44	2013	
AS 0654	Wheat, hay and/or straw		3			CXL	2011	45	44	2013	

253 Pentiopyrad

Main Uses: Fungicide
 ADI: 0-0.1 mg/kg bw (2011)

ARfD: 1 mg/kg bw (2011)

Residue: For compliance with MRL for plant commodities: Pentiopyrad.

For compliance with MRL for animal commodities and for the estimation of dietary intake for plant and animal commodities: Sum of pentiopyrad and 1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxamide (PAM), expressed as pentiopyrad.

The residue is not fat-soluble.

Commodity		Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AL	1020	Alfalfa fodder		20	(DM)		CXL	2012	46	45	2014	
AM	0660	Almond hulls		6	(DM)		CXL	2012	46	45	2014	
GC	0640	Barley		0.2			CXL	2013	46		2014	
AS	0640	Barley, hay and/or straw		80	(DM)		CXL	2012	46	45	2014	
VP	0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)		3		(green pods and immature seeds)	CXL	12	45		2013	
VP	0062	Beans, shelled		0.3			CXL	12	45		2013	
FB	2006	Bush berries (subgroup)		7			CXL	2019	52		2021	
VB	0041	Cabbages, head		4			CXL	2012	46	45	2014	
FB	2005	Cane berries (subgroup)		10			CXL	2019	52		2021	
VR	0577	Carrot		0.6			CXL	12	45		2013	
VS	0624	Celery		15			CXL	2012	45		2013	
AB	1204	Cotton gin trash		20	(DM)		CXL	2012	46	45	2014	
SO	0691	Cotton seed		0.5			CXL	2012	46	45	2014	
MO	0105	Edible offal (mammalian)		0.08			CXL	2013	46		2014	
PE	0112	Eggs		0.03			CXL	2012	46	45	2014	
FB	0267	Elderberries		7			CXL	2019	52		2021	
VB	0042	Flowerhead brassicas (includes Broccoli; Broccoli, Chinese and cauliflower)		5			CXL	2012	45		2013	
VC	0045	Fruiting vegetables, cucurbits (group)		0.5			CXL	2012	45		2013	
VO	0050	Fruiting vegetables, other than cucurbits (group)		2		(except sweet corn and mushroom)	CXL	2012	45		2013	
FB	2254	Guelder rose		7			CXL	2019	52		2021	
VL	0053	Leafy vegetables		30		(except brassica leafy vegetables)	CXL	2012	45		2013	
GC	0645	Maize		0.01			CXL	2012	46	45	2014	
CF	1255	Maize flour		0.05			CXL	2012	46	45	2014	
AS	0645	Maize fodder (dry)		10	(DM)		CXL	2012	45		2017	
OC	0645	Maize oil, crude		0.15			CXL	2012	46	45	2014	
MF	0100	Mammalian fats (except milk fats)		0.05			CXL	2013	46		2014	

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
MM 0095	Meat (from mammals other than marine mammals)	0.04			CXL	2013	46		2014	
ML 0106	Milks	0.04			CXL	2013	46		2014	
GC 0646	Millet (Including barnyard millet, bulrush millet, common millet, finger millet, foxtail millet, little Millet)	0.8			CXL	2012	46	45	2014	
AS 0646	Millet fodder, dry	10	(DM)		CXL	2012	46	45	2014	
AS 0647	Oat straw and fodder, dry	80	(DM)		CXL	2012	46	45	2014	
GC 0647	Oats	0.2			CXL	2013	46		2014	
VA 0385	Onion, bulb	0.7			CXL	2012	45		2013	
VA 0387	Onion, Welsh	4			CXL	2012	45		2013	
AL 0072	Pea hay or pea fodder (dry)	60	(DM)		CXL	2012	46	45	2014	
SO 0697	Peanut	0.05			CXL	2012	46	45	2014	
AL 0697	Peanut fodder	30	(DM)		CXL	2012	46	45	2014	
OR 0697	Peanut oil, edible	0.5			CXL	2012	46	45	2014	
VP 0063	Peas (pods and succulent=immature seeds)	3			CXL	2012	45		2013	
VP 0064	Peas, shelled (succulent seeds)	0.3			CXL	2012	45		2013	
HS 0444	Peppers chili, dried	14			CXL	2012	45		2013	
FP 0009	Pome fruits (group)	0.4			CXL	2012	46	45	2014	
VR 0589	Potato	0.05			CXL	2012	45		2013	
PF 0111	Poultry fats	0.03			CXL	2012	46	45	2014	
PM 0110	Poultry meat	0.03			CXL	2012	46	45	2014	
PO 0111	Poultry, edible offal of	0.03			CXL	2012	46	45	2014	
VD 0070	Pulses (group)	0.3		(except soya beans)	CXL	2012	45		2013	
VR 0494	Radish	3			CXL	2012	45		2013	
SO 0495	Rape seed	0.5			CXL	2012	46	45	2014	
OC 0495	Rape seed oil, crude	1			CXL	2012	46	45	2014	
OR 0495	Rape seed oil, edible	1			CXL	2012	46	45	2014	
GC 0650	Rye	0.1			CXL	2013	46		2014	
AS 0650	Rye straw and fodder, dry	80	(DM)		CXL	2012	46	45	2014	
GC 0651	Sorghum grain	0.8			CXL	2012	46	45	2014	
AS 0651	Sorghum straw and fodder, dry	10	(DM)		CXL	2012	46	45	2014	
VD 0541	Soya bean (dry)	0.3			CXL	2012	46	45	2014	
AL 0541	Soya bean fodder	200	(DM)		CXL	2012	46	45	2014	
VA 0389	Spring onion	4			CXL	2012	45		2013	
FS 0012	Stone fruits (group)	4			CXL	2012	45		2013	
FB 0275	Strawberry	3			CXL	2012	45		2013	
VR 0596	Sugar beet	0.5			CXL	2012	46	45	2014	
SO 0702	Sunflower seed	1.5			CXL	2012	46	45	2014	
VO 0447	Sweet corn (corn-on-the-	0.02			CXL	2012	45		2013	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
TN	0085	Tree nuts (group)	0.05			CXL	2012	45		2013	
GC	0653	Triticale	0.1			CXL	2013	46		2014	
AS	0653	Triticale, hay and/or straw	80	(DM)		CXL	2012	46	45	2014	
VL	0506	Turnip greens	50			CXL	2012	45		2013	
GC	0654	Wheat	0.1			CXL	2013	46		2014	
CF	0654	Wheat bran, processed	0.1			CXL	2012	46	45	2014	
CM	0654	Wheat bran, unprocessed	0.2			CXL	2013	46		2014	
CF	1210	Wheat germ	0.2			CXL	2013	46		2014	
AS	0654	Wheat, hay and/or straw	80	(DM)		CXL	2012	46	45	2014	

254 Chlorfenapyr

Main Uses: Insecticide

ADI: 0-0.03 mg/kg bw (2012)

ARfD: 0.03 mg/kg bw (2012)

Residue: For compliance with the MRL for plant and animal commodities: Chlorfenapyr.

For dietary risk assessment for plant and animal commodities: Sum of chlorfenapyr plus 10 × 4-bromo-2-(p-chlorophenyl)-5-(trifluoromethyl)-pyrrole-3-carbonitrile (tralopyril).

The residue is fat-soluble.

Note: The 2018 JMPR Meeting that no revision of the ADI or ARfD was necessary.

JMPR also concluded that six metabolites identified in residue studies – CL322250 (M-5A), CL325195 (M-5), CL152837 (M-4), CL152832 (M-7A), CL152835 (M-6) and CL325157 (M-6A) – were toxicologically not relevant at currently estimated dietary exposures.

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
MO 0105	Edible offal (mammalian)	0.05			CXL	2018	51		2019	
PE 0112	Eggs	0.01			CXL	2018	51		2019	
VA 0381	Garlic	0.01	(*)		CXL	2018	51		2019	
FC 0002	Lemons and limes (including citron) (subgroup)	0.8			CXL	2018	51		2019	
MF 0100	Mammalian fats (except milk fats)	0.6			CXL	2018	51		2019	
MM 0095	Meat (from mammals other than marine mammals)	0.6	(fat)		CXL	2018	51		2019	
VC 0046	Melons, except watermelon	0.4			CXL	2018	51		2019	
ML 0106	Milks	0.03			CXL	2018	51		2019	
VA 0385	Onion, bulb	0.01	(*)		CXL	2018	51		2019	
FC 0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	1.5			CXL	2018	51		2019	
FI 0350	Papaya	0.3			CXL	2018	51		2019	
VO 0051	Peppers (subgroup)	0.3			CXL	2018	51		2019	
HS 0444	Peppers chili, dried	3			CXL	2018	51		2019	
VR 0589	Potato	0.01	(*)		CXL	2018	51		2019	
PF 0111	Poultry fats	0.02			CXL	2018	51		2019	
PM 0110	Poultry meat	0.02	(fat)		CXL	2018	51		2019	
PO 0111	Poultry, edible offal of	0.01			CXL	2018	51		2019	
VD 0541	Soya bean (dry)	0.08			CXL	2018	51		2019	
AL 0541	Soya bean fodder	7	(DM)		CXL	2018	51		2018	
OC 0541	Soya bean oil, crude	0.4			CXL	2018	51		2018	
DT 1114	Tea, green, black (black, fermented and dried)	60			CXL	2018	51		2019	
VO 0448	Tomato	0.4			CXL	2018	51		2019	

255 Dinotefuran

Main Uses: Insecticide
 ADI: 0-0.2 mg/kg bw (2012)
 ARfD: 1 mg/kg bw (2012)
 Residue:

For compliance with the MRL for plant commodities: Dinotefuran.

For estimation of dietary intake for plant commodities: Sum of dinotefuran, 1-methyl-3-(tetrahydro-3furylmethyl) urea (UF) and 1-methyl-3-(tetrahydro-3furylmethyl)guanidium dihydrogen (DN) expressed as dinotefuran. For compliance with the MRL and estimation of dietary intake for animal commodities: Sum of dinotefuran, 1-methyl-3-(tetrahydro-3furylmethyl) urea (UF) expressed as dinotefuran.

The residue is not fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VB 0040	Brassica vegetables (except Brassica leafy vegetables) (group)	2			CXL	12	45		2013	
VS 0624	Celery	0.6			CXL	12	45		2013	
SO 0691	Cotton seed	0.2			CXL	12	45		2013	
FB 0265	Cranberry	0.15			CXL	12	45		2013	
MO 0105	Edible offal (mammalian)	0.1			CXL	12	45		2013	
PE 0112	Eggs	0.02	(*)		CXL	12	45		2013	
VC 0045	Fruiting vegetables, cucurbits (group)	0.5			CXL	12	45		2013	
VO 0050	Fruiting vegetables, other than cucurbits (group)	0.5		(except sweet corn and mushrooms)	CXL	12	45		2013	
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	3			CXL	12	45		2013	
FB 0269	Grapes	0.9			CXL	12	45		2013	
VL 0053	Leafy vegetables	6		(except watercress)	CXL	12	45		2013	
MM 0095	Meat (from mammals other than marine mammals)	0.1			CXL	12	45		2013	
ML 0106	Milks	0.1			CXL	12	45		2013	
FS 0245	Nectarine	0.8			CXL	12	45		2013	
VA 0385	Onion, bulb	0.1			CXL	12	45		2013	
FS 0247	Peach	0.8			CXL	12	45		2013	
HS 0444	Peppers chili, dried	5			CXL	12	45		2013	
PM 0110	Poultry meat	0.02	(*)		CXL	12	45		2013	
PO 0111	Poultry, edible offal of	0.02	(*)		CXL	12	45		2013	
GC 0649	Rice	8			CXL	12	45		2013	
AS 0649	Rice, hay and/or straw	6			CXL	12	45		2013	
CM 1205	Rice, polished	0.3			CXL	12	45		2013	
VA 0389	Spring onion	4			CXL	12	45		2013	
VL 0473	Watercress	7			CXL	12	45		2013	

256 Fluxapyroxad

Main Uses: Fungicide

ADI: 0-0.02 mg/kg bw (2012)

ARfD: 0.3 mg/kg bw (2012)

Residue: For compliance with the MRL for plant and animal commodities: Fluxapyroxad.

For estimation of dietary intake) for plant commodities: Sum of fluxapyroxad and 3-difluoromethyl)- N-(3',4',5'-trifluoro[1,1'- biphenyl]-2-yl)-1H-pyrazole-4-carboxamide (M700F008) and 3-(difluoromethyl)- 1-(β -D-glucopyranosyl)-N-(3',4',5'-trifluorobiphenyl-2-yl)-1H-pyrazole-4- carboxamide (M700F048) and expressed as parent equivalents.

For estimation of dietary intake) for animal commodities: Sum of fluxapyroxad and 3-(difluoromethyl)- N-(3',4',5'-trifluoro[1,1'- biphenyl]-2-yl)-1H-pyrazole-4-carboxamide (M700F008) expressed as parent equivalents.

The residue is fat soluble.

Note: The JMPR 2018 concluded that the new studies support the existing ADI of 0–0.02 mg/kg bw and have no impact on the ARfD of 0.3 mg/kg bw established in 2012.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AL	3350	Alfalfa hay	20	(DM)		CXL	2018	51		2019	
FI	0327	Banana	3			CXL	2015	48		2016	
GC	0640	Barley	2			CXL	2012	45		2013	
CF	0640	Barley bran, processed	4			CXL	2012		45	2013	
AS	0640	Barley, hay and/or straw	30			CXL	2012	45		2013	
VD	0071	Beans (dry)	0.3			CXL	2012	45		2013	
VP	0061	Beans with pods (<i>Phaseolus spp.</i>) immature pods and succulent seeds)	2			CXL	2012	45		2013	
VP	0062	Beans, shelled	0.09			CXL	2012	45		2013	
FB	0018	Berries and other small fruits	7		(except grapes)	CXL	2015	48		2016	
VB	0040	Brassica vegetables (except Brassica leafy vegetables) (group)	2			CXL	2015	48		2016	
VR	0577	Carrot	1			CXL	2015	48		2016	
VS	0624	Celery	10			CXL	2015	48		2016	
FS	0013	Cherries (subgroup)	3			CXL	2015	48		2016	
VD	0524	Chick-pea (dry)	0.4			CXL	2012	45		2013	
OR	0001	Citrus oil, edible	90			CXL	2019	52		2021	
AB	0001	Citrus pulp, dried	8			CXL	2019	52		2021	
SB	0716	Coffee beans	0.15			CXL	2018	51		2019	
SO	0691	Cotton seed	0.5			CXL	2018	51		2019	
MO	0105	Edible offal (mammalian)	0.1			CXL	2012	45		2013	
PE	0112	Eggs	0.02			CXL	2012	45		2013	
VC	0045	Fruiting vegetables, cucurbits (group)	0.2			CXL	2015	48		2016	
VO	0050	Fruiting vegetables, other than cucurbits (group)	0.6		(except sweet corn and mushrooms)	CXL	2012	45		2013	
VA	0381	Garlic	0.6			CXL	2015	48		2016	
AB	0269	Grape pomace, dry	150			CXL	2015	48		2016	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
DF 0269	Grape, dried (= Currants, Raisins and Sultanas)		15			CXL	2015	48		2016	
FB 0269	Grapes		3			CXL	2015	48		2016	
VL 0054	Leaves of Brassicaceae		4			CXL	2015	48		2016	
FC 0002	Lemons and limes (including citron) (subgroup)		1			CXL	2019	52		2021	
VD 0533	Lentil (dry)		0.4			CXL	2012	45		2013	
VL 0482	Lettuce, head		4			CXL	2015	48		2016	
GC 0645	Maize	0.01	(*)			CXL	2012	45		2013	
AS 0645	Maize fodder (dry)	15				CXL	2012	45		2013	
FC 0003	Mandarins (including mandarin-like hybrids) (subgroup)		1			CXL	2019	52		2021	
FI 0345	Mango	0.6				CXL	2018	51		2019	
MM 0095	Meat (from mammals other than marine mammals)	0.2	(fat)			CXL	2012	45		2013	
FM 0183	Milk fats	0.5				CXL	2012	45		2013	
ML 0106	Milks	0.02				CXL	2012	45		2013	
AS 0647	Oat straw and fodder, dry	30				CXL	2012	45		2013	
GC 0647	Oats	2				CXL	2012	45		2013	
SO 0088	Oilseed	0.8			(except peanut and cotton)	CXL	2012	45		2013	
VA 0385	Onion, bulb	0.6				CXL	2015	48		2016	
FC 0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	1.5				CXL	2019	52		2021	
FI 0350	Papaya	1				CXL	2018	51		2019	
VR 0588	Parsnip	1				CXL	2015	48		2016	
AL 0072	Pea hay or pea fodder (dry)	40		dry wt		CXL	2012	45		2013	
FS 2001	Peaches (including apricots and nectarine) (subgroup)	1.5				CXL	2015	48		2016	
SO 0697	Peanut	0.01				CXL	2012	45		2013	
VD 0072	Peas (dry)	0.4				CXL	2012	45		2013	
VP 0063	Peas (pods and succulent=immature seeds)	2				CXL	2012	45		2013	
VP 0064	Peas, shelled (succulent seeds)	0.09				CXL	2012	45		2013	
HS 0444	Peppers chili, dried	6				CXL	2012	45		2013	
FS 0014	Plums (including fresh prunes) (subgroup)	1.5				CXL	2015	48		2016	
FP 0009	Pome fruits (group)	0.9				CXL	2012	45		2013	
VR 0589	Potato	0.07				CXL	2018	51		2019	
PF 0111	Poultry fats	0.05				CXL	2012	45		2013	
PM 0110	Poultry meat	0.02				CXL	2012	45		2013	
PO 0111	Poultry, edible offal of	0.02				CXL	2012	45		2013	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
DF 0014	Prunes		5			CXL	2012	45		2013	
FC 0005	Pummelo and grapefruits (including Shaddock-like hybrids, among others Grapefruit) (subgroup)		0.6			CXL	2019	52		2021	
VR 0494	Radish		0.2			CXL	2015	48		2016	
VL 0494	Radish leaves (including radish tops)		8			CXL	2015	48		2016	
GC 0649	Rice		5			CXL	2015	48		2016	
AS 0649	Rice, hay and/or straw		50	(dw)		CXL	2015	48		2016	
CM 0649	Rice, husked		3			CXL	2015	48		2016	
CM 1205	Rice, polished		0.4			CXL	2015	48		2016	
GC 0650	Rye		0.3			CXL	2012	45		2013	
AS 0650	Rye straw and fodder, dry		30			CXL	2012	45		2013	
VA 0388	Shallot		0.6			CXL	2015	48		2016	
GC 0651	Sorghum grain		0.7			CXL	2015	48		2016	
AS 0651	Sorghum straw and fodder, dry		7	(dw)		CXL	2015	48		2016	
VD 0541	Soya bean (dry)		0.15			CXL	2012	45		2013	
VP 0541	Soya bean (immature		0.5			CXL	2012	45		2013	
VP 0546	Soya bean (young pod)		1.5			CXL	2012	45		2013	
AL 0541	Soya bean fodder		30	dry wt		CXL	2012	45		2013	
AB 0541	Soya bean hulls		0.3			CXL	2012	45		2013	
VR 0596	Sugar beet		0.15			CXL	2012	45		2013	
VO 0447	Sweet corn (corn-on-the-		0.15			CXL	2012	45		2013	
TN 0085	Tree nuts (group)		0.04			CXL	2015	48		2016	
GC 0653	Triticale		0.3			CXL	2012	45		2013	
AS 0653	Triticale, hay and/or straw		30			CXL	2012	45		2013	
VR 2071	Tuberous and corm vegetables (subgroup)		0.03		(except potato)	CXL	2018	51		2019	
GC 0654	Wheat		0.3			CXL	2012	45		2013	
CM 0654	Wheat bran, unprocessed		1			CXL	2012	45		2013	
AS 0654	Wheat, hay and/or straw		30			CXL	2012	45		2013	

257 MCPA

Main Uses: Herbicide
 ADI: 0-0.1 mg/kg bw (2012)
 ARfD: 0.6 mg/kg bw (2012)

Residue: For compliance with the MRL for plant and animal commodities: MCPA.
 For estimation of dietary intake for plant commodities: Sum of MCPA, its conjugates and esters, all expressed as MCPA.
 For the estimation of dietary intake for animal commodities: Sum of MCPA and its conjugates, expressed as MCPA.
 The residue is not fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
GC	0640	Barley	0.2			CXL	12	45		2013	
AS	0640	Barley, hay and/or straw	50			CXL	12	45		2013	
MO	0105	Edible offal (mammalian)	3			CXL	12	45		2013	
PE	0112	Eggs	0.05 (*)			CXL	12	45		2013	
SO	4711	Flax-seed	0.01 (*)			CXL	12	45		2013	
AS	0162	Hay or fodder (dry) of grasses	500			CXL	12	45		2013	
GC	0645	Maize	0.01 (*)			CXL	12	45		2013	
AS	0645	Maize fodder (dry)	0.3			CXL	12	45		2013	
MF	0100	Mammalian fats (except milk fats)	0.2			CXL	12	45		2013	
MM	0095	Meat (from mammals other than marine mammals)	0.1			CXL	12	45		2013	
ML	0106	Milks	0.04			CXL	12	45		2013	
AS	0647	Oat straw and fodder, dry	50			CXL	12	45		2013	
GC	0647	Oats	0.2			CXL	12	45		2013	
VD	0072	Peas (dry)	0.01 (*)			CXL	12	45		2013	
PF	0111	Poultry fats	0.05 (*)			CXL	12	45		2013	
PM	0110	Poultry meat	0.05 (*)			CXL	12	45		2013	
PO	0111	Poultry, edible offal of	0.05 (*)			CXL	12	45		2013	
GC	0650	Rye	0.2			CXL	12	45		2013	
AS	0650	Rye straw and fodder, dry	50			CXL	12	45		2013	
GC	0653	Triticale	0.2			CXL	12	45		2013	
AS	0653	Triticale, hay and/or straw	50			CXL	12	45		2013	
GC	0654	Wheat	0.2			CXL	12	45		2013	
AS	0654	Wheat, hay and/or straw	50			CXL	12	45		2013	

258 Picoxystrobin

Main Uses:

Fungicide

ADI:

0-0.09 mg/kg bw (2012)

ARfD:

0.09 mg/kg bw (2012)

Residue:

For compliance with the MRL and for estimation of dietary exposure for animal and plant commodities: Picoxystrobin.

The residue is fat-soluble

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AL	1020	Alfalfa fodder	10	(dw)		CXL	2019	52		2021	
GC	0640	Barley	0.3			CXL	2017	50		2018	
AS	0640	Barley, hay and/or straw	7	(dw)		CXL	2017	50		2018	
SB	0716	Coffee beans	0.04			CXL	2019	52		2021	
SO	0691	Cotton seed	2			CXL	2019	52		2021	
VD	2065	Dry beans (subgroup)	0.06			CXL	2017 (subgroup)	50 0.06		2018	
VD	2066	Dry peas				CXL	2019	52	CXL	2017	50
MO	0105	Edible offal (mammalian)	0.02			CXL	2019	52		2021	
PE	0112	Eggs	0.01	(*)		CXL	2017	50		2018	
GC	0645	Maize	0.015			CXL	2017	50		2018	
AS	0645	Maize fodder (dry)	20	(dw)		CXL	2017	50		2018	
OR	0645	Maize oil, edible	0.15			CXL	2017	50		2018	
MF	0100	Mammalian fats (except milk fats)	0.02			CXL	2019	52		2021	
MM	0095	Meat (from mammals other than marine mammals)	0.02	(fat)		CXL	2019	52		2021	
ML	0106	Milks	0.01	(*)		CXL	2019	52		2021	
AS	0647	Oat straw and fodder, dry	7	(dw)		CXL	2017	50		2018	
GC	0647	Oats	0.3			CXL	2017	50		2018	
AL	0072	Pea hay or pea fodder (dry)	150	(dw)		CXL	2017	50		2018	
GC	0656	Popcorn	0.015			CXL	2017	50		2018	
PF	0111	Poultry fats	0.01			CXL	2017	50		2018	
PM	0110	Poultry meat	0.01	(*)		CXL	2017	50		2018	
PO	0111	Poultry, edible offal of	0.01	(*)		CXL	2017	50		2018	
GC	0650	Rye	0.04			CXL	2017	50		2018	
AS	0650	Rye straw and fodder, dry	7	(dw)		CXL	2017	50		2018	
GC	0651	Sorghum grain	0.02			CXL	2019	52		2021	
AS	0651	Sorghum straw and fodder, dry	1	(dw)		CXL	2019	52		2021	
AL	0541	Soya bean fodder	5	(dw)		CXL	2017	50		2018	
OR	0541	Soya bean oil, refined	0.2			CXL	2017	50		2018	
GC	0447	Sweet corn (corn on the cob) (kernels plus cob with husk removed)	0.01	(*)		CXL	2017	50		2018	
DT	1114	Tea, green, black (black, fermented and dried)	15			CXL	2019	52		2021	
GC	0653	Triticale	0.04			CXL	2017	50		2018	
AS	0653	Triticale, hay and/or straw	7	(dw)		CXL	2017	50		2018	

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
GC 0654	Wheat	0.04			CXL	2017	50		2018	
CF 0654	Wheat bran, processed	0.15			CXL	2017	50		2018	
CF 1210	Wheat germ	0.15			CXL	2017	50		2018	
AS 0654	Wheat, hay and/or straw	7 (dw)			CXL	2017	50		2018	

259 Sedaxane

Main Uses: Fungicide
 ADI: 0-0.1 mg/kg bw (2012)
 ARfD: 0.3 mg/kg bw (2012)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Sedaxane.
 The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AL 0061	Bean fodder	0.01 (*)			CXL	2014	47		2015	
GC 0080	Cereal grains	0.01 (*)			CXL	2014	47		2015	
MO 0105	Edible offal (mammalian)	0.01 (*)			CXL	12	45		2013	
PE 0112	Eggs	0.01 (*)			CXL	12	45		2013	
MF 0100	Mammalian fats (except milk fats)	0.01 (*)			CXL	12	45		2013	
MM 0095	Meat (from mammals other than marine mammals)	0.01 (*) (fat)			CXL	12	45		2013	
FM 0183	Milk fats	0.01 (*)			CXL	12	45		2013	
ML 0106	Milks	0.01 (*)			CXL	12	45		2013	
AL 0072	Pea hay or pea fodder (dry)	0.01 (*)			CXL	2014	47		2015	
VR 0589	Potato	0.02			CXL	2014	47		2015	
PF 0111	Poultry fats	0.01 (*)			CXL	12	45		2013	
PM 0110	Poultry meat	0.01 (*)			CXL	12	45		2013	
PO 0111	Poultry, edible offal of	0.01 (*)			CXL	12	45		2013	
VD 0070	Pulses (group)	0.01 (*)			CXL	2014	47		2015	
SO 0495	Rape seed	0.01 (*)			CXL	12	45		2013	
AS 0161	Straw, fodder (dry) and hay of cereal grains and other grass-like plants	0.1			CXL	2014	47		2015	
VO 0447	Sweet corn (corn-on-the-	0.01 (*)			CXL	2014	47		2015	

260 Ametoctradin

Main Uses: Fungicide

ADI: Unnecessary mg/kg bw (2012)

ARfD: Unnecessary (2012)

Residue: For compliance with the MRL for plant commodities: Ametoctradin.

For compliance with the MRL for animal commodities: Sum of ametoctradin, M650F01 and M650F06, expressed as Ametoctradin.

The residue is not fat-soluble.

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VB 0040	Brassica vegetables (except Brassica leafy vegetables) (group)	9			CXL	12	45		2013	
VS 0624	Celery	20			CXL	12	45		2013	
VC 0424	Cucumber	0.4			CXL	12	45		2013	
PE 0112	Eggs	0.03	(*)		CXL	12	45		2013	
VC 0045	Fruiting vegetables, cucurbits (group)	3		(except cucumber)	CXL	12	45		2013	
VO 0050	Fruiting vegetables, other than cucurbits (group)	1.5		(except sweet corn and mushroom)	CXL	12	45		2013	
VA 0381	Garlic	1.5			CXL	12	45		2013	
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	20			CXL	12	45		2013	
FB 0269	Grapes	6			CXL	12	45		2013	
DH 1100	Hops, dry	30			CXL	12	45		2013	
VL 0053	Leafy vegetables	50			CXL	12	45		2013	
VA 0385	Onion, bulb	1.5			CXL	12	45		2013	
HS 0444	Peppers chili, dried	15			CXL	12	45		2013	
VR 0589	Potato	0.05			CXL	12	45		2013	
PF 0111	Poultry fats	0.03	(*)		CXL	12	45		2013	
PM 0110	Poultry meat	0.03	(*)		CXL	12	45		2013	
PO 0111	Poultry, edible offal of	0.03	(*)		CXL	12	45		2013	
VA 0388	Shallot	1.5			CXL	12	45		2013	
VA 0389	Spring onion	20			CXL	12	45		2013	

261 Benzovindiflupyr

Main Uses: Fungicide
 ADI: 0–0.05 mg/kg bw (2013)
 ARfD: 0.1 mg/kg bw (2013)
 Residue: For compliance with the MRL and for dietary risk assessment for plant and animal commodities: Benzovindiflupyr.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
GC 0640	Barley		1			CXL	2016	49		2017	
AS 0640	Barley, hay and/or straw		15	(dw)		CXL	2016	49		2017	
VA 2031	Bulb onions (subgroup)		0.02			CXL	2019	52		2021	
SB 0716	Coffee beans		0.15			CXL	2016	49		2017	
VD 2065	Dry beans (subgroup)		0.15		(except soya bean, dry)	CXL	2018	51		2019	
VD 2066	Dry peas (subgroup)		0.2			CXL	2018	51		2019	
MO 0105	Edible offal (mammalian)		0.1			CXL	2016	49		2017	
PE 0112	Eggs		0.01	(*)		CXL	2016	49		2017	
VC 0045	Fruiting vegetables, cucurbits (group)		0.2			CXL	2016	49		2017	
VO 0050	Fruiting vegetables, other than cucurbits (group)		0.9			CXL	2016	49		2017	
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)		3			CXL	2016	49		2017	
FB 0269	Grapes		1			CXL	2016	49		2017	
MF 0100	Mammalian fats (except milk fats)		0.03			CXL	2016	49		2017	
MM 0095	Meat (from mammals other than marine mammals)		0.03	F		CXL	2016	49		2017	
ML 0106	Milks		0.01	(*)		CXL	2016	49		2017	
AS 0647	Oat straw and fodder, dry		15	(dw)		CXL	2016	49		2017	
GC 0647	Oats		1			CXL	2016	49		2017	
AL 0072	Pea hay or pea fodder (dry)		8	(dw)		CXL	2016	49		2017	
SO 0697	Peanut		0.04			CXL	2016	49		2017	
AL 0697	Peanut fodder		15	(dw)		CXL	2016	49		2017	
HS 0444	Peppers chili, dried		9			CXL	2016	49		2017	
FP 0009	Pome fruits (group)		0.2			CXL	2016	49		2017	
VR 0589	Potato		0.02			CXL	2016	49		2017	
PF 0111	Poultry fats		0.01	(*)		CXL	2016	49		2017	
PM 0110	Poultry meat		0.01	(*)		CXL	2016	49		2017	
PO 0111	Poultry, edible offal of		0.01	(*)		CXL	2016	49		2017	
SO 0495	Rape seed		0.2			CXL	2016	49		2017	
GC 0650	Rye		0.1			CXL	2016	49		2017	
AS 0650	Rye straw and fodder, dry		15	(dw)		CXL	2016	49		2017	
VD 0541	Soya bean (dry)		0.08			CXL	2016	49		2017	
GS 0659	Sugar cane		0.4			CXL	2019	52		2021	
VO 0447	Sweet corn (corn-on-the-		0.01	(*)		CXL	2016	49		2017	
GC 0653	Triticale		0.1			CXL	2016	49		2017	

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AS 0653	Triticale, hay and/or straw	15	(dw)		CXL	2016	49		2017	
GC 0654	Wheat	0.1			CXL	2016	49		2017	
AS 0654	Wheat, hay and/or straw	15	(dw)		CXL	2016	49		2017	

262 Bixafen

Main Uses: Fungicide

ADI: 0–0.02 mg/kg bw (2013)

ARfD: 0.2 mg/kg bw (2013)

Residue: For compliance with MRLs for plant commodities: Bixafen.

For compliance with MRLs for animal commodities and for dietary risk assessment for plant and animal commodities: Sum of bixafen and N-(3',4'-dichloro-5-fluorobiphenyl-2-yl)-3-(difluoromethyl)-1H-pyrazole-4-carboxamide (bixafen-desmethyl), expressed as bixafen.

The residue is fat soluble.

Note: The currently available information on residues in rotational crops was not sufficient to make recommendations on maximum residue levels in plant and animal commodities.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
GC 0640	Barley		0.4			CXL	2016	49		2017	Recommended for withdrawal by JMPR
GC 0640	Barley		1.5			3	2021	53			
AS 0640	Barley, hay and/or straw		20	(dw)		CXL	2016	49		2017	
SO 0691	Cotton seed		0.3			3	2021	53			
MO 0105	Edible offal (mammalian)		4			CXL	2016	49		2017	
PE 0112	Eggs		0.05			CXL	2016	49		2017	
GC 0645	Maize		0.01	(*)		3	2021	53			
AS 3490	Maize bran, unprocessed		0.03			3	2021	53			
OR 0645	Maize oil, edible		0.02			3	2021	53			
AS 3557	Maize, hay and/or straw		5	(dw)		3	2021	53			
MF 0100	Mammalian fats (except milk fats)		2			CXL	2016	49		2017	
MM 0095	Meat (from mammals other than marine mammals)		2	(fat)		CXL	2016	49		2017	
FM 0183	Milk fats		5			CXL	2016	49		2017	
ML 0106	Milks		0.2			CXL	2016	49		2017	
AS 0647	Oat straw and fodder, dry		20	(dw)		CXL	2016	49		2017	
GC 0647	Oats		0.4			CXL	2016	49		2017	
SO 0697	Peanut		0.01			3	2021	53			
OR 0697	Peanut oil, edible		0.03			3	2021	53			
PF 0111	Poultry fats		0.05			CXL	2016	49		2017	
PM 0110	Poultry meat		0.02	(*)		CXL	2016	49		2017	
PO 0111	Poultry, edible offal of		0.05			CXL	2016	49		2017	
VD 0070	Pulses (group)		0.04		(except soya bean (dry) (based on rotational crops))	3	2021	53			
SO 0495	Rape seed		0.04			CXL	2016	49		2017	
OR 0495	Rape seed oil, edible		0.08			CXL	2016	49		2017	
VR 0075	Root and tuber vegetables (group)		0.06		(based on rotational crops)	3	2021	53			
GC 0650	Rye		0.05			CXL	2016	49		2017	

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AS 0650	Rye straw and fodder, dry	20	(dw)		CXL	2016	49		2017	
GC 0651	Sorghum grain	2			3	2021	53			
VD 0541	Soya bean (dry)	0.08			3	2021	53			
OR 0541	Soya bean oil, refined	0.15			3	2021	53			
AL 3538	Soya bean, hulls	0.3			3	2021	53			
SO 0702	Sunflower seed	3			3	2021	53			
GC 0447	Sweet corn (corn on the cob) (kernels plus cob with husk removed)	0.01	(*)		3	2021	53			
GC 0653	Triticale	0.05			CXL	2016	49		2017	
AS 0653	Triticale, hay and/or straw	20	(dw)		CXL	2016	49		2017	
GC 0654	Wheat	0.05			CXL	2016	49		2017	Recommended for withdrawal by JMPR
GC 0654	Wheat	0.3			3	2021	53			
CF 0654	Wheat bran, processed	0.8			3	2021	53			
CM 0654	Wheat bran, unprocessed	0.15			CXL	2016	49		2017	
AS 0654	Wheat, hay and/or straw	20	(dw)		CXL	2016	49		2017	

263 Cyantraniliprole

Main Uses: Acaricide

ADI: 0–0.03 mg/kg bw (2013)

ARfD: Unnecessary (2013)

Residue: For compliance with the MRL for plant and animal commodities: Cyantraniliprole.

For dietary risk assessment for unprocessed plant commodities: Cyantraniliprole. For dietary risk assessment for processed plant commodities: Sum of cyantraniliprole and IN-J9Z38, expressed as cyantraniliprole.

For dietary risk assessment for animal commodities: Sum of cyantraniliprole,

2-[3-Bromo-1-(3-chloro-2-pyridinyl)-1H-pyrazol-5-yl]-3,4-dihydro-3,8-dimethyl-4-oxo-6-quinazolinecarbonitrile [IN-J9Z38],

2-[3-Bromo-1-(3-chloro-2-pyridinyl)-1H-pyrazol-5-yl]-1,4-dihydro-8-methyl-4-oxo-6-quinazolinecarbonitrile [IN-MLA84],

3-Bromo-1-(3-chloro-2-pyridinyl)-N-[4-cyano-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1H-pyrazole-5-carboxamide [IN-N7B69] and

3-Bromo-1-(3-chloro-2-pyridinyl)-N-[4-cyano-2[(hydroxymethyl)amino]carbonyl]-6-methylphenyl]-1H-pyrazole-5-carboxamide [IN-MYX98], expressed as cyantraniliprole.

The residue is not fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AL	0061	Bean fodder	40	(DM)		CXL	2015	48		2016	(DM) = dry matter
VD	0071	Beans (dry)	0.3			CXL	2015	48		2016	
VP	0062	Beans, shelled	0.3			CXL	2015	48		2016	
VB	0040	Brassica vegetables (except Brassica leafy vegetables) (group)	2			CXL	2013	46		2014	
FB	2006	Bush berries (subgroup)	4			CXL	2013	46		2014	
VS	0624	Celery	15			CXL	2013	46		2014	
FS	0013	Cherries (subgroup)	6			CXL	2013	46		2014	
FC	0001	Citrus fruits (group)	0.7			CXL	2015	48		2016	
OR	0001	Citrus oil, edible	4.5			CXL	2015	48		2016	
SB	0716	Coffee beans	0.05			CXL	2015	48		2016	
VP	0526	Common bean (pods and/or immature seeds)	1.5			CXL	2015	48		2016	
SO	0691	Cotton seed	1.5			CXL	2015	48		2016	
FB	0265	Cranberry	0.08			CXL	2018	51		2019	
MO	0105	Edible offal (mammalian)	1.5			CXL	2015	48		2016	
PE	0112	Eggs	0.15			CXL	2015	48		2016	
AM	1051	Fodder beet	0.02			CXL	2013	46		2014	
VC	0045	Fruiting vegetables, cucurbits (group)	0.3			CXL	2018	51		2019	
VO	0050	Fruiting vegetables, other than cucurbits (group)	0.5		(except mushrooms & sweet corn)	CXL	2013	46		2014	
VA	0381	Garlic	0.05			CXL	2013	46		2014	
VL	0053	Leafy vegetables	20		(except Lettuce, Head)	CXL	2013	46		2014	
AL	0157	Legume animal feeds	0.8	dry wt		CXL	2013	46		2014	
VL	0482	Lettuce, head	5			CXL	2013	46		2014	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
GC 0645	Maize	0.01	(*)		CXL	2015	48		2016		
MF 0100	Mammalian fats (except milk fats)	0.5			CXL	2015	48		2016		
FI 0345	Mango	0.7			CXL	2018	51		2019		
MM 0095	Meat (from mammals other than marine mammals)	0.2			CXL	2015	48		2016		
ML 0106	Milks	0.6			CXL	2015	48		2016		
VA 0385	Onion, bulb	0.05			CXL	2013	46		2014		
VA 0387	Onion, Welsh	8			CXL	2013	46		2014		
AL 0072	Pea hay or pea fodder (dry)	60	(DM)		CXL	2015	48		2016		
FS 0247	Peach	1.5			CXL	2013	46		2014		
VP 0063	Peas (pods and succulent=immature seeds)	2			CXL	2015	48		2016		
VP 0064	Peas, shelled (succulent seeds)	0.3			CXL	2015	48		2016		
HS 0444	Peppers chili, dried	5			CXL	2013	46		2014		
FS 0014	Plums (including fresh prunes) (subgroup)	0.5			CXL	2013	46		2014		
FP 0009	Pome fruits (group)	0.8			CXL	2013	46		2014		
FI 0355	Pomegranate	0.01	(*)		CXL	2015	48		2016		
VR 0589	Potato	0.05			CXL	2013	46		2014		
PF 0111	Poultry fats	0.04			CXL	2015	48		2016		
PM 0110	Poultry meat	0.02			CXL	2015	48		2016		
PO 0111	Poultry, edible offal of	0.15			CXL	2015	48		2016		
DF 0014	Prunes	0.8			CXL	2013	46		2014		
SO 0495	Rape seed	0.8			CXL	2015	48		2016		
AS 0649	Rice, hay and/or straw	1.7	(dw)		CXL	2018	51		2019		
CM 0649	Rice, husked	0.01	(*)		CXL	2018	51		2019		
CM 1205	Rice, polished	0.01	(*)		CXL	2018	51		2019		
VR 0075	Root and tuber vegetables (group)	0.05		(except potato)	CXL	2013	46		2014		
VA 0388	Shallot	0.05			CXL	2013	46		2014		
VD 0541	Soya bean (dry)	0.4			CXL	2015	48		2016		
VP 0541	Soya bean (immature	0.3			CXL	2015	48		2016		
AL 0541	Soya bean fodder	80	(DM)		CXL	2015	48		2016		
VA 0389	Spring onion	8			CXL	2013	46		2014		
AS 0161	Straw, fodder (dry) and hay of cereal grains and other grass-like plants	0.2	dry wt		CXL	2013	46		2014		
FB 0275	Strawberry	1.5			CXL	2018	51		2019		
SO 0702	Sunflower seed	0.5			CXL	2015	48		2016		
TN 0085	Tree nuts (group)	0.04			CXL	2015	48		2016		
AM 0506	Turnip fodder	0.02			CXL	2013	46		2014		
FB 1236	Wine-grapes	1			CXL	2018	51		2019		

264 Fenamidone

Main Uses: Fungicide

ADI: 0–0.03 mg/kg bw (2013)

ARfD: 1 mg/kg bw (2013)

Residue: For compliance with the MRL for plant and animal commodities: Fenamidone.

For estimation of dietary intake) for plant commodities: Sum of fenamidone, (S)-5-methyl-5-phenyl-3-(phenylamino)- 2,4-imidazolidine-dione (RPA 410193), plus 10 x the sum of both (S)-5-methyl-5-phenyl-2,4-imidazolidine-dione (RPA 412636) and (5S)-5-methyl-2-(methylthio)-5-phenyl-3,5-dihydro- 4H-imidazol-4-one (RPA 412708), all calculated as fenamidone. Residue concentration Ctotal = Cfenamidone + C RPA 410193 + 10 \square (CRPA 412636 + CRPA 412708).

For the estimation of dietary intake for animal commodities: Sum of fenamidone plus 10 \square the sum of both (S)-5-methyl-5-phenyl-2,4-imidazolidine-dione (RPA 412636) and (5S)-5-methyl-2-(methylthio)-5-phenyl-3,5-dihydro- 4H-imidazol-4-one (RPA 412708), all calculated as fenamidone.

Residue concentration Ctotal = Cfenamidone + 10 \square (CRPA 412636 + CRPA 412708).

The residue is fat soluble.

Commodity		Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VP	0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)		0.8			CXL	2014	47		2015	
VP	0062	Beans, shelled		0.15			CXL	2014	47		2015	
VB	0041	Cabbages, head		0.9			CXL	2014	47		2015	
VR	0577	Carrot		0.2			CXL	2014	47		2015	
VS	0624	Celery		40			CXL	2014	47		2015	
SO	0691	Cotton seed		0.02	(*)		CXL	2014	47		2015	
MO	0105	Edible offal (mammalian)		0.01	(*)		CXL	2014	47		2015	
PE	0112	Eggs		0.01	(*)		CXL	2014	47		2015	
VB	0042	Flowerhead brassicas (includes Broccoli; Broccoli, Chinese and cauliflower)		4			CXL	2014	47		2015	
VC	0045	Fruiting vegetables, cucurbits (group)		0.2			CXL	2014	47		2015	
VO	0050	Fruiting vegetables, other than cucurbits (group)		1.5		(except chilli pepper, fungi, sweet corn)	CXL	2014	47		2015	
VA	0381	Garlic		0.15			CXL	2014	47		2015	
FB	0269	Grapes		0.6			CXL	2014	47		2015	
VA	0384	Leek		0.3			CXL	2014	47		2015	
VL	0482	Lettuce, head		20			CXL	2014	47		2015	
VL	0483	Lettuce, leaf		0.9			CXL	2014	47		2015	
MM	0095	Meat (from mammals other than marine mammals)		0.01	(*) (fat)		CXL	2014	47		2015	
FM	0183	Milk fats		0.02			CXL	2014	47		2015	
ML	0106	Milks		0.01	(*)		CXL	2014	47		2015	
VA	0385	Onion, bulb		0.15			CXL	2014	47		2015	
VA	0387	Onion, Welsh		3			CXL	2014	47		2015	
VO	0444	Peppers chili		4			CXL	2014	47		2015	
HS	0444	Peppers chili, dried		30			CXL	2014	47		2015	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VR 0589	Potato		0.02 (*)			CXL	2014	47		2015	
PF 0111	Poultry fats		0.01 (*)			CXL	2014	47		2015	
PM 0110	Poultry meat		0.01 (*) (fat)			CXL	2014	47		2015	
PO 0111	Poultry, edible offal of		0.01 (*)			CXL	2014	47		2015	
VA 0388	Shallot		0.15			CXL	2014	47		2015	
VA 0389	Spring onion		3			CXL	2014	47		2015	
FB 0275	Strawberry		0.04			CXL	2014	47		2015	
SO 0702	Sunflower seed		0.02 (*)			CXL	2014	47		2015	
CP 0448	Tomato ketchup		3			CXL	2014	47		2015	Tentative code
VW 0448	Tomato paste		4			CXL	2014	47		2015	
VL 2832	Witloof chicory (sprouts)		0.01 (*)			CXL	2014	47		2015	

265 Fluensulfone

Main Uses: Nematocide
 ADI: 0–0.01 mg/kg bw (2013)
 ARfD: 0.3 mg/kg bw (2013)
 Residue: For compliance with MRLs for plant commodities: Sum of fluensulfone and 3,4,4-trifluorobut-3-ene-1-sulfonic acid (BSA), expressed as fluensulfone equivalents.
 For estimation of dietary exposure) for plant commodities: Fluensulfone.
 For compliance with MRLs and for estimation of dietary exposure) for animal commodities: Fluensulfone.
 Residue is fat-soluble.

Note: (R): Indicates a maximum residue level relating to rotational crops.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AM 0660	Almond hulls	7	(dw)		CXL	2019	52		2021	
JF 0226	Apple juice	0.4			4	2019	52			CCPR agreed to retained the proposed MRLs for apple juice; apples, dried and pome fruits (group) to Step 4, awaiting the evaluation by the 2021 JMPR and advance the other proposed MRLs for adoption at Step 5/8, as recommended by 2019 JMPR (PR52:120). See apple juice.
DF 0226	Apples, dried	1			4	2019	52		2021	
GC 2087	Barley, similar grains, and pseudocereals with husks (subgroup)	0.08			CXL	2019	52			
VR 0574	Beetroot	4			CXL	2016	49		2017	
VB 0040	Brassica vegetables (except Brassica leafy vegetables) (group)	1.5			CXL	2016	49		2017	
VR 0577	Carrot	4			CXL	2016	49		2017	
VR 0578	Celeriac	4			CXL	2016	49		2017	
VS 0624	Celery	2			CXL	2016	49		2017	
VR 0579	Chervil, turnip-rooted	4			CXL	2016	49		2017	
FC 0001	Citrus fruits (group)	0.2			CXL	2019	52		2021	
OR 0001	Citrus oil, edible	1.5			CXL	2019	52		2021	
AB 0001	Citrus pulp, dried	1.5			CXL	2019	52		2021	
SB 0716	Coffee beans	0.05			CXL	2019	52		2021	
VC 0424	Cucumber	0.7			CXL	2016	49		2017	
MO 0105	Edible offal (mammalian)	0.01	(*)		CXL	2016	49		2017	
PE 0112	Eggs	0.01	(*)		CXL	2016	49		2017	
VO 0050	Fruiting vegetables, other than cucurbits (group)	0.7		except sweetcorn and mushroom	CXL	2016	49		2017	

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	2			CXL	2019	52		2021	DF 0269 Dried grapes (=currents, raisins and sultanas). DF 5259 Dried vine fruits, see Dried grapes
AS 0162	Hay or fodder (dry) of grasses	15		(except maize fodder and rice straw and fodder, dry)	CXL	2019	52		2021	
VR 0583	Horseradish	4			CXL	2016	49		2017	
VL 0481	Komatsuna	9			CXL	2016	49		2017	
VL 0053	Leafy vegetables	1		(not specified elsewhere) (R)	CXL	2016	49		2017	
VP 0060	Legume vegetables (group)	0.1		(R)	CXL	2016	49		2017	
VL 0482	Lettuce, head	0.8			CXL	2016	49		2017	
FB 2009	Low growing berries (subgroup)	0.5			CXL	2016	49		2017	
GC 2091	Maize cereals (subgroup)	0.15			CXL	2019	52		2021	
AS 0645	Maize fodder (dry)	0.6	(dw)		CXL	2019	52		2021	
MF 0100	Mammalian fats (except milk fats)	0.01	(*)		CXL	2016	49		2017	
MM 0095	Meat (from mammals other than marine mammals)	0.01	(*) (fat)		CXL	2016	49		2017	
VC 0046	Melons, except watermelon	0.3			CXL	2016	49		2017	
ML 0106	Milks	0.01	(*)		CXL	2016	49		2017	
VL 0485	Mustard greens	20			CXL	2016	49		2017	
VR 0588	Parsnip	4			CXL	2016	49		2017	
HS 0444	Peppers chili, dried	7			CXL	2016	49		2017	
FP 0009	Pome fruits (group)	0.2		(excluding Japanese persimmon)	4	2019	52			See apple juice.
FP 0009	Pome fruits (group)	0.3		(except persimmon, Japanese)	3	2021	53			
VR 0589	Potato	0.8			CXL	2016	49		2017	
DV 0589	Potato, flakes/granules	2		(potato, dried)	CXL	2016	49		2017	DV 0589 Potato, dried (former code)
PF 0111	Poultry fats	0.01			CXL	2016	49		2017	
PM 0110	Poultry meat	0.01	(*)		CXL	2016	49		2017	
PO 0111	Poultry, edible offal of	0.01	(*)		CXL	2016	49		2017	
DF 0014	Prunes	0.3			CXL	2019	52		2021	
VR 0494	Radish	4			CXL	2016	49		2017	
VL 0494	Radish leaves (including radish tops)	50			CXL	2016	49		2017	
VR 0591	Radish, Japanese	4			CXL	2016	49		2017	
GC 2088	Rice cereals (subgroup)	0.04			CXL	2019	52		2021	

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AS 0649	Rice, hay and/or straw	0.06	(dw)		CXL	2019	52		2021	
VR 0075	Root and tuber vegetables (group)	3		(not specified elsewhere) (R)	CXL	2016	49		2017	
FB 2008	Small fruit vine climbing (subgroup)	0.7			CXL	2019	52		2021	
GC 2089	Sorghum grain and millet (subgroup)	0.04			CXL	2019	52		2021	
VL 0502	Spinach	4			CXL	2016	49		2017	
VC 0431	Squash, summer	0.7			CXL	2016	49		2017	
FS 0012	Stone fruits (group)	0.09			CXL	2019	52		2021	
AS 0081	Straw and hay of cereal grains except pseudocereals	6	(dw)	(except maize fodder and rice straw and fodder dry)	CXL	2019	52		2021	
GS 0659	Sugar cane	0.06			CXL	2019	52		2021	
DM 0659	Sugar cane molasses	0.5			CXL	2019	52		2021	
VR 0497	Swede	4			CXL	2016	49		2017	
GC 2090	Sweet corns (subgroup)	0.15			CXL	2019	52		2021	
VR 0508	Sweet potato	0.8			CXL	2016	49		2017	
VW 0448	Tomato paste	1.5			CXL	2016	49		2017	
DV 0448	Tomato, dried	1.5			CXL	2016	49		2017	
TN 0085	Tree nuts (group)	0.025	(*)		CXL	2019	52		2021	
VL 0506	Turnip greens	10			CXL	2016	49		2017	
VR 0506	Turnip, Garden	4			CXL	2016	49		2017	
VC 0432	Watermelon	0.3			CXL	2016	49		2017	
GC 2086	Wheat, similar grains, and pseudocereals without husks (subgroup)	0.08			CXL	2019	52		2021	

266 Imazapic

Main Uses: Herbicide
 ADI: 0–0.7 mg/kg bw (2013)
 ARfD: Unnecessary (2013)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Imazapic.
 Residue is not fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
MO 0105	Edible offal (mammalian)	1			CXL	2013	46		2014	
PE 0112	Eggs	0.01 (*)			CXL	2013	46		2014	
AS 0162	Hay or fodder (dry) of grasses	3			CXL	2013	46		2014	
GC 0645	Maize	0.01 (*)			CXL	2013	46		2014	
MF 0100	Mammalian fats (except milk fats)	0.1			CXL	2013	46		2014	
MM 0095	Meat (from mammals other than marine mammals)	0.1			CXL	2013	46		2014	
ML 0106	Milks	0.1			CXL	2013	46		2014	
SO 0697	Peanut	0.05 (*)			CXL	2013	46		2014	
PF 0111	Poultry fats	0.01 (*)			CXL	2013	46		2014	
PM 0110	Poultry meat	0.01 (*)			CXL	2013	46		2014	
PO 0111	Poultry, edible offal of	0.01 (*)			CXL	2013	46		2014	
SO 0495	Rape seed	0.05 (*)			CXL	2013	46		2014	
GC 0649	Rice	0.05 (*)			CXL	2013	46		2014	
VD 0541	Soya bean (dry)	0.5			CXL	2015	48		2016	
GS 0659	Sugar cane	0.01 (*)			CXL	2013	46		2014	
GC 0654	Wheat	0.05 (*)			CXL	2013	46		2014	
AS 0654	Wheat, hay and/or straw	0.05 (*)			CXL	2013	46		2014	

267 Imazapyr

Main Uses: Herbicide
 ADI: 0–3 mg/kg bw (2013)

ARfD: Unnecessary (2013)

Residue: For compliance with the MRL and for estimation of dietary exposure) for plant and animal commodities: Imazapyr.
 The residue is not fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
GC 0640	Barley	0.7			CXL	2017	50		2018	
AS 0640	Barley, hay and/or straw	0.05 (dw)			CXL	2017	50		2018	
MO 0105	Edible offal (mammalian)	0.2			CXL	2015	48		2016	
PE 0112	Eggs	0.01 (*)			CXL	2013	46		2014	
AS 0162	Hay or fodder (dry) of grasses	6			CXL	2015	48		2016	
VD 0533	Lentil (dry)	0.3			CXL	2013	46		2014	
GC 0645	Maize	0.05 (*)			CXL	2013	46		2014	
MF 0100	Mammalian fats (except milk fats)	0.05 (*)			CXL	2013	46		2014	
MM 0095	Meat (from mammals other than marine mammals)	0.05 (*)			CXL	2013	46		2014	
ML 0106	Milks	0.01 (*)			CXL	2013	46		2014	
PF 0111	Poultry fats	0.01 (*)			CXL	2013	46		2014	
PM 0110	Poultry meat	0.01 (*)			CXL	2013	46		2014	
PO 0111	Poultry, edible offal of	0.01 (*)			CXL	2013	46		2014	
SO 0495	Rape seed	0.05 (*)			CXL	2013	46		2014	
VD 0541	Soya bean (dry)	5			CXL	2015	48		2016	
SO 0702	Sunflower seed	0.08			CXL	2013	46		2014	
GC 0654	Wheat	0.05 (*)			CXL	2013	46		2014	
AS 0654	Wheat, hay and/or straw	0.05 (*)			CXL	2013	46		2014	

268 Isoxaflutole

Main Uses: Herbicide
 ADI: 0–0.02 mg/kg bw (2013)
 ARfD: Unnecessary (2013)
 Residue: For compliance with the MRL and dietary risk assessment for plant commodities: Sum of isoxaflutole and isoxaflutole diketonitrile, expressed as isoxaflutole.
 For compliance with the MRL for animal commodities: Sum of isoxaflutole and isoxaflutole diketonitrile, expressed as isoxaflutole.
 For dietary risk assessment for animal commodities: Sum of isoxaflutole, isoxaflutole diketonitrile, RPA 205834
 (2-aminomethylene-1-cyclopropyl-3-(2-mesyl-4-trifluoromethylphenyl)-propane-1,3-dione) and RPA 207048
 (1-cyclopropyl-2-hydroxymethylene-3-(2-mesyl-4-trifluoromethylphenyl)-propane-1,3-dione), including their conjugates, expressed as isoxaflutole.
 The residue not fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VD 0524	Chick-pea (dry)	0.01 (*)			CXL	2013	46		2014	
AL 0524	Chick-pea fodder	0.01 (*)			CXL	2013	46		2014	
MO 0105	Edible offal (mammalian)	0.1			CXL	2013	46		2014	
PE 0112	Eggs	0.01 (*)			CXL	2013	46		2014	
GC 0645	Maize	0.02 (*)			CXL	2013	46		2014	
AS 0645	Maize fodder (dry)	0.02 (*)			CXL	2013	46		2014	
MF 0100	Mammalian fats (except milk fats)	0.01 (*)			CXL	2013	46		2014	
MM 0095	Meat (from mammals other than marine mammals)	0.01 (*)			CXL	2013	46		2014	
ML 0106	Milks	0.01 (*)			CXL	2013	46		2014	
SO 0698	Poppy seed	0.02 (*)			CXL	2013			2014	
PF 0111	Poultry fats	0.01 (*)			CXL	2013	46		2014	
PM 0110	Poultry meat	0.01 (*)			CXL	2013			2014	
PO 0111	Poultry, edible offal of	0.2			CXL	2013	46		2014	
VD 0541	Soya bean (dry)	0.04			3	2021	53			
GS 0659	Sugar cane	0.01 (*)			CXL	2013	46		2014	
AM 0659	Sugar cane fodder	0.01 (*)			CXL	2013	46		2014	
VO 0447	Sweet corn (corn-on-the-	0.02 (*)			CXL	2013	46		2014	

269 Tolfenpyrad

Main Uses: Insecticide
 ADI: 0–0.006 mg/kg bw (2013)
 ARfD: 0.01 mg/kg bw (2013)
 Residue: For compliance with the MRL and estimation of dietary intake for plant commodities: Tolfenpyrad.
 For compliance with the MRL and estimation of dietary intake) for animal commodities: Sum of tolfenpyrad, and free and conjugated PT-CA (4-[4-[(4-chloro-3-ethyl-1-methylpyrazol-5-yl)carbonylaminomethyl]phenoxy]benzoic acid_and OH-PT-CA (4-[4-[(4-chloro-3(1-hydroxyethyl)-1-methylpyrazol-5-yl)carbonylaminomethyl]phenoxy] benzoic acid) (released with alkaline hydrolysis) expressed as tolfenpyrad.
 The residue is not fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VA 2031	Bulb onions (subgroup)	0.09			CXL	2019	52		2021	
OR 0001	Citrus oil, edible	80			CXL	2019	52		2021	
AB 0001	Citrus pulp, dried	6			CXL	2019	52		2021	
MO 0105	Edible offal (mammalian)	0.4			CXL	2019	52		2021	
PE 0112	Eggs	0.01 (*)			CXL	2019	52		2021	
FC 0002	Lemons and limes (including citron) (subgroup)	0.9			CXL	2019	52		2021	
MF 0100	Mammalian fats (except milk fats)	0.01 (*)			CXL	2019	52		2021	
FC 0003	Mandarins (including mandarin-like hybrids) (subgroup)	0.9			CXL	2019	52		2021	
MM 0095	Meat (from mammals other than marine mammals)	0.01 (*)			CXL	2019	52		2021	
ML 0106	Milks	0.01 (*)			CXL	2019	52		2021	
FC 0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.6			CXL	2019	52		2021	
TN 0672	Pecan	0.01 (*)			CXL	2016	49		2017	
VO 0051	Peppers (subgroup)	0.5		(except martynia, okra and roselle)	CXL	2019	52		2021	
HS 0444	Peppers chili, dried	5			CXL	2019	52		2021	
VR 0589	Potato	0.01 (*)			CXL	2016	49		2017	
PF 0111	Poultry fats	0.01 (*)			CXL	2019	52		2021	
PM 0110	Poultry meat	0.01 (*)			CXL	2019	52		2021	
PO 0111	Poultry, edible offal of	0.01 (*)			CXL	2019	52		2021	
FC 0005	Pummelo and grapefruits (including Shaddock-like hybrids, among others Grapefruit) (subgroup)	0.6			CXL	2019	52		2021	
DT 1116	Tea, green	30			CXL	2013	46		2014	

270 Triflumizole

Main Uses: Fungicide

ADI: 0–0.04 mg/kg bw (2013)

ARfD: 0.3 mg/kg bw (2013)

Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Residues analyzed as 4-chloro-2-(trifluoromethyl)aniline and expressed as parent triflumizole.
The residue is fat soluble.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FS 0013	Cherries (subgroup)		4			CXL	2013	46		2014	
VC 0424	Cucumber		0.5			CXL	2013	46		2014	
MO 0105	Edible offal (mammalian)		0.1			CXL	2013	46		2014	
FB 0269	Grapes		3			CXL	2013	46		2014	
DH 1100	Hops, dry		30			CXL	2013	46		2014	
MF 0100	Mammalian fats (except milk fats)		0.02			CXL	2013	46		2014	
MM 0095	Meat (from mammals other than marine mammals)		0.03	(fat)		CXL	2013	46		2014	
ML 0106	Milks		0.02	(*)		CXL	2013	46		2014	
FI 0350	Papaya		2			CXL	2013	46		2014	

271 Trinexapac-ethyl

Main Uses: Plant growth regulator
 ADI: 0–0.3 mg/kg bw (2013)
 ARfD: Unnecessary (2013)
 Residue: For compliance with the MRL for plant and animal commodities and for estimation of dietary intake for animal commodities: Trinexapac (acid).
 For estimation of dietary intake for plant commodities: Trinexapac and its conjugates, expressed as trinexapac acid.
 The residue is not fat soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
GC	0640	Barley	3			CXL	2013	46		2014	
CF	0640	Barley bran, processed	6			CXL	2013	46		2014	Recommended for withdrawal by JMPR
CF	0640	Barley bran, processed	4			3	2021	53			
AS	0640	Barley, hay and/or straw	0.9	dry wt		CXL	2013	46		2014	
MO	0105	Edible offal (mammalian)	0.1			CXL	2013	46		2014	
PE	0112	Eggs	0.01	(*)		CXL	2013	46		2014	
MF	0100	Mammalian fats (except milk fats)	0.01	(*)		CXL	2013	46		2014	
MM	0095	Meat (from mammals other than marine mammals)	0.01	(*)		CXL	2013	46		2014	
ML	0106	Milks	0.005	(*)		CXL	2013	46		2014	
AS	0647	Oat straw and fodder, dry	0.9	dry wt		CXL	2013	46		2014	
GC	0647	Oats	3			CXL	2013	46		2014	
PF	0111	Poultry fats	0.01	(*)		CXL	2013	46		2014	
PM	0110	Poultry meat	0.01	(*)		CXL	2013	46		2014	
PO	0111	Poultry, edible offal of	0.05			CXL	2013	46		2014	
SO	0495	Rape seed	1.5			CXL	2013	46		2014	
GC	0649	Rice	0.5			3	2021	53			
CM	1206	Rice bran, unprocessed	3			3	2021	53			
AS	0649	Rice, hay and/or straw	0.08	(dw)		3	2021	53			
CM	1205	Rice, polished	0.7			3	2021	53			
GC	0650	Rye	3			3	2021	53			
AS	3560	Rye, hay and/or straw	0.9	(dw)		3	2021	53			
GS	0659	Sugar cane	0.5			CXL	2013	46		2014	
GC	0653	Triticale	3			CXL	2013	46		2014	
AS	0653	Triticale, hay and/or straw	0.9	dry wt		CXL	2013	46		2014	
GC	0654	Wheat	3			CXL	2013	46		2014	
CM	0654	Wheat bran, unprocessed	8			CXL	2013	46		2014	Recommended for withdrawal by JMPR
CM	0654	Wheat bran, unprocessed	5			3	2021	53			
AS	0654	Wheat, hay and/or straw	0.9	dry wt		CXL	2013	46		2014	

272 Aminocyclopyrachlor

Main Uses: Herbicide

ADI: 0-3 mg/kg bw (2014)

ARfD: Unnecessary (2014)

Residue: For compliance with MRL and estimation of dietary intake for animal and plant commodities: Aminocyclopyrachlor.

The residue is not fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
MO 0105	Edible offal (mammalian)	0.3			CXL	2014	47	2015		
AS 0162	Hay or fodder (dry) of grasses	150			CXL	2014	47	2015		
MF 0100	Mammalian fats (except milk fats)	0.03			CXL	2014	47	2015		
MM 0095	Meat (from mammals other than marine mammals)	0.01			CXL	2014	47	2015		
ML 0106	Milks	0.02			CXL	2014	47	2015		

273 Cyflumetofen

Main Uses: Acaricide
 ADI: 0-0.1 mg/kg bw (2014)

ARfD: Unnecessary (2014)

Residue: For compliance with the MRL for plant commodities: Cyflumetofen.
 For estimation of dietary intake) for plant commodities: Sum of cyflumetofen and 2-trifluoromethylbenzoic acid, expressed as cyflumetofen.
 For compliance with the MRL and estimation of dietary intake for animal commodities: Sum of cyflumetofen and 2-trifluoromethylbenzoic acid, expressed as cyflumetofen.
 The residue is not fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AM 0660	Almond hulls	4			CXL	2014	47		2015	
FC 0001	Citrus fruits (group)	0.3			CXL	2014	47		2015	
OR 0001	Citrus oil, edible	36			CXL	2014	47		2015	
MO 0105	Edible offal (mammalian)	0.02			CXL	2014	47		2015	
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	1.5			CXL	2014	47		2015	
FB 0269	Grapes	0.6			CXL	2014	47		2015	
MF 0100	Mammalian fats (except milk fats)	0.01	(*)		CXL	2014	47		2015	
MM 0095	Meat (from mammals other than marine mammals)	0.01	(*)		CXL	2014	47		2015	
ML 0106	Milks	0.01	(*)		CXL	2014	47		2015	
FP 0009	Pome fruits (group)	0.4			CXL	2014	47		2015	
FB 0275	Strawberry	0.6			CXL	2014	47		2015	
VO 0448	Tomato	0.3			CXL	2014	47		2015	
TN 0085	Tree nuts (group)	0.01	(*)		CXL	2014	47		2015	

274 Dichlobenil

Main Uses: Herbicide

ADI: 0-0.01 mg/kg bw (2014)

ARfD: 0.5 mg/kg bw (2014)

Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: 2,6-dichlorobenzamide.

The residue is not fat soluble.

Note: BAM = 2,6-dichlorobenzamide = fluopicolide. ADI: 0-0.05 mg/kg bw(2014); ARfD: 0.3 mg/kg bw(2014).

Based on a re-evaluation of the data, the Meeting withdrew the ADI and

ARfD established by the 2009 JMPR as part of the evaluation of fluopicolide. ARfDs for Dichlobenil and BAM apply to women of childbearing age only.

FL = indicates values estimated to accommodate residues of 2,6-dichlorobenzamide arising from fluopicolide use.

D = indicates values estimated to accommodate residues of 2,6-dichlorobenzamide arising from dichlobenil use.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VB 0040	Brassica vegetables (except Brassica leafy vegetables) (group)		0.05	FL		CXL	2014	47		2015	
FB 2005	Cane berries (subgroup)	0.2		D		CXL	2014	47		2015	
VS 0624	Celery	0.07		FL		CXL	2014	47		2015	
GC 0080	Cereal grains	0.01	(*)	FL		CXL	2014	47		2015	
MO 0105	Edible offal (mammalian)	0.04		FL		CXL	2014	47		2015	
PE 0112	Eggs	0.03		FL		CXL	2014	47		2015	
VC 0045	Fruiting vegetables, cucurbits (group)	0.01	(*)	FL		CXL	2014	47		2015	
VO 0050	Fruiting vegetables, other than cucurbits (group)	0.01	(*)	FL	(except sweetcorn and mushrooms)	CXL	2014	47		2015	
JF 0269	Grape juice	0.07		FL		CXL	2014	47		2015	
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	0.15		FL		CXL	2014	47		2015	
FB 0269	Grapes	0.05		FL		CXL	2014	47		2015	
VL 0053	Leafy vegetables	0.3		FL		CXL	2014	47		2015	
MF 0100	Mammalian fats (except milk fats)	0.01	(*)	FL		CXL	2014	47		2015	
MM 0095	Meat (from mammals other than marine mammals)	0.01	(*)	FL		CXL	2014	47		2015	
ML 0106	Milks	0.01	(*)	FL		CXL	2014	47		2015	
VA 0385	Onion, bulb	0.01	(*)	FL		CXL	2014	47		2015	
VA 0387	Onion, Welsh	0.02		FL		CXL	2014	47		2015	
HS 0444	Peppers chili, dried	0.01	(*)	FL		CXL	2014	47		2015	
PF 0111	Poultry fats	0.02		FL		CXL	2014	47		2015	
PM 0110	Poultry meat	0.03		FL		CXL	2014	47		2015	
PO 0111	Poultry, edible offal	0.1		FL		CXL	2014	47		2015	
VD 0070	Pulses (group)	0.01	(*)	FL		CXL	2014	47		2015	
AS 0081	Straw and hay of cereal grains except pseudocereals	0.4		FL		CXL	2014	47		2015	

275 Flufenoxuron

Main Uses: Acaricide and Insecticide
 ADI: 0-0.04 mg/kg bw (2014)
 ARfD: Unnecessary (2014)
 Residue: For compliance with the MRL and for estimation of dietary intake for animal and plant commodities: Flufenoxuron.
 The residue is fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
MO 0105	Edible offal (mammalian)	0.05	(*)		CXL	2014	47		2015	
MF 0100	Mammalian fats (except milk fats)	0.05	(*)		CXL	2014	47		2015	
MM 0095	Meat (from mammals other than marine mammals)	0.05	(*)		CXL	2014	47		2015	
ML 0106	Milks	0.01	(*)		CXL	2014	47		2015	
FC 0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.4			CXL	2014	47		2015	
DT 1114	Tea, green, black (black, fermented and dried)	20			CXL	2014	47		2015	

276 Imazamox

Main Uses: Herbicide
 ADI: 0-3 mg/kg bw (2014)

ARfD: 3 mg/kg bw (2014)

Residue: For compliance with the MRL for plant and animal commodities: Imazamox.

For estimation of dietary exposure for plant and animal commodities: Sum of imazamox and 5-(hydroxymethyl)-2-(4-isopropyl-4-methyl-5-oxo-2-imazolin-2-yl) nicotinic acid (CL 263284), expressed as imazamox.

The residue is not fat-soluble.

Commodity		Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AL	1020	Alfalfa fodder		0.1	(*)		CXL	2014	47		2015	
GC	0640	Barley		0.02			CXL	2017	50		2018	
AS	0640	Barley, hay and/or straw		0.05	(dw)		CXL	2017	50		2018	
VD	0071	Beans (dry)		0.05	(*)		CXL	2014	47		2015	
VP	0061	Beans with pods (<i>Phaseolus spp.</i>) immature pods and succulent seeds)		0.05	(*)		CXL	2014	47		2015	
MO	0105	Edible offal (mammalian)		0.01	(*)		CXL	2014	47		2015	
PE	0112	Eggs		0.01	(*)		CXL	2014	47		2015	
VD	0533	Lentil (dry)		0.2			CXL	2014	47		2015	
MF	0100	Mammalian fats (except milk fats)		0.01	(*)		CXL	2014	47		2015	
MM	0095	Meat (from mammals other than marine mammals)		0.01			CXL	2014	47		2015	
ML	0106	Milks		0.01	(*)		CXL	2014	47		2015	
AL	0072	Pea hay or pea fodder (dry)		0.05	(*)		CXL	2014	47		2015	
SO	0697	Peanut		0.01	(*)		CXL	2014	47		2015	
VD	0072	Peas (dry)		0.05	(*)		CXL	2014	47		2015	
VP	0064	Peas, shelled (succulent seeds)		0.05	(*)		CXL	2014	47		2015	
PF	0111	Poultry fats		0.01	(*)		CXL	2014	47		2015	
PM	0110	Poultry meat		0.01	(*)		CXL	2014	47		2015	
PO	0111	Poultry, edible offal of		0.01	(*)		CXL	2014	47		2015	
SO	0495	Rape seed		0.05	(*)		CXL	2014	47		2015	
GC	0649	Rice		0.01	(*)		CXL	2014	47		2015	
AS	0649	Rice, hay and/or straw		0.01	(*)		CXL	2014	47		2015	
VD	0541	Soya bean (dry)		0.01	(*)		CXL	2014	47		2015	
AL	0541	Soya bean fodder		0.01	(*)		CXL	2014	47		2015	
SO	0702	Sunflower seed		0.3			CXL	2014	47		2015	
GC	0654	Wheat		0.05	(*)		CXL	2014	47		2015	
CM	0654	Wheat bran, unprocessed		0.2			CXL	2014	47		2015	
CF	1210	Wheat germ		0.1			CXL	2014	47		2015	
AS	0654	Wheat, hay and/or straw		0.05	(*)		CXL	2014	47		2015	

277 Mesotrione

Main Uses: Herbicide
 ADI: 0-0.5 mg/kg bw (2014)
 ARfD: Unnecessary (2014)
 Residue: For compliance with MRL and for estimation of dietary intake) for animal and plant commodities: Mesotrione.
 The residue is not fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AM 0660	Almond hulls	0.04 (dw)			CXL	2019	52		2021	
VS 0621	Asparagus	0.01 (*)			CXL	2014	47		2015	
FB 2006	Bush berries (subgroup)	0.01 (*)			CXL	2014	47		2015	
FB 2005	Cane berries (subgroup)	0.01 (*)			CXL	2014	47		2015	
FC 0001	Citrus fruits (group)	0.01 (*)			CXL	2019	52		2021	
FB 0265	Cranberry	0.01 (*)			CXL	2014	47		2015	
MO 0105	Edible offal (mammalian)	0.01 (*)			CXL	2014	47		2015	
PE 0112	Eggs	0.01 (*)			CXL	2014	47		2015	
SO 0693	Linseed	0.01 (*)			CXL	2014	47		2015	
GC 0645	Maize	0.01 (*)			CXL	2014	47		2015	
MM 0095	Meat (from mammals other than marine mammals)	0.01 (*)			CXL	2014	47		2015	
ML 0106	Milks	0.01 (*)			CXL	2014	47		2015	
GC 0646	Millet (Including barnyard millet, bulrush millet, common millet, finger millet, foxtail millet, little Millet)	0.01 (*)			CXL	2014	47		2015	
GC 0647	Oats	0.01 (*)			CXL	2014	47		2015	
VO 0442	Okra	0.01 (*)			CXL	2014	47		2015	
FP 0009	Pome fruits (group)	0.01 (*)			CXL	2019	52		2021	
PM 0110	Poultry meat	0.01 (*)			CXL	2014	47		2015	
PO 0111	Poultry, edible offal of	0.01 (*)			CXL	2014	47		2015	
VS 0627	Rhubarb	0.01 (*)			CXL	2014	47		2015	
CM 0649	Rice, husked	0.01 (*)			CXL	2014	47		2015	
GC 0651	Sorghum grain	0.01 (*)			CXL	2014	47		2015	
VD 0541	Soya bean (dry)	0.03			CXL	2014	47		2015	
FS 0012	Stone fruits (group)	0.01 (*)			CXL	2019	52		2021	
GS 0659	Sugar cane	0.01			CXL	2014	47		2015	
VO 0447	Sweet corn (corn-on-the-	0.01 (*)			CXL	2014	47		2015	
TN 0085	Tree nuts (group)	0.01 (*)			CXL	2019	52		2021	

278 Metrafenone

Main Uses: Fungicide
 ADI: 0-0.3 mg/kg bw (2014)
 ARfD: Unnecessary (2014)
 Residue: For compliance with the MRL and estimation of dietary intake for plant and animal commodities: Metrafenone.
 The residue is fat soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
GC	0640	Barley	0.5			CXL	2014	47		2015	
AS	0640	Barley, hay and/or straw	6	(dw)		CXL	2014	47		2015	
FS	0013	Cherries (subgroup)	2			CXL	2016	49		2017	
MO	0105	Edible offal (mammalian)	0.01			CXL	2014	47		2015	
VO	0440	Egg plant	0.6			CXL	2016	49		2017	
PE	0112	Eggs	0.01	(*)		CXL	2014	47		2015	
VC	0045	Fruiting vegetables, cucurbits (group)	0.5			CXL	2016	49		2017	
DF	0269	Grape, dried (= Currents, Raisins and Sultanas)	20			CXL	2014	47		2015	
FB	0269	Grapes	5			CXL	2014	47		2015	
DH	1100	Hops, dry	70			CXL	2016	49		2017	
MF	0100	Mammalian fats (except milk fats)	0.01	(*)		CXL	2014	47		2015	
MM	0095	Meat (from mammals other than marine mammals)	0.01	(*)		CXL	2014	47		2015	
ML	0106	Milks	0.01	(*)		CXL	2014	47		2015	
VO	0450	Mushrooms	0.5			CXL	2014	47		2015	
AS	0647	Oat straw and fodder, dry	6	(dw)		CXL	2014	47		2015	
GC	0647	Oats	0.5			CXL	2014	47		2015	
FS	2001	Peaches (including apricots and nectarine) (subgroup)	0.7			CXL	2016	49		2017	
VO	0444	Peppers chili	2			CXL	2016	49		2017	
HS	0444	Peppers chili, dried	20			CXL	2016	49		2017	
VO	0445	Peppers, sweet (including pimento or pimiento)	2			CXL	2016	49		2017	
FP	0009	Pome fruits (group)	1			CXL	2016	49		2017	
PF	0111	Poultry fats	0.01	(*)		CXL	2014	47		2015	
PM	0110	Poultry meat	0.01	(*)		CXL	2014	47		2015	
PO	0111	Poultry, edible offal of	0.01	(*)		CXL	2014	47		2015	
GC	0650	Rye	0.06			CXL	2014	47		2015	
AS	0650	Rye straw and fodder, dry	10	(dw)		CXL	2014	47		2015	
FB	0275	Strawberry	0.6			CXL	2014	47		2015	
VO	0448	Tomato	0.6			CXL	2016	49		2017	
GC	0653	Triticale	0.06			CXL	2014	47		2015	
AS	0653	Triticale, hay and/or straw	10	(dw)		CXL	2014	47		2015	
GC	0654	Wheat	0.06			CXL	2014	47		2015	
CF	0654	Wheat bran, processed	0.25			CXL	2014	47		2015	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
CF 1212	Wheat wholemeal		0.08			CXL	2014	47		2015	
AS 0654	Wheat, hay and/or straw		10 (dw)			CXL	2014	47		2015	

279 Pymetrozine

Main Uses: Insecticide

ADI: 0-0.03 mg/kg bw (2014)

ARfD: 0.1 mg/kg bw (2014)

For compliance with MRL for plant commodities, mammalian tissues, poultry tissues and eggs: Pymetrozine

For compliance with MRPL for plant-based, animal-based, and animal-free milks: CGA313124 (4,5-dihydro-6-hydroxymethyl-4-[(3-pyridinyl-methylene)amino]-1,2,4-triazine-3(2H)-one).

For the estimation of dietary intake for plant and animal commodities. A conclusion could not be reached. The residue is not fat soluble.

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
-------------------	------	-------------	--------	----------	------	------	------	------------	-----	-----------

280 Acetochlor

Main Uses: Herbicide
 ADI: 0–0.01 mg/kg bw (2015)
 ARfD: 1 mg/kg bw (2015)
 Residue: For compliance with MRL and for estimation of dietary intake for animal and plant commodities: Sum of compounds hydrolysable with base to 2-ethyl-6-methylaniline (EMA) and 2-(1-hydroxyethyl)-6-methylaniline (HEMA), expressed in terms of acetochlor.
 The residue is not fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AL 3350	Alfalfa hay	30 (dw)			CXL	2019	52		2021	
GC 0640	Barley	0.04 (*)			CXL	2015	48		2016	
AS 0640	Barley, hay and/or straw	0.3			CXL	2015	48		2016	
VP 0061	Beans with pods (<i>Phaseolus spp.</i>) immature pods and succulent seeds)	0.02 (*)			CXL	2015	48		2016	
VD 0523	Broad bean (dry)	0.15			CXL	2015	48		2016	
GC 0641	Buckwheat	0.04 (*)			CXL	2015	48		2016	
AS 0641	Buckwheat fodder	0.3			CXL	2015	48		2016	
VD 0524	Chick-pea (dry)	0.15			CXL	2015	48		2016	
MO 0105	Edible offal (mammalian)	0.05			CXL	2019	52		2021	
PE 0112	Eggs	0.02 (*)			CXL	2015	48		2016	
VD 0531	Hyacinth bean (dry)	0.15			CXL	2015	48		2016	
AL 0157	Legume animal feeds	3 (dw)	(except alfalfa hay)		CXL	2019	52		2021	
VD 0533	Lentil (dry)	0.15			CXL	2015	48		2016	
VD 0545	Lupin (dry)	0.15			CXL	2015	48		2016	
GC 0645	Maize	0.02			CXL	2015	48		2016	
MF 0100	Mammalian fats (except milk fats)	0.02 (*)			CXL	2015	48		2016	
MM 0095	Meat (from mammals other than marine mammals)	0.02 (*)			CXL	2015	48		2016	
ML 0106	Milks	0.02 (*)			CXL	2015	48		2016	
GC 0646	Millet (Including barnyard millet, bulrush millet, common millet, finger millet, foxtail millet, little Millet)	0.04 (*)			CXL	2015	48		2016	
AS 0646	Millet fodder, dry	0.3			CXL	2015	48		2016	
AS 0647	Oat straw and fodder, dry	0.3			CXL	2015	48		2016	
GC 0647	Oats	0.04 (*)			CXL	2015	48		2016	
VD 0072	Peas (dry)	0.02 (*)			CXL	2015	48		2016	
VD 0537	Pigeon pea (dry)	0.15			CXL	2015	48		2016	
VR 0589	Potato	0.04 (*)			CXL	2015	48		2016	
PM 0110	Poultry meat	0.02 (*)			CXL	2015	48		2016	
PO 0111	Poultry, edible offal of	0.02 (*)			CXL	2015	48		2016	
GC 0650	Rye	0.04 (*)			CXL	2015	48		2016	
AS 0650	Rye straw and fodder, dry	0.3			CXL	2015	48		2016	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VD 0541	Soya bean (dry)		1.5			CXL	2019	52		2021	
VR 0596	Sugar beet		0.15			CXL	2015	48		2016	
AV 0596	Sugar beet leaves or tops (dry)		3			CXL	2015	48		2016	
DM 0596	Sugar beet molasses		0.3			CXL	2015	48		2016	
AB 0596	Sugar beet pulp, dry		0.3			CXL	2015	48		2016	
SO 0702	Sunflower seed		0.04 (*)			CXL	2015	48		2016	
VO 0447	Sweet corn (corn-on-the-cob)		0.04			CXL	2015	48		2016	
AS 0447	Sweet corn fodder		1.5			CXL	2015	48		2016	
GC 0657	Teosinte		0.04 (*)			CXL	2015	48		2016	
AS 0657	Teosinte fodder		0.3			CXL	2015	48		2016	
GC 0653	Triticale		0.04 (*)			CXL	2015	48		2016	
GC 0654	Wheat		0.02 (*)			CXL	2015	48		2016	
AS 0654	Wheat, hay and/or straw		0.2			CXL	2015	48		2016	
GC 0655	Wild rice		0.04 (*)			CXL	2015	48		2016	

281 Cyazofamid

Main Uses: Fungicide
 ADI: 0–0.2 mg/kg bw (2015)
 ARfD: Unnecessary (2015)
 Residue: For compliance with the MRLs for plant commodities: Cyazofamid.
 For estimating long-term dietary intake from plant commodities: Cyazofamid plus CCIM, expressed as cyazofamid.
 For estimating short-term dietary intake from plant commodities (to be compared to the ARfD for CCIM; an ARfD was determined to be unnecessary for cyazofamid): CCIM.
 For compliance with the MRLs and for dietary intake for animal commodities: Not defined.

Note: CCIM metabolite
 ADI: 0–0.2 mg/kg bw
 ARfD: 0.2 mg/kg bw
 Cyazofamid + CCIM (long-term only). CCIM (short-term only).

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VP 0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	0.4			CXL	2015	48		2016	
VP 0062	Beans, shelled	0.07			CXL	2015	48		2016	
VB 0040	Brassica vegetables (except Brassica leafy vegetables) (group)	1.5			CXL	2015	48		2016	
VA 2031	Bulb onions (subgroup)	1.5			CXL	2018	51		2019	
VO 0440	Egg plant	0.2			CXL	2015	48		2016	
VC 0045	Fruiting vegetables, cucurbits (group)	0.09			CXL	2015	48		2016	
FB 0269	Grapes	1.5			CXL	2015	48		2016	
VA 2032	Green onions (subgroup)	6			CXL	2018	51		2019	
DH 1100	Hops, dry	15			CXL	2015	48		2016	
VL 0053	Leafy vegetables	10		(except brassica leafy vegetables)	CXL	2015	48		2016	
VL 0054	Leaves of Brassicaceae	15			CXL	2015	48		2016	
VO 0444	Peppers chili	0.8			CXL	2015	48		2016	
VO 0445	Peppers, sweet (including pimento or pimiento)	0.4			CXL	2015	48		2016	
VR 0589	Potato	0.01	(*)		CXL	2015	48		2016	
VO 0448	Tomato	0.2			CXL	2015	48		2016	

282 Flonicamid

Main Uses: Insecticide

ADI: 0–0.07 mg/kg bw (2015)

ARfD: Unnecessary (2015)

Residue: For compliance with MRLs and estimation for estimation of dietary exposure for plant commodities: Flonicamid

For compliance with MRLs and estimation of dietary exposure) for animal commodities: Flonicamid and the metabolite TFNA-AM, expressed as flonicamid.
The residue is not fat soluble.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
AM 0660	Almond hulls		9			CXL	2015, 2016	48,49		2017	
TN 0660	Almonds		0.01	(*)		CXL	2015, 2016	48,49		2017	
VP 2060	Beans with pods (subgroup)		0.7		(except soya bean (succulent seweds in pods))	CXL	2017	50		2018	
VB 0040	Brassica vegetables (except Brassica leafy vegetables) (group)		2			CXL	2015, 2016	48,49		2017	
VS 0624	Celery		1.5			CXL	2015	48		2016	
FS 0013	Cherries (subgroup)		0.9			CXL	2015	48		2016	
AB 0001	Citrus pulp, dried		3	(dw)		CXL	2019	52		2021	
SO 0691	Cotton seed		0.6			CXL	2015	48		2016	
VD 2065	Dry beans (subgroup)		0.15		(except soya bean (dry))	CXL	2017	50		2018	
VD 2066	Dry peas				(subgroup)		1				
MO 0105	Edible offal (mammalian)		0.2			CXL	2016	49		2017	
PE 0112	Eggs		0.15			CXL	2016	49		2017	
VC 0045	Fruiting vegetables, cucurbits (group)		0.2			CXL	2015	48		2016	
VO 0050	Fruiting vegetables, other than cucurbits (group)		0.4		(except mushrooms and sweet corn)	CXL	2015	48		2016	
DH 1100	Hops, dry		20			CXL	2015	48		2016	
VL 0054	Leaves of Brassicaceae		15			CXL	2015, 2016	48,49		2017	
FC 0002	Lemons and limes (including citron) (subgroup)		1.5			CXL	2019	52		2021	
VL 0482	Lettuce, head		1.5			CXL	2015	48		2016	
VL 0483	Lettuce, leaf		8			CXL	2015	48		2016	
FB 2009	Low growing berries (subgroup)		1.5			CXL	2015	48		2016	
MF 0100	Mammalian fats (except milk fats)		0.05			CXL	2016	49		2017	
MM 0095	Meat (from mammals other than marine mammals)		0.15			CXL	2016	49		2017	
ML 0106	Milks		0.15			CXL	2016	49		2017	
HH 0738	Mints		6			CXL	2015	48		2016	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
	Code	Name									
FC	0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.4			CXL	2019	52		2021	
FS	2001	Peaches (including apricots and nectarine) (subgroup)	0.7			CXL	2015	48		2016	
VP	2061	Peas with pods (subgroup)	0.8			CXL	2017	50		2018	
TN	0672	Pecan	0.01	(*)		CXL	2015	48		2016	
FS	0014	Plums (including fresh prunes) (subgroup)	0.1			CXL	2015	48		2016	
FP	0009	Pome fruits (group)	0.8			CXL	2015	48		2017	
VR	0589	Potato	0.015			CXL	2015	48		2017	
PF	0111	Poultry fats	0.05			CXL	2016	49		2017	
PM	0110	Poultry meat	0.1			CXL	2016	49		2017	
PO	0111	Poultry, edible offal of	0.1			CXL	2016	49		2017	
FC	0005	Pummelo and grapefruits (including Shaddock-like hybrids, among others Grapefruit) (subgroup)	0.3			CXL	2019	52		2021	
VR	0494	Radish	0.4			CXL	2015	48		2016	
VL	0494	Radish leaves (including radish tops)	20			CXL	2015	48		2016	
SO	0495	Rape seed	0.5			CXL	2015	48		2017	
VL	0502	Spinach	20			CXL	2015	48		2016	
VP	2062	Succulent beans without pods (subgroup)	0.3		(except soya bean (succulent seeds))	CXL	2017	50		2018	
VP	2063	Succulent peas without pods (subgroup)	0.4			CXL	2017	50		2018	
VW	0448	Tomato paste	7			CXL	2015	48		2016	
GC	0654	Wheat	0.08			CXL	2015	48		2017	
AS	0654	Wheat, hay and/or straw	0.3			CXL	2015, 2016	48,49		2017	

283 Fluazifop-p-butyl

Main Uses: Herbicide

ADI: 0.004 mg/kg bw (2016)

ARfD: 0.4 mg/kg bw (2016)

Residue: For compliance with MRLs for plant commodities: Total fluazifop, defined as the sum of fluazifop-P-butyl, fluazifop-P-acid (II) and their conjugates, expressed as fluazifop-P-acid.

For dietary risk assessment for plant commodities: Sum of fluazifop-P-butyl, fluazifop-P-acid (II), 2-[4-(3-hydroxy-5-trifluoromethyl-2-phenoxy)pyridyloxy] propionic acid (XL), 5-trifluoromethyl-2-pyridone (X) and their conjugates, expressed as fluazifop-P-acid.

For compliance with MRLs and for dietary risk assessment for animal commodities: Total fluazifop, defined as the sum of fluazifop-P-butyl, fluazifop-P-acid (II) and their conjugates, expressed as fluazifop-P-acid.

The residue is fat soluble.

Note: The information provided to JMPR precludes an estimate that the dietary exposure would be below the ADI.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
TN	0660	Almonds	0.01 (*)			CXL	2016	49		2017	
FI	0327	Banana	0.01 (*)			CXL	2016	49		2017	
AL	0061	Bean fodder	7 (dw)			CXL	2016	49		2017	
VD	0071	Beans (dry)	40			CXL	2016	49		2017	
VP	0061	Beans with pods (<i>Phaseolus spp.</i>) immature pods and succulent seeds)	6			CXL	2016	49		2017	
FB	2006	Bush berries (subgroup)	0.3			CXL	2019	52		2021	
VB	0041	Cabbages, head	3			CXL	2016	49		2017	
FB	2005	Cane berries (subgroup)	0.08			CXL	2019	52		2021	
VR	0577	Carrot	0.6			CXL	2016	49		2017	
VR	0578	Celeriac	0.4			CXL	2016	49		2017	
FC	0001	Citrus fruits (group)	0.01 (*)			CXL	2016	49		2017	
AB	0001	Citrus pulp, dried	0.06 (*)			CXL	2016	49		2017	
SB	0716	Coffee beans	0.01 (*)			CXL	2016	49		2017	
SO	0691	Cotton seed	0.7			CXL	2016	49		2017	
MO	0105	Edible offal (mammalian)	0.2			CXL	2016	49		2017	
VO	0440	Egg plant	0.4			CXL	2016	49		2017	
PE	0112	Eggs	0.03			CXL	2016	49		2017	
FB	0267	Elderberries	0.3			CXL	2019	52		2021	
VD	0561	Field pea (dry)	3			CXL	2016	49		2017	
AM	1051	Fodder beet	0.5			CXL	2016	49		2017	
VA	0381	Garlic	0.3			CXL	2016	49		2017	
FB	0269	Grapes	0.01 (*)			CXL	2016	49		2017	
FB	2254	Guelder rose	0.3			CXL	2019	52		2021	
VL	0483	Lettuce, leaf	0.01 (*)			CXL	2016	49		2017	
GC	0669	Macadamia nuts	0.01 (*)			CXL	2016	49		2017	
MF	0100	Mammalian fats (except milk fats)	0.09			CXL	2016	49		2017	
MM	0095	Meat (from mammals other than marine mammals)	0.09 (fat)			CXL	2016	49		2017	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
ML 0106	Milks		0.2			CXL	2016	49		2017	
SO 0305	Olives for oil production		0.01	(*)		CXL	2016	49		2017	
VA 0385	Onion, bulb		0.3			CXL	2016	49		2017	
OR 0004	Orange oil, edible		0.05	(*)		CXL	2016	49		2017	
VP 0063	Peas (pods and succulent=immature seeds)		2			CXL	2016	49		2017	
VP 0064	Peas, shelled (succulent seeds)		15			CXL	2016	49		2017	
TN 0672	Pecan		0.01	(*)		CXL	2016	49		2017	
FP 0009	Pome fruits (group)		0.01	(*)		CXL	2016	49		2017	
VR 0589	Potato		0.6			CXL	2016	49		2017	
PF 0111	Poultry fats		0.03			CXL	2016	49		2017	
PM 0110	Poultry meat		0.03			CXL	2016	49		2017	
PO 0111	Poultry, edible offal of		0.09			CXL	2016	49		2017	
VA 0388	Shallot		0.3			CXL	2016	49		2017	
VD 0541	Soya bean (dry)		15			CXL	2016	49		2017	
AL 0541	Soya bean fodder		4	(dw)		CXL	2016	49		2017	
FS 0012	Stone fruits (group)		0.01	(*)		CXL	2016	49		2017	
FB 0275	Strawberry		3			CXL	2019	52		2021	
VR 0596	Sugar beet		0.5			CXL	2016	49		2017	
DM 0596	Sugar beet molasses		7			CXL	2016	49		2017	
AB 0596	Sugar beet pulp, dry		20			CXL	2016	49		2017	
GS 0659	Sugar cane		0.01	(*)		CXL	2016	49		2017	
SO 0702	Sunflower seed		7			CXL	2016	49		2017	
VR 0497	Swede		4			CXL	2016	49		2017	
FT 0305	Table olives		0.01	(*)		CXL	2016	49		2017	
VO 0448	Tomato		0.4			CXL	2016	49		2017	
VR 0506	Turnip, Garden		4			CXL	2016	49		2017	
TN 0678	Walnuts		0.01	(*)		CXL	2016	49		2017	

284 Flumioxazin

Main Uses: Herbicide
 ADI: 0–0.02 mg/kg bw (2015)
 ARfD: 0.03 mg/kg bw (for women of child-bearing age) (2015)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Flumioxazin.
 The residue is not fat soluble.
 Note: ARfD: Unnecessary (for the general population)

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AL 1020	Alfalfa fodder	3 (dw)			CXL	2015	48		2016	
VS 0620	Artichoke, globe	0.02 (*)			CXL	2015	48		2016	
VS 0621	Asparagus	0.02			CXL	2015	48		2016	
VD 0071	Beans (dry)	0.07			CXL	2015	48		2016	
FB 2006	Bush berries (subgroup)	0.02 (*)			CXL	2015	48		2016	
VB 0041	Cabbages, head	0.02 (*)			CXL	2015	48		2016	
VD 0524	Chick-pea (dry)	0.07			CXL	2015	48		2016	
SO 0691	Cotton seed	0.01			CXL	2015	48		2016	
MO 0105	Edible offal (mammalian)	0.02 (*)			CXL	2015	48		2016	
PE 0112	Eggs	0.02 (*)			CXL	2015	48		2016	
VC 0045	Fruiting vegetables, cucurbits (group)	0.02 (*)			CXL	2015	48		2016	
VO 0050	Fruiting vegetables, other than cucurbits (group)	0.02 (*)		(except sweet corn and mushrooms)	CXL	2015	48		2016	
FB 0269	Grapes	0.02 (*)			CXL	2015	48		2016	
AS 0162	Hay or fodder (dry) of grasses	0.02 (*)		Wheat hay	CXL	2015	48		2016	
VD 0533	Lentil (dry)	0.07			CXL	2015	48		2016	
VD 0545	Lupin (dry)	0.07			CXL	2015	48		2016	
GC 0645	Maize	0.02 (*)			CXL	2015	48		2016	
AS 0645	Maize fodder (dry)	0.02 (*)			CXL	2015	48		2016	
MF 0100	Mammalian fats (except milk fats)	0.02 (*)			CXL	2015	48		2016	
MM 0095	Meat (from mammals other than marine mammals)	0.02 (*)			CXL	2015	48		2016	
ML 0106	Milks	0.02 (*)			CXL	2015	48		2016	
HH 0738	Mints	0.02			CXL	2015	48		2016	
VA 0385	Onion, bulb	0.02 (*)			CXL	2015	48		2016	
SO 0697	Peanut	0.02 (*)			CXL	2015	48		2016	
VD 0072	Peas (dry)	0.07			CXL	2015	48		2016	
FP 0009	Pome fruits (group)	0.02 (*)			CXL	2015	48		2016	
FI 0355	Pomegranate	0.02 (*)			CXL	2015	48		2016	
VR 0589	Potato	0.02 (*)			CXL	2015	48		2016	
PF 0111	Poultry fats	0.02 (*)			CXL	2015	48		2016	
PM 0110	Poultry meat	0.02 (*)			CXL	2015	48		2016	
PO 0111	Poultry, edible offal of	0.02 (*)			CXL	2015	48		2016	
VD 0541	Soya bean (dry)	0.02 (*)			CXL	2015	48		2016	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FS 0012	Stone fruits (group)		0.02 (*)			CXL	2015	48		2016	
SO 0702	Sunflower seed		0.5			CXL	2015	48		2016	
VR 0508	Sweet potato		0.02 (*)			CXL	2015	48		2016	
FT 0305	Table olives		0.02 (*)			CXL	2015	48		2016	
TN 0085	Tree nuts (group)		0.02 (*)			CXL	2015	48		2016	
GC 0654	Wheat		0.4			CXL	2015	48		2016	
AS 0654	Wheat, hay and/or straw		7 (dw)			CXL	2015	48		2016	

285 Flupyradifurone

Main Uses: Insecticide

ADI: 0–0.08 mg/kg bw (2015)

ARfD: 0.2 mg/kg bw (2015)

Residue: For compliance with the MRL for plant commodities: Flupyradifurone.

For estimation of dietary exposure for plant commodities: Sum of flupyradifurone, difluoroacetic acid and 6-chloronicotinic acid, expressed as parent equivalents.

For compliance with the MRL and for estimation of dietary exposure) for animal commodities: Sum of flupyradifurone and difluoroacetic acid, expressed as parent equivalents.

The residue is not fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AL 3350	Alfalfa hay	30	(dw)		CXL	2016	49		2017	
DF 0226	Apples, dried	2			CXL	2016	49		2017	
FI 0326	Avocado	0.6			CXL	2019	52		2021	
AL 3351	Bean hay	30			CXL	2016	49		2017	
VD 0071	Beans (dry)	0.4			CXL	2016	49		2017	
VP 0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	1.5		(green pods and immature seeds)	CXL	2016	49		2017	
VP 0062	Beans, shelled	0.2		(succulent = immature seeds)	CXL	2016	49		2017	
VA 0036	Bulb vegetables, except fennel, bulb	0.01	(*)		CXL	2016	49		2017	
FB 2006	Bush berries (subgroup)	4			CXL	2016	49		2017	
VB 0041	Cabbages, head	1.5			CXL	2016	49		2017	
SB 0715	Cacao beans	0.01	(*)		CXL	2019	52		2021	
FB 2005	Cane berries (subgroup)	6			CXL	2019	52		2021	
VB 0404	Cauliflower	6			CXL	2016	49		2017	
GC 0080	Cereal grains	3		(except maize and rice)	CXL	2016	49		2017	
FS 0013	Cherries (subgroup)	2			CXL	2017	50		2018	
SB 0716	Coffee beans	0.9			CXL	2019	52		2021	
SO 0691	Cotton seed	0.8			CXL	2016	49		2017	
VC 0424	Cucumber	0.4			CXL	2016	49		2017	
MO 0105	Edible offal (mammalian)	4			CXL	2016	49		2017	
PE 0112	Eggs	0.7			CXL	2016	49		2017	
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	8			CXL	2016	49		2017	
FB 0269	Grapes	3			CXL	2016	49		2017	
DH 1100	Hops, dry	10			CXL	2019	52		2021	
FC 0002	Lemons and limes (including citron) (subgroup)	1.5			CXL	2016	49		2017	
VL 0482	Lettuce, head	4			CXL	2016	49		2017	
GC 0645	Maize	0.015			CXL	2016	49		2017	
AS 3490	Maize bran, unprocessed	0.05			CXL	2016	49		2017	

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
MF 0100	Mammalian fats (except milk fats)	1			CXL	2016	49		2017	
FC 0003	Mandarins (including mandarin-like hybrids) (subgroup)	1.5			CXL	2016	49		2017	
MM 0095	Meat (from mammals other than marine mammals)	1.5			CXL	2016	49		2017	
VC 0046	Melons, except watermelon	0.4			CXL	2016	49		2017	
ML 0106	Milks	0.7			CXL	2016	49		2017	
FC 0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	4			CXL	2016	49		2017	
AL 3353	Pea hay	50	(dw)		CXL	2016	49		2017	
FS 2001	Peaches (including apricots and nectarine) (subgroup)	1.5			CXL	2017	50		2018	
SO 0697	Peanut	0.04			CXL	2016	49		2017	
AL 3352	Peanut hay	30	(dw)		CXL	2016	49		2017	
VD 0072	Peas (dry)	3			CXL	2016	49		2017	
VP 0063	Peas (pods and succulent=immature seeds)	3			CXL	2016	49		2017	
VP 0064	Peas, shelled (succulent seeds)	3			CXL	2016	49		2017	
TN 0672	Pecan	0.015			CXL	2016	49		2017	
VO 0051	Peppers (subgroup)	0.9			CXL	2016	49		2017	
HS 0444	Peppers chili, dried	9			CXL	2016	49		2017	
FS 0014	Plums (including fresh prunes) (subgroup)	0.4			CXL	2017	50		2018	
FP 0009	Pome fruits (group)	0.9			CXL	2016	49		2017	
VR 0589	Potato	0.05			CXL	2016	49		2017	
PF 0111	Poultry fats	0.3			CXL	2016	49		2017	
PM 0110	Poultry meat	0.8			CXL	2016	49		2017	
PO 0111	Poultry, edible offal of	1			CXL	2016	49		2017	
DF 0014	Prunes	3			CXL	2017	50		2018	
FC 0005	Pummelo and grapefruits (including Shaddock-like hybrids, among others Grapefruit) (subgroup)	0.7			CXL	2016	49		2017	
VR 0075	Root and tuber vegetables (group)	0.7		(except potato)	CXL	2016	49		2017	
VD 0541	Soya bean (dry)	1.5			CXL	2016	49		2017	
AL 3354	Soya bean hay	40	(dw)		CXL	2016	49		2017	
VC 0431	Squash, summer	0.2			CXL	2016	49		2017	
AS 0081	Straw and hay of cereal grains except pseudocereals	40	(dw)		CXL	2016	49		2017	
FB 0275	Strawberry	1.5			CXL	2016	49		2017	

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VO 0447	Sweet corn (corn-on-the-	0.05			CXL	2016	49		2017	
VR 0508	Sweet potato	0.05			CXL	2016	49		2017	
VO 0448	Tomato	1			CXL	2016	49		2017	
CM 0654	Wheat bran, unprocessed	8			CXL	2016	49		2017	
CF 1210	Wheat germ	5			CXL	2016	49		2017	
CF 1212	Wheat wholemeal	5			CXL	2016	49		2017	

286 Lufenuron

Main Uses: Insecticide
 ADI: 0–0.02 mg/kg bw (2015)
 ARfD: Unnecessary (2015)
 Residue: For compliance with the MRL and for estimation of dietary intake for plant and animal commodities: Lufenuron.
 The residue fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
SB 0716	Coffee beans	0.07			CXL	2018	51		2019	
VC 0424	Cucumber	0.09			CXL	2015	48		2016	
MO 0105	Edible offal (mammalian)	0.15			CXL	2018	51		2019	
PE 0112	Eggs	0.02			CXL	2015	48		2016	
FC 0205	Lime	0.4			CXL	2018	51		2019	
GC 0645	Maize	0.01			CXL	2018	51		2019	
MF 0100	Mammalian fats (except milk fats)	2			CXL	2018	51		2019	
MM 0095	Meat (from mammals other than marine mammals)	2 (fat)			CXL	2018	51		2019	
VC 0046	Melons, except watermelon	0.4			CXL	2015	48		2016	
FM 0183	Milk fats	5			CXL	2018	51		2019	
ML 0106	Milks	0.15			CXL	2018	51		2019	
OR 0004	Orange oil, edible	8			CXL	2018	51		2019	
FC 0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.3			CXL	2018	51		2019	
VO 0445	Peppers, sweet (including pimento or pimiento)	0.8			CXL	2015	48		2012	
FP 0009	Pome fruits (group)	1			CXL	2018	51		2019	
VR 0589	Potato	0.01 (*)			CXL	2015	48		2016	
PF 0111	Poultry fats	0.04			CXL	2015	48		2016	
PM 0110	Poultry meat	0.02			CXL	2015	48		2016	
PO 0111	Poultry, edible offal of	0.02 (fat)			CXL	2015	48		2016	
VD 0541	Soya bean (dry)	0.01 (*)			CXL	2015	48		2016	
VO 0448	Tomato	0.4			CXL	2015	48		2016	

287 Quinclorac

Main Uses: Herbicide
 ADI: 0–0.4 mg/kg bw (2015)
 ARfD: 2 mg/kg bw (2015)
 Residue: For compliance with MRL for plant commodities: Quinclorac plus quinclorac conjugates.
 For the estimation of dietary exposure for plant commodities: Quinclorac plus quinclorac conjugate plus quinclorac methyl ester expressed as quinclorac.
 For compliance with the MRL and estimating dietary exposure for animal commodities: quinclorac plus quinclorac conjugates.
 The residue is fat-soluble

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FB	0265	Cranberry	1.5			CXL	2015	48		2016	
MO	0105	Edible offal (mammalian)	0.1			CXL	2017	50		2018	
PE	0112	Eggs	0.05 (*)			CXL	2017	50		2018	
MF	0100	Mammalian fats (except milk fats)	0.05 (*)			CXL	2017	50		2018	
MM	0095	Meat (from mammals other than marine mammals)	0.05 (*) (fat)			CXL	2017	50		2018	
ML	0106	Milks	0.05 (*)			CXL	2017	50		2018	
PF	0111	Poultry fats	0.05 (*)			CXL	2017	50		2018	
PM	0110	Poultry meat	0.05 (*) (fat)			CXL	2017	50		2018	
PO	0111	Poultry, edible offal of	0.05 (*)			CXL	2017	50		2018	
SO	0495	Rape seed	0.15			CXL	2017	50		2018	
VS	0627	Rhubarb	0.5			CXL	2015	48		2016	
GC	0649	Rice	10			CXL	2017	50		2018	
AS	0649	Rice, hay and/or straw	8 (dw)			CXL	2017	50		2018	
CM	0649	Rice, husked	10			CXL	2017	50		2018	
CM	1205	Rice, polished	8			CXL	2017	50		2018	

288 Acibenzolar-S-methyl

Main Uses: Fungicide

ADI: 0-0.08 mg/kg bw (2016)

ARfD: 0.5 mg/kg bw (2016)

Residue: For compliance with MRLs for animal and plant commodities and for dietary risk assessment for animal commodities: Sum of acibenzolar-S-methyl and 1,2,3-benzothiadiazole-7-carboxylic acid (acibenzolar acid) (free and conjugates), expressed in terms of acibenzolar-S-methyl.
 For dietary risk assessment for plants: Sum of acibenzolar-S-methyl and 1,2,3-benzothiadiazole-7-carboxylic acid (acibenzolar acid), (free and conjugated) and 1,2,3-benzothiadiazole-4-hydroxy-7-carboxylic acid (4-OH acibenzolar acid) (free and conjugated), expressed as acibenzolar-S-methyl.
 The residue is not fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FP 0226	Apple	0.3			CXL	2016	49		2017	
FI 0327	Banana	0.06			CXL	2016	49		2017	
VB 0040	Brassica vegetables (except Brassica leafy vegetables) (group)	0.7			CXL	2016	49		2017	
FC 0001	Citrus fruits (group)	0.015			CXL	2016	49		2017	
MO 0105	Edible offal (mammalian)	0.02 (*)			CXL	2016	49		2017	
PE 0112	Eggs	0.02 (*)			CXL	2016	49		2017	
VC 0045	Fruiting vegetables, cucurbits (group)	0.8			CXL	2016	49		2017	
VA 0381	Garlic	0.15			CXL	2016	49		2017	
FI 0341	Kiwifruit	0.03			CXL	2016	49		2017	
VL 0054	Leaves of Brassicaceae	1			CXL	2016	49		2017	
VL 0482	Lettuce, head	0.2			CXL	2016	49		2017	
VL 0483	Lettuce, leaf	0.4			CXL	2016	49		2017	
FB 2009	Low growing berries (subgroup)	0.15		(including strawberries)	CXL	2016	49		2017	
MF 0100	Mammalian fats (except milk fats)	0.02 (*)			CXL	2016	49		2017	
MM 0095	Meat (from mammals other than marine mammals)	0.02 (*)			CXL	2016	49		2017	
ML 0106	Milks	0.01 (*)			CXL	2016	49		2017	
VA 0385	Onion, bulb	0.15			CXL	2016	49		2017	
FS 2001	Peaches (including apricots and nectarine) (subgroup)	0.2			CXL	2016	49		2017	
PF 0111	Poultry fats	0.02 (*)			CXL	2016	49		2017	
PM 0110	Poultry meat	0.02 (*)			CXL	2016	49		2017	
PO 0111	Poultry, edible offal of	0.02 (*)			CXL	2016	49		2017	
VA 0388	Shallot	0.15			CXL	2016	49		2017	
VL 0502	Spinach	0.6			CXL	2016	49		2017	
VO 0448	Tomato	0.3			CXL	2016	49		2017	

289 Imazethapyr

Main Uses: Herbicide
 ADI: 0-0.6 mg/kg bw (2016)
 ARfD: Unnecessary (2016)
 Residue: For compliance with MRLs for plant commodities and for compliance with MRLs and dietary risk assessment for animal commodities: Sum of imazethapyr, 5-hydroxyethyl-2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)nicotinic acid, expressed as imazethapyr.
 For dietary risk assessment) for plant commodities: Sum of imazethapyr, and 5-hydroxyethyl-2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)nicotinic acid (OH-imazethapyr), and 5-[1-(beta-D-glucopyranosyloxyethyl)-2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)nicotinic acid, expressed as imazethapyr.
 The residue is not fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AL 1031	Clover hay or fodder	1.5 (dw)			CXL	2016	49		2017	
MO 0105	Edible offal (mammalian)	0.01 (*)			CXL	2016	49		2017	
PE 0112	Eggs	0.01 (*)			CXL	2016	49		2017	
VD 0533	Lentil (dry)	0.1 (*)			CXL	2016	49		2017	
GC 0645	Maize	0.1 (*)			CXL	2016	49		2017	
AS 0645	Maize fodder (dry)	0.1 (*) (dw)			CXL	2016	49		2017	
MF 0100	Mammalian fats (except milk fats)	0.01 (*)			CXL	2016	49		2017	
MM 0095	Meat (from mammals other than marine mammals)	0.01 (*)			CXL	2016	49		2017	
ML 0106	Milks	0.01 (*)			CXL	2016	49		2017	
SO 0697	Peanut	0.1 (*)			CXL	2016	49		2017	
PF 0111	Poultry fats	0.01 (*)			CXL	2016	49		2017	
PM 0110	Poultry meat	0.01 (*)			CXL	2016	49		2017	
PO 0111	Poultry, edible offal of	0.01 (*)			CXL	2016	49		2017	
SO 0495	Rape seed	0.1 (*)			CXL	2016	49		2017	
GC 0649	Rice	0.1 (*)			CXL	2016	49		2017	
AS 0649	Rice, hay and/or straw	0.15 (*) (dw)			CXL	2016	49		2017	
VD 0541	Soya bean (dry)	0.03			CXL	2016	49		2017	

290 Isofetamid

Main Uses: Fungicide
 ADI: 0-0.05 mg/kg bw (2016)
 ARfD: 3 mg/kg bw (2016)
 Residue: For compliance with MRLs and for dietary risk assessment for plant commodities: Isofetamid.
 For compliance with MRLs and for dietary risk assessment for animal commodities: Sum of isoletamid and 2-[3-methyl-4-[2-methyl-2-(3-methylthiophene-2-carboxamido) propanoyl]phenoxy]propanoic acid (PPA), expressed as isoletamid.
 The residue is fat soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AM	0660	Almond hulls	0.8 (dw)			CXL	2016	49		2017	
TN	0660	Almonds	0.01 (*)			CXL	2016	49		2017	
VP	2060	Beans with pods (subgroup)	0.6			CXL	2018	51		2019	
FB	2006	Bush berries (subgroup)	4			CXL	2019	52		2021	
FB	2005	Cane berries (subgroup)	3			CXL	2018	51		2019	
FS	0013	Cherries (subgroup)	4			CXL	2018	51		2019	
VD	2065	Dry beans (subgroup)	0.09		(except soya beans)	CXL	2019	52		2021	
VD	2066	Dry peas (subgroup)	0.09			CXL	2019	52		2021	
MO	0105	Edible offal (mammalian)	0.07			CXL	2016	49		2017	
PE	0112	Eggs	0.01 (*)			CXL	2016	49		2017	
DF	0269	Grape, dried (= Currents, Raisins and Sultanas)	7			CXL	2016	49		2017	
VL	0482	Lettuce, head	5			CXL	2016	49		2017	
VL	0483	Lettuce, leaf	7			CXL	2016	49		2017	
FB	2009	Low growing berries (subgroup)	4		(includes all commodities in this subgroup)	CXL	2016	49		2017	
MF	0100	Mammalian fats (except milk fats)	0.02			CXL	2016	49		2017	
MM	0095	Meat (from mammals other than marine mammals)	0.02 (fat)			CXL	2016	49		2017	
ML	0106	Milks	0.01 (*)			CXL	2016	49		2017	
FS	2001	Peaches (including apricots and nectarine) (subgroup)	3			CXL	2018	51		2019	
VP	2061	Peas with pods (subgroup)	0.6			CXL	2018	51		2019	
FS	0014	Plums (including fresh prunes) (subgroup)	0.8			CXL	2018	51		2019	
FP	0009	Pome fruits (group)	0.6			CXL	2018	51		2019	
PF	0111	Poultry fats	0.01 (*)			CXL	2016	49		2017	
PM	0110	Poultry meat	0.01 (*)			CXL	2016	49		2017	
PO	0111	Poultry, edible offal of	0.01 (*)			CXL	2016	49		2017	
DF	0014	Prunes	3			CXL	2018	51		2019	
SO	0495	Rape seed	0.015			CXL	2016	49		2017	
OR	0495	Rape seed oil, edible	0.03			CXL	2016	49		2017	

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FB	2008	Small fruit vine climbing (subgroup)	3		CXL	2016	49		2017	

291 Oxathiapiprolin

Main Uses: Fungicide
 ADI: 0-4 mg/kg bw (2016)

ARfD: Unnecessary (2016)

Residue: For compliance with the MRL for plant and animal commodities: Oxathiapiprolin.
 For dietary risk assessment for plant and animal commodities: Sum of: oxathiapiprolin, 5-(Trifluoromethyl)-1H-pyrazole-3-carboxylic acid and 1- β -D-Glucopyranosyl-3-(-(trifluoromethyl)-1H-pyrazole-5-carboxylic acid, expressed as parent.
 The residue is not fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
DH 0722	Basil, dry	80			CXL	2018	51		2019	
HH 0722	Basil, leaves	10			CXL	2018	51		2019	
VB 0400	Broccoli	1.5			CXL	2016	49		2017	
VB 0041	Cabbages, head	0.7			CXL	2016	49		2017	
FB 2005	Cane berries (subgroup)	0.5			CXL	2018	51		2018	
VB 0404	Cauliflower	0.3			CXL	2016	49		2017	
FC 0001	Citrus fruits (group)	0.05			CXL	2018	51		2018	
OR 0001	Citrus oil, edible	3			CXL	2018	51		2019	
AB 0001	Citrus pulp, dried	0.15			CXL	2018	51		2019	
PE 0112	Eggs	0.01	(*)		CXL	2018	51		2019	
VC 0045	Fruiting vegetables, cucurbits (group)	0.2			CXL	2016	49		2017	
VO 0050	Fruiting vegetables, other than cucurbits (group)	0.4		(except sweetcorn and mushrooms)	CXL	2016	49		2017	
VA 0381	Garlic	0.04			CXL	2016	49		2017	
VA 0382	Garlic, great-headed	0.04			CXL	2016	49		2017	
DV 0604	Ginseng, dried including red ginseng	0.15			CXL	2016	49		2017	
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	1.3			CXL	2016	49		2017	
FB 0269	Grapes	0.9			CXL	2016	49		2017	
VL 0054	Leaves of Brassicaceae	10			CXL	2018	51		2019	
VA 0384	Leek	2			CXL	2016	49		2017	
VL 0482	Lettuce, head	3			CXL	2016	49		2017	
VL 0483	Lettuce, leaf	5			CXL	2016	49		2017	
GC 0645	Maize	0.01	(*)		CXL	2018	51		2019	
AS 0645	Maize fodder (dry)	0.01	(*)		CXL	2018	51		2019	
VA 0385	Onion, bulb	0.04			CXL	2016	49		2017	
VA 0387	Onion, Welsh	2			CXL	2016	49		2017	
VP 0063	Peas (pods and succulent=immature seeds)	1			CXL	2016	49		2017	
VP 0064	Peas, shelled (succulent seeds)	0.05			CXL	2016	49		2017	
HS 0444	Peppers chili, dried	4			CXL	2016	49		2017	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
SO 0698	Poppy seed		0.01 (*)			CXL	2018	51		2019	
PF 0111	Poultry fats		0.01 (*)			CXL	2018	51		2019	
PM 0110	Poultry meat		0.01 (*)			CXL	2018	51		2019	
PO 0111	Poultry, edible offal of		0.01 (*)			CXL	2018	51		2019	
VA 0388	Shallot		0.04			CXL	2016	49		2017	
VD 0541	Soya bean (dry)		0.01 (*)			CXL	2018	51		2019	
AL 3354	Soya bean hay		0.02			CXL	2018	51		2019	
VL 0502	Spinach		15			CXL	2016	49		2017	
VA 0389	Spring onion		2			CXL	2016	49		2017	
SO 0702	Sunflower seed		0.01 (*)			CXL	2018	51		2019	
DV 0448	Tomato, dried		3			CXL	2016	49		2017	
VR 2071	Tuberous and corm vegetables (subgroup)		0.04			CXL	2018	51		2019	
VS 2081	Young shoots		2			CXL	2018	51		2019	

292 Pendimethalin

Main Uses: Herbicide
 ADI: 0-0.1 mg/kg bw (2016)
 ARfD: 1 mg/kg bw (2016)
 Residue: For compliance with the MRL and for dietary risk assessment for plant and animal commodities: Pendimethalin.
 The residue is fat soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AL	1020	Alfalfa fodder	4	(dw)		CXL	2016	49		2017	
AM	0660	Almond hulls	7	(dw)		CXL	2016	49		2017	
VS	0621	Asparagus	0.1			CXL	2016	49		2017	
AL	0061	Bean fodder	0.3	(dw)		CXL	2016	49		2017	
VD	0071	Beans (dry)	0.05			CXL	2016	49		2017	
VP	0061	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	0.05		(green pods and immature seeds)	CXL	2016	49		2017	
FB	2006	Bush berries (subgroup)	0.05	(*)		CXL	2019	52		2021	
FB	2005	Cane berries (subgroup)	0.05	(*)		CXL	2019	52		2021	
VR	0577	Carrot	0.5			CXL	2016	49		2017	
VS	0624	Celery	0.09			CXL	2016	49		2017	
FC	0001	Citrus fruits (group)	0.03			CXL	2016	49		2017	
MO	0105	Edible offal (mammalian)	0.05			CXL	2016	49		2017	
PE	0112	Eggs	0.01	(*)		CXL	2016	49		2017	
VA	0380	Fennel, bulb	0.05	(*)		CXL	2016	49		2017	
VB	0042	Flowerhead brassicas (subgroup)	0.01	(*)		3	2021	53			
VO	0050	Fruiting vegetables, other than cucurbits (group)	0.05	(*)		3	2021	53			
VA	0381	Garlic	0.05	(*)		CXL	2016	49		2017	
FB	0269	Grapes	0.05	(*)		3	2021	53			
AS	0162	Hay or fodder (dry) of grasses	2500	(dw)		CXL	2016	49		2017	
DH	1100	Hops, dry	0.05			CXL	2016	49		2017	
VL	0480	Kale (including among others: Collards, curly kale, Scotch kale, thousand-headed kale; not including Marrow-stem kale)	0.5			CXL	2016	49		2017	
VL	0054	Leaves of Brassicaceae	0.3		except kale	CXL	2016	49		2017	
VA	0384	Leek	0.3			3	2021	53			
VL	0483	Lettuce, leaf	4			CXL	2016	49		2017	
GC	0645	Maize	0.05	(*)		3	2021	53			
AS	3557	Maize, hay and/or straw	0.05	(*)		3	2021	53			
MF	0100	Mammalian fats (except milk fats)	0.2			CXL	2016	49		2017	
MM	0095	Meat (from mammals other than marine mammals)	0.2	(fat)		CXL	2016	49		2017	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FM 0183	Milk fats		0.8			CXL	2016	49		2017	
ML 0106	Milks		0.02			CXL	2016	49		2017	
HH 0738	Mints		0.2			CXL	2019	52		2021	
VA 0385	Onion, bulb		0.05	(*)		CXL	2016	49		2017	
VA 0387	Onion, Welsh		0.4			CXL	2016	49		2017	
HH 0740	Parsley, leaves		1.5			3	2021	53			
VD 0072	Peas (dry)		0.05			CXL	2016	49		2017	
VP 0063	Peas (pods and succulent=immature seeds)		0.05			CXL	2016	49		2017	
VP 0064	Peas, shelled (succulent seeds)		0.05			CXL	2016	49		2017	
OR 0738	Peppermint oil, edible		6			CXL	2019	52		2021	
PF 0111	Poultry fats		0.01	(*)		CXL	2016	49		2017	
PM 0110	Poultry meat		0.01	(*)		CXL	2016	49		2017	
PO 0111	Poultry, edible offal of		0.01	(*)		CXL	2016	49		2017	
GC 0649	Rice		0.01	(*)		3	2021	53			
AS 0649	Rice, hay and/or straw		0.01			3	2021	53			
VA 0388	Shallot		0.05	(*)		CXL	2016	49		2017	
VD 0541	Soya bean (dry)		0.05	(*)		3	2021	53			
VA 0389	Spring onion		0.4			CXL	2016	49		2017	
FB 0275	Strawberry		0.05	(*)		CXL	2019	52		2021	
GS 0659	Sugar cane		0.01			3	2021	53			
SO 0702	Sunflower seed		0.05	(*)		3	2021	53			
TN 0085	Tree nuts (group)		0.05			CXL	2016	49		2017	
GC 0654	Wheat		0.01			3	2021	53			
AS 0654	Wheat, hay and/or straw		0.3			3	2021	53			

293 Pinoxaden

Main Uses:

Herbicide

ADI:

0-0.1 mg/kg bw (2016)

ARfD:

0.3 mg/kg bw (2016)

Residue:

For compliance with the MRL and for dietary risk assessment for plant commodities: Sum of free and conjugated M4 (SYN 505164; 8-(2,6-Diethyl-4-hydroxymethyl-phenyl)-9-hydroxy-1,2,4,5-tetrahydro-pyrazolo[1,2-d][1,4,5]oxadiazepin-7-one), expressed as pinoxaden.

For compliance with the MRL and for dietary risk assessment) for animal commodities: M4 (SYN 505164;

8-(2,6-Diethyl-4-hydroxymethyl-phenyl)-9-hydroxy-1,2,4,5-tetrahydro-pyrazolo[1,2-d][1,4,5]oxadiazepin-7-one), expressed as pinoxaden.

The residue is not fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
GC 0640	Barley	0.7			CXL	2016	49		2017	
AS 0640	Barley, hay and/or straw	3 (dw)			CXL	2016	49		2017	
PE 0112	Eggs	0.02 (*)			CXL	2016	49		2017	
PF 0111	Poultry fats	0.02 (*)			CXL	2016	49		2017	
PM 0110	Poultry meat	0.02 (*)			CXL	2016	49		2017	
PO 0111	Poultry, edible offal of	0.02 (*)			CXL	2016	49		2017	
GC 0654	Wheat	0.7			CXL	2016	49		2017	
AS 0654	Wheat, hay and/or straw	3 (dw)			CXL	2016	49		2017	

294 Spiromesifen

Main Uses: Acaricide and Insecticide
 ADI: 0-0.03 mg/kg bw (2016)
 ARfD: Unnecessary (2016)
 Residue: For compliance with the MRL for plant and animal commodities: Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen.
 For dietary risk assessment for plant commodities: Sum of spiromesifen, 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, and 4-hydroxy-3-[4-(hydroxymethyl)-2,6-dimethylphenyl]-1-oxaspiro[4.4]non-3-en-2-one (free and conjugated), all expressed as spiromesifen.
 For dietary risk assessment) for animal commodities: sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen.
 Residue is fat soluble.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VB 0040	Brassica vegetables (except Brassica leafy vegetables) (group)		3			CXL	2016	49		2017	
VR 0463	Cassava	0.02	(*)			CXL	2016	49		2017	
SB 0716	Coffee beans	0.2				CXL	2016	49		2017	
VP 0526	Common bean (pods and/or immature seeds)	1				CXL	2016	49		2017	
SO 0691	Cotton seed	0.7				CXL	2016	49		2017	
VC 0424	Cucumber	0.15				CXL	2016	49		2017	
MO 0105	Edible offal (mammalian)	0.3				CXL	2016	49		2017	
VO 0440	Egg plant	0.7				CXL	2016	49		2017	
PE 0112	Eggs	0.02				CXL	2016	49		2017	
VC 0045	Fruiting vegetables, cucurbits (group)	0.09		except melon and cucumber		CXL	2016	49		2017	
VL 0053	Leafy vegetables	15				CXL	2016	49		2017	
VL 0054	Leaves of Brassicaceae	15				CXL	2016	49		2017	
FB 2009	Low growing berries (subgroup)	3				CXL	2016	49		2017	
GC 0645	Maize	0.02	(*)			CXL	2016	49		2017	
AS 0645	Maize fodder (dry)	6				CXL	2016	49		2017	
MF 0100	Mammalian fats (except milk fats)	0.15				CXL	2016	49		2017	
MM 0095	Meat (from mammals other than marine mammals)	0.15	F			CXL	2016	49		2017	
VC 0046	Melons, except watermelon	0.3				CXL	2016	49		2017	
ML 0106	Milks	0.015				CXL	2016	49		2017	
VO 0442	Okra	0.5				CXL	2016	49		2017	
VO 0443	Pepino	0.5				CXL	2016	49		2017	
VO 0051	Peppers (subgroup)	0.5				CXL	2016	49		2017	
HS 0444	Peppers chili, dried	5				CXL	2016	49		2017	
GC 0656	Popcorn	0.02	(*)			CXL	2016	49		2017	
VR 0589	Potato	0.02	(*)			CXL	2016	49		2017	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
PF 0111	Poultry fats		0.02			CXL	2016	49		2017	
PM 0110	Poultry meat		0.02			CXL	2016	49		2017	
PO 0111	Poultry, edible offal of		0.05			CXL	2016	49		2017	
VO 0447	Sweet corn (corn-on-the-	0.02	(*)			CXL	2016	49		2017	
VR 0508	Sweet potato	0.02	(*)			CXL	2016	49		2017	
DT 1114	Tea, green, black (black, fermented and dried)	70				CXL	2016	49		2017	
VO 0448	Tomato	0.7				CXL	2016	49		2017	
VW 0448	Tomato paste	2				CXL	2016	49		2017	
DV 0448	Tomato, dried	4				CXL	2016	49		2017	

295 Bicyclopyrone

Main Uses: Acaricide

ADI: 0–0.003 mg/kg bw (2017)

ARfD: 0.01 mg/kg bw (for women of child-bearing age) (2017)

Residue: For compliance with the MRL and for the estimation of dietary exposure for plant commodities: Sum of bicyclopyrone and its structurally-related metabolites determined as the sum of the common moieties 2-(2-methoxyethoxymethyl)-6-(trifluoromethyl)pyridine-3-carboxylic acid (SYN503780) and (2-(2-hydroxyethoxymethyl)-6-(trifluoromethyl)pyridine-3-carboxylic acid (CSCD686480), expressed as bicyclopyrone.

For compliance with the MRL and for the estimation of dietary exposure for animal commodities: Sum of bicyclopyrone and its structurally-related metabolites determined as the sum of the common moieties 2-(2-methoxyethoxymethyl)-6-(trifluoromethyl)pyridine-3-carboxylic acid (SYN503780) and 2-(2-hydroxyethoxymethyl)-6-(trifluoromethyl)pyridine-3-carboxylic acid (CSCD686480), expressed as bicyclopyrone.

The residue is not fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
GC 0640	Barley	0.04			CXL	2017	50		2018	
CF 0640	Barley bran, processed	0.1			CXL	2017	50		2018	
AS 0640	Barley, hay and/or straw	0.8	(dw)		CXL	2017	50		2018	
MO 0105	Edible offal (mammalian)	3			CXL	2017	50		2018	
PE 0112	Eggs	0.01	(*)		CXL	17	50		2018	
GC 0645	Maize	0.02	(*)		CXL	2017	50		2018	
AS 0645	Maize fodder (dry)	0.5			CXL	2017	50		2018	
MF 0100	Mammalian fats (except milk fats)	0.02	(*)		CXL	2017	50		2018	
MM 0095	Meat (from mammals other than marine mammals)	0.02	(*)		CXL	2017	50		2018	
ML 0106	Milks	0.02	(*)		CXL	2017	50		2018	
PF 0111	Poultry fats	0.01	(*)		CXL	17	50		2018	
PM 0110	Poultry meat	0.01	(*)		CXL	17	50		2018	
PO 0111	Poultry, edible offal of	0.01	(*)		CXL	17	50		2018	
GS 0659	Sugar cane	0.02	(*)		CXL	2017	50		2018	
GC 0447	Sweet corn (corn on the cob) (kernels plus cob with husk removed)	0.03			CXL	2017	50		2018	
AS 0447	Sweet corn fodder	0.5	(dw)		CXL	2017	50		2018	
GC 0654	Wheat	0.04			CXL	2017	50		2018	
CF 0654	Wheat bran, processed	0.1			CXL	2017	50		2018	
CF 1210	Wheat germ	0.06			CXL	2017	50		2018	
AS 0654	Wheat, hay and/or straw	0.8	(dw)		CXL	2017	50		2018	

296 Cyclaniliprole

Main Uses: Acaricide
 ADI: 0–0.04 mg/kg bw (2017)
 ARfD: Unnecessary (2017)
 Residue: For compliance with the MRL for plant and animal commodities: Cyclaniliprole.
 For estimation of dietary exposure) for plant commodities: Cyclaniliprole + 3-bromo-2-(2-bromo-4H-pyrazolo[1,5-d]pyrido[3,2-b]-[1,4]oxazin-4-ylidene)amino)-5-chloro-N-(1-cyclopropylethyl)benzamide (NK-1375), expressed as cyclaniliprole equivalents.
 The molecular weight conversion factor to express NK-1375 in cyclaniliprole equivalents = 1.064.
 For estimation of dietary exposure) for animal commodities: Cyclaniliprole.
 The residue is fat soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AM	0660	Almond hulls	6			CXL	2019	52		2021	
TN	0660	Almonds	0.03			CXL	2019	52		2021	
FB	2006	Bush berries (subgroup)	1.5			CXL	2019	52		2021	
VB	0041	Cabbages, head	0.7			CXL	2019	52		2021	
FB	2005	Cane berries (subgroup)	0.8			CXL	2019	52		2021	
FS	0013	Cherries (subgroup)	0.7			CXL	2019	52		2021	
FC	0001	Citrus fruits (group)	0.4			CXL	2019	52		2021	
OR	0001	Citrus oil, edible	50			CXL	2019	52		2021	
MO	0105	Edible offal (mammalian)	0.2			CXL	2019	52		2021	
VO	2046	Eggplants (subgroup)	0.15			CXL	2019	52		2021	
PE	0112	Eggs	0.01	(*)		CXL	2019	52		2021	
FB	0267	Elderberries	1.5			CXL	2019	52		2021	
VB	0042	Flowerhead brassicas (subgroup)	0.8			CXL	2019	52		2021	
VC	2039	Fruiting vegetables, cucurbits - cucumbers and summer squashes (subgroup)	0.05			CXL	2019	52		2021	
VC	2040	Fruiting vegetables, cucurbits – melons, pumpkins and winter squashes (subgroup)	0.1			CXL	2019	52		2021	
FB	0269	Grapes	0.6			CXL	2019	52		2021	
FB	2254	Guelder rose	1.5			CXL	2019	52		2021	
VL	2050	Leafy greens (subgroup)	7			CXL	2019	52		2021	
VL	0054	Leaves of Brassicaceae	10			CXL	2019	52		2021	
FB	2009	Low growing berries (subgroup)	0.4		(except cranberries)	CXL	2019	52		2021	
MF	0100	Mammalian fats (except milk fats)	0.25			CXL	2019	52		2021	
MM	0095	Meat (from mammals other than marine mammals)	0.25	(fat)		CXL	2019	52		2021	
FM	0183	Milk fats	0.2			CXL	2019	52		2021	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
	Code	Name									
ML	0106	Milks	0.01			CXL	2019	52		2021	
FS	2001	Peaches (including apricots and nectarine) (subgroup)	0.3			CXL	2019	52		2021	
VO	0051	Peppers (subgroup)	0.15		(except martynia, okra and roselle)	CXL	2019	52		2021	
HS	0444	Peppers chili, dried	1.5			CXL	2019	52		2021	
FS	0014	Plums (including fresh prunes) (subgroup)	0.15			CXL	2019	52		2021	
FP	0009	Pome fruits (group)	0.2		(excluding Japanese persimmons)	CXL	2019	52		2021	
PF	0111	Poultry fats	0.01	(*)		CXL	2019	52		2021	
PM	0110	Poultry meat	0.01	(*)		CXL	2019	52		2021	
PO	0111	Poultry, edible offal of	0.01	(*)		CXL	2019	52		2021	
DF	0014	Prunes	0.6			CXL	2019	52		2021	
AS	0081	Straw and hay of cereal grains except pseudocereals	0.45	(dw)		CXL	2019	52		2021	See cherries
DT	1114	Tea, green, black (black, fermented and dried)	50			CXL	2019	52		2021	
DV	0448	Tomato, dried	0.35			CXL	2019	52		2021	
VO	2045	Tomatoes (subgroup)	0.08			CXL	2019	52		2021	
VR	2071	Tuberous and corm vegetables (subgroup)	0.01	(*)		CXL	2019	52		2021	

297 Fenazaquin

Main Uses: Acaricide

ADI: 0–0.05 mg/kg bw (2017)

ARfD: 0.1 mg/kg bw (2017)

Residue: For plant commodities for compliance and for dietary risk assessment: Fenazaquin.

For compliance and estimation of dietary exposure for animal commodities: Sum of fenazaquin and the metabolite 2-hydroxy-fenazaquin acid expressed as fenazaquin.
The residue is fat soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AM 0660	Almond hulls	4 (dw)		CXL	2019	52		2021		
FS 0013	Cherries (subgroup)	2		CXL	2017	50		2018		
MO 0105	Edible offal (mammalian)	0.02 (*)		CXL	2019	52		2021		
DH 1100	Hops, dry	30		CXL	2017	50		2018		
MF 0100	Mammalian fats (except milk fats)	0.02 (*)		CXL	2019	52		2021		
MM 0095	Meat (from mammals other than marine mammals)	0.02 (*) (fat)		CXL	2019	52		2021		
FM 0183	Milk fats	0.02 (*)		CXL	2019	52		2021		
ML 0106	Milks	0.02 (*)		CXL	2019	52		2021		
TN 0085	Tree nuts (group)	0.02		CXL	2019	52		2021		

298 Fenpyrazamine

Main Uses: Acaricide

ADI: 0-0.3 mg/kg bw (2017)

ARfD: 0.8 mg/kg bw (2017)

Residue: For plant commodities for enforcement of MRLs: Fenpyrazamine.

For plant commodities for estimation of dietary exposure: Sum of fenpyrazamine and 5-amino-1,2-dihydro-2-isopropyl-4-(o-tolyl)pyrazol-3-one (S-2188-DC), expressed as fenpyrazamine.

For animal commodities for enforcement of MRLs and for estimation of dietary exposure: Sum of fenpyrazamine and 5-amino-1,2-dihydro-2-isopropyl-4-(o-tolyl)pyrazol-3-one (S-2188-DC), expressed as fenpyrazamine.

The residue is not fat-soluble.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
TN	0660	Almonds	0.01	(*)		CXL	2017	50		2018	
FB	2006	Bush berries (subgroup)	4			CXL	2017	50		2018	
FB	2005	Cane berries (subgroup)	5			CXL	2017	50		2018	
FS	0013	Cherries (subgroup)	3			CXL	2017	50		2018	
VO	4275	Cherry tomato	3			CXL	2017	50		2018	
VC	0424	Cucumber	0.7			CXL	2017	50		2018	
MO	0105	Edible offal (mammalian)	0.05			CXL	2017	50		2018	
VO	2046	Eggplants (subgroup)	3			CXL	2017	50		2018	
VR	0604	Ginseng	0.7			CXL	2017	50		2018	
DF	0269	Grape, dried (= Currants, Raisins and Sultanas)	9			CXL	2017	50		2018	
FB	0269	Grapes	3			CXL	2017	50		2018	
VL	0482	Lettuce, head	1.5			CXL	2017	50		2018	
VL	0483	Lettuce, leaf	1.5			CXL	2017	50		2018	
MF	0100	Mammalian fats (except milk fats)	0.02	(*)		CXL	2017	50		2018	
MM	0095	Meat (from mammals other than marine mammals)	0.02	(*)		CXL	2017	50		2018	
ML	0106	Milks	0.01	(*)		CXL	2017	50		2018	
FS	2001	Peaches (including apricots and nectarine) (subgroup)	4			CXL	2017	50		2018	
VO	0445	Peppers, sweet (including pimento or pimienta)	3			CXL	2017	50		2018	
FS	0014	Plums (including fresh prunes) (subgroup)	2			CXL	2017	50		2018	
FB	0275	Strawberry	3			CXL	2017	50		2018	
VO	0448	Tomato	3			CXL	2017	50		2018	

299 Isoprothiolane

Main Uses: Acaricide

ADI: 0-0.1 mg/kg bw (2017)

ARfD: Unnecessary (2017)

Residue: For compliance with the MRL for plant commodities: Isoprothiolane.

For dietary risk assessment for rice: Isoprothiolane.

For dietary risk assessment for plants other than rice: Sum of isoprothiolane, diisopropyl-4-hydroxy-1,3-dithiolan-2-ylidenemalonate (M-3); free and conjugated and 1-hydroxypropan-2-yl propan-2-yl 1,3-dithiolan-2-ylidenemalonate (M-5); free and conjugated, expressed as isoprothiolane.

For compliance with the MRL and dietary risk assessment for animal commodities: Sum of isoprothiolane and 2-(1,3-dithiolan-2-ylidene)-3-oxo-3-(propan-2-yloxy)propanoic acid (M-2), expressed as isoprothiolane.

The residue is not fat-soluble.

Note: The Regular Meeting of JMPR (2021) reaffirmed ADI can be applied to metabolites M-2, M-3 and M-5.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FI 0327	Banana		1			3	2021	53			
MO 0105	Edible offal (mammalian)		0.01 (*)		CXL	2017	50		2018		
MF 0100	Mammalian fats (except milk fats)		0.01 (*)		CXL	2017	50		2018		
MM 0095	Meat (from mammals other than marine mammals)		0.01 (*)		CXL	2017	50		2018		
ML 0106	Milks		0.01 (*)		CXL	2017	50		2018		
CM 0649	Rice, husked		6		CXL	2017	50		2018		
CM 1205	Rice, polished		1.5		CXL	2017	50		2018		

300 Natamycin

Main Uses: Acaricide
ADI: Not established
ARfD: Not established
Residue: For compliance with the MRL and for estimation of dietary exposure) for plant and animal commodities: Natamycin.
The residue is not fat soluble.

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
-------------------	------	-------------	--------	----------	------	------	------	------------	-----	-----------

301 Phosphonic acid

Main Uses:	Acaricide
ADI:	0-1 mg/kg bw (The ADI applied directly to Fosetyl-Al and to Phosphonic acid).
ARfD:	Unnecessary (2017)
Residue:	For compliance with the MRL and for estimation of dietary exposure for plant commodities: Sum of fosetyl, phosphonic acid and their salts expressed as phosphonic acid. For compliance with the MRL and for estimation of dietary exposure for animal commodities: Phosphonic acid. The residue is not fat soluble.
Note:	The proposed maximum residue levels, STMRs are reported in the fosetyl-aluminium appraisal.

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
-------------------	------	-------------	--------	----------	------	------	------	------------	-----	-----------

302 Fosetyl Al

Main Uses: Acaricide
 ADI: 0-1 mg/kg bw (The ADI applied directly to Fosetyl-Al and to Phosphonic acid).
 ARfD: Unnecessary (2017)
 Residue: For compliance with the MRL and for estimation of dietary exposure for plant commodities: Sum of fosetyl, phosphonic acid and their salts, expressed as phosphonic acid.
 For compliance with the MRL and for estimation of dietary exposure for animal commodities: Phosphonic acid.
 The residue is not fat soluble.

		Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FI	0326	Avocado			20			CXL	2017	50		2018	
FB	0264	Blackberries			70		(based on Fosetyl-Al use)	CXL	2019	52		2021	
SB	0716	Coffee beans			30		(based on Fosetyl-Al use)	CXL	2019	52		2021	
VC	0424	Cucumber			60			CXL	2017	50		2018	
MO	0105	Edible offal (mammalian)			0.5			CXL	2017	50		2018	
PE	0112	Eggs			0.05	(*)		CXL	2019	52		2021	
VB	0042	Flowerhead brassicas			0.2	(*)		(based on (subgroup)Fosetyl use)	CXL	2019	52		2021
FB	0269	Grapes			60			CXL	2017	50		2018	
VB	2036	Head brassicas			0.2	(*)		(based on Fosetyl use)	CXL	2019	52		2021
DH	1100	Hops, dry			1500			CXL	2017	50		2018	
VL	0480	Kale (including among others: Collards, curly kale, Scotch kale, thousand-headed kale; not including Marrow-stem kale)			0.2	(*)		(based on Fosetyl use)	CXL	2019	52		2021
FI	0341	Kiwifruit			150		(based on Fosetyl-Al use)	CXL	2019	52		2021	
VL	0482	Lettuce, head			200			CXL	2017	50		2018	
VL	0483	Lettuce, leaf			40			CXL	2017	50		2018	
MF	0100	Mammalian fats (except milk fats)			0.3			CXL	2019	52		2021	
FC	0003	Mandarins (including mandarin-like hybrids) (subgroup)			50			CXL	2017	50		2018	
MM	0095	Meat (from mammals other than marine mammals)			0.15			CXL	2017	50		2018	
VC	0046	Melons, except watermelon			60			CXL	2017	50		2018	
ML	0106	Milks			0.1			CXL	2017	50		2018	
FC	0004	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)			20			CXL	2017	50		2018	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
	Code	Name									
VO	0445	Peppers, sweet (including pimento or pimiento)	7			CXL	2017	50		2018	
FI	0353	Pineapple	15		(based on Fosetyl-Al use)	CXL	2019	52		2021	
FP	0009	Pome fruits (group)	50			CXL	2017	50		2018	
PF	0111	Poultry fats	0.05 (*)			CXL	2019	52		2021	
PM	0110	Poultry meat	0.05 (*)			CXL	2019	52		2021	
PO	0111	Poultry, edible offal of	0.05 (*)			CXL	2019			2021	
VL	0502	Spinach	20			CXL	2017	50		2018	
VC	0431	Squash, summer	70			CXL	2017	50		2018	
FB	0275	Strawberry	70			CXL	2017	50		2018	
VO	0448	Tomato	8			CXL	2017	50		2018	
TN	0085	Tree nuts (group)	400			CXL	2017	50		2018	

303 Triflumezopyrim

Main Uses: Acaricide

ADI: 0-0.2 mg/kg bw

ARfD: 1 mg/kg bw (2017)

Residue: For compliance with the MRL for plant and animal commodities: Triflumezopyrim.

For the estimation of dietary exposure for plant commodities: Sum of triflumezopyrim and 3-(trifluoromethyl)benzoic acid (IN-Y2186), expressed as triflumezopyrim.

For the estimation of dietary exposure) for animal commodities: Triflumezopyrim.

The residue is not fat soluble.

Commodity	Code	Name	MRL (mg/kg)		Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
MO	0105	Edible offal (mammalian)	0.01	(*)			CXL	2017	50		2018	
PE	0112	Eggs	0.01	(*)			CXL	2017	50		2018	
MF	0100	Mammalian fats (except milk fats)	0.01	(*)			CXL	2017	50		2018	
MM	0095	Meat (from mammals other than marine mammals)	0.01	(*)			CXL	2017	50		2018	
FM	0183	Milk fats	0.01	(*)			CXL	2017	50		2018	
ML	0106	Milks	0.01	(*)			CXL	2017	50		2018	
PF	0111	Poultry fats	0.01	(*)			CXL	2017	50		2018	
PM	0110	Poultry meat	0.01	(*)			CXL	2017	50		2018	
PO	0111	Poultry, edible offal of	0.01	(*)			CXL	2017	50		2018	
GC	0649	Rice	0.2				CXL	2017	50		2018	
AS	0649	Rice, hay and/or straw	0.4	(dw)			CXL	2017	50		2018	
CM	0649	Rice, husked	0.01				CXL	2017	50		2018	
CM	1205	Rice, polished	0.01				CXL	2017	50		2018	

304 Ethiprole

Main Uses: Insecticide

ADI: 0–0.005 mg/kg bw (2018)

ARfD: 0.005 mg/kg bw (2018)

Residue: For compliance with the MRL for plant commodities: Ethiprole.

For dietary risk assessment for plant commodities: Sum of ethiprole, 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-(ethylsulfinyl)-1H-pyrazole-3-carboxamide (ethiprole-amide) and 5-amino-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-ethylsulfonylpyrazole-3-carbonitrile (ethiprole-sulfone), expressed as parent equivalents.

For compliance with the MRL and dietary risk assessment for animal commodities: Sum of ethiprole and

5-amino-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-ethylsulfonylpyrazole-3-carbonitrile (ethiprole-sulfone), expressed as parent equivalents.

The residue is fat soluble.

Note: ADI and ARfD apply to ethiprole, ethiprole-amide and ethiprole-sulfone, expressed as ethiprole.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
SB 0716	Coffee beans	0.07			CXL	2018	51		2019	
SM 0716	Coffee beans, roasted	0.2			CXL	2018	51		2019	
MO 0105	Edible offal (mammalian)	0.1			CXL	2018	51		2019	
PE 0112	Eggs	0.05			CXL	2018	51		2019	
MF 0100	Mammalian fats (except milk fats)	0.15			CXL	2018	51		2019	
MM 0095	Meat (from mammals other than marine mammals)	0.15	(fat)		CXL	2018	51		2019	
FM 0183	Milk fats	0.5			CXL	2018	51		2019	
ML 0106	Milks	0.015			CXL	2018	51		2019	
PF 0111	Poultry fats	0.05			CXL	2018	51		2019	
PM 0110	Poultry meat	0.05	(fat)		CXL	2018	51		2019	
PO 0111	Poultry, edible offal of	0.05			CXL	2018	51		2019	
GC 0649	Rice	3			CXL	2018	51		2019	
CM 0649	Rice, husked	1.5			CXL	2018	51		2019	
CM 1205	Rice, polished	0.4			CXL	2018	51		2019	
VD 0541	Soya bean (dry)	0.05			3	2021	53			
AL 3538	Soya bean, hulls	0.4			3	2021	53			

305 Fenpicoxamid

Main Uses: Fungicide

ADI: 0–0.05 mg/kg bw (2018)

ARfD: Unnecessary (2018)

Residue: For compliance with the MRL and dietary risk assessment for plant commodities: Fenpicoxamid (2018)

For compliance with the MRL and dietary risk assessment for milk and tissues of mammals (other than marine mammals): 2-benzyl-2,5-dideoxy-4-O-{N-[(3-hydroxy-4-methoxypyridin-2-yl)carbonyl]-L-seryl}-L-arabinoic acid (X12326349), expressed as fenpicoxamid (2021).

The residue is not fat-soluble (2021).

Note: The 2021 (Extra) JMPM Meeting confirms its previous decision not to recommend a residue definition for poultry commodities (muscle, fat, offals and eggs).

If future uses of fenpicoxamid result in an increase in the dietary exposure to the animal metabolite X12326349 and the hydrolysis products X12314005, X12019520, X12335723 and X12264475 in poultry, reconsideration of the residue definitions may become necessary.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FI 0327	Banana	0.15			CXL	2018	51			2019
MO 0105	Edible offal (mammalian)	0.02			3	2021	53			
MF 0100	Mammalian fats (except milk fats)	0.015			3	2021	53			
MM 0095	Meat (from mammals other than marine mammals)	0.015	(*)		3	2021	53			
ML 0106	Milks	0.015	(*)		3	2021	53			
GC 0650	Rye	0.15			3	2021	53			
GC 0653	Triticale	0.15			3	2021	53			
GC 0654	Wheat	0.15			3	2021	53			
AS 0654	Wheat, hay and/or straw	30	(dw)		3	2021	53			

306 Fluazinam

Main Uses: Fungicide

JMPR: See JMPR Report, Annex 2: Index of reports and evaluations of pesticides by JMPR.

ADI: Not established

ARfD: Not established

Residue: For compliance with the MRL for plant commodities: Fluazinam.

Commodity Code Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
------------------------	-------------	--------	----------	------	------	------	------------	-----	-----------

307 Mandestrobin

Main Uses: Fungicide
 ADI: 0–0.2 mg/kg bw (2018)
 ARfD: 3 mg/kg bw (for women of child-bearing age) (2018)
 Residue: For compliance with MRL in plant and animal commodities and for dietary risk assessment in plant commodities: Mandestrobin.
 For acute dietary risk assessment in animal commodities: Sum of parent, (2RS)-2-[2-(4-hydroxy-2,5-dimethylphenoxyethyl)phenyl]-2-methoxy-N-methylacetamide (4-OH-mandestrobin) + (2RS)-2-(2-hydroxymethylphenyl)-2-methoxy-N-methylacetamide (De-XY-mandestrobin) + 2RS)-2-[2-(2-hydroxymethyl-5-methylphenoxyethyl)phenyl]-2-methoxy-N-methylacetamide (2-CH₂-OH-mandestrobin) + 2-[(2-[(1RS)-1-methoxy-2-(methylamino)-2-oxoethyl]benzyl}oxy]-4-methylbenzoic acid (2-COOH-mandestrobin), + 3-[(2-[(1RS)-1-methoxy-2-(methylamino)-2-oxoethyl]benzyl}oxy]-4-methylbenzoic acid (5-COOH-mandestrobin) and their conjugates, expressed as parent compound.
 For long-term dietary risk assessment in animal commodities: Sum of parent, (2RS)-2-[2-(4-hydroxy-2,5-dimethylphenoxyethyl)phenyl]-2-methoxy-N-methylacetamide (4-OH-mandestrobin), and its conjugates, expressed as parent compound.
 The residue is fat-soluble.

Note: The 2018 JMPR was unable to complete an evaluation for residues (Chapter 2.2, 2018 JMPR).

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
MO	0105	Edible offal (mammalian)	0.01 (*)			CXL	2019	52		2021	
PE	0112	Eggs	0.01 (*)			CXL	2019	52		2021	
DF	0269	Grape, dried (= Currents, Raisins and Sultanas)	10			CXL	2019	52		2021	
FB	0269	Grapes	5			CXL	2019	52		2021	
MF	0100	Mammalian fats (except milk fats)	0.01 (*)			CXL	2019	52		2021	
MM	0095	Meat (from mammals other than marine mammals)	0.01 (*)			CXL	2019	52		2021	
ML	0106	Milks	0.01 (*)			CXL	2019	52		2021	
PF	0111	Poultry fats	0.01 (*)			CXL	2019	52		2021	
PM	0110	Poultry meat	0.01 (*)			CXL	2019	52		2021	
PO	0111	Poultry, edible offal of	0.01 (*)			CXL	2019	52		2021	
SO	0495	Rape seed	0.2			CXL	2019	52		2021	
FB	0275	Strawberry	3			CXL	2019	52		2021	

308 Norflurazon

Main Uses: Herbicide
 ADI: 0–0.005 mg/kg bw (2018)
 ARfD: 0.3 mg/kg bw (2018)
 Residue: For compliance with the MRL for plant commodities: Sum of norflurazon and desmethyl norflurazon, expressed as norflurazon.
 For dietary risk assessment for plant commodities: Sum of norflurazon and desmethyl norflurazon (free and conjugated), expressed as norflurazon.
 For compliance with the MRL for animal commodities: Sum of norflurazon and desmethyl norflurazon (free and conjugated), expressed as norflurazon.
 For dietary risk assessment for animal commodities: Sum of desmethyl norflurazon (free and conjugated) and 6-methyl sulfoxide norflurazon, expressed as norflurazon.
 The residue is not fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AL 1020	Alfalfa fodder	7 (DM)			CXL	2018	51		2019	
MO 0105	Edible offal (mammalian)	0.3			CXL	2018	51		2019	
PE 0112	Eggs	0.02 (*)			CXL	2018	51		2019	
MF 0100	Mammalian fats (except milk fats)	0.02 (*)			CXL	2018	51		2019	
MM 0095	Meat (from mammals other than marine mammals)	0.02 (*)			CXL	2018	51		2019	
ML 0106	Milks	0.02 (*)			CXL	2018	51		2019	
PF 0111	Poultry fats	0.02 (*)			CXL	2018	51		2019	
PM 0110	Poultry meat	0.02 (*)			CXL	2018	51		2019	
PO 0111	Poultry, edible offal of	0.02 (*)			CXL	2018	51		2019	

309 Pydiflumetofen

Main Uses: Fungicide
 ADI: 0–0.1 mg/kg bw (2018)
 ARfD: 0.3 mg/kg bw (2018)
 Residue: For compliance with the MRL and dietary risk assessment for plant commodities: Pydiflumetofen.
 For compliance with the MRL for animal commodities: Pydiflumetofen.
 For dietary risk assessment for animal commodities other than mammalian liver and kidney: Sum of pydiflumetofen and 2,4,6-trichlorophenol (2,4,6-TCP) and its conjugates, expressed as pydiflumetofen.
 For dietary risk assessment for mammalian liver and kidney: Sum of pydiflumetofen, 2,4,6-trichlorophenol (2,4,6-TCP) and its conjugates, and 3-(difluoromethyl)-N-methoxy-1-methyl-N-[1-methyl-2-(2,4,6-trichloro-3-hydroxy- phenyl) ethyl]pyrazole-4-carboxamide (SYN547897) and its conjugates, expressed as pydiflumetofen.
 The residue is fat-soluble

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
AM	0660	Almond hulls	10	(dw)		3	2021	53			
AS	0640	Barley, hay and/or straw	50	(dw)		CXL	2019	52		2021	
GC	2087	Barley, similar grains, and pseudocereals with husks (subgroup)	3			CXL	2019	52		2021	
VP	2060	Beans with pods (subgroup)	0.7			3	2021	53			
VB	0040	Brassica vegetables (except Brassica leafy vegetables) (group)	0.1		(except Brassica leafy vegetables)	CXL	2019	52		2021	Recommended for withdrawal by JMPR
VA	2031	Bulb onions (subgroup)	0.3			3	2021	53			
FB	2006	Bush berries (subgroup)	5			3	2021	53			
FS	0013	Cherries (subgroup)	2			3	2021	53			
FC	0001	Citrus fruits (group)	0.9			3	2021	53			
OR	0001	Citrus oil, edible	40			3	2021	53			
AB	0001	Citrus pulp, dried	1.5			3	2021	53			
SO	0691	Cotton seed	0.3			CXL	2019	52		2021	Recommended for withdrawal by JMPR
SO	0691	Cotton seed	0.02		(based on rotational crops)	3	2021	53			
VD	2065	Dry beans (subgroup)	0.4			CXL	2019	52		2021	
VD	2066	Dry peas (subgroup)	0.4			CXL	2019	52		2021	
MO	0105	Edible offal (mammalian)	0.1			CXL	2019	52		2021	Recommended for withdrawal by JMPR
MO	0105	Edible offal (mammalian)	0.1			3	2021	53			
PE	0112	Eggs	0.02			CXL	2019	52		2021	Recommended for withdrawal by JMPR
PE	0112	Eggs	0.02			3	2021	53			
FB	0267	Elderberries	5			3	2021	53			
VB	0042	Flowerhead brassicas (subgroup)	3			3	2021	53			

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
VC 0045	Fruiting vegetables, cucurbits (group)	0.4			CXL	2019	52		2021	
VO 0050	Fruiting vegetables, other than cucurbits (group)	0.5		(except martynia, okra and roselle)	CXL	2019	52		2021	
DF 0269	Grape, dried (= Currents, Raisins and Sultanas)	4			CXL	2018	51		2019	
VA 2032	Green onions (subgroup)	1.5			3	2021	53			
VB 2036	Head brassicas	2			3	2021	53			
VL 0054	Leaves of Brassicaceae	0.1			CXL	2019	52		2021	
VL 2052	Leaves of root and tuber vegetables (subgroup)	0.07		(except leaves of tuber vegetables)	CXL	2019	52		2021	Recommended for withdrawal by JMPR
AL 0157	Legume animal feeds	30	(dw)		CXL	2019	52		2021	
VP 0060	Legume vegetables (group)	0.02			CXL	2019	52		2021	Recommended for withdrawal by JMPR
FB 2009	Low growing berries (subgroup)	1		(except cranberries)	3	2021	53			
GC 2091	Maize cereals (subgroup)	0.04			CXL	2019	52		2021	
CF 1255	Maize flour	0.07			CXL	2019	52		2021	
AS 0645	Maize fodder (dry)	18	(dw)		CXL	2019	52		2021	
OR 0645	Maize oil, edible	0.08			CXL	2019	52		2021	
MF 0100	Mammalian fats (except milk fats)	0.1			CXL	2019	52		2021	Recommended for withdrawal by JMPR
MF 0100	Mammalian fats (except milk fats)	0.1			3	2021	53			
VO 2709	Martynia	0.02			CXL	2019	52		2021	
MM 0095	Meat (from mammals other than marine mammals)	0.1	(fat)		CXL	2019	52		2021	Recommended for withdrawal by JMPR
MM 0095	Meat (from mammals other than marine mammals)	0.1	(fat)		3	2021	53			
ML 0106	Milks	0.01	(*)		CXL	2019	52		2021	Recommended for withdrawal by JMPR
ML 0106	Milks	0.01	(*)		3	2021	53			
AS 0646	Millet fodder, dry	0.3	(dw)		CXL	2019	52		2021	
AS 0647	Oat straw and fodder, dry	50	(dw)		CXL	2019	52		2021	
VO 0442	Okra	0.02			CXL	2019	52		2021	
FS 2001	Peaches (including apricots and nectarine) (subgroup)	1			3	2021	53			
SO 0697	Peanut	0.05			CXL	2019	52		2021	
OR 0697	Peanut oil, edible	0.15			CXL	2019	52		2021	
VP 2061	Peas with pods (subgroup)	1.5			3	2021	53			
HS 0444	Peppers chili, dried	5			CXL	2019	52		2021	
FS 0014	Plums (including fresh prunes) (subgroup)	0.6			3	2021	53			

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
FP 0009	Pome fruits (group)		0.2		(except Persimmon, Japanese)	3	2021	53			
DV 0589	Potato, flakes/granules		0.5		(potato, dried)	CXL	2019	52	2021	DV 0589 Potato, dried (former code)	
PF 0111	Poultry fats	0.01	(*)			CXL	2019	52	2021	Recommended for withdrawal by JMPR	
PF 0111	Poultry fats	0.01	(*)			3	2021	53			
PM 0110	Poultry meat	0.01	(*)			CXL	2019	52	2021	Recommended for withdrawal by JMPR	
PM 0110	Poultry meat	0.01	(*)			3	2021	53			
PO 0111	Poultry, edible offal of	0.01	(*)			CXL	2019	52	2021	Recommended for withdrawal by JMPR	
PO 0111	Poultry, edible offal of	0.01	(*)			3	2021	53			
DF 0014	Prunes	1.5				3	2021	53			
GC 2088	Rice cereals (subgroup)	0.03				CXL	2019	52	2021		
AS 0649	Rice, hay and/or straw	0.3	(dw)			CXL	2019	52	2021		
VR 2070	Root vegetables (subgroup)	0.1				CXL	2019	52	2021	Recommended for withdrawal by JMPR	
VR 2070	Root vegetables (subgroup)	0.3				3	2021	53			
VO 0446	Roselle	0.02				CXL	2019	52	2021		
AS 0650	Rye straw and fodder, dry	50	(dw)			CXL	2019	52	2021		
FB 2008	Small fruit vine climbing (subgroup)	1.5				CXL	2018	51	2019		
SO 2090	Small seed oilseeds (subgroup)	0.9				CXL	2019	52	2021		
GC 0651	Sorghum grain	3				3	2021	53			
GC 2089	Sorghum grain and millet (subgroup)	0.03				CXL	2019	52	2021	Recommended for withdrawal by JMPR	
GC 2089	Sorghum grain and millet (subgroup)	0.03				3	2021	53			
AS 0651	Sorghum straw and fodder, dry	0.3	(dw)			CXL	2019	52	2021	Recommended for withdrawal by JMPR	
AS 3562	Sorghum, hay and/or straw	10	(dw)			3	2021	53			
VB 2016	Stem Brassicas (subgroup)	0.1			(based on rotational crops)	3	2021	53			
VS 2080	Stems and petioles (subgroup)	15				CXL	2019	52	2021		
VP 2062	Succulent beans without pods (subgroup)	0.15				3	2021	53			
VP 2063	Succulent peas without pods (subgroup)	0.05				3	2021	53			
AV 0596	Sugar beet leaves or tops (dry)	40	(dw)			3	2021	53			

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
SO	2091	Sunflower seeds (subgroup)	0.3			CXL	2019	52		2021	Recommended for withdrawal by JMPR
SO	2091	Sunflower seeds (subgroup)	0.5			3	2021	53			
GC	2090	Sweet corns (subgroup)	0.03			CXL	2019	52		2021	
DV	0448	Tomato, dried	7			CXL	2019	52		2021	
TN	0085	Tree nuts (group)	0.05			3	2021	53			
AS	0653	Triticale, hay and/or straw	50	(dw)		CXL	2019	52		2021	
VR	2071	Tuberous and corm vegetables (subgroup)	0.1			CXL	2019	52		2021	
VP	2064	Underground immature beans and peas (subgroup)	0.02		(based on rotational crops)	3	2021	53			
CF	0654	Wheat bran, processed	1			CXL	2019	52		2021	
CF	1210	Wheat germ	0.6			CXL	2019	52		2021	
AS	0654	Wheat, hay and/or straw	50	(dw)		CXL	2019	52		2021	
GC	2086	Wheat, similar grains, and pseudocereals without husks (subgroup)	0.4			CXL	2019	52		2021	

310 Pyriofenone

Main Uses: Fungicide
 ADI: 0–0.09 mg/kg bw (2018)
 ARfD: Unnecessary (2018)
 Residue: For compliance with the MRL and dietary risk assessment for plant and animal commodities: Pyriofenone.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FB	2006	Bush berries (subgroup)	1.5			CXL	2018	51		2019	
FB	2005	Cane berries (subgroup)	0.9			CXL	2018	51		2019	
MO	0105	Edible offal (mammalian)	0.01 (*)			CXL	2019	52		2021	
PE	0112	Eggs	0.01 (*)			CXL	2019	52		2021	
VC	0045	Fruiting vegetables, cucurbits (group)	0.2			CXL	2018	51		2019	
DF	0269	Grape, dried (= Currants, Raisins and Sultanas)	2.5			CXL	2018	51		2019	
FB	2009	Low growing berries (subgroup)	0.5			CXL	2018	51		2019	
MF	0100	Mammalian fats (except milk fats)	0.01 (*)			CXL	2019	52		2021	
ML	0106	Milks	0.01 (*)			CXL	2019	52		2021	
PF	0111	Poultry fats	0.01 (*)			CXL	2019	52		2021	
PM	0110	Poultry meat	0.01 (*)			CXL	2019	52		2021	
PO	0111	Poultry, edible offal of	0.01 (*)			CXL	2019	52		2021	
FB	2008	Small fruit vine climbing (subgroup)	0.8			CXL	2018	51		2019	

311 Tioxazafen

Main Uses: Nematocide
 ADI: 0–0.05 mg/kg bw (2018)
 ARfD: 0.5 mg/kg bw (2018)
 Residue: For compliance with the MRL and dietary risk assessment for plant and animal commodities: Sum of tioxazafen and benzamidine (benzenecarboximidamide), expressed as tioxazafen.
 The residue is not fat soluble.

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
AB 1204	Cotton gin trash		0.02			CXL	2018	51		2019	
SO 0691	Cotton seed		0.01	(*)		CXL	2018	51		2019	
MO 0105	Edible offal (mammalian)		0.03			CXL	2018	51		2019	
PE 0112	Eggs		0.02	(*)		CXL	2018	51		2019	
GC 0645	Maize		0.01	(*)		CXL	2018	51		2019	
AS 0645	Maize fodder (dry)		0.03	(DM)		CXL	2018	51		2019	
MF 0100	Mammalian fats (except milk fats)		0.03			CXL	2018	51		2019	
MM 0095	Meat (from mammals other than marine mammals)		0.02			CXL	2018	51		2019	
ML 0106	Milks		0.02			CXL	2018	51		2019	
PF 0111	Poultry fats		0.02	(*)		CXL	2018	51		2019	
PM 0110	Poultry meat		0.02	(*)		CXL	2018	51		2019	
PO 0111	Poultry, edible offal of		0.02	(*)		CXL	2018	51		2019	
VD 0541	Soya bean (dry)		0.04			CXL	2018	51		2019	
AL 0541	Soya bean fodder		0.4	(DM)		CXL	2018	51		2019	
AB 1265	Soya bean meal		0.06			CXL	2018	51		2019	

312 Afidopyropen

Main Uses: Insecticide

ADI: 0–0.08 mg/kg bw

ARfD: 0.2 mg/kg bw (for women of child-bearing age) (2019)

Residue: For compliance with the MRL for plant commodities: Afidopyropen.For dietary risk assessment for plant commodities: Sum of afidopyropen + dimer of

[(3R,6R,6aR,12S,12bR)-3-[(cyclopropanecarbonyl)oxy]-6,12-dihydroxy-4,6a,12b-trimethyl-

11-oxo-9-(pyridin-3-yl)-1,3,4,4a,5,6,6a,12,12a,12b-decahydro-2H,11H-naphtho[2,1-b]pyran-3,4-e]pyran-4-yl]methyl rac-cyclopropanecarboxylate (M007).

For compliance with the MRL for animal commodities: Afidopyropen.For dietary risk assessment for animal commodities, excluding liver: Afidopyropen + (3S,4R,4aR,6S, 6aS, 12R,12aS,12bS)-3,6,12-trihydroxy-4-(hydroxymethyl)-4,6a, 12b-trimethyl--9-(pyridin-3-yl)-1, 3,4,4a,5,6,6a,12, 12a,12b-decahydro-2H,11H-benzo- [f] pyran-4,3-b]chromen-11-one (M001) + Cyclopropane carboxylic acid (CPCA/M061) and (2R)-3-carboxy-2- [(cyclopropylcarbonyl)oxy]- N, N, N-trimethylpropan-1- aminium chloride (CPCA-carnitine conjugate/M060), expressed as afidopyropen.For dietary risk assessment for animal commodities, liver: Afidopyropen + (3S,4R,4aR,6S, 6aS, 12R,12aS,12bS)-3,6,12-trihydroxy-4-(hydroxymethyl)-4,6a,

12b-trimethyl--9- (pyridin-3-yl)-1, 3,4,4a,5,6,6a,12, 12a,12b-decahydro-2H,11H-benzo- [f] pyran-4,3-b]chromen-11- one (M001) + Cyclopropane carboxylic acid (CPCA/M061) and (2R)-3-carboxy-2- [(cyclopropylcarbonyl)oxy]- N, N, N-trimethylpropan-1- aminium chloride (CPCA-carnitine conjugate/M060) +

[(3S,4R,4aR,6S,6aS,12R,12aS,12bS)-3-(cyclopropylcarbonyl)oxy]-6,12-dihydroxy-

4,6a,12b-trimethyl-9-(1-oxidopyridin-3-yl)-11-oxo-1,3,4,4a,5,6,6a,12,12a,12b-decahydro-2H, 11H- benzo[f]pyran-4,3-b]chromen-4-yl]methyl cyclopropane-carboxylate (M017), expressed as afidopyropen.

The residue is not fat-soluble.

Note: ARfD: 0.3 mg/kg bw (for general population)

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
AM 0660	Almond hulls	0.6	(dw)		CXL	2019	52		2021	
DF 0226	Apples, dried	0.02		(peeled)	CXL	2019	52		2021	
VB 0041	Cabbages, head	0.5			CXL	2019	52		2021	
FS 0013	Cherries (subgroup)	0.03			CXL	2019	52		2021	
FC 0001	Citrus fruits (group)	0.15			CXL	2019	52		2021	
AB 0001	Citrus pulp, dried	0.4		(Based on processing studies on oranges)	CXL	2019	52		2021	
HH 3209	Coriander, leaves	5			CXL	2019	52		2021	
AB 1204	Cotton gin trash	1.5			CXL	2019	52		2021	
SO 0691	Cotton seed	0.08			CXL	2019	52		2021	
VC 0424	Cucumber	0.7			CXL	2019	52		2021	
HH 0730	Dill, leaves	5			CXL	2019	52		2021	
MO 0105	Edible offal (mammalian)	0.2			CXL	2019	52		2021	
VO 2046	Eggplants (subgroup)	0.15			CXL	2019	52		2021	
PE 0112	Eggs	0.01	(*)		CXL	2019	52		2021	
VB 0042	Flowerhead brassicas (subgroup)	0.4			CXL	2019	52		2021	

Commodity Code		Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VC	2040	Fruiting vegetables, cucurbits – melons, pumpkins and winter squashes	0.05			CXL	2019	52		2021	
		(subgroup)									
HS	0784	Ginger, rhizomese	0.01	(*)	(fresh)	CXL	2019	52		2021	
VL	2050	Leafy greens (subgroup)	2			CXL	2019	52		2021	
VL	0054	Leaves of Brassicaceae	5			CXL	2019	52		2021	
MF	0100	Mammalian fats (except milk fats)	0.01	(*)		CXL	2019	52		2021	
MM	0095	Meat (from mammals other than marine mammals)	0.01	(*)		CXL	2019	52		2021	
ML	0106	Milks	0.001	(*)		CXL	2019	52		2021	
OR	0004	Orange oil, edible	0.7		(Based on processing studies on oranges)	CXL	2019	52		2021	The name of the food category for OR 0004 is orange oil, edible as opposed to Citrus oil (Annex I, JMPR 2019 regular meeting)
HH	0740	Parsley, leaves	5		(leaves)	CXL	2019	52		2021	
FS	2001	Peaches (including apricots and nectarine) (subgroup)	0.015			CXL	2019	52		2021	
VO	0051	Peppers (subgroup)	0.1		(excluding martynia, okra and roselle)	CXL	2019	52		2021	
HS	0444	Peppers chili, dried	1			CXL	2019	52		2021	
FS	0014	Plums (including fresh prunes) (subgroup)	0.01	(*)		CXL	2019	52		2021	
FP	0009	Pome fruits (group)	0.03		(excluding persimmon)	CXL	2019	52		2021	
PF	0111	Poultry fats	0.01	(*)		CXL	2019	52		2021	
PM	0110	Poultry meat	0.01	(*)		CXL	2019	52		2021	
PO	0111	Poultry, edible offal of	0.01	(*)		CXL	2019	52		2021	
VD	0541	Soya bean (dry)	0.01	(*)		CXL	2019	52		2021	
VC	0431	Squash, summer	0.07			CXL	2019	52		2021	
VS	2080	Stems and petioles (subgroup)	3			CXL	2019	52		2021	
DV	0448	Tomato, dried	0.7			CXL	2019	52		2021	
VO	2045	Tomatoes (subgroup)	0.15			CXL	2019	52		2021	
TN	0085	Tree nuts (group)	0.01	(*)		CXL	2019	52		2021	
VR	2071	Tuberous and corm vegetables (subgroup)	0.01	(*)		CXL	2019	52		2021	
HS	0794	Turmeric, root	0.01	(*)	(fresh)	CXL	2019	52		2021	

313 Metconazole

Main Uses: Fungicide
 ADI: 0–0.04 mg/kg bw
 ARfD: 0.04 mg/kg bw (2019)
 Residue: For compliance with MRL for plant and animal commodities: Metconazole (sum of cis and trans isomer).
For dietary risk assessment for plant commodities: Metconazole (sum of cis and trans isomer).
For compliance with MRL and dietary risk assessment for animal commodities: Sum of metconazole (cis and trans-isomer) and metabolites (1SR,2SR,5RS)-5-(4-chlorobenzyl)-2-(hydroxymethyl)-2-methyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol (M1; free and conjugated) and (1RS,2SR,3RS)-3-(4-chlorobenzyl)-2-hydroxy-1-methyl-2-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanecarboxylic acid (M12; free and conjugated), expressed as metconazole.
 The residue is not fat-soluble
 Note: Triazole alanine and Triazole acetic
 ADI: 0–1 mg/kg bw
 ARfD: Unnecessary
1,2,4-triazole
 ADI: 0–0.2 mg/kg bw
 ARfD: 0.3 mg/kg bw

	Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FI	0327	Banana		0.1 (*)			CXL	2019	52		2021	
AS	0640	Barley, hay and/or straw		25 (dw)			CXL	2019	52		2021	
VP	0061	Beans with pods (Phaseolus .) immature pods and succulent seeds)		0.05 (*)			CXL	2019	52		2021	
FB	0020	Blueberries		0.5			CXL	2019	52		2021	
FS	0013	Cherries (subgroup)		0.3			CXL	2019	52		2021	
AB	1204	Cotton gin trash		10 (dw)			CXL	2019	52		2021	
SO	0691	Cotton seed		0.3			CXL	2019	52		2021	
VD	2065	Dry beans (subgroup)		0.04 (*)		(except soya beans)	CXL	2019	52		2021	
VD	2066	Dry peas				(subgroup)		0.15				
MO	0105	Edible offal (mammalian)		0.04 (*)			CXL	2019	52		2021	
PE	0112	Eggs		0.04 (*)			CXL	2019	52		2021	
VA	0381	Garlic		0.05 (*)			CXL	2019	52		2021	
GC	0645	Maize		0.015			CXL	2019	52		2021	
AS	0645	Maize fodder (dry)		7 (dw)			CXL	2019	52		2021	
MF	0100	Mammalian fats (except milk fats)		0.04 (*)			CXL	2019	52		2021	
MM	0095	Meat (from mammals other than marine mammals)		0.04 (*)			CXL	2019	52		2021	
ML	0106	Milks		0.04 (*)			CXL	2019	52		2021	
AS	0647	Oat straw and fodder, dry		25 (dw)			CXL	2019	52		2021	
VA	0385	Onion, bulb		0.05 (*)			CXL	2019	52		2021	
FS	2001	Peaches (including apricots and nectarine) (subgroup)		0.2			CXL	2019	52		2021	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
SO 0697	Peanut		0.04	(*)		CXL	2019	52		2021	
OR 0697	Peanut oil, edible		0.06			CXL	2019	52		2021	
FS 0014	Plums (including fresh prunes) (subgroup)		0.1			CXL	2019	52		2021	
PF 0111	Poultry fats		0.04	(*)		CXL	2019	52		2021	
PM 0110	Poultry meat		0.04	(*)		CXL	2019	52		2021	
PO 0111	Poultry, edible offal of		0.04	(*)		CXL	2019	52		2021	
DF 0014	Prunes		0.5			CXL	2019	52		2021	
SO 0495	Rape seed		0.15			CXL	2019	52		2021	
OR 0495	Rape seed oil, edible		0.5			CXL	2019	52		2021	
AS 0650	Rye straw and fodder, dry		25	(dw)		CXL	2019	52		2021	
VD 0541	Soya bean (dry)		0.04			CXL	2019	52		2021	
AL 3354	Soya bean hay		8	(dw)		CXL	2019	52		2021	
VR 0596	Sugar beet		0.07			CXL	2019	52		2021	
GS 0659	Sugar cane		0.06			CXL	2019	52		2021	
SO 2091	Sunflower seeds (subgroup)		1.5			CXL	2019	52		2021	
GC 0447	Sweet corn (corn on the cob) (kernels plus cob with husk removed)		0.015			CXL	2019	52		2021	
TN 0085	Tree nuts (group)		0.04	(*)		CXL	2019	52		2021	
GC 0653	Triticale		0.15			3	2021	53			
AS 0653	Triticale, hay and/or straw		25	(dw)		CXL	2019	52		2021	
VR 2071	Tuberous and corm vegetables (subgroup)		0.04	(*)		CXL	2019	52		2021	
GC 0654	Wheat		0.15			3	2021	53			
CM 0654	Wheat bran, unprocessed		0.3			3	2021	53			
AS 0654	Wheat, hay and/or straw		25	(dw)		CXL	2019	52		2021	

314 Pyflubumide

Main Uses: Acaricide
 ADI: 0–0.007 mg/kg bw
 ARfD: 0.008 mg/kg bw (2019)
 Residue:

For compliance with the MRL for plant commodities: Pyflubumide.

For estimation of dietary risk assessment for plant commodities: Sum of pyflubumide and

3'-isobutyl-1,3,5-trimethyl-4'-[2,2,2-trifluoro-1-methoxy-1-(trifluoromethyl)ethyl]pyrazole-4-carboxanilide, expressed as pyflubumide.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
FP	0226	Apple	1			4	2019	52			On the basis of the information provided to JMPR, it was concluded that the estimated acute dietary exposure to residues of pyflubumide for the consumption of apple and tea may present a public health concern. CCPR noted the 2019 JMPR conclusion that the estimated acute dietary exposure to residues of pyflubumide in apples and tea, green, black may present a public health concern. The Observer from CropLife advised CCPR that within the next 12 months, new toxicology data would be available for evaluation by JMPR. CCPR agreed to retain the proposed MRLs for apple; tea, green, black (black, fermented and dried) to Step 4, awaiting the JMPR re-evaluation (PR52:156-157).

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
DT 1114	Tea, green, black (black, fermented and dried)	80			4	2019	52			On the basis of the information provided to JMPR, it was concluded that the estimated acute dietary exposure to residues of pyflubumide for the consumption of apple and tea may present a public health concern. See apple.

315 Pyridate

Main Uses: Herbicide
ADI: 0–0.2 mg/kg bw
ARfD: 2 mg/kg bw (2019)

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
-------------------	------	-------------	--------	----------	------	------	------	------------	-----	-----------

316 Pyrifuquinazon

Main Uses: Insecticide
 ADI: 0–0.005 mg/kg bw
 ARfD: 1 mg/kg bw (2019)
 Residue: For compliance with the MRL and dietary risk assessment for plant commodities: Sum of pyrifuquinazon and 1,2,3,4-tetrahydro-3-[(3-pyridylmethyl)amino]-6-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]quinazolin-2-one (IV-01) expressed as pyrifuquinazon.
 For compliance with the MRL for animal commodities: Tissues: Sum of 1,2,3,4-tetrahydro-3-[(3-pyridylmethyl)amino]-6-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]quinazolin-2-one (IV-01) and 1,2,3,4-tetrahydro-6-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]quinazolin-2,4-dione (IV-203) and their conjugates (expressed as pyrifuquinazon). Milk: 1,2,3,4-tetrahydro-3-[3-(1-oxy-pyridylmethylene)amino]-6-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]quinazolin-2-one (IV-04) (expressed as pyrifuquinazon).
 For dietary risk assessment for animal commodities: A conclusion could not be reached.
 The residue is not fat-soluble

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
----------------	------	-------------	--------	----------	------	------	------	------------	-----	-----------

317 Triflumuron

Main Uses: Insecticide
 ADI: 0–0.008 mg/kg bw
 ARfD: Unnecessary (2019)
 Residue: For compliance with the MRL for animal and plant commodities: Triflumuron.
 Note: For dietary risk assessment for animal and plant commodities: A conclusion could not be reached. The residue is fat-soluble
 4-trifluoromethoxyaniline (metabolite M07)
 ADI: 0–0.02 mg/kg bw
 ARfD: 0.02 mg/kg bw

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
----------------	------	-------------	--------	----------	------	------	------	------------	-----	-----------

318 Valifenalate

Main Uses: Fungicide
 ADI: 0-0.2 mg/kg bw
 ARfD: Unnecessary (2019)
 Residue: For compliance with the MRL for plant and animal commodities: Valifenalate
 For dietary risk assessment for plant commodities: Valifenalate and 3-(4-chlorophenyl)-3-[[N-(isopropoxycarbonyl)-L-valyl]amino]propionic acid (valifenalate-acid), free and conjugated, expressed as valifenalate.
 For dietary risk assessment for animal commodities: Valifenalate and 3-(4-chlorophenyl)-3-[[N-(isopropoxycarbonyl)-L-valyl]amino]propionic acid (valifenalate-acid), expressed as valifenalate.
 The residue is not fat-soluble.

Commodity	Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
MO	0105	Edible offal (mammalian)	0.01 (*)			CXL	2019	52		2021	
VO	0440	Egg plant	0.4			CXL	2019	52		2021	VO 0440 egg plant. VO 2046 Eggplants (Annex I, JMPR 2019 regular meeting indicar VO 0440 Eggplants - need clarification)
PE	0112	Eggs	0.01 (*)			CXL	2019	52		2021	
FB	0269	Grapes	0.3			CXL	2019	52		2021	
MF	0100	Mammalian fats (except milk fats)	0.01 (*)			CXL	2019	52		2021	
MM	0095	Meat (from mammals other than marine mammals)	0.01 (*)			CXL	2019	52		2021	
ML	0106	Milks	0.01 (*)			CXL	2019	52		2021	
VA	0385	Onion, bulb	0.5			CXL	2019	52		2021	
PF	0111	Poultry fats	0.01 (*)			CXL	2019	52		2021	
PM	0110	Poultry meat	0.01 (*)			CXL	2019	52		2021	
PO	0111	Poultry, edible offal of	0.01 (*)			CXL	2019	52		2021	
VA	0388	Shallot	0.5			CXL	2019	52		2021	
VO	0448	Tomato	0.4			CXL	2019	52		2021	

319 Flutianil

Main Uses: Fungicide

ADI: 0–0.8 mg/kg bw (2021)

ARfD: Unnecessary

Residue: For compliance with the MRL for plant and animal commodities: Flutianil.

For dietary risk assessment for plant commodities: Sum of flutianil and 2-fluoro-5- (trifluoromethyl)benzenesulfonic acid (OC 56635), expressed as flutianil.

The residue is fat-soluble.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FP 0226	Apple	0.15			3	2021	53			
FS 0013	Cherries (subgroup)	0.4			3	2021	53			
FB 2008	Small fruit vine climbing (subgroup)	0.7			3	2021	53			

320 Mefentrifluconazole

Main Uses: Fungicide
ADI: 0–0.04 mg/kg bw (2022)
ARfD: 0.3 mg/kg bw (2021)

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
-------------------	------	-------------	--------	----------	------	------	------	------------	-----	-----------

321 Pyrasulfotole

Main Uses: Herbicide

ADI: 0–0.01 mg/kg bw

ARfD: Unnecessary

Residue: For compliance with the MRL and for dietary risk assessment for plant commodities: Sum of pyrasulfotole and desmethyl-pyrasulfotole and its conjugates, expressed as pyrasulfotole.

For compliance with the MRL and for dietary risk assessment for animal commodities: Sum of pyrasulfotole and desmethyl-pyrasulfotole, expressed as pyrasulfotole. The residue is not fat-soluble.

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
GC 0640	Barley	0.03			3	2021	53			
AS 0640	Barley, hay and/or straw	0.8	(dw)		3	2021	53			
MO 0105	Edible offal (mammalian)	0.5			3	2021	53			
PE 0112	Eggs	0.02	(*)		3	2021	53			
MF 0100	Mammalian fats (except milk fats)	0.02	(*)		3	2021	53			
MM 0095	Meat (from mammals other than marine mammals)	0.02	(*)		3	2021	53			
ML 0106	Milks	0.01	(*)		3	2021	52			
AS 3559	Oat, hay and/or straw	0.8	(dw)		3	2021	53			
GC 0647	Oats	0.15			3	2021	53			
PF 0111	Poultry fats	0.02	(*)		3	2021	53			
PM 0110	Poultry meat	0.02	(*)		3	2021	53			
PO 0111	Poultry, edible offal of	0.05			3	2021	53			
GC 0650	Rye	0.02	(*)		3	2021	53			
AS 3560	Rye, hay and/or straw	0.8	(dw)		3	2021	53			
GC 0651	Sorghum grain	0.5			3	2021	53			
GC 0653	Triticale	0.02	(*)		3	2021	53			
AS 0653	Triticale, hay and/or straw	0.8	(dw)		3	2021	53			
GC 0654	Wheat	0.02	(*)		3	2021	53			
CM 0654	Wheat bran, unprocessed	0.03			3	2021	53			
AS 0654	Wheat, hay and/or straw	0.8	(dw)		3	2021	53			

322 Pyraziflumid

Main Uses: Fungicide
 ADI: 0–0.02 mg/kg bw (2021)
 ARfD: 2 mg/kg bw (2021)
 Residue: For compliance with the MRL for plant commodities: Pyraziflumid.
 For dietary risk assessment for plant commodities: Pyraziflumid.
 For compliance with the MRL for animal commodities: Pyraziflumid and its pyraziflumid-4'-OH metabolite (free), expressed as pyraziflumid.
 For dietary risk assessment for animal commodities: Pyraziflumid and its pyraziflumid-4'-OH metabolite (free and conjugated), expressed as pyraziflumid.
 The residue is fat-soluble

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
FP 0226	Apple	1.5			3	2021	53			No maximum residue level recommendation due to the absence of an enforcement method
MO 0105	Edible offal (mammalian)									
DF 0269	Grape, dried (= Currants, Raisins and Sultanas)	6			3	2021	53			
FB 0269	Grapes	3			3	2021	53			No maximum residue level recommendation due to the absence of an enforcement method
ML 0106	Milks									
FP 0230	Pear	1.5			3	2021	53			
FP 0307	Persimmon, Japanese	1.5			3	2021	53			

323 Spiropidion

Main Uses: Insecticide

ADI: 0–0.02 mg/kg bw (2021)

ARfD: 0.3 mg/kg bw (2021)

Residue: For compliance with the MRL for plant commodities: Sum of spiropidion and spiropidion-enol (SYN547305) expressed as spiropidion.

For dietary risk assessment for plant commodities: Sum of spiropidion, spiropidion-enol (SYN547305), 3-(4-chloro-2,6-dimethyl-phenyl)-4-hydroxy-8-methoxy-1,8-diazaspiro[4.5]dec-3-en-2-one (SYN547435) and 3-(4-chloro-2,6-dimethyl-phenyl)-4-hydroxy-1-methyl-1,8-diazaspiro[4.5]dec-3-en-2-one (SYN548430), expressed as spiropidion.

For compliance with the MRL for animal commodities: spiropidion-enol (SYN547305) expressed as spiropidion.

For dietary risk assessment for animal commodities: Free and conjugated spiropidion-enol (SYN547305) expressed as spiropidion.

The residue is not fat-soluble.

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VC 0424	Cucumber	0.8			3	2021	53			
MO 0105	Edible offal (mammalian)	0.2			3	2021	53			
PE 0112	Eggs	0.012 (*)			3	2021	53			
MF 0100	Mammalian fats (except milk fats)	0.025			3	2021	53			
MM 0095	Meat (from mammals other than marine mammals)	0.012 (*)			3	2021	53			
VC 0046	Melons, except watermelon	0.9			3	2021	53			
ML 0106	Milks	0.012 (*)			3	2021	53			
VO 0051	Peppers (subgroup)	1		(except martynia, okra, roselle)	3	2021	53			
HS 0444	Peppers chili, dried	7			3	2021	53			
VR 0589	Potato	1.5			3	2021	53			
DV 0589	Potato, flakes/granules	5			3	2021	53			
PF 0111	Poultry fats	0.012 (*)			3	2021	53			
PM 0110	Poultry meat	0.012 (*)			3	2021	53			
PO 0111	Poultry, edible offal of	0.012 (*)			3	2021	53			
VC 0429	Pumpkins	0.9			3	2021	53			
VD 0541	Soya bean (dry)	3			3	2021	53			
DM 0541	Soya flour	5			3	2021	53			
AL 3539	Soya bean, meal	5			3	2021	53			
VO 0448	Tomato	0.8			3	2021	53			
DV 0448	Tomato, dried	7			3	2021	53			
DM 0448	Tomato, puree	1.5			3	2021	53			
VC 0432	Watermelon	0.9			3	2021	53			
VC 0433	Winter squash	0.9			3	2021	53			

324 Tetraniliprole

Main Uses: Insecticide
ADI: 0–2 mg/kg bw (2021)
ARfD: Unnecessary (2021)

Commodity Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
-------------------	------	-------------	--------	----------	------	------	------	------------	-----	-----------

PART 2

LIST OF EXTRANEous RESIDUE LIMITS FOR PESTICIDES IN FOOD AND ANIMAL FEEDS

1 Aldrin and Dieldrin

Main Uses: Insecticide

JMPR: 1965 (T), 1966 (T,R), 1967 (R), 1974 (R), 1975 (R), 1977 (T), 1990 (R), 1992 (R)

ADI: 0.0001 mg/kg bw (confirmed 1977; converted to PTDI in 1994)

Acute RfD: N/A

Residue: Sum of HHDN and HEOD (fat-soluble).

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
VA 0035	Bulb vegetables		0.05	E		CXL		28		1997	
GC 0080	Cereal grains		0.02	E		CXL					
FC 0001	Citrus fruits		0.05	E		CXL		28		1997	
PE 0112	Eggs		0.1	E		CXL					
VC 0045	Fruiting vegetables, Cucurbits		0.1	E		CXL		28		1997	
VP 0529	Garden pea, Shelled (succulent seeds)		1	E		CXL					
VL 0053	Leafy vegetables		0.05	E		CXL		28		1997	
VP 0060	Legume vegetables		0.05	E		CXL		28		1997	
MM 0095	Meat (from mammals other than marine mammals)		0.2	(fat) E		CXL					
ML 0106	Milks		0.006	F E		CXL					
FP 0009	Pome fruits		0.05	E		CXL		28		1997	
PM 0110	Poultry meat		0.2	E		CXL		28		1997	
VD 0070	Pulses		0.05	E		CXL		28		1997	
VR 0075	Root and tuber vegetables		0.1	E		CXL		28		1997	

12 Chlordane

Main Uses: Insecticide

JMPR: 1965 (T), 1967 (T,R), 1969 (R), 1970 (T,R), 1972 (R), 1974 (R), 1977 (T,R), 1982 (T), 1984 (T,R), 1986 (T)

ADI: 0.0005 mg/kg bw (1986; converted to PTDI in 1994)

Acute RfD: N/A

Residue: Plant commodities: sum of cis- and trans-chlordane (fat-soluble). Animal commodities: sum of cis- and trans-chlordane and "oxychlordane" (fat-soluble).

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
TN 0660	Almonds		0.02	E			CXL				
OC 0691	Cotton seed oil, Crude		0.05	E			CXL				
PE 0112	Eggs		0.02	E			CXL				
AO 0003	Fruits and vegetables		0.02	(*)	E		CXL				
TN 0666	Hazelnuts		0.02	E			CXL				
OC 0693	Linseed oil, Crude		0.05	E			CXL				
GC 0645	Maize		0.02	E			CXL				
MM 0095	Meat (from mammals other than marine mammals)		0.05	(fat)	E		CXL				
ML 0106	Milks		0.002	F	E		CXL				
GC 0647	Oats		0.02	E			CXL				
TN 0672	Pecan		0.02	E			CXL				
PM 0110	Poultry meat		0.5	(fat)	E		CXL				
CM 1205	Rice, Polished		0.02	E			CXL				
GC 0650	Rye		0.02	E			CXL				
GC 0651	Sorghum		0.02	E			CXL				
OC 0541	Soya bean oil, Crude		0.05	E			CXL				
OR 0541	Soya bean oil, Refined		0.02	E			CXL				
TN 0678	Walnuts		0.02	E			CXL				
GC 0654	Wheat		0.02	E			CXL				

21 DDT

Main Uses: Insecticide

JMPR: 1965 (T), 1966 (T,R), 1967 (T,R), 1968 (T,R), 1969 (T,R), 1978 (R), 1979 (T), 1980 (T), 1983 (T), 1984 (T), 1993 (R), 1994 (R), 1996 (R)

ADI: 0.01 mg/kg bw (2000)

Acute RfD: Unnecessary (2000)

Residue: Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD) (fat-soluble).

Note: Previous PTDI, 0.02 mg/kg (1984, converted to PTDI in 1994) The CCPR-33 decided to propose to the CAC an EMRL of 5 mg/kg and a level of 3 mg/kg in square brackets and to ask the CAC to take a decision regarding the level, taking into account that the CCPR would not be able to reach consensus by deferring consideration of this matter to a later session. The CCPR also decided not to request a new evaluation of the monitoring data by the next meeting of JMPR.(33.195) The CAC-24 decided to retain the current temporary EMRL of 5 mg/kg and agreed that the proposal to lower the EMRL to 1 mg/kg should be referred to the CCPR for further consideration. (ALINORM 01/41, para. 145)

Commodity											
Code	Name	MRL (mg/kg)		Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VR 0577	Carrot	0.2	E			CXL				1997	
GC 0080	Cereal grains	0.1	E			CXL	94				
PE 0112	Eggs	0.1	E			CXL		28		1997	
MM 0095	Meat (from mammals other than marine mammals)	5	(fat) E		EMRL: 1-5 mg/kg	CXL	96,00	33	28,30	2001	
ML 0106	Milks	0.02	F E			CXL		28		1997	
PM 0110	Poultry meat	0.3	(fat) E		EMRL: 0.1-0.3 mg/kg	CXL	00	35	34	2003	

33 Endrin

Main Uses: Insecticide

JMPR: 1965 (T), 1970 (T,R), 1974 (R), 1975 (R), 1990 (R), 1992 (R)

ADI: 0.0002 mg/kg bw (1970; converted to PTDI in 1994)

Acute RfD: N/A

Residue: Sum of endrin and delta-keto-endrin (fat-soluble).

Commodity										
Code	Name	MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
VC 0045	Fruiting vegetables, cucurbits	0.05	E		CXL		28		1997	
PM 0110	Poultry meat	0.1	E		CXL		28		1997	

43 Heptachlor

Main Uses: Insecticide

JMPR: 1965 (T), 1966 (T,R), 1967 (R), 1968 (R), 1969 (R), 1970 (T,R), 1974 (R), 1975 (R), 1977 (R), 1987 (R), 1991 (T,R), 1992 (corr. to 1991 report, Annex I), 1993 (R), 1994 (R)

ADI: 0.0001 mg/kg bw (1991; converted to PTDI in 1994)

Acute RfD: N/A

Residue: Sum of heptachlor and heptachlor epoxide (fat-soluble).

Note: The 1994 JMPR agreed that for the general monitoring of heptachlor and its metabolite, a suitable limit of determination for the total residue would be 0.01 mg/kg.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
GC 0080	Cereal grains	0.02	E			CXL				
FC 0001	Citrus fruits	0.01	E			CXL				
SO 0691	Cotton seed	0.02	E			CXL				
PE 0112	Eggs	0.05	E			CXL				
MM 0095	Meat (from mammals other than marine mammals)	0.2	(fat) E			CXL				
ML 0106	Milks	0.006	F E			CXL				
FI 0353	Pineapple	0.01	E			CXL				
PM 0110	Poultry meat	0.2	(fat) E			CXL				
VP 0541	Soya bean (immature seeds)	0.02	E			CXL				
OC 0541	Soya bean oil, Crude	0.5	E			CXL				
OR 0541	Soya bean oil, Refined	0.02	E			CXL				

48 Lindane

Main Uses: Insecticide

JMPR: 1965 (T), 1966 (T,R), 1967 (R), 1968 (R), 1969 (R), 1970 (T,R), 1973 (T,R), 1974 (R), 1975 (R), 1977 (T,R), 1978 (R), 1979 (R),
1989 (T,R), 1997 (T), 2002 (T), 2003 (R), 2004 (corr. to 2003 report), 2015 (R)

ADI: 0–0.005 mg/kg bw (2002)

Acute RfD: 0.06 mg/kg bw (2002)

Residue: Definition of the residue (for compliance with the MRL and for estimation of dietary intake) for plant and animal commodities: lindane. The residue is fat-soluble.

Note: Lindane has been re-evaluated within the periodic review by JMPR in 2015, and the CXLs have been converted into Codex EMRLs in 2016 since Lindane is listed in annex A of the Stockholm convention and its residue is from environmental sources, not the use of the pesticide directly or indirectly on the food or feed.

Commodity		MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name									
GC 0080	Cereal grains	0.01	E	(except rice)	CXL	2015	48		2016	
WD 0120	Diadromous fish	0.01	E		CXL	2015	48		2016	
MO 0105	Edible offal (mammalian)	0.001	E		CXL	2015	48		2016	
PE 0112	Eggs	0.001	E		CXL	2015	48		2016	
WS 0125	Marine fish	0.01	E		CXL	2015	48		2016	
MM 0095	Meat (from mammals other than marine mammals)	0.01	(fat) E		CXL	2015	48		2016	
ML 0106	Milks	0.001	E		CXL	2015	48		2016	
PM 0110	Poultry meat	0.005	(fat) E		CXL	2015	48		2016	
PO 0111	Poultry, Edible offal of	0.005	E		CXL	2015	48		2016	
AS 0081	Straw and fodder (dry) of cereal grains	0.01	E		CXL	2015	48		2016	
VO 1275	Sweet corn (kernels)	0.01	E		CXL	2015	48		2016	

PART 3

LIST OF PESTICIDES FOR WHICH GUIDELINE LEVELS HAVE BEEN SET

52 Methyl Bromide

Main Uses: Fumigant

JMPR: 1965 (T,R), 1966 (T,R), 1967 (R), 1968 (T,R), 1971 (R), 1979 (R), 1985 (R), 1992 (R)

ADI: mg/kg body weight

Acute RfD: N/A

Note: Not cleared toxicologically by JMPR

Commodity		Code	Name	MRL (mg/kg)		Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
CP	0179	Bread and other cooked cereal products		0.01	(*)		To apply to commodity at point of retail sale or when offered for consumption	CXL		31		1999	
SB	0715	Cacao beans		5	Po		To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before	CXL		31		1999	
GC	0080	Cereal grains		5	Po		To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before	CXL		31		1999	
AO	0001	Cocoa products		0.01	(*) Po		To apply to commodity at point of retail sale or when offered for consumption	CXL		31		1999	
DF	0167	Dried fruits		0.01	(*) Po		To apply to commodity at point of retail sale or when offered for consumption	CXL		31		1999	
DF	0167	Dried fruits		2	Po		To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before	CXL		31		1999	
AO	0001	Milled cereals products		0.01	(*) Po		To apply to commodity at point of retail sale or when offered for consumption	CXL		31		1999	
AO	0001	Milled cereals products		1	Po		To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before	CXL		31		1999	
SO	0697	Peanut		0.01	(*) Po		To apply to commodity at point of retail sale or when offered for consumption	CXL		31		1999	

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
SO 0697	Peanut		10	Po	To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before	CXL		31		1999	
TN 0085	Tree nuts		0.01	(*) Po	To apply to commodity at point of retail sale or when offered for consumption	CXL		31		1999	
TN 0085	Tree nuts		10	Po	To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before	CXL		31		1999	

114 Guazatine

Main Uses: Fungicide

JMPR: 1978 (T,R), 1980 (R), 1997 (T,R)

ADI: mg/kg body weight ADI withdrawn (1997)

Acute RfD: N/A

Residue: Guazatine

Note: Until 1986 the ISO name guazatine was applied to iminoctadine. However, now the ISO name guazatine applies to a reaction mixture.

The proposals remain as guideline levels until a new ADI is recommended. Previous ADI 0.03 mg/kg bw (1978).

Commodity			MRL (mg/kg)	Source	Note CXL	Step	JMPR	CCPR	Prior CCPR	CAC	Note CCPR
Code	Name										
GC 0080	Cereal grains		0.05 (*)	G		CXL	97	31		1999	
FC 0001	Citrus fruits		5	Po		CXL		31		1999	