



- Applemint, see Mints, HH 0738  
*Mentha suaveolens* Ehrh.
- HH 3192 **Avarum**  
*Senna auriculata* (L.) Roxb.
- HH 3193 **Aztec sweet herb**  
*Lippia dulcis* Trevir.
- HH 3194 **Balloon pea**  
*Lessertia frutescens* (L.) Goldblatt & J. C. Manning
- HH 0721 **Balm, leaves**  
*Melissa officinalis* L.
- HH 3195 **Barrenwort**  
*Epimedium grandiflorum* C. Morren
- HH 0722 **Basil, leaves**  
*Ocimum basilicum* L.; *Ocimum x citrodorum* Vis.; *O. minimum* L.;  
*O. americanum* L.; *O. gratissimum* L.; *O. tenuiflorum* L.
- HH 3196 **Bisongrass**  
*Anthoxanthum nitens* (Weber) Y. Schouten & Veldkamp
- HH 3197 **Blue mallow**  
*Malva sylvestris* L.
- HH 3198 **Boneset**  
*Eupatorium perfoliatum* L.
- HH 0724 **Borage**  
*Borago officinalis* L.
- HH 3199 **Borage, Indian**  
*Plectranthus amboinicus* (Lour.) Spreng.
- **Buchi**  
See Yellow gentian, HH 3260
- HH 0725 **Burnet**  
*Sanguisorba officinalis* L.; *Sanguisorba minor* Scop.
- HH 3200 **Calamint**  
*Calamintha grandiflora* (L.) Moench; *Calamintha nepeta* (L.) Savi
- HH 3201 **Calendula, leaves**  
*Calendula officinalis* L.
- HH 3202 **Caltrop**  
*Tribulus terrestris* L.

HH 3203	<b>Caraway, leaves</b> <i>Carum carvi</i> L.
HH 0726	<b>Catmint</b> <i>Nepeta cataria</i> L.
-	<b>Catnip</b> , see Catmint, HH 0726
HH 3204	<b>Catnip, Japanese</b> <i>Schizonepeta multifida</i> (L.) Briq. L.) Briq
HH 3205	<b>Celandine, greater</b> <i>Chelidonium majus</i> L.
HH 3206	<b>Celandine, lesser</b> <i>Ficaria verna</i> Huds.
HH 0624	<b>Celery, leaves</b> <i>Apium graveolens</i> L.; var. <i>seccalinum</i> (Alef) Mansf.
HH 3207	<b>Centaury</b> <i>Centaureum erythraea</i> Rafn.
HH 3208	<b>Chaste tree</b> <i>Vitex agnus-castus</i> L.
-	<b>Chervil, leaves</b> , see Group 013: Leafy vegetables, VL 0465
-	<b>Chives</b> , see Group 009: Bulb vegetables, VA 2605
-	<b>Cilantro</b> , see Coriander leaves HH 3209
-	<b>Clary</b> , see Sage (and related <i>Salvia</i> species), HH 0743 <i>Salvia sclarea</i> L.
HH 3209	<b>Coriander, leaves</b> <i>Coriandrum sativum</i> L.
HH 3210	<b>Coriander, Bolivian</b> <i>Porophyllum ruderale</i> (Jacq.) Cass.
HH 3211	<b>Coriander, Vietnamese</b> <i>Persicaria odorata</i> (Lour.) Sojak.
HH 0748	<b>Costmary</b> <i>Tanacetum balsamita</i> L.;
HH 3212	<b>Cover fern</b> <i>Marsilea crenata</i> C. Presl.
-	Creeping thyme, see Thyme HH 0750
-	<i>Thymus serpyllum</i> L.
HH 3213	<b>Culantro, leaves</b> <i>Eryngium foetidum</i> L.

HH 3214	<b>Curry plant</b> <i>Helichrysum italicum</i> (Roth.) G. Don
-	<b>Cut leaf</b> See Native mint, HH 3235
-	<b>Daylily, flowers</b> , see Edible flowers, HH 3200
-	<b>Daylily, leaves</b> , see Group 013, Leafy vegetables, VL 2600
HH 0730	<b>Dill, leaves</b> <i>Anethum graveolens</i> L.
HH 3215	<b>Dokudami</b> <i>Houttuynia cordata</i> Thunb.
HH 3216	<b>Epazote</b> <i>Dysphania ambrosioides</i> (L.) Mosyakin & Clemants
-	<b>Estragon</b> , see Tarragon, HH 0749
HH 3217	<b>Evening primose</b> <i>Oenothera biennis</i> L.
HH 0731	<b>Fennel, leaves</b> <i>Foeniculum vulgare</i> Mill.;
HH 3218	<b>Fennel, Spanish</b> <i>Nigella hispanica</i> L. and <i>Nigella damascena</i> L.
HH 3219	<b>Fenugreek, leaves</b> <i>Trigonella foenum-graecum</i> L.
HH 3220	<b>Feverfew</b> <i>Tanacetum parthenium</i> (L.) Sch. Bip.
HH 3221	<b>Field pennycress</b> <i>Thlaspi arvense</i> L.
HH 3222	<b>Fumitory</b> <i>Fumaria officinalis</i> L.
HH 3223	<b>Gambir</b> <i>Uncaria gambir</i> (W. Hunter) Roxb.
HH 3224	<b>Geranium, leaves</b> <i>Pelargonium crispum</i> (P.J. Bergius) L'Her and <i>Pelargonium graveolens</i> L'Her; <i>Pelargonium tomentosum</i> Jacq.; <i>Pelargonium quercifolium</i> (L.f.) L'Hér. ex Aiton and other scented varieties]
HH 3225	<b>Germander, golden</b> <i>Teucrium polium</i> L.
HH 3226	<b>Greater burnet-saxifrage</b> <i>Pimpinella major</i> (L.) Huds.

HH 3227	<b>Gypsywort</b> <i>Lycopus europaeus</i> L.
HH 3228	<b>Heal-all</b> <i>Prunella vulgaris</i> L.
HH 3229	<b>Honewort</b> <i>Cryptotaenia canadensis</i> (L.) DC.
HH 0732	<b>Horehound</b> <i>Marrubium vulgare</i> L.
HH 0733	<b>Hyssop</b> <i>Hyssopus officinalis</i> L.
HH 3230	<b>Hyssop, anise</b> <i>Agastache foeniculum</i> (Pursh) Kuntze; <i>Agastache rugosa</i> (Fisch. & C.A. Mey) Kuntze
HH 3231	<b>Jasmine</b> <i>Jasminum officinale</i> L.
HH 3232	<b>Labrador tea</b> <i>Rhododendron groenlandicum</i> (Oeder) Kron & Judd, <i>R. tomentosum</i> Harmaja
HH 0734	<b>Lavender</b> <i>Lavendula angustifolia</i> Mill.;
HH 3233	<b>Lemongrass</b> <i>Cymbopogon citratus</i> (DC.) Stapf; <i>C. flexuosus</i> (Nees ex Steud.) Will. Watson
HH 3234	<b>Lemon savory</b> <i>Micromeria biflora</i> (Buch.-Ham. ex D.Don.) Benth.
-	Lemon thyme, see Thyme HH 0750
HH 0735	<b>Lovage, leaves</b> <i>Levisticum officinale</i> Koch.
-	Love-in-a-mist, see Fennel, Spanish, HH 3218 <i>Nigella damascene</i> L.
HH 3235	<b>Marigold, leaves</b> <i>Tagetes erecta</i> L.; <i>T. filifolia</i> Lag; <i>T. lucida</i> Cav.; <i>T. micrantha</i> Cav.; <i>T. minuta</i> L.; <i>T. patula</i> L.; <i>T. minuta</i> L.; <i>T. tenuifolia</i> Cav.
HH 0736	<b>Marjoram, including Turkish oregano and Syrian oregano</b> <i>Origanum majorana</i> L.; <i>O. onites</i> L. and <i>O. syriacum</i> L.
HH 3236	<b>Marshmallow</b> <i>Althaea officinalis</i> L.
HH 3237	<b>Meadowsweet</b> <i>Filipendula ulmaria</i> (L.) Maxim.

- HH 0738      **Mint**  
 Several *Mentha* species and hybrids; (see also individual Mints)  
 including *M. arvensis* L.; *M. spicata* L., syn: *M. cordifolia* Opiz ex Fresen.;  
*M. x piperita* L.; *Mentha x gracilis* Sole; *M. aquatica* L.; *M. longifolia* (L.) Huds.;  
*M. arvensis* L.; *M. suaveolens* Ehrh.; *M. requienii* Benth.; *M. viridis* L.
- HH 3238      **Mint, Korean**  
*Agastache rugosa* (Fisch. & C. A. Mey.) Kun
- HH 3239      **Mioga, shoots and flower buds**  
*Zingiber mioga* (Thunb.) Roscoe
- HH 3240      **Monarda**  
*Monarda didyma* L.; *M. fistulosa* L.; *M. punctata* L.; *M. citriodora* Cerv. Ex Lag.;  
*M. pectinata* Nutt.
- HH 3241      **Motherwort**  
*Leonurus cardiaca* L.
- HH 3242      **Mountainmint**  
*Pycnanthemum* spp.  
 Including *M. muticum* (Michx.) Pers.; *M. incanum* Michx.; *M. virginianum* (L.) T.  
 Durand & B.D. Jacks. Ex B.L. Rob. & Fernald; *M. verticillatum* (Michx.) Pers.;
- **Mugwort, see Southernwood, HH 0754**  
*Artemisia vulgaris* L.
- HH 3243      **Mullein**  
*Verbascum densiflorum* Bertol.
- **Myrrh, see Sweet Cicely, HH 0747**
- HH 0739      **Nasturtium, leaves**  
*Tropaeolum majus* L.; *T. minus* L.
- HH 3244      **Nettle**  
*Urtica dioica* L.
- **Oregano, see Marjoram, HH 0736**  
*Origanum vulgare* L.
- HH 3245      **Oregano, Mexican**  
*Lippia graveolens* Kunth; *L. micromera* Schauer
- HH 3246      **Pandan, leaves**  
*Pandanus amaryllifolius* Roxb.
- HH 3247      **Pansy, leaves**  
*Viola tricolor* L.
- HH 0740      **Parsley, leaves**  
*Petroselinum crispum* (Mill.) Nyman ex A. W. Hill;

- syn: *P. sativum* Hoffm.; *P. hortense* auct.  
*P. crispum* var. *neapolitanum* Danert
- Pennyroyal, see Mint, 0738  
*Mentha pulegium* L.
- HH 3248 **Pennywort**  
*Centella asiatica* (L.) Urb.
- **Peppermint**, see Mints, HH 0738  
*Mentha x piperita* L.
- HH 3249 **Perilla, leaves**  
*Perilla frutescens* (L.) Britton var. *crispa* (Thunb.) W. Deane
- **Phak ka yaeng**, see Rice paddy herb, **HH 3251**
- HH 3250 **Phak paew**  
*Trichodesma indicum* (L.) Sm.
- HH 3251 **Rice paddy herb**  
*Limnophila chinensis* (Osbeck) Merr.  
syn: *Limnophila aromatica* (Lam.) Merr.
- HH 0741 **Rosemary**  
*Rosmarinus officinalis* L.
- HH 0743 **Sage and related *Salvia* species**  
*Salvia officinalis* L.; *S. sclarea* L.; *S. lavandulifolia* Vahl; *S. fruticosa* Mill.
- HH 3252 **Santolina**  
*Santolina rosmarinifolia* L.; *Santolina rosmarinifolia* L.
- HH 0745 **Savory, Summer; Winter**  
*Satureja hortensis* L.; *S. montana* L.;
- HH 0746 **Sorrel, Common**, and related *Rumex* species  
among others *Rumex acetosa* L.; *R. scutatus* L.; *R. patientia* L.
- HH 0754 **Southernwood**  
*Artemisia abrotanum* L.; *A. pontica* L.
- **Spearmint**, see Mints, HH 0738  
*Mentha spicata* L.
- **Spearmint, Scotch**, see Mints, HH 0738  
*Mentha x gracilis* Sole
- **Spotted beebalm**, see Monarda, HH 3240  
*Monarda punctata* L.
- HH 3253 **Stevia**  
*Stevia rebaudiana* (Bertoni) Bertoni

- **Stink weed or Stinking**, see Culantro, leaves, HH 3212  
*Eryngium foetidum* L.
- **Swamp leaf**, see Rice paddy herb, HH 3251
- HH 0747 **Sweet Cicely**  
*Myrrhis odorata* (L.) Scop.
- Syrian oregano  
See Marjoram, HH 0736
- HH 0749 **Tarragon**  
*Artemisia dracuncululus* L.; *A. drancunculoides* Pursh.
- HH 0750 **Thyme**  
*Thymus vulgaris* L.; *T. serpyllum* L.; *T. mastichina* (L.) L.  
*T. citriodorus* (Pers.) Schreb, *T. serpyllum* L; *T. satureioides*, and *Thymus* hybrids.
- HH 3254 **Toon, Chinese**  
*Toona sinensis* (A. Juss.) M. Roem.
- HH 3255 **Veronica**  
*Veronica officinalis* L.
- **Vietnamese mint**, see Coriander, Vietnamese, HH 3211  
*Polygonum odoratum* Lour.
- **Wasabi, leaves**, see Subgroup 013B Brassica leafy vegetables, VL 2786  
*Wasabia japonica* (Miq.) Matsum.
- **Watercress**, see Group 013: Leafy vegetables, VL 0473
- **Watermint**, see Mints, HH 0738  
*Mentha aquatic* L.
- HH 3256 **Wasabi, stem**  
*Eutrema japonicum* (Miq.) Koidz.
- HH 3257 **Waterpepper, Japanese**  
*Persicaria hydropiper* (L.) Delabre
- Wild bergamot, see Monarda, HH 3240  
*Monarda fistulosa* L.
- HH 3258 **Wild betle leaf bush**  
*Piper sarmentosum* Roxb.
- HH 0751 **Winter cress, Common; American**  
*Barbarea vulgaris* W.T. Aiton.; *B. verna* (Mill.) Asch.
- HH 0752 **Wintergreen, leaves**  
*Gaultheria procumbens* L.

(not including herbs of the Wintergreen family (*Pyrolaceae*))

- Wormwood, see Southernwood, HH 0754  
*Artemisia absinthium* L.
- Wormwood, Roman, see Southernwood, HH 0754  
*Artemisia pontica* L.

**Wormwood, white**

**Artemisia albo, see Southernwood, HH 0754**

- HH 3259 **Yarrow**  
*Achillea millefolium* L.
- HH 3260 **Yellow gentian**  
*Gentiana lutea* L.
- HH 3261 **Yerba santa**  
*Eriodictyon californicum* (Hook. & Arn.) Torr.
- HH 3262 **Yomogi**  
*Artemisia princeps* L.

**Subgroup 027B Leaves of woody plants**

**Code No.**

**Commodity**

- HH 2096 **Subgroup of Leaves of woody plants**  
(includes all commodities in this subgroup)
- HH 3263 **Aniseed myrtle**  
*Syzygium anisatum* (Vickery) Craven & Biffen
- **Bay leaves**, see Laurel leaves HH 0723
- HH 3264 **Boldo**  
*Peumus boldus* Molina
- HH 0729 **Curry, leaves**  
*Bergera koenigii* L.  
syn: *Murraya koenigii* L. Sprengel
- HH 3265 **Damiana**  
*Turnera diffusa* Willd.
- HH 3266 **Japanese pepper leaves**  
*Zanthoxylum piperitum* (L.) DC.
- HH 3267 **Kaffir lime, leaves**  
*Citrus hystrix* DC.
- HH 0723 **Laurel, leaves**  
*Laurus nobilis* L.

- HH 3268      **Lemon myrtle**  
                   *Backhousia citriodora* F. Muell.
- HH 3269      **Linden**  
                   *Tilia americana* L.
- **Malabar leaf**, see Tejpat leaves, HH 3237
- **Malabathrum**, see Tejpat leaves, HH 3237
- HH 3270      **Mulberry, leaves**  
                   *Morus* spp.
- HH 3271      **Myrtle**  
                   *Myrtus communis* L.
- HH 3272      **Native mint**  
                   *Prostanthera incise* R. Br, *P. rotundifolia* R. Br.
- HH 3273      **Pepper, leaves**  
                   *Piper* spp.
- HH 3274      **Pepperbush, leaves**  
                   *Tasmania lanceolata* (Poir.) A.C. Sm.; kaffirsassafrasDorrigo pepper, *T. stipitata*  
                   (Vick.)
- HH 0742      **Rue**  
                   *Ruta graveolens* L.
- HH 3275      **Siamese cassia**  
                   *Senna siamea* (Lam.) H. S. Irwin & Barneby
- HH 0744      **Sassafras, leaves**  
                   *Sassafras albidum* (Nutt.) Nees
- HH 3276      **Tejpat, leaves**  
                   *Cinnamomum tamala* (Buch.-Ham) Nees & Eberm.

#### Subgroup 027C Edible Flowers

- HH 3200      **Subgroup of Edible flowers, and including other edible flowers that are not listed in this subgroup**
- HH 3277      Calendula, flowers  
                   *Calendula officinalis* L.
- HH 3278      Courgette, flowers  
                   *Cucurbita pepo* L.
- HH 3279      Daylily, flowers  
                   *Hemerocallis* sp.
- HH 3280      Daisy, common, flowers  
                   *Bellis perennis* L.

- 
- HH 3281 Geranium, flowers  
*Pelargonium crispum* (P.J.Bergius) L'Her and *Pelargonium graveolens* L'Her
- HH 0737 Marigold, flowers  
*Tagetes minuta* L. *Tagetes tenuifolia* Cav. and other *Tagetes* spp.
- HH 3282 Nasturtium, flowers  
*Tropaeolum majus* L., *Tropaeolum minus* L.
- HH 3283 **Violet, flowers**  
*Viola odorata* L.; *V. tricolor* L.

**GROUP 028 SPICES****Class A****Type 5 Herbs and spices Group 028 Group Letter Code HS**

Group 028. Spices consist of the aromatic seeds, buds, roots, rhizomes, bark, pods, flowers or parts thereof, berries or other fruits from a variety of plants, which are used in relatively small quantities to flavour foods.

Spices are exposed in varying degrees to pesticides applied during the growing season. Also post harvest treatment may be applied to spices in the dried form.

They are consumed primarily in the dried form as condiments.

The group Spices is divided in nine subgroups:

028A Spices, seeds

028B Spices, fruit or berry

028C Spices, bark

028D Spices, root or rhizome

028E Spices, buds

028F Flower or stigma

028G Spices, aril

028H Spices, Citrus peel

028I Dried Chili Peppers

Portion of the commodity to which MRL applies (and which is analysed): **Unless specified, whole commodity as marketed, mainly in the dried form.**

**Group 028 Spices****Code No.            Commodity**

HS 0093            **Group of Spices** (includes all commodities in this group)

**Subgroup 028A Seeds****Code No.            Commodity**

HS 0190            **Subgroup of Spices, seeds** (includes all commodities in this subgroup)

HS 3280            **Achiote, seed**

*Bixa orellana* L.

HS 3281            **Ajwain**

*Trachyspermum ammi* (L.) Sprague ex Turrill

syn: *T. copticum* L.

HS 3282            **Ambrette, seed**

*Abelmoschus esculentus* (L.) Moench

HS 0720	<b>Angelica, seed</b> <i>Angelica archangelica</i> L.; <i>A. sylvestris</i> L.
-	<b>Aniseed</b> , see Anise, seed, HS 0771
HS 0771	<b>Anise, seed</b> <i>Pimpinella anisum</i> L.
HS 3283	<b>Annatto, seed</b> <i>Bixa orellana</i> L.
HS 0722	<b>Basil, seed</b> <i>Ocimum</i> spp.
HS 3284	<b>Black bread weed</b> <i>Nigella arvensis</i> L.
HS 3285	<b>Black caraway</b> <i>Nigella sativa</i> L.
HS 3286	<b>Calabash nutmeg</b> <i>Monodora myristica</i> (Gaertn.) Dunal
HS 3287	<b>Candlenut</b> <i>Aleurites moluccanus</i> (L.) Willd.
HS 3288	<b>Candlebush</b> <i>Senna alata</i> (L.) Roxb.
HS 0774	<b>Caraway, seed</b> <i>Carum carvi</i> L.
HS 0624	<b>Celery, seed</b> <i>Apium graveolens</i> L.
HS 3289	<b>Chervil, seed</b> <i>Anthriscus cerefolium</i> (L.) Hoffm.
HS 3290	<b>Chinese nutmeg tree</b> <i>Torreya grandis</i> Fortune
HS 0779	<b>Coriander, seed</b> <i>Coriandrum sativum</i> L.
HS 3291	<b>Cubeb, seed</b> <i>Piper cubeba</i> L. f.
HS 3292	<b>Culantro, seed</b> <i>Eryngium foetidum</i> L.

HS 0780	<b>Cumin, seed</b> <i>Cuminum cyminum</i> L.
HS 3293	<b>Daharian angelica, seed</b> <i>Angelica dahurica</i> (Hoffm.) Benth. & Hook. f. ex Franch. & Sav.
HS 0730	<b>Dill, seed</b> <i>Anethum graveolens</i> L.
HS 0731	<b>Fennel, seed</b> <i>Foeniculum vulgare</i> Mill. subsp. <i>vulgare</i> var. <i>vulgare</i> , Fennel, Florence, seed, <i>Foeniculum vulgare</i> Mill. subsp. <i>vulgare</i> var. <i>azoricum</i> (Mill.) Thell.
HS 3294	<b>Fennel flower, seed</b> <i>Nigella hispanica</i> L.
HS 0782	<b>Fenugreek, seed</b> <i>Trigonella foenum-graecum</i> L.; <i>T. caerulea</i> (L.) Ser.
HS 3295	<b>Grains of Paradise, seed</b> <i>Aframomum melegueta</i> K. Schum.
HS 3296	<b>Guarana</b> <i>Paullinia cupana</i> Kunt
HS 3297	<b>Honewort, seed</b> <i>Cryptotaenia japonica</i> Hassk.
HS 0735	<b>Lovage, seed</b> <i>Levisticum officinale</i> Koch.
HS 3298	<b>Mahaleb</b> <i>Prunus mahaleb</i> L.
HS 3299	<b>Malabar tamarind</b> <i>Garcinia</i> spp.
HS 3300	<b>Marjoram, seed</b> <i>Origanum majorana</i> L.; <i>O. vulgare</i> L. <i>O. onites</i> L.
HS 3301	<b>Milk thistle</b> <i>Silybum marianum</i> (L.) Gaertn.
-	<b>Mustard, black, seed, see Oilseeds, SO 0485</b> <i>Brassica nigra</i> (L.) Koch
-	<b>Mustard, brown, seed, see Oilseeds, SO 0485</b> <i>Brassica nigra</i> (L.) Koch

- **Mustard, white**, seed, see Oilseeds SO 0485  
*Sinapis alba* L. ssp. *alba*
  - HS 0789 **Nutmeg**  
Seed of *Myristica fragrans* Houtt.
  - HS 0740 **Parsley, seed**  
*Petroselinum crispum* (Mill.) Nyman ex A. W. Hill;
  - ~~HS 3299 **Perilla, seed**~~  
~~*Perilla frutescens* (L.) Britton var. *crispa* (Thunb.) W. Deane~~
  - **Poppy seed**, SO 0495, see Group 023: Oilseed
  - **Sesame seed**, SO 0700, see Group 023: Oilseed
  - HS 3302 **Wattle seed**  
*Acacia victoriae* Bent. and other spp.
- Subgroup 028B Fruit or berry**
- | <u>Code No.</u> | <u>Commodity</u>   |
|-----------------|--|
| HS 0191         | <b>Subgroup of Spices, fruit or berries</b> (includes all commodities in this subgroup)  |
| -               | <b>Allspice fruit</b> , see Pimento, HS 0792   |
| HS 3303         | <b>Anise pepper</b><br><i>Zanthoxylum piperitum</i> (L.) DC.   |
| HS 3304         | <b>Ashwagandha, fruit</b><br><i>Withania somnifera</i> (L.) Dunal  |
| -               | Batavia-cassia, fruit<br>See Ashwagandha, fruit, <b>HS 3304</b>  |
| HS 3305         | <b>Belleric myrobalan</b><br><i>Terminalia bellirica</i> (Gaertn.) Roxb.   |
| HS 3306         | <b>Caper, berries</b><br><i>Capparis spinosa</i> L.  |
| HS 0775         | <b>Cardamom, pods and seeds</b><br><i>Amomum</i> spp.; Cardamon, Nepal, <i>Amomum subulatum</i> Roxb., <i>Amomum aromaticum</i> Roxb.; Cardamon-amomum, <i>Amomum compactum</i> Sol. ex Maton; Malabar cardamom, <i>Amomum villosum</i> Lour.; Cardomon, Ethiopian, <i>Aframomum corrorima</i> (A. Braun) P. C. M. Jansen; Cardomon, green, <i>Elettaria cardamomum</i> (L.) Maton |
| HS 3307         | <b>Cassia, fruit</b><br><i>Cinnamomum</i> spp.; Cassia, Chinese, fruit, <i>Cinnamomum aromaticum</i> Nees.   |

---

HS 3308	<b>Chasteberry, berry</b> <i>Vitex negundo</i> L.
HS 3309	<b>Chinese cornel dogwood</b> <i>Cornus officinalis</i> Sieb. Et Zucc.
HS 3310	<b>Chinese hawthorn</b> <i>Crataegus pinnatifida</i> Bunge
HS 3311	<b>Chinese-pepper</b> <i>Zanthoxylum simulans</i> Hance; Chinese prickly ash, <i>Zanthoxylum bungeanum</i> Maxim
HS 3312	<b>Cinnamon, fruit</b> <i>Cinnamomum verum</i> J. Presl; Cinnamon, Saigon, fruit, <i>Cinnamomum loureiroi</i> Nees
HS 3313	<b>Coriander, fruit</b> <i>Coriandrum sativum</i> L.
HS 3314	<b>Cumin, black</b> <i>Bunium persicum</i> (Boiss.) B. Fedtsch.
HS 3315	<b>Dorrigo pepper, berry</b> <i>Tasmania stipitata</i> (Vick.) A.C. Smith
HS 3316	<b>Eucalyptus, fruit</b> <i>Eucalyptus</i> spp.
HS 3317	<b>Gambooge</b> <i>Garcinia gummi-gutta</i> (L.) N. Robson
HS 3318	<b>Gardenia, fruit</b> <i>Gardenia jasminoides</i> J.Ellis
HS 3319	<b>Grains of Selim</b> <i>Xylopi aethiopica</i> (Dunal) A. Rich.
HS 0786	<b>Juniper, berry</b> <i>Juniperis communis</i> L.
HS 3320	<b>Luo han guo</b> <i>Siraitia grosvenorii</i> (Swingle) C. Jeffrey ex. A.M. Lu & Zhi Y. Zhang
HS 3321	<b>Miracle fruit</b> <i>Synsepalum dulciferum</i> (Scumach. & Thonn.) Daniell

HS 0790	<b>Pepper, Black; White; Pink; Green</b> (see Note 1) <i>Piper nigrum</i> L.
HS 3322	<b>Pepper, Cubeb</b> <i>Piper cuceba</i> L. f.
HS 0791	<b>Pepper, Long</b> <i>Piper longum</i> L.; <i>P. retrofractum</i> Vahl.;
HS 3323	<b>Pepper, Sichuan</b> <i>Zanthoxylum bungeanum</i> Maxim.; <i>Z. schinifolium</i> Siebold & Zucc.; <i>Z. simulans</i> Hance; <i>Z. piperitum</i> (L.) DC
HS 3324	<b>Pepperbush, berry</b> <i>Tasmannia lanceolata</i> (Poir.) A.C. Sm.; <i>T. stipitata</i> (Vick.) A.C. Smith
HS 3325	<b>Peppertree</b> <i>Schinus</i> spp.; Peppertree, Brazilian, <i>Schinus terebinthifolius</i> Raddi; Peppertree, Peruvian, <i>S. molle</i> L.
HS 0792	<b>Pimento, fruit</b> <i>Pimenta dioica</i> (L.) Merrill
HS 3326	<b>Saunders, red</b> <i>Pterocarpus santalinus</i> L. f.
HS 3327	<b>Star anise</b> <i>Illicium verum</i> Hook.f.
HS 3328	<b>Sumac</b> <i>Rhus coriaria</i> L.
-	Tahiti vanilla <i>Vanilla tahitensis</i> J. W. Moore See Vanilla, beans, HS 0795
HS 0369	<b>Tamarind, sour varieties</b> see also Group 006: Assorted tropical and sub-tropical fruits - inedible peel <i>Tamarindus indica</i> L.
-	Tasmanian pepper berry See Pepperbush berry, <b>HS 3324</b>
HS 0370	<b>Tonka bean</b> <i>Dipteryx odorata</i> (Aubl.) Willd.

HS 3329	<b>Tsao-Ko</b> <i>Amomum tsao-ko</i> Crevost & Lemarié
HS 3330	<b>Uzazi</b> <i>Zanthoxylum gillettii</i> (De Wild.) P.G.Waterman basionym: <i>Fagara tessmannii</i>
HS 0795	<b>Vanilla, beans</b> <i>Vanilla planifolia</i> Andrews
HS 3331	<b>West African pepper</b> <i>Piper guineense</i> Thonn.
-	West Indian vanilla <i>Vanilla pompona</i> Schiede See Vanilla, beans, HS 0795
<b>Subgroup 028C Bark</b>	
<b><u>Code No.</u></b>	<b><u>Commodity</u></b>
HS 0192	<b>Subgroup of bark</b> (includes all commodities in this subgroup)
HS 3332	<b>Angostura, bark</b> <i>Angostura trifoliata</i> (Willd.) T. S. Elias
HS 3333	<b>Canella bark</b> <i>Canella winterana</i> (L.) Gaertn.
HS 3334	<b>Cascada buckthorn, bark</b> <i>Frangula purshiana</i> (DC.) A. Gray
-	<b>Cassia bark</b> , see Cinnamon bark (including Cinnamon, Chinese bark), HS 0777 <i>Cinnamomum aromaticum</i> Nees;
HS 3335	<b>Catechu, bark</b> <i>Senegalia catechu</i> (L. f.) P. J. H. Hurter & Mabb.
HS 0777	<b>Cinnamon, bark</b> (including Cinnamon, Chinese bark) <i>Cinnamomum verum</i> J. Presl.; Cassia, Chinese, bark, <i>C. aromaticum</i> Nees; Batavia-cassia bark, <i>C. burmannii</i> (Nees & T. Nees) Blume; Cinnamon, Saigon, bark, <i>C. loureiroi</i> Nees;
HS 3336	<b>Copaiba</b> <i>Copaifera officinalis</i> (Jacq.) L.
HS 3337	<b>Eucalyptus, bark</b> <i>Eucalyptus</i> spp.

HS 3338	<b>Eucommia, bark</b> <i>Eucommia ulmoides</i> Oliv.
HS 3339	<b>Frankincense</b> <i>Boswellia sacra</i> Flueck.; Frankincense, Indian, <i>Boswellia serrata</i> Roxb. ex Colebr.
HS 3340	<b>Galbanum</b> <i>Ferula gummosa</i> Boiss.
HS 3341	<b>Guaiaac</b> <i>Guaiaacum officinale</i> L.
HS 3342	<b>Guggul</b> <i>Commiphora wightii</i> (Arn.) Bhandari
HS 3343	<b>Gum arabic</b> <i>Senegalia senegal</i> (L.) Britton
HS 3344	<b>Gum ghatti</b> <i>Anogeissus latifolia</i> (Roxb. ex DC.) Wall. ex Guill. & Perr.
HS 3345	<b>Gum karaya</b> <i>Sterculia urens</i> Roxb.
HS 3346	<b>Gum tragacanth</b> <i>Astragalus gummifer</i> Labill.
HS 3347	<b>Haw, black</b> <i>Viburnum prunifolium</i> L.
HS 3348	<b>Magnolia, bark</b> <i>Magnolia officinalis</i> Rehder & E. H. Wilson
HS 3349	<b>Mastic</b> <i>Pistacia lentiscus</i> L.
HS 3350	<b>Myrrh</b> <i>Commiphora myrrha</i> (Nees) Engl. <i>Commiphora africana</i> (A. Rich.) Engl.; Myrrh, bisabol, <i>Commiphora kataf</i> (Forssk.) Engl
HS 3351	<b>Peony, bark</b> <i>Paeonia mascula</i> (L.) Mill.
HS 3352	<b>Pine, maritime</b> <i>Pinus pinaster</i> Aiton

HS 3353	<b>Pygeum</b> <i>Prunus africana</i> (Hook.f.) Kalkman
HS 3354	<b>Quassia, bark</b> <i>Quassia amara</i> L.
HS 3355	<b>Quebracho, bark</b> <i>Aspidosperma quebracho-blanco</i> Schlttdl.
HS 3356	<b>Quillaja</b> <i>Quillaja saponaria</i> Molina
-	<b>Quinine</b> , see Red cinchona, <b>HS 3357</b>
HS 3357	<b>Red cinchona</b> <i>Cinchona pubescens</i> Vahlk; <i>C. officinalis</i> L.
HS 3358	<b>Simaruba, bark</b> <i>Simarouba amara</i> Aubl.
HS 3359	<b>Slippery elm</b> <i>Ulmus rubra</i> Muhl.

**Subgroup 028D Root or rhizome**

<u>Code No.</u>	<u>Commodity</u>
HS 0193	<b>Subgroup of Spices, root or rhizome</b> (includes all commodities in this subgroup)
HS 3360	<b>Angelica, root</b> <i>Angelica archangelica</i> L.; <i>A. sylvestris</i> L. <i>A. dahurica</i> (Hoffm.) Benth & Hook. F. ex Franch. & Sav.
HS 3361	<b>Asafoetida, roots</b> (see also Note 2) <i>Ferula foetida</i> (Bunge) Regel; <i>F. assa-foetida</i> L.
HS 3362	<b>Bai shu</b> <i>Atractylodes macrocephala</i> Koidz.
HS 0772	<b>Calamus-root</b> <i>Acorus calamus</i> L.
HS 3363	<b>Cat's claw, root</b> <i>Uncaria tomentosa</i> (Willd.) DC., <i>Uncaria guianensis</i> (Aubl.) J. F. Gmel.
HS 3364	<b>Chinese chaste tree, root</b> <i>Vitex negundo</i> L.
-	Chinesetree, root See Chinese chaste tree, root, <b>HS 3364</b>

- HS 3365      **Chinese gold thread, root**  
                  *Coptis chinensis* Franch., *Coptis* spp.  
-              Coptis  
                  See Chinese gold thread, **HS 3365**
- HS 3366      **Coriander, root**  
                  *Coriandrum sativum* L.
- HS 3367      **Corydalis**  
                  *Corydalis* spp.
- HS 0781**      **Elecampane, root**  
                  *Inula helenium* L.
- HS 3368      **Fingerroot**  
                  *Boesenbergia rotunda* (L.) Mansf.  
                  syn: *B. pandurata* (Roxb.) Schltr.
- HS 0783      **Galangal, rhizome**  
                  *Languas galanga* (L.) Stunz; syn: *Alpinia galanga* Sw.;  
                  *Languas officinarum* (Hance) Farwelll;  
                  syn: *Alpinia officinarum* Hance  
                  *Kaempferia galanga* L.
- HS 0784      **Ginger, rhizome**  
                  *Zingiber officinale* Roscoe
- **Horseradish**, see VR 0583, Group 016: Root and Tuber vegetables
- HS 3369      **Jalap**  
                  *Ipomoea purga* (Wender.) Hayne
- **Krachai**, see Fingerroot, **HS 3368**
- Largehead *Atractylodes*, rhizome, see **Bai shu HS 3362**
- **Licorice**, see Liquorice, root, HS 0787
- HS 0787      **Liquorice, root**  
                  *Glycyrrhiza glabra* L.
- HS 3370      **Lovage, root**  
                  *Levisticum officinale* Koch.
- HS 3371      **Mongolina milkvetch, root**  
                  *Astragalus membranaceus* Fisch. Ex Bunge

HS 3372	<b>Prince Ginseng</b> <i>Pseudostellaria heterophylla</i> (Miq.) Pax
HS 3373	<b>Temulawak</b> <i>Curcuma zanthorrhiza</i> Roxb.
HS 3374	<b>Tuber fleece flower, tuber</b> <i>Reynoutria multiflora</i> (Thanb.) Moldenke
HS 0794	<b>Turmeric, root</b> <i>Curcuma longa</i> L.; <i>C. mangga</i> Valetton & van Zijp
HS 3375	<b>White peony root</b> <i>Paeonia lactiflora</i> Pall.
HS 3376	<b>Yellow gentian, root</b> <i>Gentiana lutea</i> L.
HS 3377	<b>Zedoary</b> <i>Curcuma zedoaria</i> (Cristm.) Roscoe

**Subgroup 028E Buds**

<u>Code No.</u>	<u>Commodity</u>
HS 0194	<b>Subgroup of Spices, buds</b> (includes all commodities in this subgroup)
HS 0773	<b>Caper, bud</b> <i>Capparis spinosa</i> L.
HS 0776	<b>Cassia, bud</b> <i>Cinnamomum aromaticum</i> (L.) Nees
HS 0778	<b>Cloves, bud</b> <i>Syzygium aromaticum</i> (L.) Merr. & Perr.; syn: <i>Eugenia caryophyllus</i> (Sprengel) Bullock & Harrison; <i>E. aromatica</i> Kuntze; <i>E. caryophyllata</i> Thunb.; <i>Caryophyllus aromaticus</i> L.
HS 0739	<b>Nasturtium, pod</b> <i>Tropaeolum</i> spp.; Nasturtium bush, pods, <i>Tropaeolum minus</i> L.; Nasturtium, garden, pods, <i>Tropaeolum majus</i> L.

**Subgroup 028F Flower or stigma**

<u>Code No.</u>	<u>Commodity</u>
HS 0195	<b>Subgroup of Spices, flower or stigma</b> (includes all commodities in this subgroup)
HS 3378	<b>Golden-and-silver honeysuckle</b> <i>Lonicera japonica</i> Thunb.

HS 3379            **Kewra, flowers**  
                          *Pandanus fascicularis* Lam.

HS 3380            **Saffron**  
                          *Crocus sativus* L.

### **Subgroup 028G Aril**

<u>Code No.</u>	<u>Commodity</u>
HS 0196	<b>Spices, aril</b> (includes all commodities in this subgroup)
HS 0788	<b>Mace</b> Dried aril of <i>Myristica fragrans</i> Houtt.

### **Subgroup 028H Citrus Peel**

<u>Code No.</u>	<u>Commodity</u>
HS 0197	<b>Subgroup of Spices, Citrus peel</b> (includes all commodities in this subgroup)
HS 2206	<b>Kaffir lime, peel</b> <i>Citrus hirtix</i> DC.
HS 3381	<b>Lemon, peel</b> <i>Citrus limon</i> Burm. f.;
HS 3382	<b>Orange, peel</b> <i>Citrus sinensis</i> Osbeck
HS 3383	<b>Satsuma mandarin, peel</b> <i>Citrus unshiu</i> Marcow.
HS 2211	<b>Yuzu, peel</b> <i>Citrus junos</i> Siebold ex Tanaka <b>Yuja, peel</b> , see Yuzu peel, HS 2211

### **Subgroup 028I Dried Chili Peppers**

<u>Code No.</u>	<u>Commodity</u>
HS 0444	<b>Peppers, Chili, dried</b> <i>Capsicum</i> spp.

**Note 1:** Although white pepper is in principle a processed food belonging to Type 13: Derived products of plant origin, it is listed for convenience in Group 028 Spices. White pepper is prepared from Black pepper, *Piper nigrum* L.: The seeds are retted in water and dried after removal of the mesocarp. The resulting white pepper may or may not be ground into powder. The scientific name of green pepper and pink pepper is *Piper nigrum* L. Pink pepper is mature pepper. Green pepper is an immature stage of pink pepper.

**Note 2:** Asafoetida is not only marketed as root, but also as products (resin, powder, flour), which are produced from a gum of the root.

**APPENDIX VIII****PART B****PROPOSED DRAFT TABLE 5 ON EXAMPLES OF SELECTION OF REPRESENTATIVE COMMODITIES****Type 05 Herbs and spices**

**(For inclusion in the *Principles and Guidance for the Selection of Representative Commodities for the Extrapolation of Maximum Residue Limits for Pesticides for Commodity Groups* (CAC/GL 84-2012)**

**(For adoption at Step 5/8)**

<b>Codex Group / Subgroup</b>	<b>Examples of Representative Commodities <sup>1)</sup></b>	<b>Extrapolation to the following commodities</b>
<b>Group 027 Herbs</b>		
Subgroup 027A, Herbs (herbaceous plants)	Basil or Mint or Leaf lettuce or Spinach	<u>Herbs (HH 2095)</u> : Agrimony; Angelica, leaves; Anise, leaves; Avarum; Azetec sweet herb; Balloon pea; Balm, leaves; Barrenwort; Basil, leaves; Bisongrass; Blue mallow; Boneset; Borage; Borage, Indian; Burnet; Calamint; Calendula, leaves; Caltrop; Caraway, leaves; Catmint; Catnip, Japanese; Celandine, greater; Celandine, lesser; Celery, leaves; Centaury; Chaste tree; Coriander, leaves; Coriander, Bolivian; Coriander, Vietnamese; Costmary; Cover fern; Culantro, leaves; Curry plant; Cut leaf; Dill, leaves; Dokudami; Epazote; Evening primose; Fennel, leaves; Fennel, Spanish; Fenugreek, leaves; Feverfew; Field pennycress; Fumitory; Gambir; Geranium, leaves; Germander, golden; Greater burnet-saxifrage; Gypsywort; Heal-all; Honewort; Horehound; Hyssop; Hyssop, anise; Jasmine; Labrador tea; Lavender; Lemongrass; Lemon savory; Lovage, leaves; Marigold, leaves; Marjoram; Marshmallow; Meadowsweet; Mint; Mint, Korean; Mioga, shoots and flower buds; Monarda; Motherwort; Mountainmint; Mullein; Nasturtium, leaves; Nettle; Oregano, Mexican; Pandan, leaves; Pansy, leaves; Parsley, leaves; Pennywort; Perilla, leaves; Phak paew; Rice paddy herb; Rosemary; Sage and related <i>Salvia</i> species; Santolina; Savory, Summer and Winter; Sorrel, common; Southernwood; Stevia; Sweet cicely; Tarragon; Thyme; Toon, Chinese; Veronica; Wasabi, stem; Waterpepper, Japanese; Wild betle leaf bush; Winter cress, common, American; Wintergreen leaves; Yarrow; Yellow gentian; Yerba santa; Yomogi
Subgroup 027B Leaves of woody plants	Any commodity in this subgroup or Leaf Lettuce or Spinach	<u>Leaves of woody plants (HH 2096)</u> : Aniseed myrtle; Boldo; Curry, leaves; Damiana; Japanese pepper, leaves; Kaffir lime, leaves; Laurel, leaves; Lemon myrtle; Linden; Mulberry leaves, Myrtle; Native mint; Pepper, leaves; Pepperbush, leaves; Rue; Siamese cassia; Sassafras leaves; Tejpat, leaves

Codex Group / Subgroup	Examples of Representative Commodities <sup>1)</sup>	Extrapolation to the following commodities
Subgroup 027C Edible flowers	Any commodity in this subgroup or Leaf Lettuce or Spinach	<u>Edible flowers (HH 3200)</u> : Calendula, flowers; Courgette, flowers; Daylily, flowers; Daisy, common, flowers; Geranium, flowers; Marigold, flowers; Nasturtium, flowers; Violet, flowers and other edible flowers
<b>Group 028 Spices</b>		
Subgroup 028A Spices, seeds	Any commodity in this subgroup	<u>Spices, seeds (HS 0190)</u> : Achiote, seed; Ajwain; Ambrette, seed; Angelica, seed; Anise, seed; Annatto, seed; Basil, seed; Black bread weed; Black caraway; Calabash nutmeg; Candlenut; Candlebush; <b>Caraway, seed</b> ; Celery, seed; Chervil, seed; Chinese nutmeg tree; Coriander, seed; Cubeb, seed; Culantro, seed; Cumin, seed; Daharian angelica, seed; Dill, seed; Fennel, seed; Fennel flower, seed; Fenugreek, seed; Grains of Paradise, seed; Guarana; Honewort, seed; Lovage, seed; Mahaleb; Malabar tamarind; Marjoram, seed; <b>Milk thistle</b> ; Nutmeg; Parsley, seed; <b>Perilla, seed</b> ; Wattle seed
Subgroup 028B Spices, fruit or berry	Any commodity in this subgroup	<u>Spices, fruit or berry (HS 0191)</u> : Anise pepper; Ashwagandha, fruit; Batavia-cassia, fruit; Belleric myrobalan; Caper, berries; <b>Caraway, fruit</b> ; Cardamom, pods and seeds; Cassia, fruit; Chasteberry, berry; Chinese hawthorn; Chinese-pepper; Cinnamon, fruit; Coriander, fruit; Cumin, black; Dorrigo pepper, berry; Eucalyptus, fruit; Fennel, fruit; Gambooge; Gardenia, fruit; Grains of Selim; Juniper, berry; Luo han guo; Miracle fruit; Pepper, Black, White, Pink, Green; Pepper, Cubeb; Pepper, long; Pepper, Sichuan; Pepperbush, berry; Peppertree; Pimento, fruit; Saunders, red; Star anise; Sumac; Tamarind, sour varieties; Tasmanian pepper berry; Tonka bean; Tsao-Ko; Uzazi; Vanilla, beans; West African pepper
Subgroup 028C Spices, bark	Any commodity in this subgroup	<u>Spices, bark (HS 0192)</u> : Angostura, bark; Canella bark; Cascada buckthorn, bark; Catechu, bark; Cinnamon bark; Copaiba; Eucalyptus, bark; Eucommia, bark; Frankincense; Galbanum; Guaiac; Guggul; Gum arabic; Gum ghatti; Gum karaya; Gum tragacanth; Haw, black; Magnolia, bark; Mastic; Myrrh; Pine, maritime; Pygeum; Quassia, bark; Quebracho, bark; Quillaja; Red cinchona; Simaruba, bark; Slippery elm
Subgroup 028D Spices, root or rhizome	Any commodity in this subgroup or commodity from Root and Tuber Vegetables, <b>applying an appropriate concentration factor</b>	<u>Spices, root or rhizome (HS 0193)</u> : Angelica, root; Asafoetida, root; Calamus-root; Cat's claw, root; Chinesetree, root; Coptis; Coriander, root; Elecampane, root; Fingerroot; Galangal, rhizome; Ginger, rhizome; Jalap; Liquorice, root, Lovage, root; Temulawak; Tumeric, root; Yellow gentian, root; Zedoary
Subgroup 028E Spices, buds	Any commodity in this subgroup	<u>Spices, buds (HS 0194)</u> : Caper, bud; Cassia, bud; Cloves, bud; Nasturtium, pod;
Subgroup 028F Flower or stigma	Saffron	<u>Spices, flower or stigma (HS 0195)</u> : Golden-and-silver honeysuckle; Kewra, flowers; Saffron
Subgroup 028G Spices, aril	Mace	<u>Spices, aril (HS 0196)</u> : Mace
<b>Subgroup 028H Citrus peel</b>	Any commodity in this subgroup	<u>Spices, citrus peel (HS 0197)</u> : Kaffir lime, peel; Lemon, peel, Orange, peel, Satsuma mandarin, peel; Yuzu, peel

<b>Codex Group / Subgroup</b>	<b>Examples of Representative Commodities <sup>1)</sup></b>	<b>Extrapolation to the following commodities</b>
Subgroup 028I	Any commodity in this subgroup	Peppers, Chili, dried

- 1) Alternative representative commodities may be selected based on documented regional/country differences in dietary consumption and/or areas of production