

B-76 Sea-urchins and other echinoderms
Oursins et autres échinodermes
Erizos de mar y otros equinodermos

Capture production by species, fishing areas and countries or areas
Captures par espèces, zones de pêche et pays ou zones
Capturas por especies, áreas de pesca y países o áreas

| Species, Fishing area Espèce, Zone de pêche Especie, Área de pesca | 2000 t | 2001 t | 2002 t | 2003 t | 2004 t | 2005 t | 2006 t | 2007 t | 2008 t | 2009 t |
|--|-------------------------------|-----------------|---------------------------------|-----------------|-------------------------------|-----------------|-----------------|-----------------------|-----------------|-----------------|
| Echinoderms | Oursins, bèches-de-mer | | Erizos, cohombros de mar | | Echinodermata | | | 6,89(XX)XXX,XX | | ECH |
| 27 Norway | - | - | - | - | - | - | - | 4 | 0 | - |
| Spain | 306 | 304 | 603 | 13 | 530 | 445 | 471 | 531 | 615 | 436 |
| <i>27 Fishing area total</i> | <i>306</i> | <i>304</i> | <i>603</i> | <i>13</i> | <i>530</i> | <i>445</i> | <i>471</i> | <i>535</i> | <i>615</i> | <i>436</i> |
| 31 Mexico | 0 | 0 | - | - | - | - | - | - | - | - |
| <i>31 Fishing area total</i> | <i>0</i> | <i>0</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>-</i> |
| 37 Spain | 3 | 2 | - | - | - | - | - | - | - | - |
| <i>37 Fishing area total</i> | <i>3</i> | <i>2</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>-</i> |
| 58 Australia | - | - | - | 0 | 0 | 0 | 0 | - | 0 | - |
| <i>58 Fishing area total</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>0</i> | <i>0</i> | <i>0</i> | <i>0</i> | <i>-</i> | <i>0</i> | <i>-</i> |
| 61 Korea Rep | 1 461 | 1 454 | 1 459 | 1 607 | 1 301 | 2 035 | 2 596 | 2 651 | 3 555 | 2 846 |
| <i>61 Fishing area total</i> | <i>1 461</i> | <i>1 454</i> | <i>1 459</i> | <i>1 607</i> | <i>1 301</i> | <i>2 035</i> | <i>2 596</i> | <i>2 651</i> | <i>3 555</i> | <i>2 846</i> |
| 77 Fr Polynesia | 15 | 15 | 15 | 15 F | 15 F | 15 | 15 | 15 | 15 | 66 |
| Mexico | 2 813 | 2 278 | 2 068 | 1 829 | 1 916 | 83 | 87 | 58 | 74 | 88 |
| Samoa | ... | ... | ... | ... | ... | 5 | 4 | 13 | 8 | 7 |
| <i>77 Fishing area total</i> | <i>2 828</i> | <i>2 293</i> | <i>2 083</i> | <i>1 844 F</i> | <i>1 931 F</i> | <i>103</i> | <i>106</i> | <i>86</i> | <i>97</i> | <i>161</i> |
| 81 New Zealand | 712 | 853 | 738 | 586 | 555 | 854 | 812 | 811 | 762 | 741 |
| <i>81 Fishing area total</i> | <i>712</i> | <i>853</i> | <i>738</i> | <i>586</i> | <i>555</i> | <i>854</i> | <i>812</i> | <i>811</i> | <i>762</i> | <i>741</i> |
| 87 Peru | 1 626 | 2 114 | 2 245 | 2 066 | 1 388 | 3 033 | 281 | 1 932 | 2 438 | 1 866 |
| <i>87 Fishing area total</i> | <i>1 626</i> | <i>2 114</i> | <i>2 245</i> | <i>2 066</i> | <i>1 388</i> | <i>3 033</i> | <i>281</i> | <i>1 932</i> | <i>2 438</i> | <i>1 866</i> |
| <i>Species total</i> | <i>6 936</i> | <i>7 020</i> | <i>7 128</i> | <i>6 116 F</i> | <i>5 705 F</i> | <i>6 470</i> | <i>4 266</i> | <i>6 015</i> | <i>7 467</i> | <i>6 050</i> |
| Starfishes nei | Astéridés nca | | Estrellas nep | | Asteroidea | | | 6,91(XX)XXX,XX | | STF |
| 21 USA | 0 | - | - | - | 0 | 0 | - | - | 2 | 0 |
| <i>21 Fishing area total</i> | <i>0</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>0</i> | <i>0</i> | <i>-</i> | <i>-</i> | <i>2</i> | <i>0</i> |
| 27 Denmark | 0 | 0 | 0 | - | 0 | - | - | - | - | - |
| <i>27 Fishing area total</i> | <i>0</i> | <i>0</i> | <i>0</i> | <i>-</i> | <i>0</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>-</i> |
| 48 Chile | - | - | - | - | - | 0 | - | - | - | - |
| <i>48 Fishing area total</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>0</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>-</i> |
| 58 Australia | - | - | - | 1 | 2 | 2 | 3 | 1 | 3 | 3 |
| <i>58 Fishing area total</i> | <i>-</i> | <i>-</i> | <i>-</i> | <i>1</i> | <i>2</i> | <i>2</i> | <i>3</i> | <i>1</i> | <i>3</i> | <i>3</i> |
| 77 USA | - | 0 | 1 | 1 | 7 | 2 | 0 | 4 | 0 | 0 |
| <i>77 Fishing area total</i> | <i>-</i> | <i>0</i> | <i>1</i> | <i>1</i> | <i>7</i> | <i>2</i> | <i>0</i> | <i>4</i> | <i>0</i> | <i>0</i> |
| 81 New Zealand | 6 | 9 | 39 | 15 | 7 | 11 | 6 | 4 | 19 | 14 |
| <i>81 Fishing area total</i> | <i>6</i> | <i>9</i> | <i>39</i> | <i>15</i> | <i>7</i> | <i>11</i> | <i>6</i> | <i>4</i> | <i>19</i> | <i>14</i> |
| 88 New Zealand | - | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Ukraine | - | - | - | - | 0 | - | - | - | - | - |
| UK | - | - | - | - | - | - | - | - | 1 | ... |
| <i>88 Fishing area total</i> | <i>-</i> | <i>2</i> | <i>0</i> | <i>0</i> | <i>0</i> | <i>0</i> | <i>0</i> | <i>1</i> | <i>1</i> | <i>1</i> |
| <i>Species total</i> | <i>6</i> | <i>11</i> | <i>40</i> | <i>17</i> | <i>16</i> | <i>15</i> | <i>9</i> | <i>10</i> | <i>25</i> | <i>18</i> |
| Sea urchins nei | Oursins nca | | Erizos nep | | Strongylocentrotus spp | | | 6,93(02)004,XX | | URC |
| 21 Canada | 3 125 | 2 775 | 2 295 | 2 584 | 2 318 | 2 191 | 2 201 | 2 198 | 2 232 | 1 649 |
| St Pier Mq | 0 | 0 | - | 0 | 0 | 0 | 0 | 0 | - | - |
| USA | 6 006 | 4 499 | 2 412 | 2 709 | 2 605 | 1 609 | 1 312 | 558 | 1 278 | 1 597 |
| <i>21 Fishing area total</i> | <i>9 131</i> | <i>7 274</i> | <i>4 707</i> | <i>5 293</i> | <i>4 923</i> | <i>3 800</i> | <i>3 513</i> | <i>2 756</i> | <i>3 510</i> | <i>3 246</i> |
| 27 Norway | 1 | 1 | 0 | 1 | 0 | 0 | 3 | 2 | 1 | 0 |
| Russian Fed | 149 | 151 | 38 | 1 | - | - | 25 | 4 | - | 6 |
| UK | - | - | - | - | - | - | - | - | - | 0 |
| <i>27 Fishing area total</i> | <i>150</i> | <i>152</i> | <i>38</i> | <i>2</i> | <i>0</i> | <i>0</i> | <i>28</i> | <i>6</i> | <i>1</i> | <i>6</i> |
| 31 Grenada | 0 | - | - | - | - | - | - | - | - | - |
| Martinique | 10 | 10 | 10 | 10 | 10 | 10 F | 10 | 10 | 10 | 10 |
| <i>31 Fishing area total</i> | <i>10</i> | <i>10</i> | <i>10</i> | <i>10</i> | <i>10</i> | <i>10 F</i> | <i>10</i> | <i>10</i> | <i>10</i> | <i>10</i> |
| 61 China | 172 F | 171 F | 170 F | 170 F | 170 F | 170 F | 170 F | 170 | 170 | 170 |
| China,Taiwan | 41 | 50 | 63 | 78 | 71 | 40 | 45 | 46 | 8 | 7 |
| Japan | 12 455 | 11 208 | 12 733 | 12 574 | 12 716 | 11 990 | 10 820 | 11 679 | 10 859 | 11 000 F |
| Korea D P Rp | 100 F | 100 F | 100 F | 100 F | 100 F | 100 F | 100 F | 100 F | 100 F | 100 F |
| Russian Fed | 1 528 | 1 612 | 2 582 | 2 206 | 2 454 | 3 435 | 4 321 | 5 958 | 8 587 | 10 607 |
| <i>61 Fishing area total</i> | <i>14 296 F</i> | <i>13 141 F</i> | <i>15 648 F</i> | <i>15 128 F</i> | <i>15 511 F</i> | <i>15 735 F</i> | <i>15 456 F</i> | <i>17 953 F</i> | <i>19 724 F</i> | <i>21 884 F</i> |
| 67 Canada | 4 887 | 4 288 | 4 146 | 4 413 | 4 552 | 4 135 | 1 887 | 1 347 | 1 925 | 1 418 |
| USA | 1 954 | 2 090 | 2 053 | 241 | 1 618 | 419 | 802 | 406 | 416 | 461 |
| <i>67 Fishing area total</i> | <i>6 841</i> | <i>6 378</i> | <i>6 199</i> | <i>4 654</i> | <i>6 170</i> | <i>4 554</i> | <i>2 689</i> | <i>1 753</i> | <i>2 341</i> | <i>1 879</i> |
| 71 Fiji | 90 F | 96 | 70 F | 31 | 100 | 115 F | 133 | 91 | 120 | 35 |
| Philippines | 125 | 127 | 112 | 104 | 98 | 85 | 102 | 108 | 122 | 126 |
| <i>71 Fishing area total</i> | <i>215 F</i> | <i>223</i> | <i>182 F</i> | <i>135</i> | <i>198</i> | <i>200 F</i> | <i>235</i> | <i>199</i> | <i>242</i> | <i>161</i> |

B-76 Sea-urchins and other echinoderms
Oursins et autres échinodermes
Erizos de mar y otros equinodermos

Capture production by species, fishing areas and countries or areas
Captures par espèces, zones de pêche et pays ou zones
Capturas por especies, áreas de pesca y países o áreas

| Species, Fishing area Espèce, Zone de pêche Especie, Área de pesca | 2000 t | 2001 t | 2002 t | 2003 t | 2004 t | 2005 t | 2006 t | 2007 t | 2008 t | 2009 t |
|--|--------------------------------------|---------------------|--------------------------------|-------------------|------------------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|
| 77 Cook Is Mexico USA | 8 F ... 6 054 | 5 F ... 5 871 | 2 F ... 6 162 | 0 ... 4 781 | 2 ... 5 666 | 2 F 1 967 5 387 | 1 1 627 5 050 | 1 F 1 774 5 262 | 1 F 2 046 5 020 | 1 F 2 598 5 507 |
| 77 Fishing area total | 6 062 F | 5 876 F | 6 164 F | 4 781 | 5 668 | 7 356 F | 6 678 | 7 037 F | 7 067 F | 8 106 F |
| 87 Ecuador | 0 | 0 | - | - | - | - | - | - | - | - |
| 87 Fishing area total | 0 | 0 | - | - | - | - | - | - | - | - |
| Species total | 36 705 F | 33 054 F | 32 948 F | 30 003 F | 32 480 F | 31 655 F | 28 609 F | 29 714 F | 32 895 F | 35 292 F |
| Stony sea urchin | Oursin-pierre | | Erizo de mar | | Paracentrotus lividus | | | 6,93(04)007,01 | | URM |
| 27 France Portugal | 6 - | 3 15 | - 1 | 1 26 | - 15 | 1 - | 3 - | 4 - | 3 - | 2 - |
| 27 Fishing area total | 6 | 18 | 1 | 27 | 15 | 1 | 3 | 4 | 3 | 2 |
| 37 Albania France | ... 192 | ... 98 | ... 180 | ... 181 | 35 138 | 18 - | 23 59 | ... - | ... - | ... 20 |
| 37 Fishing area total | 192 | 98 | 180 | 181 | 173 | 18 | 82 | ... | ... | 20 |
| Species total | 198 | 116 | 181 | 208 | 188 | 19 | 85 | 4 | 3 | 22 |
| European edible sea urchin | Oursin d'Europe | | Erizo europeo | | Echinus esculentus | | | 6,93(04)014,01 | | URS |
| 27 Denmark Iceland Ireland | 0 - 1 | 0 - 5 | 0 - - | - - - | 0 50 - | 1 29 - | 0 1 - | - 134 - | - 126 - | - 140 - |
| 27 Fishing area total | 1 | 5 | 0 | - | 50 | 30 | 1 | 134 | 126 | 140 |
| Species total | 1 | 5 | 0 | - | 50 | 30 | 1 | 134 | 126 | 140 |
| Chilean sea urchin | Oursin chilien | | Erizo blanco | | Loxechinus albus | | | 6,93(04)017,01 | | UCH |
| 87 Chile | 54 097 | 46 794 | 60 166 | 42 650 | 49 228 | 37 566 | 34 826 | 38 526 | 38 922 | 37 866 |
| 87 Fishing area total | 54 097 | 46 794 | 60 166 | 42 650 | 49 228 | 37 566 | 34 826 | 38 526 | 38 922 | 37 866 |
| Species total | 54 097 | 46 794 | 60 166 | 42 650 | 49 228 | 37 566 | 34 826 | 38 526 | 38 922 | 37 866 |
| Sea urchins, etc. nei | Oursins, etc. nca | | Erizos, etc. nep | | Echinoidea | | | 6,93(XX)XXX,XX | | URX |
| 58 Australia | - | - | - | - | 0 | 0 | - | 0 | - | 0 |
| 58 Fishing area total | - | - | - | - | 0 | 0 | - | 0 | - | 0 |
| Species total | - | - | - | - | 0 | 0 | - | 0 | - | 0 |
| Sand fish | ...B | | ...C | | Holothuria scabra | | | 6,94(01)003,02 | | HFC |
| 51 Seychelles | ... | 10 | 1 | 0 | 1 | - | 2 | 1 | 2 | 0 |
| 51 Fishing area total | ... | 10 | 1 | 0 | 1 | - | 2 | 1 | 2 | 0 |
| Species total | ... | 10 | 1 | 0 | 1 | - | 2 | 1 | 2 | 0 |
| Black teatfish | Holothurie noire à mamelles | | ...C | | Holothuria nobilis | | | 6,94(01)003,03 | | HFN |
| 51 Seychelles | ... | 9 | 9 | 8 | 12 | 14 | 11 | 10 | 7 | 8 |
| 51 Fishing area total | ... | 9 | 9 | 8 | 12 | 14 | 11 | 10 | 7 | 8 |
| Species total | ... | 9 | 9 | 8 | 12 | 14 | 11 | 10 | 7 | 8 |
| White teatfish | Holothurie blanche à mamelles | | ...C | | Holothuria fuscogilva | | | 6,94(01)003,05 | | HFF |
| 51 Seychelles | ... | 29 | 66 | 36 | 65 | 76 | 54 | 98 | 94 | 230 |
| 51 Fishing area total | ... | 29 | 66 | 36 | 65 | 76 | 54 | 98 | 94 | 230 |
| Species total | ... | 29 | 66 | 36 | 65 | 76 | 54 | 98 | 94 | 230 |
| Prickly redfish | Holothurie ananas | | ...C | | Thelenota ananas | | | 6,94(14)002,01 | | TFQ |
| 51 Seychelles | ... | 6 | 28 | 31 | 29 | 43 | 35 | 49 | 53 | 113 |
| 51 Fishing area total | ... | 6 | 28 | 31 | 29 | 43 | 35 | 49 | 53 | 113 |
| Species total | ... | 6 | 28 | 31 | 29 | 43 | 35 | 49 | 53 | 113 |
| Japanese sea cucumber | Bêche-de-mer japonaise | | Cohombro de mar japonés | | Stichopus japonicus | | | 6,94(14)004,01 | | CUJ |
| 61 Japan Korea Rep | 6 957 1 419 | 7 229 900 | 7 259 833 | 8 517 1 281 | 9 268 1 154 | 9 373 1 135 | 10 344 1 614 | ... | ... | ... |
| 61 Fishing area total | 8 376 | 8 129 | 8 092 | 9 798 | 10 422 | 10 508 | 11 958 | 2 936 | 2 260 | 2 789 |
| Species total | 8 376 | 8 129 | 8 092 | 9 798 | 10 422 | 10 508 | 11 958 | 2 936 | 2 260 | 2 789 |
| Sea cucumbers nei | Bêches-de-mer nca | | Cohombros de mar nep | | Holothuroidea | | | 6,94(XX)XXX,XX | | CUX |
| 21 USA | 4 309 | 1 504 | 4 656 | 9 102 | 4 539 | 3 886 | 3 978 | 2 440 | 778 | 1 946 |
| 21 Fishing area total | 4 309 | 1 504 | 4 656 | 9 102 | 4 539 | 3 886 | 3 978 | 2 440 | 778 | 1 946 |
| 27 Iceland Spain | - - | - - | - 8 | 27 - | - - | 208 - | 50 0 | - - | 1 051 - | 1 167 - |
| 27 Fishing area total | - | - | 8 | 27 | - | 208 | 50 | - | 1 051 | 1 167 |

B-76 Sea-urchins and other echinoderms
Oursins et autres échinodermes
Erizos de mar y otros equinodermos

Capture production by species, fishing areas and countries or areas
Captures par espèces, zones de pêche et pays ou zones
Capturas por especies, áreas de pesca y países o áreas

| Species, Fishing area Espèce, Zone de pêche Especie, Área de pesca | 2000 t | 2001 t | 2002 t | 2003 t | 2004 t | 2005 t | 2006 t | 2007 t | 2008 t | 2009 t |
|--|-----------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 31 Mexico | - | 39 | - | - | - | - | - | 113 | ... | 0 |
| Nicaragua | - | - | - | - | - | - | 5 | 183 | 195 | 720 |
| <i>31 Fishing area total</i> | - | 39 | - | - | - | - | 5 | 296 | 195 | 720 |
| 37 Spain | 9 | 4 | 2 | 2 | 2 | 4 | 4 | 3 | 3 | 5 |
| <i>37 Fishing area total</i> | 9 | 4 | 2 | 2 | 2 | 4 | 4 | 3 | 3 | 5 |
| 51 Egypt | 20 | 139 | 2 310 | 527 | 15 | 5 | 6 | 7 | - | - |
| Kenya | 30 | 13 | 68 | 27 | 28 | 19 | 18 | 17 | 33 | 16 |
| Madagascar | 1 500 | 1 500 | 500 | 500 F | 600 F | 700 F | 820 | 820 F | 700 F | 760 F |
| Maldives | 615 | 678 | 573 | 717 | 546 | 351 | 264 | 339 | 252 | 159 |
| Mauritius | ... | ... | ... | ... | ... | ... | 340 | 620 | 95 | 100 |
| Mozambique | 12 | 11 | 10 | 4 | 0 | 0 | ... | ... | ... | ... |
| Seychelles | ... | 6 | 62 | 131 | 129 | 243 | 319 | 372 | 285 | 487 |
| Tanzania | 372 | 340 | 65 | 75 | 10 | 14 | 0 | 0 | 0 | 0 |
| Yemen | - | 13 | 14 | 336 | 230 F | 130 F | 32 | 11 | 11 | 11 F |
| <i>51 Fishing area total</i> | <i>2 549</i> | <i>2 700</i> | <i>3 602</i> | <i>2 317 F</i> | <i>1 558 F</i> | <i>1 462 F</i> | <i>1 799</i> | <i>2 186 F</i> | <i>1 376 F</i> | <i>1 533 F</i> |
| 57 Indonesia | 903 | 697 | 649 | 334 | 414 | 658 | 523 | 395 | 452 | 470 |
| Sri Lanka | 145 | 90 | 150 | 170 | 280 | 2 340 | 1 350 | 2 880 | 4 230 | 3 890 |
| <i>57 Fishing area total</i> | <i>1 048</i> | <i>787</i> | <i>799</i> | <i>504</i> | <i>694</i> | <i>2 998</i> | <i>1 873</i> | <i>3 275</i> | <i>4 682</i> | <i>4 360</i> |
| 58 Australia | - | - | - | 0 | 1 | 0 | - | - | 0 | - |
| <i>58 Fishing area total</i> | - | - | - | 0 | 1 | 0 | - | - | 0 | - |
| 67 USA | 274 | 300 | 249 | 199 | 262 | 390 | 291 | 208 | 280 | 276 |
| <i>67 Fishing area total</i> | <i>274</i> | <i>300</i> | <i>249</i> | <i>199</i> | <i>262</i> | <i>390</i> | <i>291</i> | <i>208</i> | <i>280</i> | <i>276</i> |
| 71 Cambodia | 21 | ... | ... | 3 | ... | ... | ... | ... | ... | ... |
| Fiji | 800 F | 824 | 500 F | 21 | 121 | 150 F | 186 | 372 | 60 | 50 |
| Indonesia | 2 138 | 2 820 | 2 408 | 2 680 | 6 516 | 6 520 | 4 255 | 3 878 | 3 171 | 3 280 |
| Kiribati | 192 | 180 | 780 | 162 | 320 F | 480 F | 600 F | 806 | 537 | 163 |
| NewCaledonia | 615 | 489 | 350 | 517 | 811 | 500 | 565 | 919 | 766 | 364 |
| Papua N Guin | 1 824 | 1 453 | 326 | 571 | 645 | 676 | 726 | 663 | 345 | 508 |
| Philippines | 730 | 791 | 954 | 979 | 1 006 | 762 | 849 | 850 | 777 | 934 |
| Solomon Is | 161 | 375 | 174 | 409 | 17 | 20 F | 20 F | 20 F | 20 F | 20 F |
| Vanuatu | 81 | 114 | 24 | 75 | 42 | 27 | 24 | 15 | 15 F | ... |
| Wallis Fut I | - | 0 | - | 0 | 0 | 0 | 0 | 0 | - | - |
| <i>71 Fishing area total</i> | <i>6 562 F</i> | <i>7 046</i> | <i>5 516 F</i> | <i>5 417</i> | <i>9 478 F</i> | <i>9 135 F</i> | <i>7 225 F</i> | <i>7 523 F</i> | <i>5 691 F</i> | <i>5 319 F</i> |
| 77 Mexico | 426 | 442 | 290 | 285 | 265 | 416 | 434 | 388 | 391 | 461 |
| Nicaragua | - | - | - | - | - | 51 | 93 | 93 | 99 | 91 |
| Tonga | - | - | - | - | - | - | - | - | 45 | 108 |
| USA | - | - | - | - | 0 | - | - | - | 0 | 247 |
| <i>77 Fishing area total</i> | <i>426</i> | <i>442</i> | <i>290</i> | <i>285</i> | <i>265</i> | <i>467</i> | <i>527</i> | <i>481</i> | <i>535</i> | <i>907</i> |
| 81 New Zealand | - | 0 | 1 | - | 1 | 14 | 4 | 10 | 13 | 6 |
| <i>81 Fishing area total</i> | - | 0 | 1 | - | 1 | 14 | 4 | 10 | 13 | 6 |
| 87 Chile | 1 510 | 107 | 106 | 307 | 234 | 153 | 18 | 257 | 130 | 658 |
| Ecuador | 15 | 15 | 15 F | 15 F | 15 F | 15 F | 15 F | 15 F | 15 F | ... |
| <i>87 Fishing area total</i> | <i>1 525</i> | <i>122</i> | <i>121 F</i> | <i>322 F</i> | <i>249 F</i> | <i>168 F</i> | <i>33 F</i> | <i>272 F</i> | <i>145 F</i> | <i>658</i> |
| 88 Ukraine | - | - | - | - | 0 | - | - | - | - | - |
| <i>88 Fishing area total</i> | - | - | - | - | 0 | - | - | - | - | - |
| <i>Species total</i> | <i>16 702 F</i> | <i>12 944</i> | <i>15 244 F</i> | <i>18 175 F</i> | <i>17 049 F</i> | <i>18 732 F</i> | <i>15 789 F</i> | <i>16 694 F</i> | <i>14 749 F</i> | <i>16 897 F</i> |
| Group total | 123 021 | 108 127 | 123 903 | 107 042 | 115 245 | 105 128 | 95 645 | 94 191 | 96 603 | 99 425 |