

PREPARATION OF THIS DOCUMENT

This document, previously published in hard copy as a FAO Fisheries Circular, is currently disseminated in electronic format as a section of the CD-ROM contained in FAO Fishery and Aquaculture Statistics Yearbook.

The data presented are based on the fishery module of FAOSTAT, the Corporate Database for Substantive Statistical Data of FAO. These statistics have been used to prepare food balance sheets globally, by individual countries, as well as by selected continental and economic aggregates. The role of fish in supplying protein and other nutritional factors to the average diet is also indicated.

The statistical data contained in the document have been compiled by G. Laurenti, Statistics and Information Service of the Fisheries and Aquaculture Department (FIPS), on the basis of records held in the Fishery Statistical Database in December 2009 and of other official and non-official data and information available to FIPS.

Inquiries about the technical content of this publication should be sent to:

Statistics and Information Service
Fisheries and Aquaculture Department
Food and Agriculture Organization of the United Nations
Viale delle Terme di Caracalla
00153 Rome,
Italy

Fax: (+39) 06 57052476

E-mail: Fish-Statistics-Inquiries@fao.org

Laurenti, G. (comp.)

1961–2007 fish and fishery products: world apparent consumption statistics based on food balance sheets.

In FAO yearbook. Fishery and Aquaculture Statistics. 2009/FAO annuaire. Statistiques des pêches et de l'aquaculture. 2009/FAO anuario. Estadísticas de pesca y acuicultura. 2009.

Rome, FAO. 2011. On CD-ROM

ABSTRACT

The document summarizes more than four decades of statistics of apparent consumption of fish and fishery products based on supply/ utilization accounts, for 223 countries, six continental aggregates, five economic groups and world totals. Data are given for total and per capita supply in live weight on a yearly basis. Indicative nutritional values in terms of animal and total proteins are also provided. For 40 major food fish consuming countries, balances are provided for supply in quantities and nutritional factors of eight main groups of species of similar biological characteristics. A section comprising descriptive and analytical graphs supplements the data.

FOREWORD

From its foundation, FAO has recognized the importance of fish as a food source, particularly for its role in protein supply. In its first report on Fisheries¹ published in 1945, FAO stated that "... fish should be regarded as one of the most important sources of food in any program for raising the nutritional levels of peoples throughout the world". The same report contained the first estimate of average world fish per capita consumption published by FAO which was five pounds of edible fish meat per year (or about 5.4 kg live weight per year) and this probably referred to years before the Second World War. However, no consumption information for individual countries was provided and the report commented that national consumption figures, where available, are often not comparable due to the use of different methodologies. Further, it stated that "Accurate comparison must await the preparation of more complete and standardized international fishery statistics".

The central role of apparent consumption statistics for fish and fishery products in consideration of food security and nutrition issues is illustrated by the fact that such data were disseminated for the International Conference on Nutrition (Rome, 5–11 December 1992), the World Food Summit (Rome, 13–17 November 1996) and the World Food Summit: five years later (Rome, 10–13 June 2002).

International fishery statistics are still far from perfect but they have improved during the last five decades and the promotion of standard definitions, classifications and methodologies by FAO and other organizations has made them more comparable. The data in this publication are based on food balance sheets, which have been constructed from statistics on fish production, disposition of landings, commodity production and trade on the basis of eight major groups of species of similar biological characteristics and nine commodity groups. This publication shows summarized food balance sheets by country, continents and economic groups for years between 1961 and 2007 which allow trends in elements such as per capita fish supply and its contribution to protein supply to be examined. It also presents the composition of the total supply subdivided into major groups of species for the 40 largest consumers of food fish.

World average per capita supply of fish grew from 9.0 kg in 1961 to 17.8 kg in 2007. Fish provides a major source of protein for many countries, including many Small Island Developing States (SIDS). Compared to an average annual compound growth rate in per capita animal protein supply of 0.9 percent during 1961–2007 per capita world fish protein supply showed a rate of 1.3 percent. Some developing countries are particularly dependent on fish for food and all but six of the top 66 fish-consuming countries (in terms of fish as a proportion of animal protein) are from the developing world. It is notable that of 11 countries classified by FAO as most seriously undernourished (i.e. with 35 percent or more of the people undernourished)², five are amongst the most dependent on fish as a source of animal protein (i.e. fish providing more than 20 percent of animal protein).

¹ **FAO**. 1945. Five technical reports on food and agriculture: fisheries. Report of the technical Committee on Fisheries, submitted to the United Nations Interim Commission on Food and Agriculture. Washington. pp. 175–216.

² **FAO**. 2011. The state of food insecurity in the world 2011. (Available at www.fao.org).

The contribution of national fishery statistical offices in providing basic statistics required for the construction of these food balance sheets is gratefully acknowledged. Where such basic statistics are lacking or considered unreliable, data from other sources have been utilized, when available, and FAO estimates used when there are no other usable data.

FAO welcomes comments on these statistics and suggestions as to how they can be improved. Comments may be sent to the address below.

The Senior Fishery Statistician
Statistics and Information Service
Fisheries and Aquaculture Department
Food and Agriculture Organization of the United Nations
Viale delle Terme di Caracalla
00153 Rome, Italy
Fax:(+39) 06 57052476
e-mail: Fish-Statistics-Inquiries@fao.org

CONTENTS

		Page
Introduction		ix
General notes		x
Notes on graph Notes on Section Notes on Section	on 1 on 2	xii xii xii xii
Trilingual list of	table contents and groups of fish species	xiii
<u>Graphs</u>	Fish and fishery products: statistical graphs on apparent consumption (2007 and 1961–2007)	1
	Index of graphs Graphs	2
Section 1	Fish and fishery products: food balance sheets and fish contribution to protein supply by world, continents and economic groups (2007 and 1961–2007)	15
	Index of food balance sheets by world, continents and economic groups Data in live weight	16 17
Section 2	Fish and fishery products: food balance sheets and fish contribution to protein supply by country (from 1961 to 2007)	57
	Index of food balance sheets by country Data in live weight	58 59
Section 3	Fish and fishery products: food balance sheets by main groups of fish species and fish nutritional factors by selected countries (1961/1970, 1971/1980, 1981/1990, 1991/2000 averages and 2002–2007 series)	285
	Index of food balance sheets by main groups of fish species by selected countries Data in live weight	286 287
Appendix 1	Food composition factors for FAOSTAT fish and fishery products	410
Appendix 2	Definitions of FAOSTAT fish food commodities	411
References		414

INTRODUCTION

This document presents a compendium of four decades of statistics of apparent consumption for fish and fishery products for 223 countries, six continental aggregates, five economic groups and global totals based on the Supply/Utilization Accounts (SUAs) held in FAOSTAT, the Corporate Database for Substantive Statistical Data of FAO. Although FAOSTAT is currently undergoing a restructuring process in conceptual and technical aspects, the consolidated methodology used to calculate Food Balance Sheets for fish and fishery products will basically remain unchanged. The Fishery module maintains SUAs for eight groups of primary fishery commodities and nine groups of processed products derived from them for almost all the countries and areas in the world from 1961 to 2007. SUAs contain the estimates of supplies from different sources matched against estimates of different forms of utilization of each product. These series are regularly updated and revised in the light of any new information. Accordingly, the Food Balance Sheets derived from the SUAs of food products are consistent internally. In FAO's work these data are required to meet the requests of its statutory bodies to keep the world's food and nutritional situation under constant review, to update the Organization's analytical work in the field of food and population and to provide the statistical base for the projections of demand and other assessment studies.

The Food Balance Sheets included in this document have been calculated from individual SUA's series for each primary and processed fishery commodity, prepared on a calendar-year basis. In constructing the SUA's and the food balance sheets derived from them, both official and unofficial data available in the databases of the Statistics and Information Service of the Fisheries and Aquaculture Department have been used.

In order to facilitate descriptions and analyses of data, graphs are provided. Section 1 presents summarized FBS for the world in 2007 and long-term series starting from 1961 and ending with 2007, in live weight, for continental aggregates, economic groups and global totals. On each FBS the fish contribution to animal and total protein supply is indicated as a percentage. Section 2 gives, in live weight, the same data as described in Section 1, for 223 countries that represent more than 99 percent of the world population. For 40 major food fish consuming countries, whose aggregated population represents 78.4 percent of the world total, food fish balance in live weight, including fish-derived calories, proteins and fats, are provided as ten-year averages for each decade and for the six most recent years (2002–2007). These balances, provided by totals and eight main groups of fish species, are presented in Section 3.

The derived consumption data are as reliable as the basic production, trade and domestic utilization data on which they are based. Trends in food availability may reflect improved primary data rather than real changes in food intake. For a full description of the concepts used in the construction of food balance sheets and the major shortcomings of such data as indicators of consumption, the reader may refer to the publications indicated in References (in particular to: "Food balance sheets. A handbook". FAO, 2001, also available at http://www.fao.org/docrep/003/x9892e/x9892e00.htm). Nutritional values have been calculated utilizing appropriate standard food composition factors (see Appendix 1).

For information on other food commodities and the role of fish in national diets, see "Food Supply" and "Food Balance Sheets" domains in FAOSTAT at: http://faostat.fao.org/

More detailed fishery production and trade statistics of specific products are accessible as online or downloadable databases at : http://www.fao.org/fishery/statistics/en

GENERAL NOTES

Data	The data shown in this document were calculated on the basis of information available to the Statistics and Information Service of the Fisheries and Aquaculture Department (FIPS) in December 2009. Discrepancies which may occur in certain instances with data held in other fishery statistical databases are due to a different updating timeframe. Where necessary, historical series previously published have been amended. In particular, FAO has revised downwards non-food use estimates for China to reflect improved national information on the sector. As a consequence, starting from 2000, apparent consumption for China as well as for world has shown an increase in per capita as compared to previous assessments.
Country names	Countries are indicated by the FAO English name used for statistical purposes (12 and 24 characters). They are listed in alphabetical order and preceded by their FAO Code.
Population	Refers to the present-in-area (de facto) population, i.e. includes all persons physically present within the geographical boundaries of countries, at the mid-point of the reference period. The source of the data is <i>World population prospects: the 2008 Revision,</i> published by the Population Division of the United Nations.
Live weight	The weight of finfish and shellfish at the time of their capture or harvest. Calculated on the basis of conversion factors from landed to nominal weight and on rates prevailing among national industries for each type of processing.
Production	Refers to catch and culture of all fish, crustaceans, molluscs and aquatic organisms.
Non-food uses	Include utilization of aquatic products for reduction to meal and oil, for feed and bait, for ornamental purposes, withdrawals from markets and
	any other non-food use of fish production (e.g. fertilizers, medical uses).
Imports/exports	any other non-food use of fish production (e.g. fertilizers, medical uses). In accordance with the internationally-recommended practice, imports and exports statistics have been adjusted to include as imports fish caught by foreign fishing vessels and landed in domestic ports and as exports fish caught by domestic fishing vessels and landed directly in foreign ports. World totals of major groups of species may be understated due to statistics being reported as unspecified fish in some national trade statistics. This results also in imbalances between figures for world imports and exports of given major groups.
Imports/exports Stocks	In accordance with the internationally-recommended practice, imports and exports statistics have been adjusted to include as imports fish caught by foreign fishing vessels and landed in domestic ports and as exports fish caught by domestic fishing vessels and landed directly in foreign ports. World totals of major groups of species may be understated due to statistics being reported as unspecified fish in some national
	In accordance with the internationally-recommended practice, imports and exports statistics have been adjusted to include as imports fish caught by foreign fishing vessels and landed in domestic ports and as exports fish caught by domestic fishing vessels and landed directly in foreign ports. World totals of major groups of species may be understated due to statistics being reported as unspecified fish in some national trade statistics. This results also in imbalances between figures for world imports and exports of given major groups. Information on changes in stocks occurring between the production and the retail levels, or in levels of inventories, is very incomplete. In most

All calculations have been made in terms of live-weight equivalent.

<u>plus</u> imports, <u>less</u> exports and re-exports, <u>plus</u> or <u>less</u> variation in stocks.

Per caput food supply

The estimate of the total supply available for human consumption divided by the population total.

Percentages Percentages have been calculated on <u>unrounded</u> figures, though such figures are rounded in the tables due to space requirements.

Standard symbols ... = data not available/unavailable

0; 0.0 = magnitude known to be nil or more than zero, but less than half the unit used.

Groups of species Statistics of apparent consumption for finfish and shellfish are divided into the following eight broad groups of species:

Freshwater including carps, barbels, tilapias, etc.

and

Diadromous fish: including sturgeons, eels, salmons, trouts, shads, etc.

Demersal fish: including flatfishes, cods, hakes, haddocks, redfishes, sharks, coastal demersal fish, etc.

Pelagic fish: including anchovies, herrings, sardines, tunas, mackerels, etc.

Marine fish, other: including unidentified marine fish.

Crustaceans: including crabs, lobsters, shrimps, krill, etc.

Molluscs

(excl. Cephalopods): including abalones, oysters, mussels, scallops, clams, etc.

Cephalopods: including squids, cuttlefishes, octopuses, etc.

Aquatic animals, others: including frogs, turtles, sea-cucumbers, sea-urchins, etc.

For more detailed information on catch and culture, trade composition and other variables, please refer to the relevant sections of the FAO Yearbook of Fishery and Aquaculture Statistics. For information on food consumption in general, please refer to relevant publications included in References (page 414).

NOTES ON GRAPHS

This section includes statistical graphs based on 2007 data and data from the whole time series contained in this report and analysed for the world, continents and economic groups.

NOTES ON SECTION 1

This section provides 2007 Food Balance Sheets for fish and fishery products in live weight for the world total, seven global tables by country, continent and economic groups and two tables by major food fish consuming countries. Balances are also provided from 1961–2007 for 12 tables showing totals for continents and economic groups including and excluding China, one table showing 1961–1991 for the area of former USSR and two tables for world and world excluding China totals. In addition, yearly calculation of percentages of fish contribution to animal and total proteins are provided in each of the above tables.

The quality of data in the time series may vary.

NOTES ON SECTION 2

This section provides historical food balance sheet for fish and fishery products in live weight for 223 countries from 1961 to 2007. As for Section 1, yearly calculation of percentages of fish contribution to animal and total proteins are provided.

The quality of data in the time series may vary.

NOTES ON SECTION 3

This section provides, for the top 40 food fish consuming countries and the world total, food balance sheets in live weight for eight main groups of species (see pages xi and xiii) and the total calculated as ten-year averages for each decade and for the last six most recent years (2002–2007). Fish nutritional factors for calories, proteins and fats are also provided. Stock variations are not indicated.

The quality of data in the time series may vary.

TRILINGUAL LIST OF TABLE CONTENTS AND GROUPS OF FISH SPECIES

List of table contents

Fish and fishery products Apparent consumption Food balance sheets

Country Year Production Non-food uses

Imports Exports

Stock variations Total food supply

Population Calories Proteins Fats

Per capita supply Per capita per year Per capita per day

Tonnes Thousands Kilograms Grams

List of groups of species

Freshwater and diadromous fish

Demersal fish Pelagic fish Marine fish, other Crustaceans

Molluscs, excluding cephalopods

Cephalopods

Aquatic animals, others

Liste des matières des tableaux

Poissons et produits de la pêche Consommation apparente

Bilans alimentaires

Pays Année Production

Utilisations autres qu'alimentaires

Importations
Exportations
Variations de stock

Disponibilité alimentaire totale

Population Calories Protéines Lipides

Disponibilité par personne Par personne par année Par personne par jour

Tonnes Milliers Kilogrammes Grammes

Liste des groupes d'espèces

Poissons d'eau douce et diadromes

Poissons démersaux Poissons pélagiques

Poissons d'eau de mer, autres

Crustacés

Mollusques, à l'excl. des céphalopodes

Céphalopodes

Animaux aquatiques, autres

Contenido de los cuadros

Pescado y productos pesqueros

Consumo aparente

Hojas de balance de alimentos

País Año

Producción

Usos no alimentarios

Importaciones Exportaciones

Cambios de existencias

Suministro total de alimentos

Población Calorías Proteínas Grasas

Suministro por persona Por persona por año Por persona por día

Toneladas Miles Kilogramos Gramos

Lista de grupos de especies

Peces de agua dulce y diádromos

Peces demersales Peces pelágicos Otros peces marinos

Crustáceos

Moluscos, excl. cefalópodos

Cefalópodos

Animales acuáticos, otros