

B-42 Crabs, sea-spiders
Crabes, araignées de mer
Cangrejos, centollas

Capture production by species, fishing areas and countries or areas
Captures par espèces, zones de pêche et pays ou zones
Capturas por especies, áreas de pesca y países o áreas

| Species, Fishing area Espèce, Zone de pêche Especie, Área de pesca | 2005 t | 2006 t | 2007 t | 2008 t | 2009 t | 2010 t | 2011 t | 2012 t | 2013 t | 2014 t |
|--|------------------------------|-----------|---------------------------------|-----------|------------------------------------|-----------|-----------|-----------------------|-----------|------------|
| Mangrove ghost crab | Crabe mantou vert | | Capuco verde | | <i>Ucides occidentalis</i> | | | 2,31(03)003,02 | | UCD |
| 87 Ecuador | 175 | ... | ... | ... | 243 | 202 | 600 | 491 | 201 | 1 561 |
| 87 Fishing area total | 175 | ... | ... | ... | 243 | 202 | 600 | 491 | 201 | 1 561 |
| Species total | 175 | ... | ... | ... | 243 | 202 | 600 | 491 | 201 | 1 561 |
| Atlantic rock crab | Tourteau poinclos | | Jaiba de roca amarilla | | <i>Cancer irroratus</i> | | | 2,31(09)010,03 | | CRK |
| 21 Canada | 7 961 | 9 151 | 9 304 | 8 138 | 7 042 | 6 765 | 6 655 | 5 800 | 5 190 | 4 714 |
| USA | 1 748 | 1 681 | 1 942 | 2 118 | 1 891 | 1 099 | 920 | 781 | 727 | 1 018 |
| 21 Fishing area total | 9 709 | 10 832 | 11 246 | 10 256 | 8 933 | 7 864 | 7 575 | 6 581 | 5 917 | 5 732 |
| Species total | 9 709 | 10 832 | 11 246 | 10 256 | 8 933 | 7 864 | 7 575 | 6 581 | 5 917 | 5 732 |
| Dungeness crab | Dormeur du Pacifique | | Buey del Pacífico | | <i>Cancer magister</i> | | | 2,31(09)010,04 | | DUN |
| 67 Canada | 5 403 | 3 871 | 6 219 | 6 445 | 5 088 | 4 519 | 2 947 | 2 942 | 3 031 | 3 862 |
| USA | 27 246 | 37 216 | 24 154 | 20 908 | 27 490 | 22 784 | 23 051 | 19 036 | 34 567 | 18 594 |
| 67 Fishing area total | 32 649 | 41 087 | 30 373 | 27 353 | 32 578 | 27 303 | 25 998 | 21 978 | 37 598 | 22 456 |
| 77 USA | 2 538 | 3 114 | 1 622 | 1 733 | 1 251 | 6 852 | 7 541 | 5 249 | 5 063 | 6 145 |
| 77 Fishing area total | 2 538 | 3 114 | 1 622 | 1 733 | 1 251 | 6 852 | 7 541 | 5 249 | 5 063 | 6 145 |
| Species total | 35 187 | 44 201 | 31 995 | 29 086 | 33 829 | 34 155 | 33 539 | 27 227 | 42 661 | 28 601 |
| Edible crab | Tourteau | | Buey de mar | | <i>Cancer pagurus</i> | | | 2,31(09)010,06 | | CRE |
| 27 Belgium | 143 | 112 | 130 | 115 | 45 | 95 | 104 | 272 | 271 | 272 |
| Channel Is | 1 258 | 1 104 | 1 345 | 1 281 | 980 | 1 179 | 1 193 | 1 252 | 1 173 | 1 233 |
| Denmark | 89 | 122 | 232 | 157 | 69 | 61 | 74 | 81 | 69 | 79 |
| France | 5 076 | 4 804 | 5 743 | 5 135 | 5 206 | 5 916 | 6 950 | 6 141 | 5 925 | 6 132 |
| Germany | 191 | 172 | 156 | 143 | 159 | 135 | 144 | 114 | 115 | 107 |
| Ireland | 5 690 | 9 808 | 11 525 | 7 122 | 5 665 | 8 210 | 6 691 | 6 269 | 6 378 | 7 118 |
| Isle of Man | 333 | 402 | 245 | 200 | 292 | 459 | 554 | 495 | 453 | 519 |
| Netherlands | 362 | 317 | 479 | 435 | 244 | 394 | 444 | 470 | 554 | 580 |
| Norway | 5 671 | 6 205 | 8 515 | 5 295 | 4 971 | 5 773 | 5 319 | 4 981 | 5 241 | 4 629 |
| Portugal | 12 | 7 | 6 | 6 | 8 | 1 | 1 | 2 | 1 | 2 |
| Spain | 88 | 98 | 117 | 103 | 66 | 61 | 65 | 86 | 82 | 49 |
| Sweden | 165 | 135 | 153 | 150 | 178 | 213 | 204 | 204 | 223 | 212 |
| UK | 14 591 | 22 897 | 31 079 | 22 745 | 22 256 | 24 457 | 25 763 | 27 273 | 28 778 | 32 063 |
| 27 Fishing area total | 33 669 | 46 183 | 59 725 | 42 887 | 40 139 | 46 954 | 47 506 | 47 640 | 49 263 | 52 995 |
| Species total | 33 669 | 46 183 | 59 725 | 42 887 | 40 139 | 46 954 | 47 506 | 47 640 | 49 263 | 52 995 |
| Jonah crab | Tourteau jona | | Jaiba de roca jonás | | <i>Cancer borealis</i> | | | 2,31(09)010,07 | | CRJ |
| 21 USA | 3 257 | 3 037 | 4 289 | 3 918 | 3 980 | 4 935 | 5 205 | 5 281 | 7 218 | 7 733 |
| 21 Fishing area total | 3 257 | 3 037 | 4 289 | 3 918 | 3 980 | 4 935 | 5 205 | 5 281 | 7 218 | 7 733 |
| Species total | 3 257 | 3 037 | 4 289 | 3 918 | 3 980 | 4 935 | 5 205 | 5 281 | 7 218 | 7 733 |
| Pacific rock crab | Tourteau du Pacifique | | Jaiba del Pacífico | | <i>Cancer productus</i> | | | 2,31(09)010,08 | | ROC |
| 67 USA | 2 | 3 | 7 | 1 | 2 | 2 | 2 | 4 | 1 | 0 |
| 67 Fishing area total | 2 | 3 | 7 | 1 | 2 | 2 | 2 | 4 | 1 | 0 |
| 77 USA | 482 | 522 | 578 | 490 | 585 | 561 | 682 | 789 | 881 | 1 059 |
| 77 Fishing area total | 482 | 522 | 578 | 490 | 585 | 561 | 682 | 789 | 881 | 1 059 |
| Species total | 484 | 525 | 585 | 491 | 587 | 563 | 684 | 793 | 882 | 1 059 |
| Mola rock crab | Tourteau mola | | Jaiba marmola | | <i>Cancer edwardsii</i> | | | 2,31(09)010,10 | | CWE |
| 87 Chile | 4 562 | 5 109 | 4 150 | 5 449 | 4 222 | 4 279 | 4 704 | 3 832 | 3 808 | 4 106 |
| 87 Fishing area total | 4 562 | 5 109 | 4 150 | 5 449 | 4 222 | 4 279 | 4 704 | 3 832 | 3 808 | 4 106 |
| Species total | 4 562 | 5 109 | 4 150 | 5 449 | 4 222 | 4 279 | 4 704 | 3 832 | 3 808 | 4 106 |
| Batwing coral crab | Crabe moro | | Cangrejo moro | | <i>Carpilius corallinus</i> | | | 2,31(10)002,01 | | KPC |
| 31 Antigua Barb | - | - | - | - | 1 | 1 | 1 | 0 | 0 | 1 |
| 31 Fishing area total | - | - | - | - | 1 | 1 | 1 | 0 | 0 | 1 |
| Species total | - | - | - | - | 1 | 1 | 1 | 0 | 0 | 1 |
| Giant stone crab | Crabe caillou moré | | Jaiba mora | | <i>Homalaspis plana</i> | | | 2,31(10)010,01 | | HWP |
| 87 Chile | 118 | 134 | 186 | 312 | 301 | 195 | 328 | 260 | 167 | 110 |
| 87 Fishing area total | 118 | 134 | 186 | 312 | 301 | 195 | 328 | 260 | 167 | 110 |
| Species total | 118 | 134 | 186 | 312 | 301 | 195 | 328 | 260 | 167 | 110 |
| Black stone crab | Crabe caillou noir | | Cangrejo de piedra negro | | <i>Menippe mercenaria</i> | | | 2,31(10)050,01 | | STC |
| 31 Bahamas | 34 | 57 | 31 | 23 | 30 | 57 | 59 | 64 | 74 | 73 |
| Belize | 16 | 13 | 4 | 6 | 6 | 6 | 6 | 5 | 5 | 5 |
| Cuba | 114 | 77 | 95 | 90 | ... | ... | ... | ... | ... | ... |
| Mexico | 364 | 380 | 311 | 161 | 172 | 97 | 59 | ... | ... | ... |

B-42 Crabs, sea-spiders
Crabes, araignées de mer
Cangrejos, centollas

Capture production by species, fishing areas and countries or areas
Captures par espèces, zones de pêche et pays ou zones
Capturas por especies, áreas de pesca y países o áreas

| Species, Fishing area Espèce, Zone de pêche Especie, Área de pesca | 2005 t | 2006 t | 2007 t | 2008 t | 2009 t | 2010 t | 2011 t | 2012 t | 2013 t | 2014 t |
|--|------------------------------|-----------------------------|---------------------------------|-----------|-----------|-----------|-----------------------|-----------|------------|-----------|
| USA | 2 108 | 2 216 | 2 520 | 2 729 | 2 399 | 2 407 | 2 541 | 2 408 | 1 668 | 800 |
| 31 Fishing area total | 2 636 | 2 743 | 2 961 | 3 009 | 2 607 | 2 567 | 2 665 | 2 477 | 1 747 | 878 |
| Species total | 2 636 | 2 743 | 2 961 | 3 009 | 2 607 | 2 567 | 2 665 | 2 477 | 1 747 | 878 |
| Charybdis crabs nei | Crabes Charybdis nca | Jaibas Charybdis nep | Charybdis spp | | | | 2,31(11)003,XX | | YBX | |
| 61 China | 60 400 F | 57 363 F | 64 829 | 64 927 | 39 779 | 62 851 | 61 267 | 62 010 | 57 483 | 59 812 |
| 61 Fishing area total | 60 400 F | 57 363 F | 64 829 | 64 927 | 39 779 | 62 851 | 61 267 | 62 010 | 57 483 | 59 812 |
| Species total | 60 400 F | 57 363 F | 64 829 | 64 927 | 39 779 | 62 851 | 61 267 | 62 010 | 57 483 | 59 812 |
| Blue swimming crab | Étrille bleue | Jaiba azul | Portunus pelagicus | | | | 2,31(11)004,01 | | SCD | |
| 04 Philippines | 264 | 226 | 258 | 286 | 259 | 279 | 224 | 287 | 210 | 317 |
| 04 Fishing area total | 264 | 226 | 258 | 286 | 259 | 279 | 224 | 287 | 210 | 317 |
| 37 Israel | - | - | ... | ... | 126 | 115 | 72 | 98 | 36 | 36 F |
| Lebanon | ... | ... | ... | ... | ... | ... | ... | ... | ... | 57 |
| 37 Fishing area total | ... | ... | ... | ... | 126 | 115 | 72 | 98 | 36 | 93 F |
| 51 Bahrain | 3 246 | 3 695 | 3 248 | 4 656 | 4 142 | 3 912 | 3 042 | 4 319 | 3 663 | 4 898 |
| Iran | 1 504 | 900 | 1 791 | 955 | 2 807 | 1 399 | 731 | 1 679 | 1 080 | 1 860 |
| Kuwait | - | - | - | - | 22 | ... | ... | ... | ... | ... |
| Qatar | 74 | 65 | 128 | 159 | 140 | 83 | 84 | 78 | 73 | 305 |
| Saudi Arabia | 2 729 | 2 977 | 3 839 | 3 810 | 3 840 | 3 695 | 4 076 | 4 301 | 3 455 | 3 647 |
| Untd Arab Em | 512 | 419 | 479 | 926 | 907 | 978 | 923 | 431 | 420 F | 410 F |
| 51 Fishing area total | 8 065 | 8 056 | 9 485 | 10 506 | 11 858 | 10 067 | 8 856 | 10 808 | 8 691 F | 11 120 F |
| 57 Australia | 1 305 | 1 146 | 1 230 | 1 156 | 1 033 | 1 269 | 1 268 | 664 | 569 | 730 |
| Indonesia | 3 808 | 3 909 | 5 286 | 4 018 | 3 634 | 4 504 | 6 430 | 5 188 | 13 841 | 14 154 |
| Thailand | 9 304 | 7 972 | 7 583 | 7 417 | 8 630 | 8 574 | 10 379 | 8 723 | 6 496 | 9 633 |
| 57 Fishing area total | 14 417 | 13 027 | 14 099 | 12 591 | 13 297 | 14 347 | 18 077 | 14 575 | 20 906 | 24 517 |
| 61 China | 53 966 F | 54 865 F | 68 588 | 64 059 | 60 704 | 67 151 | 70 165 | 71 146 | 77 429 | 83 877 |
| China,Taiwan | 1 459 | 1 460 | 1 452 | 1 365 | 603 | 7 467 | 7 623 | 7 001 | 6 969 | 7 084 |
| 61 Fishing area total | 55 425 F | 56 325 F | 70 040 | 65 424 | 61 307 | 74 618 | 77 788 | 78 147 | 84 398 | 90 961 |
| 71 Australia | 4 063 | 3 668 | 3 560 | 3 664 | 3 222 | 2 963 | 3 452 | 3 389 | 3 153 | 3 025 |
| Indonesia | 14 952 | 22 777 | 25 135 | 34 820 | 31 376 | 38 498 | 35 981 | 33 938 | 38 528 | 38 283 |
| Philippines | 34 377 | 31 051 | 33 536 | 33 718 | 30 020 | 29 751 | 29 273 | 26 066 | 26 172 | 27 253 |
| Thailand | 18 567 | 23 860 | 16 638 | 16 156 | 15 132 | 14 262 | 18 411 | 24 741 | 19 216 | 17 002 |
| 71 Fishing area total | 71 959 | 81 356 | 78 869 | 88 358 | 79 750 | 85 474 | 87 117 | 88 134 | 87 069 | 85 563 |
| 81 Australia | 160 | 182 | ... | ... | ... | ... | ... | - | - | - |
| 81 Fishing area total | 160 | 182 | ... | ... | ... | ... | ... | - | - | - |
| Species total | 150 290 F | 159 172 F | 172 751 | 177 165 | 166 597 | 184 900 | 192 134 | 192 049 | 201 310 F | 212 571 F |
| Gazami crab | Crabe gazami | Jaiba gazami | Portunus trituberculatus | | | | 2,31(11)004,04 | | GAZ | |
| 61 China | 317 522 F | 345 109 F | 350 631 | 350 199 | 332 825 | 349 488 | 366 207 | 400 348 | 470 637 | 577 994 |
| Japan | 3 201 | 3 015 | 2 986 | 2 802 | 2 319 | 2 665 | 2 680 | 2 750 | 2 783 | 2 328 |
| Korea Rep | 3 714 | 6 894 | 13 606 | 17 846 | 31 302 | 33 193 | 26 608 | 26 861 | 30 448 | 25 310 |
| 61 Fishing area total | 324 437 F | 355 018 F | 367 223 | 370 847 | 366 446 | 385 346 | 395 495 | 429 959 | 503 868 | 605 632 |
| Species total | 324 437 F | 355 018 F | 367 223 | 370 847 | 366 446 | 385 346 | 395 495 | 429 959 | 503 868 | 605 632 |
| Portunus swimcrabs nei | Étrilles Portunus nca | Jaibas Portunus nep | Portunus spp | | | | 2,31(11)004,XX | | CRS | |
| 27 Portugal | 22 | 4 | 4 | 5 | 3 | 1 | 1 | 7 | 60 | 112 |
| Spain | - | 0 | 0 | - | - | 0 | - | 0 | - | - |
| UK | 1 479 | 3 765 | ... | 3 296 | 3 180 | 2 811 | 2 582 | 2 361 | 1 806 | 1 885 |
| 27 Fishing area total | 1 501 | 3 769 | 4 | 3 301 | 3 183 | 2 812 | 2 583 | 2 368 | 1 866 | 1 997 |
| 31 Trinidad Tob | 15 | 28 | 38 | 45 | 52 | 112 | 51 | 0 | 50 | 49 F |
| 31 Fishing area total | 15 | 28 | 38 | 45 | 52 | 112 | 51 | 0 | 50 | 49 F |
| 51 Eritrea | ... | 15 | ... | ... | ... | ... | ... | 0 | 0 | - |
| 51 Fishing area total | ... | 15 | ... | ... | ... | ... | ... | 0 | 0 | - |
| Species total | 1 516 | 3 812 | 42 | 3 346 | 3 235 | 2 924 | 2 634 | 2 368 | 1 916 | 2 046 F |
| Blue crab | Crabe bleu | Cangrejo azul | Callinectes sapidus | | | | 2,31(11)012,02 | | CRB | |
| 02 USA | - | - | - | - | - | 4 | - | - | - | - |
| 02 Fishing area total | - | - | - | - | - | 4 | - | - | - | - |
| 21 USA | 40 618 | 37 398 | 30 746 | 43 131 | 39 078 | 59 887 | 57 973 | 49 879 | 34 109 | 35 274 |
| 21 Fishing area total | 40 618 | 37 398 | 30 746 | 43 131 | 39 078 | 59 887 | 57 973 | 49 879 | 34 109 | 35 274 |
| 31 Cuba | 225 | 349 | 330 | 340 | 306 | 345 | 399 | 389 | 354 | 350 F |
| Mexico | 10 275 | 10 729 | 10 183 | 9 729 | 9 275 | 9 138 | 9 505 | 8 967 | 9 795 | 12 405 |
| Nicaragua | 1 | 1 | 1 | 1 | 1 | 176 | 259 | 182 | 432 | 611 |
| USA | 31 597 | 37 731 | 32 232 | 28 242 | 31 539 | 24 039 | 32 366 | 31 728 | 26 905 | 25 717 |
| Venezuela | 9 601 | 18 701 | 17 874 | 14 942 | 15 000 F | 9 800 F | 7 620 | 3 062 | 2 900 F | ... |
| 31 Fishing area total | 51 699 | 67 511 | 60 620 | 53 254 | 56 121 F | 43 498 F | 50 149 | 44 328 | 40 386 F | 39 083 F |
| Species total | 92 317 | 104 909 | 91 366 | 96 385 | 95 199 F | 103 389 F | 108 122 | 94 207 | 74 495 F | 74 357 F |

B-42 Crabs, sea-spiders
Crabes, araignées de mer
Cangrejos, centollas

Capture production by species, fishing areas and countries or areas
Captures par espèces, zones de pêche et pays ou zones
Capturas por especies, áreas de pesca y países o áreas

| Species, Fishing area Espèce, Zone de pêche Especie, Área de pesca | 2005 t | 2006 t | 2007 t | 2008 t | 2009 t | 2010 t | 2011 t | 2012 t | 2013 t | 2014 t |
|--|--------------------------------------|-----------|------------------------------------|-----------|---------------------------|-----------|-----------|-----------------------|-----------|------------|
| Dana swimcrab | Crabe lénée | | Cangrejo sirí | | Callinectes danae | | | 2,31(11)012,05 | | CRZ |
| 41 Brazil | 2 761 | 2 415 | 1 461 | 2 181 | 2 405 | 2 274 | 2 243 | 2 466 | 2 226 | 2 246 |
| 41 Fishing area total | 2 761 | 2 415 | 1 461 | 2 181 | 2 405 | 2 274 | 2 243 | 2 466 | 2 226 | 2 246 |
| Species total | 2 761 | 2 415 | 1 461 | 2 181 | 2 405 | 2 274 | 2 243 | 2 466 | 2 226 | 2 246 |
| Green crab | Crabe vert | | Cangrejo verde | | Carcinus maenas | | | 2,31(11)090,01 | | CRG |
| 21 USA | 6 | 17 | 97 | 75 | 75 | 69 | 104 | 128 | 94 | 71 |
| 21 Fishing area total | 6 | 17 | 97 | 75 | 75 | 69 | 104 | 128 | 94 | 71 |
| 27 France | 168 | 339 | 403 | 403 | 397 | 392 | 357 | 308 | 356 | 360 |
| Ireland | - | 46 | 91 | 72 | 226 | 129 | 74 | 253 | 31 | 50 |
| Netherlands | - | - | - | - | - | - | - | 1 | - | 8 |
| Norway | - | - | - | - | - | - | 0 | - | 2 | 4 |
| Portugal | 351 | 219 | 222 | 140 | 338 | 407 | 413 | 437 | 373 | 417 |
| Spain | 12 | 6 | 10 | 12 | 8 | 8 | 9 | 5 | 1 | 6 |
| UK | 157 | 389 | 283 | 271 | 327 | 383 | 503 | 641 | 564 | 600 |
| 27 Fishing area total | 688 | 999 | 1 009 | 898 | 1 296 | 1 319 | 1 356 | 1 645 | 1 327 | 1 445 |
| Species total | 694 | 1 016 | 1 106 | 973 | 1 371 | 1 388 | 1 460 | 1 773 | 1 421 | 1 516 |
| Mediterranean shore crab | Crabe vert de la Méditerranée | | Cangrejo verde méditerranéo | | Carcinus aestuarii | | | 2,31(11)090,02 | | CMR |
| 37 Albania | 4 | 9 | ... | ... | ... | ... | ... | ... | ... | ... |
| France | 5 | 4 | 11 | 12 | 8 | 3 | 12 | 7 | 13 | 8 |
| Greece | 47 | 24 | 58 | 56 | 76 | 229 | 497 | 473 | 533 | 844 |
| Spain | 17 | 23 | 25 | 24 | 31 | 31 | 24 | 17 | 22 | 12 |
| 37 Fishing area total | 73 | 60 | 94 | 92 | 115 | 263 | 533 | 497 | 568 | 864 |
| Species total | 73 | 60 | 94 | 92 | 115 | 263 | 533 | 497 | 568 | 864 |
| Indo-Pacific swamp crab | Crabe de palétuviers | | Cangrejo de manglares | | Scylla serrata | | | 2,31(11)140,01 | | MUD |
| 04 Philippines | 483 | 479 | 719 | 767 | 788 | 821 | 896 | 987 | 888 | 1 046 |
| 04 Fishing area total | 483 | 479 | 719 | 767 | 788 | 821 | 896 | 987 | 888 | 1 046 |
| 51 Mauritius | 20 | 2 | 3 | 4 | 5 | 3 | 2 | 2 | 3 | 2 |
| 51 Fishing area total | 20 | 2 | 3 | 4 | 5 | 3 | 2 | 2 | 3 | 2 |
| 57 Indonesia | 3 826 | 3 966 | 4 752 | 4 166 | 4 466 | 4 256 | 11 743 | 12 630 | 12 296 | 12 513 |
| Thailand | 447 | 2 691 | 1 410 | 539 | 919 | 1 086 | 1 502 | 720 | 1 231 | 712 |
| 57 Fishing area total | 4 273 | 6 657 | 6 162 | 4 705 | 5 385 | 5 342 | 13 245 | 13 350 | 13 527 | 13 225 |
| 61 China,Taiwan | 717 | 521 | 647 | 409 | 211 | 150 | 106 | 43 | 11 | 8 |
| 61 Fishing area total | 717 | 521 | 647 | 409 | 211 | 150 | 106 | 43 | 11 | 8 |
| 71 Fiji | 370 F | 427 | 339 | 150 | 80 | 70 | 65 | 70 F | 70 F | 70 F |
| Indonesia | 15 272 | 19 490 | 20 889 | 22 462 | 24 356 | 26 324 | 27 690 | 21 280 | 20 931 | 21 742 |
| Micronesia | 5 F | 5 F | 5 F | 5 F | 5 F | 5 F | 5 F | 5 F | 5 F | 5 F |
| Palau | 3 | 4 | 12 | 3 | 33 | 3 | 1 | 1 F | 1 F | 1 F |
| Papua N Guin | 9 | 17 | 21 | 12 | 10 | 3 | 1 | 1 | 1 | 2 F |
| Philippines | 949 | 1 023 | 1 084 | 1 158 | 1 221 | 1 537 | 1 531 | 1 447 | 1 306 | 1 272 |
| Singapore | 28 | 36 | 23 | 22 | 32 | 30 | 38 | 40 | 25 | 21 |
| Thailand | 1 297 | 4 327 | 1 936 | 1 205 | 1 063 | 1 044 | 1 084 | 2 185 | 921 | 1 252 |
| 71 Fishing area total | 17 933 F | 25 329 F | 24 309 F | 25 017 F | 26 800 F | 29 016 F | 30 415 F | 25 029 F | 23 260 F | 24 365 F |
| 77 Fr Polynesia | 3 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 77 Fishing area total | 3 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Species total | 23 429 F | 32 994 F | 31 846 F | 30 908 F | 33 195 F | 35 338 F | 44 670 F | 39 417 F | 37 695 F | 38 652 F |
| Velvet swimcrab | Étrille commune | | Nécora | | Necora puber | | | 2,31(11)195,01 | | LIO |
| 27 France | 192 | 214 | 273 | 244 | 198 | 210 | 279 | 165 | 165 | 173 |
| Ireland | 36 | 280 | 127 | 267 | 193 | 342 | 188 | 169 | 366 | 283 |
| Isle of Man | 3 | - | - | - | 0 | - | - | - | - | - |
| Portugal | 29 | 43 | 42 | 30 | 31 | 30 | 28 | 21 | 20 | 24 |
| Spain | ... | ... | ... | ... | ... | ... | ... | ... | 98 | 102 |
| 27 Fishing area total | 260 | 537 | 442 | 541 | 422 | 582 | 495 | 355 | 649 | 582 |
| Species total | 260 | 537 | 442 | 541 | 422 | 582 | 495 | 355 | 649 | 582 |
| Henslow's swimming crab | Crabe à sardine | | Patelo | | Polybius henslowii | | | 2,31(11)200,01 | | QPH |
| 27 Portugal | - | - | ... | ... | ... | ... | ... | ... | 44 | ... |
| 27 Fishing area total | - | - | ... | ... | ... | ... | ... | ... | 44 | ... |
| Species total | - | - | ... | ... | ... | ... | ... | ... | 44 | ... |
| Harbour spidercrab | Araignée portuaire | | Araña porteña | | Mithrax armatus | | | 2,31(21)001,02 | | MXT |
| 31 Nicaragua | 47 | 59 | 27 | 21 | 3 | 3 | 7 | 1 | 4 | 3 |
| 31 Fishing area total | 47 | 59 | 27 | 21 | 3 | 3 | 7 | 1 | 4 | 3 |
| Species total | 47 | 59 | 27 | 21 | 3 | 3 | 7 | 1 | 4 | 3 |

B-42 Crabs, sea-spiders
Crabes, araignées de mer
Cangrejos, centollas

Capture production by species, fishing areas and countries or areas
Captures par espèces, zones de pêche et pays ou zones
Capturas por especies, áreas de pesca y países o áreas

| Species, Fishing area Espèce, Zone de pêche Especie, Área de pesca | 2005 t | 2006 t | 2007 t | 2008 t | 2009 t | 2010 t | 2011 t | 2012 t | 2013 t | 2014 t |
|--|--------------------------------------|-----------|---------------------------------------|-----------|-------------------------------|-----------|-----------|-----------------------|-----------|------------|
| Spinous spider crab | Araignée européenne | | Centolla europea | | Maja squinado | | | 2,31(21)005,01 | | SCR |
| 27 Channel Is | 242 | 194 | 165 | 265 | 257 | 246 | 214 | 149 | 111 | 122 |
| Denmark | 2 | 1 | 1 | - | 1 | - | 0 | 0 | 0 | - |
| France | 3 917 | 4 542 | 4 695 | 4 166 | 4 965 | 4 537 | 4 203 | 3 452 | 4 234 | 4 760 |
| Ireland | 25 | 153 | 60 | 153 | 443 | 415 | 306 | 819 | 229 | 1 030 |
| Portugal | 48 | 67 | 56 | 26 | 37 | 37 | 26 | 22 | 43 | 27 |
| Spain | 298 | 379 | 288 | 333 | 375 | 295 | 314 | 331 | 216 | 246 |
| UK | 498 | 1 568 | 1 441 | 1 023 | 865 | 769 | 952 | 888 | 518 | 437 |
| 27 Fishing area total | 5 030 | 6 904 | 6 706 | 5 966 | 6 943 | 6 299 | 6 015 | 5 661 | 5 351 | 6 622 |
| 34 Morocco | 18 | 1 | 1 | 0 | 1 | 4 | 2 | 1 | 4 | 0 |
| Portugal | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... |
| 34 Fishing area total | 18 | 1 | 2 | 0 | 1 | 4 | 2 | 1 | 4 | 0 |
| 37 Croatia | 110 | 69 | 244 | 246 | 19 | 22 | 29 | 33 | 35 | 29 |
| France | 3 | 2 | - | - | 2 | 8 | 9 | 8 | 9 | 6 |
| Morocco | 3 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Spain | 4 | 6 | 5 | 2 | 5 | 5 | 6 | 5 | 5 | 3 |
| 37 Fishing area total | 120 | 77 | 249 | 248 | 27 | 35 | 44 | 46 | 49 | 38 |
| Species total | 5 168 | 6 982 | 6 957 | 6 214 | 6 971 | 6 338 | 6 061 | 5 708 | 5 404 | 6 660 |
| Queen crab | Crabe des neiges | | Cangrejo de las nieves | | Chionoecetes opilio | | | 2,31(21)145,01 | | CRQ |
| 21 Canada | 95 347 | 89 646 | 90 672 | 93 868 | 97 308 | 84 642 | 84 372 | 92 849 | 98 065 | 96 103 |
| Greenland | 4 454 | 3 146 | 2 189 | 2 169 | 2 991 | 3 096 | 1 806 | 1 813 | 1 973 | 1 683 |
| St Pier Mq | 151 | 191 | 153 | 137 | 169 | 250 | 228 | 327 | 252 | 101 |
| Spain | 292 | - | - | - | - | - | - | - | - | - |
| 21 Fishing area total | 100 244 | 92 983 | 93 014 | 96 174 | 100 468 | 87 988 | 86 406 | 94 989 | 100 290 | 97 887 |
| 27 Latvia | - | - | - | - | - | - | - | - | - | 229 |
| Norway | - | - | - | - | - | - | - | 2 | 189 | 1 881 |
| Russian Fed | - | - | - | - | - | - | - | - | 63 | 4 105 |
| 27 Fishing area total | - | - | - | - | - | - | - | 2 | 252 | 6 215 |
| 67 USA | 11 279 | 17 245 | 15 479 | 28 324 | 26 349 | 21 700 | 24 515 | 40 026 | 29 706 | 24 402 |
| 67 Fishing area total | 11 279 | 17 245 | 15 479 | 28 324 | 26 349 | 21 700 | 24 515 | 40 026 | 29 706 | 24 402 |
| Species total | 111 523 | 110 228 | 108 493 | 124 498 | 126 817 | 109 688 | 110 921 | 135 017 | 130 248 | 128 504 |
| Tanner crab | ...B | | ...C | | Chionoecetes bairdi | | | 2,31(21)145,02 | | CVB |
| 67 USA | 1 596 | 2 042 | 1 886 | 1 649 | 1 561 | 1 195 | 2 708 | 2 162 | 1 565 | 4 222 |
| 67 Fishing area total | 1 596 | 2 042 | 1 886 | 1 649 | 1 561 | 1 195 | 2 708 | 2 162 | 1 565 | 4 222 |
| Species total | 1 596 | 2 042 | 1 886 | 1 649 | 1 561 | 1 195 | 2 708 | 2 162 | 1 565 | 4 222 |
| Red snow crab | ...B | | ...C | | Chionoecetes japonicus | | | 2,31(21)145,03 | | CWJ |
| 61 Japan | 19 833 | 21 456 | 20 228 | 20 228 | 20 312 | 19 227 | 18 135 | 17 782 | 17 389 | 17 605 |
| 61 Fishing area total | 19 833 | 21 456 | 20 228 | 20 228 | 20 312 | 19 227 | 18 135 | 17 782 | 17 389 | 17 605 |
| Species total | 19 833 | 21 456 | 20 228 | 20 228 | 20 312 | 19 227 | 18 135 | 17 782 | 17 389 | 17 605 |
| Tanner crabs nei | Crabes des neiges du Pac. nca | | Cangrejos Pacif. de las nieves | | Chionoecetes spp | | | 2,31(21)145,XX | | PCR |
| 27 Lithuania | ... | ... | - | - | - | - | - | - | - | 936 |
| 27 Fishing area total | ... | ... | - | - | - | - | - | - | - | 936 |
| 61 Japan | 4 849 | 5 996 | 5 970 | 5 308 | 4 717 | 4 809 | 4 439 | 4 353 | 4 181 | 4 371 |
| Korea Rep | 25 166 | 27 952 | 30 205 | 31 312 | 32 365 | 33 355 | 35 087 | 39 291 | 39 881 | 40 601 |
| Russian Fed | 21 014 | 20 404 | 22 706 | 22 797 | 22 505 | 27 646 | 29 275 | 28 211 | 29 206 | 32 065 |
| 61 Fishing area total | 51 029 | 54 352 | 58 881 | 59 417 | 59 587 | 65 810 | 68 801 | 71 855 | 73 268 | 77 037 |
| 67 USA | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 67 Fishing area total | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| Species total | 51 029 | 54 352 | 58 881 | 59 417 | 59 587 | 65 810 | 68 801 | 71 855 | 73 268 | 77 974 |
| Hair crab | Crabe velu | | Cangrejo peludo | | Erimacrus isenbeckii | | | 2,31(23)001,01 | | HBZ |
| 61 Russian Fed | 16 | 45 | 96 | 136 | 6 | 1 | 29 | 53 | 47 | 66 |
| 61 Fishing area total | 16 | 45 | 96 | 136 | 6 | 1 | 29 | 53 | 47 | 66 |
| Species total | 16 | 45 | 96 | 136 | 6 | 1 | 29 | 53 | 47 | 66 |
| Portly spider crab | ...B | | ...C | | Libinia emarginata | | | 2,31(24)001,01 | | KEM |
| 31 Bahamas | - | - | - | - | - | 6 | 0 | 0 | 0 | 0 |
| 31 Fishing area total | - | - | - | - | - | 6 | 0 | 0 | 0 | 0 |
| Species total | - | - | - | - | - | 6 | 0 | 0 | 0 | 0 |
| West African geryon | Géryon ouest-africain | | Gerión de Guinea | | Chaceon maritae | | | 2,31(43)001,02 | | CGE |
| 34 Mauritania | 4 | 1 | - | - | - | - | 0 | 19 | ... | 0 |
| Portugal | ... | ... | 2 | 158 | 9 | ... | ... | ... | ... | ... |
| 34 Fishing area total | 4 | 1 | 2 | 158 | 9 | ... | 0 | 19 | ... | 0 |

B-42 Crabs, sea-spiders
Crabes, araignées de mer
Cangrejos, centollas

Capture production by species, fishing areas and countries or areas
Captures par espèces, zones de pêche et pays ou zones
Capturas por especies, áreas de pesca y países o áreas

| Species, Fishing area Espèce, Zone de pêche Especie, Área de pesca | 2005 t | 2006 t | 2007 t | 2008 t | 2009 t | 2010 t | 2011 t | 2012 t | 2013 t | 2014 t |
|--|---------------------------------------|--------------|---------------------------------------|--------------|----------------------------|--------------|--------------|-----------------------|--------------|--------------|
| 47 Japan | 1 198 | 572 | 803 | 44 | 326 | 754 | 477 | 810 | 1 223 | 1 156 |
| Namibia | 2 413 | 2 237 | 4 101 | 2 100 | 1 577 | 766 | 175 | 198 | 196 | 2 723 |
| Portugal | ... | ... | 35 | ... | ... | ... | ... | ... | ... | ... |
| <i>47 Fishing area total</i> | <i>3 611</i> | <i>2 809</i> | <i>4 939</i> | <i>2 144</i> | <i>1 903</i> | <i>1 520</i> | <i>652</i> | <i>1 008</i> | <i>1 419</i> | <i>3 879</i> |
| <i>Species total</i> | <i>3 615</i> | <i>2 810</i> | <i>4 941</i> | <i>2 302</i> | <i>1 912</i> | <i>1 520</i> | <i>652</i> | <i>1 027</i> | <i>1 419</i> | <i>3 879</i> |
| Deep-sea red crab | Crabe rouge de profondeur | | Cangrejo rey | | Chaceon affinis | | | 2,31(43)001,09 | | KEF |
| 27 Germany | ... | 446 | 369 | 263 | 309 | 440 | 443 | 148 | 178 | 194 |
| Ireland | 128 | 10 | - | - | - | 4 | 32 | - | 0 | - |
| UK | 927 | 623 | - | 209 | 13 | 10 | 12 | 5 | - | - |
| <i>27 Fishing area total</i> | <i>1 055</i> | <i>1 079</i> | <i>369</i> | <i>472</i> | <i>322</i> | <i>454</i> | <i>487</i> | <i>153</i> | <i>178</i> | <i>194</i> |
| <i>Species total</i> | <i>1 055</i> | <i>1 079</i> | <i>369</i> | <i>472</i> | <i>322</i> | <i>454</i> | <i>487</i> | <i>153</i> | <i>178</i> | <i>194</i> |
| Red crab | Gériocrabe rouge | | Geriocangrejo rojo | | Chaceon quinquedens | | | 2,31(43)001,12 | | CRR |
| 21 USA | 1 667 | 1 562 | 1 284 | 1 414 | 1 013 | 1 416 | 681 | 1 190 | 928 | 985 |
| <i>21 Fishing area total</i> | <i>1 667</i> | <i>1 562</i> | <i>1 284</i> | <i>1 414</i> | <i>1 013</i> | <i>1 416</i> | <i>681</i> | <i>1 190</i> | <i>928</i> | <i>985</i> |
| <i>Species total</i> | <i>1 667</i> | <i>1 562</i> | <i>1 284</i> | <i>1 414</i> | <i>1 013</i> | <i>1 416</i> | <i>681</i> | <i>1 190</i> | <i>928</i> | <i>985</i> |
| Southwest Atlantic red crab | Géryon de Atlantique sud-ouest | | Gerión atlántico sudoccidental | | Chaceon notialis | | | 2,31(43)001,13 | | HBN |
| 41 Brazil | 1 465 | 292 | 1 | ... | ... | ... | ... | - | ... | ... |
| UK | 444 | 557 | - | - | - | - | - | - | - | - |
| Uruguay | 2 726 | 1 791 | 2 358 | 1 504 | 1 712 | 1 760 | 1 409 | 781 | 854 | 970 |
| <i>41 Fishing area total</i> | <i>4 635</i> | <i>2 640</i> | <i>2 359</i> | <i>1 504</i> | <i>1 712</i> | <i>1 760</i> | <i>1 409</i> | <i>781</i> | <i>854</i> | <i>970</i> |
| <i>Species total</i> | <i>4 635</i> | <i>2 640</i> | <i>2 359</i> | <i>1 504</i> | <i>1 712</i> | <i>1 760</i> | <i>1 409</i> | <i>781</i> | <i>854</i> | <i>970</i> |
| Golden deepsea crab | ...B | | ...C | | Chaceon fenneri | | | 2,31(43)001,14 | | HFB |
| 31 USA | 171 | 222 | 197 | 178 | 223 | 253 | 292 | 359 | 272 | 33 |
| <i>31 Fishing area total</i> | <i>171</i> | <i>222</i> | <i>197</i> | <i>178</i> | <i>223</i> | <i>253</i> | <i>292</i> | <i>359</i> | <i>272</i> | <i>33</i> |
| <i>Species total</i> | <i>171</i> | <i>222</i> | <i>197</i> | <i>178</i> | <i>223</i> | <i>253</i> | <i>292</i> | <i>359</i> | <i>272</i> | <i>33</i> |
| Chaceon geryons nei | Géryons Chaceon nca | | Geriones Chaceon nep | | Chaceon spp | | | 2,31(43)001,XX | | GER |
| 51 Mozambique | 158 | 107 | 125 | 74 | 95 | 208 | 82 | 50 | 73 | 94 |
| Portugal | ... | ... | ... | ... | ... | ... | ... | ... | 9 | 4 |
| Spain | - | - | - | 4 | - | - | - | - | - | - |
| <i>51 Fishing area total</i> | <i>158</i> | <i>107</i> | <i>125</i> | <i>78</i> | <i>95</i> | <i>208</i> | <i>82</i> | <i>50</i> | <i>82</i> | <i>98</i> |
| <i>Species total</i> | <i>158</i> | <i>107</i> | <i>125</i> | <i>78</i> | <i>95</i> | <i>208</i> | <i>82</i> | <i>50</i> | <i>82</i> | <i>98</i> |
| Mediterranean geryon | Géryon de la Méditerranée | | Gerión mediterráneo | | Geryon longipes | | | 2,31(43)088,02 | | GRQ |
| 37 Spain | 57 | 60 | 88 | 125 | 119 | 141 | 108 | 46 | 38 | 50 |
| <i>37 Fishing area total</i> | <i>57</i> | <i>60</i> | <i>88</i> | <i>125</i> | <i>119</i> | <i>141</i> | <i>108</i> | <i>46</i> | <i>38</i> | <i>50</i> |
| <i>Species total</i> | <i>57</i> | <i>60</i> | <i>88</i> | <i>125</i> | <i>119</i> | <i>141</i> | <i>108</i> | <i>46</i> | <i>38</i> | <i>50</i> |
| Marine crabs nei | Crabes de mer nca | | Cangrejos de mar nep | | Brachyura | | | 2,31(XX)XXX,XX | | CRA |
| 02 Mexico | 2 | 2 | ... | ... | ... | ... | ... | ... | ... | ... |
| <i>02 Fishing area total</i> | <i>2</i> | <i>2</i> | <i>...</i> | <i>...</i> | <i>...</i> | <i>...</i> | <i>...</i> | <i>...</i> | <i>...</i> | <i>...</i> |
| 21 Canada | 2 465 | 1 889 | 1 736 | 1 068 | 619 | 706 | 624 | 667 | 482 | 563 |
| Spain | - | 14 | - | - | - | - | - | - | 0 | - |
| USA | 473 | 329 | 340 | 212 | 331 | 426 | 1 113 | 71 | 58 | 61 |
| <i>21 Fishing area total</i> | <i>2 938</i> | <i>2 232</i> | <i>2 076</i> | <i>1 280</i> | <i>950</i> | <i>1 132</i> | <i>1 737</i> | <i>738</i> | <i>540</i> | <i>624</i> |
| 27 Channel Is | - | 2 | - | - | 0 | - | - | - | - | - |
| Denmark | 194 | 194 | 146 | 209 | 228 | 166 | 170 | 173 | 175 | 214 |
| Faroe Is | 0 | 89 | 102 | 169 | 154 | 188 | 195 | 129 | 31 | 107 |
| France | 15 | 13 | 34 | 32 | - | 3 | 104 | 39 | 27 | 57 |
| Germany | 452 | 2 | - | - | - | - | - | - | - | - |
| Iceland | - | 52 | - | 1 | - | 2 | 4 | - | - | 0 |
| Ireland | - | - | - | 1 | - | - | - | - | - | 0 |
| Norway | - | - | - | - | 1 | 1 | 2 | 30 | 0 | 1 |
| Portugal | 29 | 2 | 1 | ... | ... | 13 | 9 | 5 | 2 | 74 |
| Spain | 127 | 172 | 139 | 136 | 143 | 149 | 160 | 141 | 1 840 | 3 148 |
| UK | 53 | 22 | 6 | 1 | 6 | 2 | 0 | 1 | 0 | 18 |
| <i>27 Fishing area total</i> | <i>870</i> | <i>548</i> | <i>428</i> | <i>549</i> | <i>532</i> | <i>524</i> | <i>644</i> | <i>518</i> | <i>2 075</i> | <i>3 619</i> |
| 31 Colombia | 596 | 450 F | 300 F | 150 F | 3 | 4 | 8 | 8 F | 7 | 21 |
| Cuba | 272 | 186 | 124 | 246 | 208 | 311 | 255 | 163 | 267 | 267 F |
| Dominican Rp | 67 | 75 | 51 | 103 | 49 | 276 | 16 | 16 | 31 | 30 |
| Haiti | 250 F | 220 F | 200 F | 170 F | 150 | 100 F | 200 F | 200 F | 200 F | 200 F |
| Honduras | 20 F | 20 F | 20 F | ... | ... | ... | ... | ... | ... | ... |
| Mexico | 46 | 48 | 25 | 25 | 25 | 14 | 9 | 414 | 707 | 721 |
| Puerto Rico | 4 | 4 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 2 |
| Suriname | 20 | 20 | 15 | 12 | ... | ... | ... | ... | ... | ... |
| USA | - | - | - | - | - | - | 3 | 5 | 7 | 174 |
| Venezuela | 950 F | 560 F | 650 F | 680 F | 700 F | 100 F | 2 | 7 | 1 000 F | 3 951 |

B-42 Crabs, sea-spiders
Crabes, araignées de mer
Cangrejos, centollas

Capture production by species, fishing areas and countries or areas
Captures par espèces, zones de pêche et pays ou zones
Capturas por especies, áreas de pesca y países o áreas

| Species, Fishing area Espèce, Zone de pêche Especie, Área de pesca | 2005 t | 2006 t | 2007 t | 2008 t | 2009 t | 2010 t | 2011 t | 2012 t | 2013 t | 2014 t |
|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 31 Fishing area total | 2 225 F | 1 583 F | 1 388 F | 1 389 F | 1 138 F | 808 F | 496 F | 815 F | 2 222 F | 5 366 F |
| 34 Benin | 23 | 24 | 19 | 28 | 8 | 10 | 4 | 1 | 55 | 62 |
| Cameroon | 1 | 1 | 1 | 1 F | 1 F | 2 F | 3 F | 3 F | 3 F | 4 F |
| China | 0 | 58 | 202 | 52 | 67 | 212 | 243 | 67 | 392 | ... |
| Côte d'Ivoire | 2 F | 1 F | 2 F | 2 F | 2 | 10 | 7 | 8 | 8 | 5 |
| Gabon | 171 | 219 | 89 | 23 | 30 F | 35 F | 40 F | 45 F | 50 F | 60 |
| Gambia | ... | 22 | 120 | 44 | 46 | 46 | 60 F | 68 | 104 | 61 |
| Ghana | 2 466 | 1 445 | 868 | 570 | 650 | 848 | 616 | 183 | 145 | 191 |
| Greece | 8 | 4 | 9 | 8 | 1 | - | - | - | - | 4 |
| GuineaBissau | 10 F | 10 F | 10 F | 10 F | 10 F | 10 F | 10 F | 10 F | 10 F | 10 F |
| Korea Rep | - | - | - | - | - | 1 | - | - | - | - |
| Liberia | 8 | 131 | 50 | 47 | 50 F | 50 F | 50 F | 50 F | 50 F | 50 F |
| Morocco | 26 | 59 | 254 | 138 | 170 | 540 | 623 | 524 | 763 | 551 |
| Nigeria | 2 917 | 6 570 | 1 963 | 4 467 | 3 946 | 3 593 | 3 460 | 4 143 | 4 211 | 4 656 |
| Portugal | 12 | 11 | 29 | 140 | 5 | 15 | 10 | 0 | ... | ... |
| Senegal | 47 | 21 | 29 | 16 | 53 | 87 | 283 | 57 | 523 | 482 |
| Sierra Leone | 368 | 312 | 332 | 950 | 930 F | 900 F | 880 F | 860 F | 830 F | 802 |
| Spain | 248 | 354 | 447 | 160 | 693 | 623 | 310 | 13 | 43 | 332 |
| Togo | 6 | 28 | 5 | 10 F | 21 | 13 | 12 | 9 | 13 | 10 |
| UK | - | 7 | 46 | - | - | - | - | - | - | - |
| 34 Fishing area total | 6 313 F | 9 277 F | 4 475 F | 6 666 F | 6 683 F | 6 995 F | 6 611 F | 6 041 F | 7 200 F | 7 280 F |
| 37 Egypt | 2 307 | 2 306 | 4 095 | 3 525 | 3 949 | 3 792 | 3 814 | 2 475 | 2 274 | 2 427 |
| France | - | - | - | - | 12 | 13 | 10 | 5 | 6 | 5 |
| Italy | 315 | 323 | 630 | 538 | 466 | 441 | 391 | 263 | 182 | 194 |
| Palest, O.T. | 102 | 177 | 94 | 99 | 132 | 226 | 257 | 285 | 134 | 214 |
| Spain | 842 | 871 | 748 | 698 | 720 | 733 | 641 | 261 | 142 | 72 |
| Turkey | 160 | 149 | 26 | 25 | 84 | 49 | 19 | 24 | 8 | 6 |
| 37 Fishing area total | 3 726 | 3 826 | 5 593 | 4 885 | 5 363 | 5 254 | 5 132 | 3 313 | 2 746 | 2 918 |
| 41 Argentina | 21 | 62 | 63 | 79 | 57 | 148 | 139 | 24 | 16 | 27 |
| Brazil | 10 151 | 7 977 | 6 818 | 8 185 | 9 027 | 8 535 | 8 755 | 9 628 | 8 690 | 8 769 |
| Portugal | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... |
| Ukraine | - | - | - | 1 | ... | 0 | - | - | - | - |
| 41 Fishing area total | 10 172 | 8 041 | 6 881 | 8 265 | 9 084 | 8 683 | 8 894 | 9 652 | 8 706 | 8 796 |
| 47 Angola | 900 F | 296 | 172 | 103 | 117 | 500 F | 800 F | 1 100 F | 1 400 F | 1 779 |
| Korea Rep | - | - | - | - | - | - | - | - | 1 012 | 440 |
| Portugal | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... |
| Spain | 67 | 45 | 36 | 44 | 2 | - | - | - | 517 | 1 888 |
| 47 Fishing area total | 967 F | 341 | 209 | 147 | 119 | 500 F | 800 F | 1 100 F | 2 929 F | 4 107 |
| 51 Egypt | 371 | 331 | 311 | 201 | 297 | 267 | 321 | 304 | 98 | 71 |
| India | 5 067 | 6 571 | 6 210 | 5 580 | 5 641 | 7 541 | 10 684 | 7 660 | 10 743 | 10 743 F |
| Kenya | 124 | 110 | 137 | 148 | 117 | 168 | 206 | 235 | 274 | 180 |
| Korea Rep | - | - | - | - | - | - | - | - | - | 13 |
| Madagascar | 1 525 | 1 600 | 1 370 | 1 370 | 2 580 | 2 019 | 3 700 | 2 824 | 3 909 | 4 515 |
| Mozambique | 161 | 175 | 121 | 255 | 690 | 734 | 1 270 | 1 350 | 1 346 | 1 966 |
| Pakistan | 4 439 | 4 218 | 4 048 | 4 098 | 4 840 | 4 695 | 8 343 | 8 852 | 8 963 | 5 879 |
| Réunion | 6 | 6 | 1 | 0 | 1 | 0 | 0 | 2 | 1 | 0 |
| Seychelles | 18 | 48 | 15 | 4 | 0 | 15 | 4 | 5 | 1 | 58 |
| South Africa | 33 | 31 | 16 | 17 | 12 | 23 | 20 | 22 | 12 | 11 |
| Spain | - | 5 | 4 | 6 | 1 | - | - | - | - | - |
| Yemen | 110 F | 99 | 29 | 46 | 108 | 61 | 95 | 172 | 155 F | 140 F |
| 51 Fishing area total | 11 854 F | 13 194 | 12 262 | 11 725 | 14 287 | 15 523 | 24 643 | 21 426 | 25 502 F | 23 576 F |
| 57 India | 16 619 | 16 619 | 29 707 | 34 213 | 37 229 | 33 544 | 21 398 | 31 394 | 44 031 | 44 031 F |
| Korea Rep | - | - | - | - | - | - | - | - | - | 10 |
| Malaysia | 3 886 | 4 793 | 5 614 | 5 747 | 6 509 | 5 605 | 5 327 | 5 263 | 6 611 | 5 622 |
| Spain | - | 4 | - | - | - | - | - | - | - | - |
| Thailand | 4 142 | 3 564 | 3 145 | 3 012 | 3 429 | 4 321 | 1 790 | 1 662 | 938 | 2 275 |
| Timor-Leste | 18 F | 17 F | 15 F | 16 F | 15 F | 15 F | 15 F | 15 F | 15 F | 15 F |
| 57 Fishing area total | 24 665 F | 24 997 F | 38 481 F | 42 988 F | 47 182 F | 43 485 F | 28 530 F | 38 334 F | 51 595 F | 51 953 F |
| 61 China | 104 569 F | 103 150 F | 72 988 | 69 596 | 110 190 | 113 832 | 120 319 | 113 758 | 128 664 | 142 991 |
| China,H.Kong | 1 020 F | 970 F | 970 F | 1 000 F | 1 010 F | 1 065 F | 1 080 F | 980 F | 1 070 F | 1 020 F |
| China,Taiwan | 5 439 | 3 201 | 2 836 | 2 812 | 1 482 | 2 349 | 2 547 | 2 481 | 2 406 | 2 465 |
| Japan | 6 102 | 6 124 | 6 248 | 4 907 | 4 836 | 5 017 | 4 889 | 4 883 | 5 161 | 5 378 |
| Korea Rep | 10 383 | 10 184 | 8 423 | 9 454 | 9 643 | 8 881 | 8 118 | 7 188 | 5 076 | 5 485 |
| 61 Fishing area total | 127 513 F | 123 629 F | 91 465 F | 87 769 F | 127 161 F | 131 144 F | 136 953 F | 129 290 F | 142 377 F | 157 339 F |
| 67 USA | - | 0 | 1 | - | 0 | 2 | 0 | 5 | 0 | 1 |
| 67 Fishing area total | - | 0 | 1 | - | 0 | 2 | 0 | 5 | 0 | 1 |
| 71 Cambodia | 5 100 F | 5 100 F | 4 800 F | 4 580 | 5 013 | 4 558 | 4 230 | 4 280 F | 4 050 F | 4 430 F |
| Fiji | 160 F | 176 | 198 | 150 F | 100 F | 50 | 100 | 100 F | 100 F | 100 F |
| Korea Rep | 82 | 32 | 95 | 6 | 4 | 2 | - | - | 4 | ... |
| Malaysia | 7 696 | 6 466 | 6 423 | 6 383 | 5 651 | 6 899 | 7 601 | 7 012 | 7 609 | 7 867 |
| NewCaledonia | 9 | 22 | 25 | 47 | 54 | 77 | 62 | 64 | 53 | 47 |
| Singapore | 95 | 92 | 96 | 81 | 88 | 98 | 82 | 88 | 105 | 99 |
| Thailand | 4 148 | 4 950 | 4 425 | 2 184 | 2 458 | 2 534 | 2 805 | 2 526 | 2 441 | 2 093 |
| Vanuatu | 460 F | 702 | 650 F | 630 F | 600 | 600 F | 600 F | 600 F | 600 F | 600 F |
| Viet Nam | 37 360 F | 32 400 F | 27 440 F | 22 570 F | 18 000 F | 13 563 | 20 142 | 23 026 | 29 510 | 30 203 |
| Wallis Fut I | 1 F | 1 F | 1 F | 1 F | 1 F | 1 F | 1 F | 1 F | 1 F | 1 F |
| 71 Fishing area total | 55 111 F | 49 941 F | 44 153 F | 36 632 F | 31 969 F | 28 382 F | 35 623 F | 37 697 F | 44 473 F | 45 440 F |
| 77 Amer Samoa | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - |
| Costa Rica | 7 | 6 | 2 | 0 | 0 | 0 | 2 | 6 | 3 | 3 F |

B-42 Crabs, sea-spiders
Crabes, araignées de mer
Cangrejos, centollas

Capture production by species, fishing areas and countries or areas
Captures par espèces, zones de pêche et pays ou zones
Capturas por especies, áreas de pesca y países o áreas

| Species, Fishing area Espèce, Zone de pêche Especie, Área de pesca | 2005 t | 2006 t | 2007 t | 2008 t | 2009 t | 2010 t | 2011 t | 2012 t | 2013 t | 2014 t |
|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Honduras | 40 F | 40 F | 40 F | 40 F | 40 F | 40 F | 40 F | 40 F | 40 F | 77 |
| Mexico | 10 481 | 10 944 | 16 240 | 18 489 | 15 737 | 19 795 | 10 757 | 12 569 | 17 046 | 22 280 |
| Nicaragua | - | - | - | 1 | ... | ... | ... | ... | ... | ... |
| Panama | 9 | 54 | 10 | 16 | 12 | ... | ... | ... | 64 | ... |
| USA | 39 | 45 | 44 | 38 | 47 | 44 | 35 | 47 | 50 | 63 |
| <i>77 Fishing area total</i> | <i>10 576 F</i> | <i>11 089 F</i> | <i>16 336 F</i> | <i>18 584 F</i> | <i>15 836 F</i> | <i>19 879 F</i> | <i>10 834 F</i> | <i>12 662 F</i> | <i>17 203 F</i> | <i>22 423 F</i> |
| 81 New Zealand | 420 | 307 | 247 | 318 | 330 | 205 | 221 | 297 | 325 | 301 |
| Ukraine | ... | 22 | ... | ... | ... | ... | ... | ... | ... | ... |
| <i>81 Fishing area total</i> | <i>420</i> | <i>329</i> | <i>247</i> | <i>318</i> | <i>330</i> | <i>205</i> | <i>221</i> | <i>297</i> | <i>325</i> | <i>301</i> |
| 87 Chile | 547 | 519 | 809 | 976 | 1 463 | 777 | 1 246 | 1 283 | 1 508 | 1 628 |
| Colombia | 417 | 330 F | 250 F | 140 F | 52 | 76 | 16 | 20 F | 24 | 5 |
| Peru | 2 006 | 1 256 | 1 628 | 1 750 | 1 894 | 1 578 | 1 797 | 2 593 | 2 419 | 1 954 |
| <i>87 Fishing area total</i> | <i>2 970</i> | <i>2 105 F</i> | <i>2 687 F</i> | <i>2 866 F</i> | <i>3 409</i> | <i>2 431</i> | <i>3 059</i> | <i>3 896 F</i> | <i>3 951</i> | <i>3 587</i> |
| <i>Species total</i> | <i>260 322 F</i> | <i>251 134 F</i> | <i>226 682 F</i> | <i>224 063 F</i> | <i>264 043 F</i> | <i>264 947 F</i> | <i>264 177 F</i> | <i>265 784 F</i> | <i>311 844 F</i> | <i>337 330 F</i> |
| Group total | 1 206 866 | 1 284 838 | 1 278 910 | 1 285 072 | 1 288 302 | 1 353 937 | 1 386 410 | 1 421 651 | 1 537 079 | 1 679 627 |